

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	09-12-2025 16:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	09-12-2025 16:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	90 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Defence
विभाग का नाम/Department Name	Department Of Military Affairs
संगठन का नाम/Organisation Name	Indian Army
कार्यालय का नाम/Office Name	*****
कुल मात्रा/Total Quantity	4676
	<p>Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931 (Q3) , Towel Rail / Ring for Bathroom (Q3) , Bathroom Water Shower (V2) (Q3) , Soap Dish - Case (Q4) , Curtain Pipe, Sider and mounting bracket (Q4) , Toilet Seat Covers (V2) (Q4) , Flushing Cistern (Q3) , Plastics Bib Taps Pillar Taps Angle Valves and Stop Valves as per IS 9763:2000 (Latest) (Q3) , Waste Fittings for Washbasin and Sinks as per IS 2963 (Q3) , Waste Pipe (Q3) , Connection Pipe with Nuts (V2) (Q3) , Bracket for Curtain Rod ,with Screw and Gitti , CP Brass Waste Coupling 40 mm , CP Brass Toilet Paper Holder , CP Brass Botel Trap 32 mm , CP Brass Pillar Cock 20 mm Confirming to IS 8931-1993 minimum weight 575 Gram , CP Brass Bib Cock 20 mm Short Body Confirming to IS 8931-1993 minimum weight 900 Gram. , Corrugated Waste Pipe 32mm X 800 mm , Corner Glass Shelf 300 mm , 6 mm thick toughened glass, SS railing and CP brass Bracket , SWR Pipe Type A length 06 Feet 110 mm dia , UPVC type , SWR Pipe Type A length 06 Feet 75 mm dia , UPVC type , Teflon Tape 12 mm 10 Mtr long , Teflon Tape 19 mm 10 Mtr long , Toilet Seat Cover White Anglo Indian Type , Toilet Seat Orrisa Pattern White , Tower Bolt S S 125 mm , Tower Bolt S S 150 mm , Wash Basin White 550mm X 400 mm , WC Orissa Pattern toilet seat , White Cement in 01 Kgs Pack , Cushion size 21 inch x22 inch x4 inch 40 Density with removable cover , Door Handle 200 mm Aluminium , Door Handle 200 mm SS , Door Stopper 75 mm Aluminium , Door Stopper 100 mm SS , European Type EWC S Type and P Trap , Fevicol 1 Kg in Pack , Finnel for Curtain Rod SS , Galvanised MS wire cloth 0.56mm 3 feet by 4 feet wide and 15 mtr long , Glass Sheet Plane size 1200x900x4MM , Glass Shelf 500mmX 125mm with Brass Bracket, Screw and Gitti , Glazed Oil Putty , Hasp and staple almn anodised 75 mm , Hasp and staple almn anodised 100 mm , Hydraulic door</p>

बिड विवरण / Bid Details	
वस्तु श्रेणी /Item Category	<p>closer Universal Type , Knob 25mm , SS with nut and screw , Looking mirror 600x450x4mm beveled edge , with 4 plugs, Screw and Gitti , M S Helical door spring 150mm , M Seal , Mirror Cabinet 622mmX422mm with sliding mirror of 4 mm thick , Mortice lock 65mm 4 lever SS , Nail off size , Piano type Hings SS 6 feet , Plate Rack S S Size 24 inch x24 inch x10 inch and thickness not less than 0.60 mm , Plate Rack S S Size 36 inch X31 inch X10 inch and thickness not less than 0.60 mm , Ply wood 7 feet x3 feet x12mm thick BWR Grade , Ply wood 8 feet x4 feet x 04 mm Teak face , Ply wood 8 feet x4 feet x 08 mm BWR Grade , PTMT Float Valve 15 mm with Ball and Brass Rod , PTMT Float Valve 20 mm with Ball and Brass Rod , PTMT Float Valve 25 mm with Ball and Brass Rod , PTMT Grating Jali Round 125 mm , PTMT Grating Jali Round 140 mm , PTMT Grating Round Jali 125 mm with hole , PTMT Jet Spray with 1.00 mtr Tube , PTMT Waste Coupling 32 mm , PTMT Waste Coupling 40 mm , PVC Internal Fitting for Low Level Cistern , Dual action with Push buttons , PVC Urinal Waste Pipe 32 mm X 800 mm , Water tank cover for 1000 Ltr tank hinges type , Water tank cover for 500 Ltr tank hinges type , Readymade Bituminious Path Hole Patching , Rotational three layered , white colour moulded polythylen water storage tank 1000 Ltr , Rotational three layered , white colour moulded polythy water storage tank 300 Ltr Rectangular shape. , Rubber door seal for door bottom 50x90cm , S S Kitchen Sink of Size 18 inch x24 inch x8 inch and thickness of the sheet is not less than 1.0 mm grade 304 , S S Kitchen Sink of Size 20 inch x17 inch x7 inch and thickness of sheet not less than 1.0 mm grade 304 , S S Kitchen Sink With Drain Board of Size 41 inch x 20 inch x8 inch and thickness of sheet not less than 1.0 mm grade 304. , Sliding Door Bolt S S 250 mm , Sliding Door Bolt S S 300 mm , Spindle Brass for 15 mm Bib Cock , Stainless Steel Butt Hinges Size 100 mm , Stainless Steel Butt Hinges Size 125 mm , Stainless Steel Butt Hinges Size 75 mm , Stainless Steel Grating Round 4 inch with hole , Stainless Steel Grating Round 4 inch without hole , Stainless Steel Grating Round 5 inch without hole , Sliding Door Bolt Alumn 250 mm , Sliding Door Bolt Alumn 300 mm , Spindle Brass for 20 mm Bib Cock , SS Door Handle 100 mm , SS Door Handle 75 mm , SS Health Faucet Hand Shower with 1.5 Mtr Flexible Tube and Hook , GI Pipe Medium Grade 15 mm With Socket , GI Pipe Medium Grade 20 mm With Socket , GI Pipe Medium Grade 25 mm With Socket , GI Elbow 15 mm , GI Elbow 20 mm , GI Elbow 25 mm , GI Nipple 15 mm X 100 mm , GI Nipple 15 mm X 125 mm , GI Nipple 15 mm X 150 mm , GI Nipple 15 mm X 50 mm , GI Nipple 15 mm X 75 mm , GI Nipple 20 mm X 100 mm , GI Nipple 20 mm X 125 mm , GI Nipple 20 mm X 150 mm , GI Nipple 20 mm X 50 mm , GI Nipple 20 mm X 75 mm , GI Nipple 25 mm X 100 mm , GI Nipple 25 mm X 125 mm , GI Nipple 25 mm X 150 mm , GI Socket 15 mm , GI Socket 20 mm , GI Socket 25 mm , GI Tee 15 mm , GI Tee 20 mm , GI Tee 25 mm , GI Union 15 mm , GI Union 20 mm , GI Union 25 mm , MS End Plug 15 mm , MS End Plug 20 mm , MS End Plug 25 mm</p>

बिड विवरण/Bid Details

GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS

Bracket for Curtain Rod with Screw , CP Brass Waste Coupling 40 mm, CP Brass Toilet Paper Holder, CP Brass Botel Trap 32 mm , CP Brass Pillar Cock 20 mm , CP Brass Bib Cock 20 mm Short Body , Corrugated Waste Pipe 32mm X 800 mm, Corner Glass Shelf 300 mm 6 mm thick , SWR Pipe Type A length 06 Feet 110 mm , SWR Pipe Type A length 06 Feet 75 mm , Teflon Tape 12 mm 10 Mtr long, Teflon Tape 19 mm 10 Mtr long, Toilet Seat Cover White Anglo Indian , Toilet Seat Orrisa Pattern White, Tower Bolt S S 125 mm, Tower Bolt S S 150 mm, Wash Basin White 550mm X 400 mm , WC Orissa Pattern toilet seat, White Cement in 01 Kgs Pack, Cushion size 21 inch x22 inch x 4 inch , Door Handle 200 mm Aluminium, Door Handle 200 mm SS, Door Stopper 75 mm Aluminium, Door Stopper 100 mm SS, European Type EWC S Type and P Trap, Fevicol 1 Kg in Pack, Finnel for Curtain Rod SS, Galvanised MS wire cloth 0.56mm 3 feet , Glass Sheet Plane size 1200x900x4MM, Glass Shelf 500mmX 125mm , Glazed Oil Putty , Hasp and staple almn anodised 75 mm, Hasp and staple almn anodised 100 mm, Hydraulic door closer Universal Type, Knob 25mm SS with nut and screw, Looking mirror 600x450x4mm , M S Helical door spring 150mm, M Seal , Mirror Cabinet 622mmX422mm , Mortice lock 65mm 4 lever SS, Nail off size, Piano type Hings SS 6 feet, Plate Rack S S Size 24 inch x24 inch x10 inch , Plate Rack S S Size 36 inch X31 inch X10 inch , Ply wood 7 feet x3 feet x12mm, Ply wood 8 feet x4 feet x 04 mm , Ply wood 8 feet x4 feet x 08 mm , PTMT Float Valve 15 mm with Ball, PTMT Float Valve 20 mm with Ball , PTMT Float Valve 25 mm with Ball , PTMT Grating Jali Round 125 mm, PTMT Grating Jali Round 140 mm, PTMT Grating Round Jali 125 mm, PTMT Jet Spray with 1.00 mtr Tube, PTMT Waste Coupling 32 mm, PTMT Waste Coupling 40 mm, PVC Internal Fitting for Low Level Cistern, PVC Urinal Waste Pipe 32 mm X 800 mm, Water tank cover for 1000 Ltr tank , Water tank cover for 500 Ltr tank , Readymade Bituminious Path , Rotational three layered tank 1000Ltr , Rotational three layered tank 300 Ltr, Rubber door seal for door bottom 50x90cm, S S Kitchen Sink of Size 18 inch x24 inch x8 inch , S S Kitchen Sink of Size 20 inch x17 inch x7 inch , S S Kitchen Sink With Drain Board of Size 41 inch, Sliding Door Bolt S S 250 mm, Sliding Door Bolt S S 300 mm, Spindle Brass for 15 mm Bib Cock, Stainless Steel Butt Hinges Size 100 mm, Stainless Steel Butt Hinges Size 125 mm, Stainless Steel Butt Hinges Size 75 mm, Stainless Steel Grating Round 4 inch , Stainless Steel Grating Round 4 inch, Stainless Steel Grating Round 5 inch , Sliding Door Bolt Alumn 250 mm, Sliding Door Bolt Alumn 300 mm, Spindle Brass for 20 mm Bib Cock, SS Door Handle 100 mm , SS Door Handle 75 mm , SS Health Faucet Hand Shower, GI Pipe Medium Grade 15 mm , GI Pipe Medium Grade 20 mm, GI Pipe Medium Grade 25 mm, GI Elbow 15 mm, GI Elbow 20 mm, GI Elbow 25 mm, GI Nipple 15 mm X 100 mm, GI Nipple 15 mm X 125 mm, GI Nipple 15 mm X 150 mm, GI Nipple 15 mm X 50 mm, GI Nipple 15 mm X 75 mm, GI Nipple 20 mm X 100 mm, GI Nipple 20 mm X 125 mm, GI Nipple 20 mm X 150 mm, GI Nipple 20 mm X 50 mm, GI Nipple 20 mm X 75 mm, GI Nipple 25 mm X 100 mm, GI Nipple 25 mm X 125 mm, GI Nipple 25 mm X 150 mm, GI Socket 15 mm, GI Socket 20 mm, GI Socket 25 mm, GI Tee 15 mm, GI Tee 20 mm, GI Tee 25 mm, GI Union 15 mm, GI Union 20 mm, GI Union 25 mm, MS End Plug 15 mm, MS End Plug 20 mm, MS End Plug 25 mm

बिड विवरण/Bid Details	
	<p>Searched String: Bracket for Curtain Rod with Screw</p> <p>Rigging screw with Cover Sleeve For Wire Rope Barrier, Welding Rod for Manual Metal Arc Welding of Carbon and Carbon Manganese Steel as per IS 814, Stud Remover & Installer with Screwdriver tool Set(ONGC), Laboratory Glassware Bottles (Aspirator Bottles) as per IS 1388 (Part 3), Wrought Aluminium Utensils (V2) as per IS 1660, Splice Closure for Optical Fiber Cables, Extension Pole Cum Monopod (Accessories for Action Camera)</p> <p>Searched String: CP Brass Waste Coupling 40 mm</p> <p>Commercial CPVC Pipe Fittings, Pad Lock Various (As Per Defence Specification), Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Globe Valve as per IS 778</p> <p>Searched String: CP Brass Toilet Paper Holder</p> <p>Toilet Paper (V3) Conforming to IS 14661, Toilet Paper (V2) as per IS 14661, Commercial CPVC Pipe Fittings, Sign holders or stands, CPU Trolley / CPU Stand, Report Cover, Domestic Soup or Salad Bowls (V2)</p> <p>Searched String: CP Brass Botel Trap 32 mm</p> <p>Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Commercial CPVC Pipe Fittings, Globe Valve as per IS 778</p> <p>Searched String: CP Brass Pillar Cock 20 mm</p> <p>Plug Cock for Water Supply Purpose as per IS 3004, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Drilling Machine Bench Type / Pillar Type as per IS 2425, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Commercial CPVC Pipe Fittings</p> <p>Searched String: CP Brass Bib Cock 20 mm Short Body</p> <p>Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781</p> <p>Searched String: Corrugated Waste Pipe 32mm X 800 mm</p> <p>Customised Envelopes, Corrugated Boxes, Dry Erase Writing Boards (V3), Pin Up Notice Board (V2), Dak Pad (V2), Foam Mattress (V3), hospital biohazard bags or bio medical waste collection bags, Newspaper Reading Stand, Commercial CPVC Pipe Fittings, Lever Arch File</p> <p>Searched String: Corner Glass Shelf 300 mm 6 mm thick</p> <p>Fabric Pin Up Notice Boards, Kitchen Wall Shelves, Wooden Lab Stools, traffic signs - bilinker light, Dusk to Dawn Controller - Sensitive Switch, Ultrasonic Thickness Gauge, tea kettle set, Electronic Baby Weighing Scale - RBSK, Hot Rolled Strips Flats, Steel Tubes used for Water Wells (V2) as per IS 4270</p> <p>Searched String: SWR Pipe Type A length 06 Feet 110 mm</p> <p>Unplasticized PVC Pipes for Potable Water Supplies as per IS</p>

बिड विवरण/Bid Details	4985, Porcelain Guy Strain Insulators Conforming To IS 5300
	<p>Searched String: SWR Pipe Type A length 06 Feet 75 mm</p> <p>Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985</p> <p>Searched String: Teflon Tape 12 mm 10 Mtr long</p> <p>Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Unsintered PTFE Teflon tape for Thread Sealing Applications Conforming to IS 14643 (V2), Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Pressure Sensitive Adhesive Tapes with Plastic Base (V3) Conforming to IS 13262, Transparent Tape (V2), Taekwondo Mats, Double sided tape, Air Hoses as per IS 446:1987</p> <p>Searched String: Teflon Tape 19 mm 10 Mtr long</p> <p>Carbon Tape 19 MM(OFB-DEFENCE), Mild Steel Sheet, Unsintered PTFE Teflon tape for Thread Sealing Applications Conforming to IS 14643 (V2), Double sided tape, Transparent Tape (V2), Caution / Crime Scene Tape (V2)</p> <p>Searched String: Toilet Seat Cover White Anglo Indian</p> <p>Disposable Toilet Seat Cover, Toilet Seat Covers (V2), Toilet Seat - Indian Style Squatting Pan</p> <p>Searched String: Toilet Seat Orrisa Pattern White</p> <p>European Pattern Toilet Seat Vitreous China, Toilet Seat Covers (V2), Toilet Seat Band, Toilet Seat Disinfectant Spray, Toilet Seat - Indian Style Squatting Pan, Disposable Toilet Seat Cover, Swing Check Type Reflux (Non - Return) Valves for Water Works Purposes (Single Door Pattern) as per IS 5312</p> <p>Searched String: Tower Bolt S S 125 mm</p> <p>Parallel Bar - Outdoor Gym Equipment, Roti Making Machine, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Tower Bolts (Ferrous Metals) as per IS 204, M.S Stopper for Traffic Control (Portable Barrier), Heavy Duty Pipe Wrench as per IS 4003, Bone Screw (V2), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, Tower Bolts (Non-Ferrous Metals) V2 as per IS 204, Tower Ladder (V2)</p> <p>Searched String: Tower Bolt S S 150 mm</p> <p>Parallel Bar - Outdoor Gym Equipment, Tower Bolts (Ferrous Metals) as per IS 204, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Signal/ Triad Cable, M.S Stopper for Traffic Control (Portable Barrier), Handloom Cotton Bed Sheets (V2) as per IS 745, Bone Screw (V2), Microscopes - Pathological and Research as per IS 4381, IS 5204, IS 4381, IS 5204, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, Plain Weave Cotton Fabrics - Leopard Packing Cloth as per IS 181</p> <p>Searched String: Wash Basin White 550mm X 400 mm</p>

बिड विवरण / Bid Details	Customised Envelopes, Pontoon Platform, Dry Erase Writing Boards (V3), Domestic Tongs(Chimta), Pin Up Notice Board (V2), Dak Pad (V2), Foam Mattress (V3), Newspaper Reading Stand, Lever Arch File, Parallel Bar - Outdoor Gym Equipment
	<p>Searched String: WC Orissa Pattern toilet seat</p> <p>Toilet Seat - Indian Style Squatting Pan, Toilet Seat Covers (V2), European Pattern Toilet Seat Vitreous China, Toilet Seat Band, Toilet Seat Disinfectant Spray, Swing Check Type Reflux (Non - Return) Valves for Water Works Purposes (Single Door Pattern) as per IS 5312, Disposable Toilet Seat Cover</p> <p>Searched String: White Cement in 01 Kgs Pack</p> <p>Inks (V2), Low Cement Castable LC - 70 for Snorkels as per IS 15541, White Cement Based Polymeric Putty as per IS 17545, Spices and Condiments - Turmeric Whole and Ground (V2) as per IS 3576</p> <p>Searched String: Cushion size 21 inch x22 inch x 4 inch</p> <p>Cleaning Duster (V3), Garbage Bags, Bio - Medical Waste Collection Bags (Biohazard Bags), File/Folder (V3), Television (TV) (V2), General Purpose Hand Gloves (V2), Cleaning Duster (V2), General Purpose Ball Valves (V2), Laboratory Hot plate, CPVC Industrial Pipe Fittings, Schedule 80</p> <p>Searched String: Door Handle 200 mm Aluminium</p> <p>Access Controlled Handle Door Lock, Squeegee Washer Wiper Mopper (V2), Door Handles & Knobs, Long Handle Drainage Cleaner, Door Handles & Knobs-handcrafted, PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), Door Handles (V2) ISI marked to IS 208, Aluminium Conductors For Overhead Transmission Purposes (V2) Conforming To IS 398, Door Handles as per IS 208, Wrought Aluminium Utensils (V2) as per IS 1660</p> <p>Searched String: Door Handle 200 mm SS</p> <p>Sweeping SS Handle Broom Stick, Door Handles as per IS 208, Access Controlled Handle Door Lock, Long Handle Drainage Cleaner, Sweeping Long SS Handle Steel Fork, Squeegee Washer Wiper Mopper (V2), Door Handles & Knobs, Tissue Forceps - Allis Pattern, Door Handles & Knobs-handcrafted, scissors</p> <p>Searched String: Door Stopper 75 mm Aluminium</p> <p>Mild Steel Sheet, PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), Moisture tins, Bunk Bed Mattress, Laboratory Vials (V2), modular electrical enclosure switch board boxes for modular type accessories, PVC Insulated (Heavy Duty) Electric Cables, Aluminium Conductor as per IS 1554 (Part 1), self adhesive paper note, Wooden Lab Stools, Packaging Tape</p> <p>Searched String: Door Stopper 100 mm SS</p> <p>Polyethylene Pipes for Water Supply, M.S Stopper for Traffic Control (Portable Barrier), Wooden Lab Stools, Electronic Baby Weighing Scale - RBSK, petri plates or dishes, modular electrical enclosure switch board boxes for modular type accessories, scissors, Decorative Mats - Mat Door Coir,</p>

बिड विवरण / Bid Details	Modular Toilet, Swing Check Type Reflux Valves for Water Works Purposes (Single Door Pattern) (V2) as per IS 5312 (Part1)
	<p>Searched String: European Type EWC S Type and P Trap</p> <p>Cast Copper Alloy Traps, Metal Shelving Racks (Adjustable Type) confirming to IS 1883 (V2), European Pattern Toilet Seat Vitreous China, Emergency lighting and accessories (Portable Emergency Lighting System Tower type with Battery Bank), Emergency lighting and accessories (PORTABLE EMERGENCY LIGHTING SYSTEM Tower type With AC Genset), Steel Trunk confirming to IS 7257 (V3)</p> <p>Searched String: Fevicol 1 Kg in Pack</p> <p>Liquid Nitrogen (In Kg), Nitrile Coated/Nitrile Hand Gloves (V2), Solder Bar (in Kg), synthetic web equipment improved version, Cotton Stockinette as per IS 3326, 3 in 1 Exercise Notebook, Spices and Condiments - Turmeric Whole and Ground (V2) as per IS 3576, Methyl Di Ethanol Amine (MDEA) (In Kg), Digital Trainer Kit, (HDPE) / (PP) Woven Sacks for Packaging 10 kg, 15 kg, 20 kg, 25 kg and 30 kg Foodgrains ISI marked to IS 16208</p> <p>Searched String: Finnel for Curtain Rod SS</p> <p>Adjustable Shower Curtain Rods, Sweeping Long SS Handle Steel Fork, Air Curtain, Drill Rods for Tools, Towel Rail / Ring for Bathroom, Welding Rod for Manual Metal Arc Welding of Carbon and Carbon Manganese Steel as per IS 814, SS clip used in Safety Cap for self closing valves of LPG cylinders, Thermos SS (Defence), Glass Rods and Tubing for Laboratory Glassware confirming to IS 7374 (V2), patient care beds for general use</p> <p>Searched String: Galvanised MS wire cloth 0.56mm 3 feet</p> <p>Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014</p> <p>Searched String: Glass Sheet Plane size 1200x900x4MM</p> <p>magnifying glass, Cleaning Duster (V3), Fiber Glass Sheet, Laboratory Glass Adapters, File/Folder (V3), Synthetic Resin Bonded Glass Fibre (SRBGF) Sheets for Electrical Purposes (V2) as per IS 10192 (Latest), Foam Mattress (V3), Conductive Film, Sheeting, Tickings and Bedsheets (V2) as per IS 175, File Folder Cover (V2)</p> <p>Searched String: Glass Shelf 500mmX 125mm</p> <p>Parallel Bar - Outdoor Gym Equipment, Grinding Wheel With Shelf Life, petri plates or dishes, Wall Shelves - Handcrafted, Fabric Pin Up Notice Boards, Glass Cleaner, Liquid (V2) as per IS 8540, Computer Paper (V3) Conforming to IS 12766 (In Packet), traffic signs - bilinker light, Electronic Baby Weighing Scale - RBSK, Paper weights</p> <p>Searched String: Glazed Oil Putty</p> <p>Metal Putty, 15w - 40 Diesel Engine Oil, Titanium Putty, Putty for use on Window Frames as per IS 419, Internal Combustion Engine Crankcase Oils for Automotive Application (Diesel and gasoline) as per IS: 13656, Lapi</p>

बिड विवरण / Bid Details	Patra (Putty Applicator), Visiting Cards (V2), Dental Addition Silicone based Putty Impression Material, Gear Lubricants For Enclosed Industrial Gear Drives conforming to IS 8406, Dental Addition Silicone Based Putty Impression Material (V2) Searched String: Hasp and staple almn anodised 75 mm Hasps and Staples as per IS 363, Staplers (V2), Vertical Blinds (V2), Portable Toilet, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985 Searched String: Hasp and staple almn anodised 100 mm Hasps and Staples as per IS 363, Staplers (V2), First Aid Dressing, Modular Toilet, Vehicle Mounted Air Filter, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Vertical Blinds (V2), Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Flaps for Automotive Vehicles Pneumatic Tyres and Tubes as per IS 9168 (Latest) Searched String: Hydraulic door closer Universal Type HYDRAULICALLY REGULATED DOOR CLOSERS, WOODEN FLUSH DOOR SHUTTERS (SOLID CORE TYPE), Swing Check Type Reflux Valves for Water Works Purposes (Single Door Pattern) (V2) as per IS 5312 (Part1), Antiwear Hydraulic Oil Heavy Duty (V4) as per IS 10522, Antiwear Hydraulic Oil (V3) as per IS 11656, Swing Check Type Reflux (Non - Return) Valves for Water Works Purposes (Single Door Pattern) as per IS 5312, Pentavalent Vaccine under Universal Immunization Programme of MoHFW, Post Hole Digger, Wooden Flush Door Shutters (Cellular and Hollow Core Type) Particle Board and Hardboard Face Panels, Steel Almirah / Cabinets conforming to IS 3312 (V4) Searched String: Knob 25mm SS with nut and screw Span Bolt and Nut, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Studs-IS:1862, Fuse Fittings, Assembly Tools For Screws And Nuts - Hexagon Socket Screw Keys - IS 3082, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Hexagon Head Bolts, Screws and Nuts of Product Grade 'C' (V2) as per IS 1363, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, Asbestos Cement Pressure Pipe and Joints (V2) as per IS 1592, Customised Envelopes Searched String: Looking mirror 600x450x4mm Gonioscopy Mirror, Cleaning Duster (V3), Bathroom or Toilet Mirror (V2), Dental Mouth Mirror or Dentist's Mirror - RBSK, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Bathroom or Toilet Mirror (V3), Customised Envelopes, Plane Mirror Strips, Bio - Medical Waste Collection Bags (Biohazard Bags), POSTURAL TRAINING MIRROR Searched String: M S Helical door spring 150mm
-------------------------	---

बिड विवरण / Bid Details	<p>Parallel Bar - Outdoor Gym Equipment, Equipment Camouflage Nets (Jute), M.S Stopper for Traffic Control (Portable Barrier), Metal Storage Cabinet, Wooden Shelf / Case / Rack / Credenza / Modular Storage (V2), Portable Toilet, Bunk Beds as per IS 17636</p> <p>Searched String: M Seal</p> <p>M - Seal as per IS 9197, Foot Operated Pedal Bin or Bucket for Bio - Medical Waste Collection, Puf Seal, Oil seal, Laminar air flow cabinets or stations, Bolt / Bullet Seal, Plastic Grip Seal, Inflatable Tent, D Seal (Rubber), Ultra low temperature laboratory deep freezer</p> <p>Searched String: Mirror Cabinet 622mmX422mm</p> <p>Gonioscopy Mirror, Steel Almirah / Cabinets conforming to IS 3312 (V4), Bathroom or Toilet Mirror (V2), Inverted Mirror Trolley Mounted Under Vehicle Search Mirror Convex Security Mirrors (V2), Dental Mouth Mirror or Dentist's Mirror - RBSK, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Bathroom or Toilet Mirror (V3), Laminar air flow cabinets or stations, Plane Mirror Strips, Customised Envelopes</p> <p>Searched String: Mortice lock 65mm 4 lever SS</p> <p>Pad Lock Various (As Per Defence Specification), Padlock (General Use), Locking Compression Plates (V2), Non-Locking Bone Plate</p> <p>Searched String: Nail off size</p> <p>Nail Cutter, Nitrile Coated/Nitrile Hand Gloves (V2), Nail Chip, Cable Nail Clip, Cleaning Duster (V3), Nail Horse Shoes, Dog Nail Cutter, File Folder Cover (V2), Cut - off Wheel, wire nails</p> <p>Searched String: Piano type Hings SS 6 feet</p> <p>Foot Valve (V2), Dental Impression Trays - RBSK</p> <p>Searched String: Plate Rack S S Size 24 inch x24 inch x10 inch</p> <p>Cleaning Duster (V3), Tress Name Plate, Bio - Medical Waste Collection Bags (Biohazard Bags), Flange type industrial air filters, Cleaning Duster (V2), Mamata Card, Laboratory Hot plate, Stirrup Leather, General Purpose Hand Gloves (V2), Polyethylene Bags for General Purposes</p> <p>Searched String: Plate Rack S S Size 36 inch X31 inch X10 inch</p> <p>Cleaning Duster (V3), Tress Name Plate, Bio - Medical Waste Collection Bags (Biohazard Bags), Mamata Card, Cleaning Duster (V2), Stirrup Leather, Laboratory Hot plate, Interactive Boards, General Purpose Hand Gloves (V2), Polyethylene Bags for General Purposes</p> <p>Searched String: Ply wood 7 feet x3 feet x12mm</p> <p>Laminar air flow cabinets or stations, Inflatable Tent, patient care mattresses, File/Folder (V3), The Multilayered Cross Laminated Sheets / Tarpaulins / Covers / Agricultural Films as per IS 14611, Workstation, Corrugated Boxes, shoes school pvc boys girls, Olympic Bar (Version 2), External</p>
-------------------------	--

बिड विवरण/Bid Details	branding signage boards
	<p>Searched String: Ply wood 8 feet x4 feet x 04 mm</p> <p>Laminar air flow cabinets or stations, External branding signage boards, Corrugated Boxes, Work Benches, tray mess compartmented ss army pattern, Sterile Hypodermic Needles for Single use (V2), Inflatable Tent, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Equipment Camouflage Nets (Jute), pH Paper</p> <p>Searched String: Ply wood 8 feet x4 feet x 08 mm</p> <p>Laminar air flow cabinets or stations, External branding signage boards, Corrugated Boxes, Work Benches, Inflatable Tent, Sterile Hypodermic Needles for Single use (V2), Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, tray mess compartmented ss army pattern, Equipment Camouflage Nets (Jute), pH Paper</p> <p>Searched String: PTMT Float Valve 15 mm with Ball</p> <p>Commercial CPVC Pipe Fittings, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Water Fittings - Copper Alloy Float Valves (Horizontal Plunger Type) as per IS: 1703, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Connection Pipe with Nuts (V2), Portable Toilet, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, General Purpose Ball Valves (V2), Modular Toilet</p> <p>Searched String: PTMT Float Valve 20 mm with Ball</p> <p>Commercial CPVC Pipe Fittings, Portable Toilet, Water Fittings - Copper Alloy Float Valves (Horizontal Plunger Type) as per IS: 1703, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, General Purpose Ball Valves (V2), Modular Toilet, Swing (Preschool Kit), Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Check Valve (V2) as per IS 778, Thermal Paper (V2) Conforming to IS 17568</p> <p>Searched String: PTMT Float Valve 25 mm with Ball</p> <p>Commercial CPVC Pipe Fittings, Parallel Bar - Outdoor Gym Equipment, Water Fittings - Copper Alloy Float Valves (Horizontal Plunger Type) as per IS: 1703, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, Portable Toilet, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, General Purpose Ball Valves (V2), Modular Toilet, Swing (Preschool Kit)</p> <p>Searched String: PTMT Grating Jali Round 125 mm</p> <p>Laboratory Vials (V2)</p> <p>Searched String: PTMT Grating Jali Round 140 mm</p> <p>Bathroom Water Shower (V2)</p>

बिड विवरण/Bid Details	Searched String: PTMT Grating Round Jali 125 mm
	<p>Laboratory Vials (V2)</p> <p>Searched String: PTMT Jet Spray with 1.00 mtr Tube</p> <p>P.F. Huts with PUF Panel (MHA)</p> <p>Searched String: PTMT Waste Coupling 32 mm</p> <p>hospital biohazard bags or bio medical waste collection bags, Waste Fittings for Washbasin and Sinks as per IS 2963, Bio - Medical Waste Collection Bags (Biohazard Bags), Waste Pipe, rubber bands, Commercial CPVC Pipe Fittings, Dunnage Pallets Made from Recycled Plastic Wastes for Warehousing Applications as per IS 16058, couplings-fire hose as per IS 903, Polyethylene Pipes for Water Supply, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778</p> <p>Searched String: PTMT Waste Coupling 40 mm</p> <p>hospital biohazard bags or bio medical waste collection bags, Bio - Medical Waste Collection Bags (Biohazard Bags), Waste Pipe, Foot Operated Pedal Bin or Bucket for Bio - Medical Waste Collection, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Waste Fittings for Washbasin and Sinks as per IS 2963, Pad Lock Various (As Per Defence Specification), Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Commercial CPVC Pipe Fittings</p> <p>Searched String: PVC Internal Fitting for Low Level Cistern</p> <p>Pipe Fitting of Wrought Carbon Steel for Low- Temperature Service, Chair (Without Wheels) for General Purpose, Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985</p> <p>Searched String: PVC Urinal Waste Pipe 32 mm X 800 mm</p> <p>Parallel Bar - Outdoor Gym Equipment, Polyethylene Pipes for Water Supply, Waste Pipe, Drawing Trussels / Drawing Board Stand, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, M.S Stopper for Traffic Control (Portable Barrier), Connection Pipe with Nuts (V2), rubber bands, PVC Aluminium Cable (Heavy Duty), Working Voltages up to and Including 1100 Volts as per IS 1554 (Part 1), Modular Toilet</p> <p>Searched String: Water tank cover for 1000 Ltr tank</p> <p>Canvas Water Tank, Reverse Osmosis based Water Treatment System above 50 LPH Capacity (V2), Water Bowser with Boom Tower for Fire Fighting, Rotational Moulded Polyethylene Water Storage Tanks (V2) conforming to IS 12701, water truck cabin truck with water tank, Environmental Chamber, Water Sprinkler Application Mounted on Water Truck Cabin Truck with Water Tank, Truck with Water Tanker, Portable Toilet, Customised Tanker on Truck</p> <p>Searched String: Water tank cover for 500 Ltr tank</p>

बिड विवरण / Bid Details	Canvas Water Tank, Reverse Osmosis based Water Treatment System above 50 LPH Capacity (V2), Water
<p>GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS</p>	<p>Bowser with Boom Tower for Fire Fighting, Rotational Moulded Polyethylene Water Storage Tanks (V2) conforming to IS 12701, water truck cabin truck with water tank, Environmental Chamber, Water Sprinkler Application Mounted on Water Truck Cabin Truck with Water Tank, Portable Toilet, Truck with Water Tanker, Customised Tanker on Truck</p> <p>Searched String: Readymade Bituminous Path</p> <p>Foot Path Litter Bin, Readymade Bituminous Pothole Patching Mix as per IS 217 Cutback Bitumen, IS 14982 Anti - Stripping Agent, Readymade Garments from Ludhiana - ODOP, ERBA controls for Biochemistry, Tool Kit for Readymade Garments - ODOP UP Gov. (Amroha), Readymade Garments from Dharmapuri - ODOP, Readymade Garments from Erode - ODOP, Readymade Garments from Madurai - ODOP, Readymade Garments from Tirunelveli - ODOP, Tool Kit for Readymade Garments - Under Skill development (V2) (UP Gov. Amroha)</p> <p>Searched String: Rotational three layered tank 1000Ltr</p> <p>Rotational Moulded Polyethylene Water Storage Tanks (V3) Conforming to IS 12701, Wooden Podium, Rotational Moulded Polyethylene Water Storage Tanks (V2) conforming to IS 12701, Foam Mattress (V3), Solar Power Plant (Roof Top) for ONGRID System, Three Phase, Reverse Osmosis based Water Treatment System above 50 LPH Capacity (V2), Wet Grinder, Foot Rest, Card Board Box for Bio - Medical Waste Collection, Lunch Box (V2)</p> <p>Searched String: Rotational three layered tank 300 Ltr</p> <p>Rotational Moulded Polyethylene Water Storage Tanks (V2) conforming to IS 12701, Rotational Moulded Polyethylene Water Storage Tanks (V3) Conforming to IS 12701</p> <p>Searched String: Rubber door seal for door bottom 50x90cm</p> <p>Sealing Bulb Beading Rubber for Door, Door Frame Metal Detector, EPDM Rubber Beading For Passenger Door, Jungle Rumble Play Zone, CAT 6 Cable for Outdoor, HYDRAULICALLY REGULATED DOOR CLOSERS, Rubber Seals Joint Rings for Water Supply, Drainage and Sewerage Pipelines as per IS 5382, Swing Check Type Reflux (Non - Return) Valves for Water Works Purposes (Single Door Pattern) as per IS 5312, Decorative Mats - Mat Door Coir, Swing Check Type Reflux Valves for Water Works Purposes (Single Door Pattern) (V2) as per IS 5312 (Part1)</p> <p>Searched String: S S Kitchen Sink of Size 18 inch x24 inch x8 inch</p> <p>Cleaning Duster (V3), Mamata Card, Bio - Medical Waste Collection Bags (Biohazard Bags), Stirrup Leather, General Purpose Hand Gloves (V2), Tress Name Plate, Polyethylene Bags for General Purposes, The Indian National Flag as per IS 1, Garbage Bags, CPVC Industrial Pipe Fittings, Schedule 80</p> <p>Searched String: S S Kitchen Sink of Size 20 inch x17 inch x7 inch</p>

विड विवरण / Bid Details	<p>Cleaning Duster (V3), Tress Name Plate, Bio - Medical Waste Collection Bags (Biohazard Bags), Flange type industrial air filters, Cleaning Duster (V2), Mamata Card, General Purpose Hand Gloves (V2), Stirrup Leather, Polyethylene Bags for General Purposes, Surgical Wire Cutter</p> <p>Searched String: S S Kitchen Sink With Drain Board of Size 41 inch</p> <p>Tracksuit, Mamata Card, General Purpose Hand Gloves (V2), Pin Up Notice Board (V2), Cleaning Duster (V3)</p> <p>Searched String: Sliding Door Bolt S S 250 mm</p> <p>Parallel Bar - Outdoor Gym Equipment, M S Angle (V2) As Per Is 808, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, M.S Stopper for Traffic Control (Portable Barrier), Bone Screw (V2), Ladders as per IS 3696, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, Wooden Shelf / Case / Rack / Credenza / Modular Storage (V2), Laboratory Deep Freezer, Engineer's Pattern Drawing Boards</p> <p>Searched String: Sliding Door Bolt S S 300 mm</p> <p>Parallel Bar - Outdoor Gym Equipment, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Wooden Lab Stools, M.S Stopper for Traffic Control (Portable Barrier), Signal/ Triad Cable, Bone Screw (V2), M S Angle (V2) As Per Is 808, Ladders as per IS 3696, Dumbbell Rack, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694</p> <p>Searched String: Spindle Brass for 15 mm Bib Cock</p> <p>Commercial CPVC Pipe Fittings, Mild Steel Sheet, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Staplers (V2), Plug Cock for Water Supply Purpose as per IS 3004, Collagen Membrane Barrier for Orthopedic & Dental Surgeries, Chlorinated Polyvinyl Chloride (CPVC) Pipes for Potable Hot and Cold Water Distribution Supplies (V2) as per IS 15778</p> <p>Searched String: Stainless Steel Butt Hinges Size 100 mm</p> <p>Stainless Steel Butt Hinges as per IS 12817, Endodontic Files, Steel Butt Hinges as per IS 1341, Electronic Baby Weighing Scale - RBSK, Insect Killer, General Purpose Ball Valves (V2), High Strength Deformed Steel Bars and Wires for Concrete Reinforcement (V2) ISI marked to IS 1786, petri plates or dishes, Laboratory Hot plate, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014</p> <p>Searched String: Stainless Steel Butt Hinges Size 125 mm</p> <p>Stainless Steel Butt Hinges as per IS 12817, Endodontic Files, Steel Butt Hinges as per IS 1341, Insect Killer, General Purpose Ball Valves (V2), High Strength Deformed Steel Bars and Wires for Concrete Reinforcement (V2) ISI marked to IS 1786, Laboratory Hot plate, Seamless, Welded and Heavy Cold worked Austenitic Stainless Steel Pipes, tray</p>
-------------------------	---

बिड विवरण/Bid Details	mess compartmented ss army pattern, Stainless Steel Threaded Fasteners as per IS 1367(Part 14)
	<p>Searched String: Stainless Steel Butt Hinges Size 75 mm</p> <p>Stainless Steel Butt Hinges as per IS 12817, Endodontic Files, Steel Butt Hinges as per IS 1341, Insect Killer, General Purpose Ball Valves (V2), High Strength Deformed Steel Bars and Wires for Concrete Reinforcement (V2) ISI marked to IS 1786, Laboratory Hot plate, Seamless, Welded and Heavy Cold worked Austenitic Stainless Steel Pipes, tray mess compartmented ss army pattern, Ultrasonic Thickness Gauge</p> <p>Searched String: Stainless Steel Grating Round 4 inch</p> <p>Stainless Steel Utensil as per IS 14756, medical stools or chairs, Wood screws, Hand Operated Hydraulic Pipe Bender, Stainless Steel Dining Table With Fixed Chair, Prong or Tine Cultivator (Hand Cultivator), Mayo Scissors, Chafers, General Purpose Ball Valves (V2), Towel Clamp as per IS 7893</p> <p>Searched String: Stainless Steel Grating Round 4 inch</p> <p>Stainless Steel Utensil as per IS 14756, medical stools or chairs, Wood screws, Hand Operated Hydraulic Pipe Bender, Stainless Steel Dining Table With Fixed Chair, Prong or Tine Cultivator (Hand Cultivator), Mayo Scissors, Chafers, General Purpose Ball Valves (V2), Towel Clamp as per IS 7893</p> <p>Searched String: Stainless Steel Grating Round 5 inch</p> <p>Stainless Steel Utensil as per IS 14756, medical stools or chairs, Wood screws, Prong or Tine Cultivator (Hand Cultivator), General purpose safety pins, Stainless Steel Dining Table With Fixed Chair, Chafers, Mayo Scissors, Stainless Steel Shelf Rack, Wet Grinder</p> <p>Searched String: Sliding Door Bolt Alumn 250 mm</p> <p>Swing Check Type Reflux Valves for Water Works Purposes (Single Door Pattern) (V2) as per IS 5312 (Part1), Tower Bolts (Ferrous Metals) as per IS 204, Tower Bolts (Non-Ferrous Metals) V2 as per IS 204</p> <p>Searched String: Sliding Door Bolt Alumn 300 mm</p> <p>Swing Check Type Reflux Valves for Water Works Purposes (Single Door Pattern) (V2) as per IS 5312 (Part1), Tower Bolts (Ferrous Metals) as per IS 204</p> <p>Searched String: Spindle Brass for 20 mm Bib Cock</p> <p>Plastics Bib Taps Pillar Taps Angle Valves and Stop Valves as per IS 9763:2000 (Latest), BTR Clamp for repair work of 2000mm Belt, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Mild Steel Sheet, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Swing (Preschool Kit), Theft Proof Rifle Racks, Staplers (V2), Commercial CPVC Pipe Fittings, Plug Cock for Water Supply Purpose as per IS 3004</p> <p>Searched String: SS Door Handle 100 mm</p> <p>Sweeping SS Handle Broom Stick, Door Handles as per IS</p>

बिड विवरण / Bid Details	208. Access Controlled Handle Door Lock, Sweeping Long SS Handle Steel Fork, Polyethylene Pipes for Water Supply, Door Handles & Knobs, Long Handle Drainage Cleaner, Door Handles & Knobs-handcrafted, Wooden Lab Stools, Door Handles (V2) ISI marked to IS 208
	<p>Searched String: SS Door Handle 75 mm</p> <p>Sweeping SS Handle Broom Stick, Bunk Bed Mattress, Access Controlled Handle Door Lock, Orthopedic Instrument - Bone Chisel and Osteotome, Sweeping Long SS Handle Steel Fork, modular electrical enclosure switch board boxes for modular type accessories, Door Handles & Knobs, Door Handles & Knobs-handcrafted, Door Handles as per IS 208, Door Handles (V2) ISI marked to IS 208</p> <p>Searched String: SS Health Faucet Hand Shower</p> <p>Health Faucet, Bathroom Water Shower (V2), Sweeping SS Handle Broom Stick, Sweeping Long SS Handle Steel Fork, Saffron Products from Pulwama - ODOP</p> <p>Searched String: GI Pipe Medium Grade 15 mm</p> <p>General purpose Machinery and Spindle Oils (V2) Conforming to IS 493, Parallel Bar - Outdoor Gym Equipment, Steel Tubes, Tubulars as per IS 1239, Connection Pipe with Nuts (V2), Steel Pipes for Water and Sewage as per IS 3589, Commercial CPVC Pipe Fittings, Copper Nickel Pipe, Padlocks (ताले) confirming to IS 15275, Pipe Clamps (V2), Chlorinated Polyvinyl Chloride (CPVC) Pipes for Potable Hot and Cold Water Distribution Supplies (V2) as per IS 15778</p> <p>Searched String: GI Pipe Medium Grade 20 mm</p> <p>General purpose Machinery and Spindle Oils (V2) Conforming to IS 493, Parallel Bar - Outdoor Gym Equipment, Steel Tubes, Tubulars as per IS 1239, Commercial CPVC Pipe Fittings, Steel Pipes for Water and Sewage as per IS 3589, Swing (Preschool Kit), Commercial UPVC Fittings, Polyethylene Pipes For The Supply Of Gaseous Fuels (V2) As Per Is 14885, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Pipe Clamps (V2)</p> <p>Searched String: GI Pipe Medium Grade 25 mm</p> <p>Steel Tubes, Tubulars as per IS 1239, Parallel Bar - Outdoor Gym Equipment, Commercial CPVC Pipe Fittings, Steel Pipes for Water and Sewage as per IS 3589, Swing (Preschool Kit), Precast Concrete Pipes (With And Without Reinforcement) (V2) As Per Is 458, Polyethylene Pipes for Water Supply, Commercial PPR Pipes Fittings as per IS 15801, General Purpose Pipe Wrench as per IS 4003, IS 1570, IS 14329, Irrigation Equipment Sprinkler Pipes (V2) as per IS 14151 (Latest)</p> <p>Searched String: GI Elbow 15 mm</p> <p>Commercial CPVC Pipe Fittings, Commercial PPR Pipes Fittings as per IS 15801, Mild Steel Sheet, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Parallel Bar - Outdoor Gym Equipment, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, rubber bands, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, PVC Copper Cable Single Core and Multi</p>

बिड विवरण / Bid Details	Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1)
	<p>Searched String: GI Elbow 20 mm</p> <p>Mild Steel Sheet, Parallel Bar - Outdoor Gym Equipment, Geographic Information System (GIS) Software (V2), Commercial CPVC Pipe Fittings, BTR Clamp for repair work of 2000mm Belt, LED Batten, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Swing (Preschool Kit), Theft Proof Rifle Racks</p> <p>Searched String: GI Elbow 25 mm</p> <p>XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Parallel Bar - Outdoor Gym Equipment, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Cast Iron Bench, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, Commercial CPVC Pipe Fittings, Sterile Hypodermic Needles for Single use (V2), PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Swing (Preschool Kit)</p> <p>Searched String: GI Nipple 15 mm X 100 mm</p> <p>Mild Steel Sheet, Customised Envelopes, Running Nipples, Close Taper Nipples and Barrel Nipples confirming to IS 1239 (Part 2), Commercial CPVC Pipe Fittings, Dry Erase Writing Boards (V3), Pin Up Notice Board (V2), Dak Pad (V2), Foam Mattress (V3), Newspaper Reading Stand, Lever Arch File</p> <p>Searched String: GI Nipple 15 mm X 125 mm</p> <p>Mild Steel Sheet, Customised Envelopes, Running Nipples, Close Taper Nipples and Barrel Nipples confirming to IS 1239 (Part 2), Commercial CPVC Pipe Fittings, Dry Erase Writing Boards (V3), Pin Up Notice Board (V2), Dak Pad (V2), Foam Mattress (V3), Newspaper Reading Stand, Lever Arch File</p> <p>Searched String: GI Nipple 15 mm X 150 mm</p> <p>Mild Steel Sheet, Customised Envelopes, Multipurpose or General Test Tubes (V2) as per IS 2618, Running Nipples, Close Taper Nipples and Barrel Nipples confirming to IS 1239 (Part 2), Dry Erase Writing Boards (V3), Commercial CPVC Pipe Fittings, Pin Up Notice Board (V2), Dak Pad (V2), Foam Mattress (V3), Newspaper Reading Stand</p> <p>Searched String: GI Nipple 15 mm X 50 mm</p> <p>Sluice Valve For Water Works Purposes (50 To 1200 Mm Size) (V2) As Per Is 14846, Customised Envelopes, Mild Steel Sheet, Running Nipples, Close Taper Nipples and Barrel Nipples confirming to IS 1239 (Part 2), Commercial CPVC Pipe Fittings, Dry Erase Writing Boards (V3), Pin Up Notice Board (V2), Dak Pad (V2), Foam Mattress (V3), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1)</p> <p>Searched String: GI Nipple 15 mm X 75 mm</p>

बिड विवरण / Bid Details	<p>Mild Steel Sheet, Customised Envelopes, Running Nipples, Close Taper Nipples and Barrel Nipples confirming to IS 1239 (Part 2), Commercial CPVC Pipe Fittings, Dry Erase Writing Boards (V3), Pin Up Notice Board (V2), Dak Pad (V2), Foam Mattress (V3), Newspaper Reading Stand, Lever Arch File</p> <p>Searched String: GI Nipple 20 mm X 100 mm</p> <p>Mild Steel Sheet, Customised Envelopes, BTR Clamp for repair work of 2000mm Belt, Running Nipples, Close Taper Nipples and Barrel Nipples confirming to IS 1239 (Part 2), Dry Erase Writing Boards (V3), Commercial CPVC Pipe Fittings, Pin Up Notice Board (V2), Dak Pad (V2), Foam Mattress (V3), Newspaper Reading Stand</p> <p>Searched String: GI Nipple 20 mm X 125 mm</p> <p>Mild Steel Sheet, Customised Envelopes, BTR Clamp for repair work of 2000mm Belt, Running Nipples, Close Taper Nipples and Barrel Nipples confirming to IS 1239 (Part 2), Dry Erase Writing Boards (V3), Commercial CPVC Pipe Fittings, Pin Up Notice Board (V2), Dak Pad (V2), Foam Mattress (V3), Newspaper Reading Stand</p> <p>Searched String: GI Nipple 20 mm X 150 mm</p> <p>Mild Steel Sheet, Customised Envelopes, BTR Clamp for repair work of 2000mm Belt, Running Nipples, Close Taper Nipples and Barrel Nipples confirming to IS 1239 (Part 2), Dry Erase Writing Boards (V3), Commercial CPVC Pipe Fittings, Pin Up Notice Board (V2), Dak Pad (V2), Foam Mattress (V3), Newspaper Reading Stand</p> <p>Searched String: GI Nipple 20 mm X 50 mm</p> <p>Sluice Valve For Water Works Purposes (50 To 1200 Mm Size) (V2) As Per Is 14846, Customised Envelopes, Mild Steel Sheet, Wild - Life Cages, BTR Clamp for repair work of 2000mm Belt, Dry Erase Writing Boards (V3), Pressure Calibrator, Pin Up Notice Board (V2), Running Nipples, Close Taper Nipples and Barrel Nipples confirming to IS 1239 (Part 2), Dak Pad (V2)</p> <p>Searched String: GI Nipple 20 mm X 75 mm</p> <p>Mild Steel Sheet, Customised Envelopes, BTR Clamp for repair work of 2000mm Belt, Running Nipples, Close Taper Nipples and Barrel Nipples confirming to IS 1239 (Part 2), Dry Erase Writing Boards (V3), Commercial CPVC Pipe Fittings, Pin Up Notice Board (V2), Dak Pad (V2), Foam Mattress (V3), Newspaper Reading Stand</p> <p>Searched String: GI Nipple 25 mm X 100 mm</p> <p>Customised Envelopes, Parallel Bar - Outdoor Gym Equipment, Dry Erase Writing Boards (V3), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Pin Up Notice Board (V2), Dak Pad (V2), Foam Mattress (V3), Newspaper Reading Stand, Lever Arch File, modular electrical enclosure switch board boxes for modular type accessories</p> <p>Searched String: GI Nipple 25 mm X 125 mm</p> <p>Customised Envelopes, Parallel Bar - Outdoor Gym Equipment, Dry Erase Writing Boards (V3), XLPE Cable for</p>
-------------------------	---

विड विवरण / Bid Details	Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Pin Up Notice Board (V2), Dak Pad (V2), Foam Mattress (V3), Newspaper Reading Stand, Lever Arch File, modular electrical enclosure switch board boxes for modular type accessories
	<p>Searched String: GI Nipple 25 mm X 150 mm</p> <p>Customised Envelopes, Parallel Bar - Outdoor Gym Equipment, Dry Erase Writing Boards (V3), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Pin Up Notice Board (V2), Dak Pad (V2), Foam Mattress (V3), Newspaper Reading Stand, Lever Arch File, modular electrical enclosure switch board boxes for modular type accessories</p> <p>Searched String: GI Socket 15 mm</p> <p>Switched Socket-Outlets without Interlock for Fixed Installations ISI Marked to IS 15787, Asbestos Cement Pressure Pipe and Joints as per IS 1592, Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Mild Steel Sheet, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Commercial PPR Pipes Fittings as per IS 15801, Socket Unions confirming to IS 1239 (Part 2), Parallel Bar - Outdoor Gym Equipment, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, rubber bands</p> <p>Searched String: GI Socket 20 mm</p> <p>Secure Socket Layer (SSL) Certificate Software (V2), Parallel Bar - Outdoor Gym Equipment, Mild Steel Sheet, Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Geographic Information System (GIS) Software (V2), LED Batten, BTR Clamp for repair work of 2000mm Belt, Socket Unions confirming to IS 1239 (Part 2), Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, CHLORINATED POLYVINYL CHLORIDE (CPVC) FITTINGS FOR POTABLE HOT AND COLD WATER DISTRIBUTION SUPPLIES Conforming to IS 17546</p> <p>Searched String: GI Socket 25 mm</p> <p>XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Parallel Bar - Outdoor Gym Equipment, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Cast Iron Bench, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Sterile Hypodermic Needles for Single use (V2), Commercial CPVC Pipe Fittings, PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1)</p> <p>Searched String: GI Tee 15 mm</p> <p>Commercial CPVC Pipe Fittings, Broth Media, Elbows, Tees and Crosses, Equal confirming to IS 1239 (Part 2), Commercial PPR Pipes Fittings as per IS 15801, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Mild Steel Sheet, Parallel Bar - Outdoor Gym Equipment, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, rubber bands, PVC</p>

बिड विवरण / Bid Details	Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694
	<p>Searched String: GI Tee 20 mm</p> <p>Broth Media, Parallel Bar - Outdoor Gym Equipment, Mild Steel Sheet, Elbows, Tees and Crosses, Equal confirming to IS 1239 (Part 2), Geographic Information System (GIS) Software (V2), LED Batten, BTR Clamp for repair work of 2000mm Belt, Commercial CPVC Pipe Fittings, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778</p> <p>Searched String: GI Tee 25 mm</p> <p>Broth Media, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Elbows, Tees and Crosses, Equal confirming to IS 1239 (Part 2), Parallel Bar - Outdoor Gym Equipment, Commercial CPVC Pipe Fittings, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Cast Iron Bench, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, Sterile Hypodermic Needles for Single use (V2), PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1)</p> <p>Searched String: GI Union 15 mm</p> <p>Commercial CPVC Pipe Fittings, Mild Steel Sheet, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Parallel Bar - Outdoor Gym Equipment, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, rubber bands, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Connection Pipe with Nuts (V2)</p> <p>Searched String: GI Union 20 mm</p> <p>Mild Steel Sheet, Parallel Bar - Outdoor Gym Equipment, Geographic Information System (GIS) Software (V2), Commercial CPVC Pipe Fittings, BTR Clamp for repair work of 2000mm Belt, LED Batten, Commercial PPR Pipes Fittings as per IS 15801, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Swing (Preschool Kit)</p> <p>Searched String: GI Union 25 mm</p> <p>XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Commercial CPVC Pipe Fittings, Parallel Bar - Outdoor Gym Equipment, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Cast Iron Bench, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, Sterile Hypodermic Needles for Single use (V2), PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Swing (Preschool Kit)</p>

	<p>बिड विवरण/Bid Details Searched String: MS End Plug 15 mm</p>
	<p>Commercial CPVC Pipe Fittings, Commercial PPR Pipes Fittings as per IS 15801, Self - Contained Self - Rescue (SCSR) as per IS 15803, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Small UAV for ISR Purpose (150 Minute Endurance) as per MHA QRs, Plug confirming to IS 1239 (Part 2), Mild Steel Sheet, Parallel Bar - Outdoor Gym Equipment, Dental Broach-IS:15331, Cast Iron Bench</p> <p>Searched String: MS End Plug 20 mm</p> <p>MS Structural Plate as per IS 2062 (Unit - Quantity), Parallel Bar - Outdoor Gym Equipment, Fall Protection - Horizontal Life Line Including end Anchors as per EN 795:2012 Type C (PNG), Commercial CPVC Pipe Fittings, LED Batten, Commercial PPR Pipes Fittings as per IS 15801, Wild - Life Cages, Mild Steel Sheet, Cast Iron Bench, BTR Clamp for repair work of 2000mm Belt</p> <p>Searched String: MS End Plug 25 mm</p> <p>Plug In Relay For Heavy Coil Voltage 30V, 48V, 50V, 110V, 220V, and 250V DC (BHEL-SCR), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Commercial CPVC Pipe Fittings, Commercial PPR Pipes Fittings as per IS 15801, Parallel Bar - Outdoor Gym Equipment, Wild - Life Cages, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Cast Iron Bench, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, Sterile Hypodermic Needles for Single use (V2)</p>
<p>अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification</p>	<ul style="list-style-type: none"> • HYDRAULICALLY REGULATED DOOR CLOSERS
<p>बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) /Minimum Average Annual Turnover of the bidder (For 3 Years)</p>	<p>17 Lakh (s)</p>
<p>उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/Years of Past Experience Required for same/similar service</p>	<p>3 Year (s)</p>
<p>टर्नओवर के लिए एमएसई को छूट प्राप्त है / MSE Exemption for Turnover</p>	<p>Yes Complete</p>
<p>टर्नओवर के लिए स्टार्टअप को छूट प्राप्त है / Startup Exemption for Turnover</p>	<p>Yes Complete</p>
<p>विक्रेता से मांगे गए दस्तावेज़/Document required from seller</p>	<p>Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer</p>

बिड विवरण/Bid Details	
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेजों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	No
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	3
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	2
विगत प्रदर्शन /Past Performance	50 %
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	Yes
रिवर्स नीलामी योग्यता नियम/RA Qualification Rule	H1-Highest Priced Bid Elimination
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	Curtain Pipe, Sider and mounting bracket
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईएमडी राशि/EMD Amount	99642

ईपीबीजी विवरण /ePBG Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईपीबीजी प्रतिशत (%) /ePBG Percentage(%)	5.00

ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months).

12

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज प्रस्तुत करने है। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b).ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

लाभार्थी /Beneficiary :

CWE

HQ CWE NEW Delhi, Rao Tula Ram Marg, Delhi Cantt, Department of Military Affairs, Indian Army, Ministry of Defence
(Surender Singh)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई के लिए आरक्षित / Reserved for Make In India products

एमआईआई के लिए आरक्षित / Reserved for Make In India products

Yes

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं को खरीद में प्राथमिकता, यदि उनका मूल्य $L1+X\%$ तक की सीमा में हो / Purchase Preference to MSE OEMs available upto price within $L1+X\%$	15
सूक्ष्म और लघु उद्यम को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MSE purchase preference	25

1. If the bidder is a Micro or Small Enterprise (MSE) as per latest orders issued by Ministry of MSME, the bidder shall be exempted from the eligibility criteria of "Bidder Turnover" as defined above subject to meeting of quality and technical specifications. If the bidder itself is MSE OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking exemption from Turnover, shall upload the supporting documents to prove his eligibility for exemption.
2. If the bidder is a DPIIT registered Startup, the bidder shall be exempted from the the eligibility criteria of "Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT Registered OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking exemption from Turnover shall upload the supporting documents to prove his eligibility for exemption.
3. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the

date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

4. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

5. Bid reserved for Make In India products: : Procurement under this bid is reserved for purchase from Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. However, eligible micro and small enterprises will be allowed to participate. The minimum local content to qualify as a class 1 local supplier is denoted in the bid document. All bidders must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which the bid is liable to be rejected. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020 . In case Buyer has selected Purchase preference to Micro and Small Enterprises clause in the bid, the same will get precedence over this clause.

6. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

7. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

8. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 50% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

9. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:

- i. If number of technically qualified bidders are only 2 or 3.
- ii. If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
- iii. In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
- iv. If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
- v. If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 (52 pieces)

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Specification	Governing Specification	Conforming to IS 8931
Type	Item	Type 1 Bib tap
	Dimension	As per table 4 of the governing specification
	Nominal Size of bore of pipe to which taps and valves are fitted(in mm)	15
Material	Material of body, body components, nozzle , bonnet and back nuts	Cast brass
	Material of inlet tubes	Brass tubes
	Material of flanges	Cast brass
	Material of diverter and diverter components	NA
	Material of spindle, glands, washer plate, nuts, screw and pin	Extruded brass rods
	Material of circlip, wire locks	Phosphor bronze sheet
	Material of 'O' ring , gasket, and seat washer	Synthetic rubber
	Material of Knob and knob components	Cast brass
Generic	Aerating device fitted with tap	Yes
	Flow straightening device fitted with tap	No
Warranty	Warranty (in months)	6

Additional Specification Parameters - Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 (52 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
CP Brass Bib Cock 15 mm Long Body	CP Brass Bib Cock 15 mm Long Body

* Bidders offering must also comply with the additional specification parameters mentioned above.

परिषदी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषदी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	52	15

Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 (54 pieces)

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Specification	Governing Specification	Conforming to IS 8931
Type	Item	Angle stop valve
	Dimension	As per table 5 of the governing specification
	Nominal Size of bore of pipe to which taps and valves are fitted(in mm)	15
Material	Material of body, body components, nozzle , bonnet and back nuts	Cast brass
	Material of inlet tubes	Brass tubes
	Material of flanges	Stainless steel sheet
	Material of diverter and diverter components	NA
	Material of spindle, glands, washer plate, nuts, screw and pin	Forged brass
	Material of circlip, wire locks	Phosphor bronze sheet
	Material of 'O' ring , gasket, and seat washer	Synthetic rubber
	Material of Knob and knob components	Zinc base alloys
Generic	Aerating device fitted with tap	Yes
	Flow straightening device fitted with tap	Yes
Warranty	Warranty (in months)	12

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	54	15

Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 (38 pieces)

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Specification	Governing Specification	Conforming to IS 8931
Type	Item	Type 1 Bib tap
	Dimension	As per table 4 of the governing specification
	Nominal Size of bore of pipe to which taps and valves are fitted(in mm)	15
Material	Material of body, body components, nozzle , bonnet and back nuts	Cast brass
	Material of inlet tubes	Copper tubes
	Material of flanges	Die cast brass
	Material of diverter and diverter components	NA
	Material of spindle, glands, washer plate, nuts, screw and pin	Extruded brass rods
	Material of circlip, wire locks	Phosphor bronze sheet
	Material of 'O' ring , gasket, and seat washer	Synthetic rubber
	Material of Knob and knob components	Cast brass
Generic	Aerating device fitted with tap	No
	Flow straightening device fitted with tap	Yes
Warranty	Warranty (in months)	12

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	38	15

Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 (12 pieces)

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Specification	Governing Specification	Conforming to IS 8931
Type	Item	Angle stop valve
	Dimension	As per table 5 of the governing specification
	Nominal Size of bore of pipe to which taps and valves are fitted(in mm)	15
Material	Material of body, body components, nozzle , bonnet and back nuts	Cast brass
	Material of inlet tubes	Brass tubes
	Material of flanges	Stainless steel sheet
	Material of diverter and diverter components	NA
	Material of spindle, glands, washer plate, nuts, screw and pin	Extruded brass rods
	Material of circlip, wire locks	Stainless steel
	Material of 'O' ring , gasket, and seat washer	Synthetic rubber
	Material of Knob and knob components	Zinc base alloys
Generic	Aerating device fitted with tap	No
	Flow straightening device fitted with tap	No

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Warranty	Warranty (in months)	12

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	12	15

Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 (1 pieces)

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Specification	Governing Specification	Conforming to IS 8931
Type	Item	Angle stop valve
	Dimension	As per table 5 of the governing specification
	Nominal Size of bore of pipe to which taps and valves are fitted(in mm)	20
Material	Material of body, body components, nozzle , bonnet and back nuts	Cast brass
	Material of inlet tubes	Brass tubes
	Material of flanges	Cast brass
	Material of diverter and diverter components	NA
	Material of spindle, glands, washer plate, nuts, screw and pin	Extruded brass rods
	Material of circlip, wire locks	Phosphor bronze sheet
	Material of 'O' ring , gasket, and seat washer	Acrylonitrille butadiene rubber (ABR)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Material of Knob and knob components	Cast brass
Generic	Aerating device fitted with tap	No
	Flow straightening device fitted with tap	No
Warranty	Warranty (in months)	6

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	1	15

Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 (26 pieces)

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Specification	Governing Specification	Conforming to IS 8931
Type	Item	Stop valve with external thread
	Dimension	As per table 5 of the governing specification
	Nominal Size of bore of pipe to which taps and valves are fitted(in mm)	15
Material	Material of body, body components, nozzle , bonnet and back nuts	Die cast brass
	Material of inlet tubes	Brass tubes
	Material of flanges	Die cast brass
	Material of diverter and diverter components	NA

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Material of spindle, glands, washer plate, nuts, screw and pin	Forged brass
	Material of circlip, wire locks	Phosphor bronze sheet
	Material of 'O' ring , gasket, and seat washer	Neoprene rubber
	Material of Knob and knob components	Cast brass
Generic	Aerating device fitted with tap	No
	Flow straightening device fitted with tap	No
Warranty	Warranty (in months)	12

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	26	15

Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 (4 pieces)

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Specification	Governing Specification	Conforming to IS 8931
Type	Item	Stop valve with internal thread
	Dimension	As per table 5 of the governing specification
	Nominal Size of bore of pipe to which taps and valves are fitted(in mm)	20
Material	Material of body, body components, nozzle , bonnet and back nuts	Cast brass

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Material of inlet tubes	Brass tubes
	Material of flanges	Stainless steel sheet
	Material of diverter and diverter components	NA
	Material of spindle, glands, washer plate, nuts, screw and pin	Extruded brass rods
	Material of circlip, wire locks	Phosphor bronze sheet
	Material of 'O' ring , gasket, and seat washer	Synthetic rubber
	Material of Knob and knob components	Cast brass
Generic	Aerating device fitted with tap	Yes
	Flow straightening device fitted with tap	Yes
Warranty	Warranty (in months)	12

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	4	15

Towel Rail / Ring For Bathroom (26 pieces)

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	Type of Fitting	Towel Rail
	Thickness of Ni-Cr coating	Not less than Service Condition Number 3 of Table 3 of IS 1068/1993
CONSTRUCTIONAL	Material	Cast Brass for Towel Rail

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Minimum Thickness of pipe	2.0 mm
	Color	Steel
	Shape	open rectangle
	Towel Ring Inner Diameter	N.A
	Nominal Diameter of Pipe / Rod	25 mm
	Length of Towel Rail(mm)	600
	Number of Mounting Bracket	2

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	26	15

Towel Rail / Ring For Bathroom (23 pieces)

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	Type of Fitting	Towel Ring
	Thickness of Ni-Cr coating	Not less than Service Condition Number 3 of Table 3 of IS 1068/1993
CONSTRUCTIONAL	Material	Cast Brass Grade LCB-2 of IS:292/1983 for Towel Ring, Stainless Steel(SS 304)
	Minimum Thickness of pipe	1.0 mm, 1.2 mm
	Color	Steel
	Shape	Ring
	Towel Ring Inner Diameter	200 mm
	Nominal Diameter of Pipe / Rod	18 mm, 20 mm

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Length of Towel Rail(mm)	NA
	Number of Mounting Bracket	1

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	23	15

Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 (36 pieces)

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Specification	Governing Specification	Conforming to IS 8931
Type	Item	Single lever pillar mounted basin mixture
	Dimension	As per table 12 of the governing specification
	Nominal Size of bore of pipe to which taps and valves are fitted(in mm)	15
Material	Material of body, body components, nozzle , bonnet and back nuts	Cast brass
	Material of inlet tubes	Brass tubes
	Material of flanges	Stainless steel sheet
	Material of diverter and diverter components	NA
	Material of spindle, glands, washer plate, nuts, screw and pin	Extruded brass rods
	Material of circlip, wire locks	Phosphor bronze sheet

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Material of 'O' ring , gasket, and seat washer	Synthetic rubber
	Material of Knob and knob components	Zinc base alloys
Generic	Aerating device fitted with tap	Yes
	Flow straightening device fitted with tap	Yes
Warranty	Warranty (in months)	12

Additional Specification Parameters - Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 (36 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
CP Centre Hole Basin Mixer 15 MM minimum weight 900 Gm	CP Centre Hole Basin Mixer 15 MM minimum weight 900 Gm

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	36	15

Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 (4 pieces)

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Specification	Governing Specification	Conforming to IS 8931
Type	Item	Single lever pillar mounted basin mixture
	Dimension	As per table 12 of the governing specification
	Nominal Size of bore of pipe to which taps and valves are fitted(in mm)	15

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Material	Material of body, body components, nozzle , bonnet and back nuts	Cast brass
	Material of inlet tubes	Brass tubes
	Material of flanges	Stainless steel sheet
	Material of diverter and diverter components	NA
	Material of spindle, glands, washer plate, nuts, screw and pin	Extruded brass rods
	Material of circlip, wire locks	Phosphor bronze sheet
	Material of 'O' ring , gasket, and seat washer	Synthetic rubber
	Material of Knob and knob components	Zinc base alloys
Generic	Aerating device fitted with tap	Yes
	Flow straightening device fitted with tap	Yes
Warranty	Warranty (in months)	12

Additional Specification Parameters - Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 (4 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
CP Pillar WHB Mixture 15 MM	CP Pillar WHB Mixture 15 MM

* Bidders offering must also comply with the additional specification parameters mentioned above.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	4	15

Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 (12 pieces)

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Specification	Governing Specification	Conforming to IS 8931
Type	Item	Single lever wall mounted sink mixture with swivel spout
	Dimension	As per table 13 of the governing specification
	Nominal Size of bore of pipe to which taps and valves are fitted(in mm)	15
Material	Material of body, body components, nozzle , bonnet and back nuts	Die cast brass
	Material of inlet tubes	Brass tubes
	Material of flanges	Die cast brass
	Material of diverter and diverter components	NA
	Material of spindle, glands, washer plate, nuts, screw and pin	Rolled brass rods
	Material of circlip, wire locks	Phosphor bronze sheet
	Material of 'O' ring , gasket, and seat washer	Neoprene rubber
	Material of Knob and knob components	Die cast brass
Generic	Aerating device fitted with tap	Yes
	Flow straightening device fitted with tap	Yes
Warranty	Warranty (in months)	12

Additional Specification Parameters - Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 (12 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
CP Sink Mixer 15 mm ,minimun weight 575 Gm	CP Sink Mixer 15 mm ,minimun weight 575 Gm

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	12	15

Bathroom Water Shower (V2) (34 pieces)

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Type	Type of shower	Overhead shower (Wall mount with shower arm)
	Material of body/face plate	ABS
	Finish of face plate	Chrome plated
	Type of Water Flow	Rainfall and Multiple flow
	Type of Multiple flow	Rainflow
	Shape of Shower	Square
Dimensions	Size of Shower	150 mm
	Overall length of Hand Shower (in mm)	NA
	Length of Hand Shower Tube (in mt)	NA
	Diameter of Hand Shower Tube (in mm)	NA
	Material of Hand Shower Tube	NA
	Overall length of Shower Arm (in mm)	300
Warranty	Warranty (in Years)	1

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	34	15

Soap Dish - Case (35 pieces)

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Material	Material of the box	Stainless Steel
Lid Details	Type of Lid	OPAQUE
	Lid type (according to fixation)	WITHOUT LID

Additional Specification Parameters - Soap Dish - Case (35 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
CP Brass Soap Disc	CP Brass Soap Disc

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	35	15

Curtain Pipe, Sider And Mounting Bracket (92 meter)

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
---------------------	--	--

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
ITEM	ITEM	Curtain Pipe
OTHER REQUIREMENTS	Sider(one pair per pipe)	Without
DIMENSON	Outside Diameter of curtain pipe (in mm)	25mm
	Length of curtain pipe(In Meter)	4
	Minimum Wall thickness of pipe (In MM)	2, 3, 4, 5 Or higher
	Minimum thickness of Curtain pipe hanging bracket (in mm)	3 Or higher

परिषेती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषेती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	92	15

Toilet Seat Covers (V2) (113 pieces)

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Physical Characteristics	Material of cover	PVC Vinyl
Dimensions	Length of cover(in cm)	61-70
	Width of cover(in cm)	51-60
	Warranty	1, 2, 3 Or higher
Test Report	Availability of Test Report from Central Govt/NABL/ILAC accredited lab to prove conformity to specification	No

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Test Report to be furnished to the buyer on demand	No

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	113	15

Flushing Cistern (92 pieces)

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	Operating Mechanism	Lever Type
	Flushing Operation	Dual Flush System
	CAPACITY OF THE CISTERN IN LITRES	10 LTR
	Flush Pipe	With
MATERIAL	Material of Flush Pipe	PP
	Material of Cistern	PP
WARANTEE	WARANTEE PERIOD IN NUMBER OF YEARS	1

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	92	15

Plastics Bib Taps Pillar Taps Angle Valves And Stop Valves As Per IS 9763:2000 (Latest) (31 pieces)

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Ungrouped	Type of Tap/ Valve	Pillar Tap
	Materials used for the manufacture body of Tap/ Valve	Polytetra Methylene Terephthalate (PTMT)
	Nominal Sizes of Plastic taps and stop valves	15 mm (1/2 ")
	Finish for Taps/ valves	Not applicable
	Threading of Taps/ Valve	External
	Minimum Thickness in any portion of the body and bonnet for all sizes (mm)	2.5

परेशिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेशिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	31	15

Plastics Bib Taps Pillar Taps Angle Valves And Stop Valves As Per IS 9763:2000 (Latest) (32 pieces)

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Ungrouped	Type of Tap/ Valve	Angle Valve
	Materials used for the manufacture body of Tap/ Valve	Polytetra Methylene Terephthalate (PTMT)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Nominal Sizes of Plastic taps and stop valves	15 mm (1/2 ")
	Finish for Taps/ valves	Not applicable
	Threading of Taps/ Valve	External
	Minimum Thickness in any portion of the body and bonnet for all sizes (mm)	2.5

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	32	15

Plastics Bib Taps Pillar Taps Angle Valves And Stop Valves As Per IS 9763:2000 (Latest) (29 pieces)

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Ungrouped	Type of Tap/ Valve	Stop Valve
	Materials used for the manufacture body of Tap/ Valve	Polytetra Methylene Terephthalate (PTMT)
	Nominal Sizes of Plastic taps and stop valves	15 mm (1/2 ")
	Finish for Taps/ valves	Not applicable
	Threading of Taps/ Valve	External
	Minimum Thickness in any portion of the body and bonnet for all sizes (mm)	2.5

परिषदी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषदी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	29	15

Plastics Bib Taps Pillar Taps Angle Valves And Stop Valves As Per IS 9763:2000 (Latest) (14 pieces)

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Ungrouped	Type of Tap/ Valve	Bib Tap
	Materials used for the manufacture body of Tap/ Valve	Polytetra Methylene Terephthalate (PTMT)
	Nominal Sizes of Plastic taps and stop valves	15 mm (1/2 ")
	Finish for Taps/ valves	Powder Coating
	Threading of Taps/ Valve	External
	Minimum Thickness in any portion of the body and bonnet for all sizes (mm)	2.5

Additional Specification Parameters - Plastics Bib Taps Pillar Taps Angle Valves And Stop Valves As Per IS 9763:2000 (Latest) (14 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
PTMT Bib Cock 15 mm Long Body	PTMT Bib Cock 15 mm Long Body

* Bidders offering must also comply with the additional specification parameters mentioned above.

परिषदी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषदी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
-------------------	--	-------------	------------------	---------------------------------

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	14	15

Plastics Bib Taps Pillar Taps Angle Valves And Stop Valves As Per IS 9763:2000 (Latest) (38 pieces)

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Ungrouped	Type of Tap/ Valve	Bib Tap
	Materials used for the manufacture body of Tap/ Valve	Polytetra Methylene Terephthalate (PTMT)
	Nominal Sizes of Plastic taps and stop valves	15 mm (1/2 ")
	Finish for Taps/ valves	Not applicable
	Threading of Taps/ Valve	External
	Minimum Thickness in any portion of the body and bonnet for all sizes (mm)	2.5

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	38	15

Plastics Bib Taps Pillar Taps Angle Valves And Stop Valves As Per IS 9763:2000 (Latest) (8 pieces)

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Ungrouped	Type of Tap/ Valve	Angle Valve
	Materials used for the manufacture body of Tap/ Valve	Polytetra Methylene Terephthalate (PTMT)
	Nominal Sizes of Plastic taps and stop valves	20 mm (3/4 ")
	Finish for Taps/ valves	Chromium plating
	Threading of Taps/ Valve	External
	Minimum Thickness in any portion of the body and bonnet for all sizes (mm)	2.5

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	8	15

Plastics Bib Taps Pillar Taps Angle Valves And Stop Valves As Per IS 9763:2000 (Latest) (9 pieces)

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Ungrouped	Type of Tap/ Valve	Stop Valve
	Materials used for the manufacture body of Tap/ Valve	Polytetra Methylene Terephthalate (PTMT)
	Nominal Sizes of Plastic taps and stop valves	20 mm (3/4 ")
	Finish for Taps/ valves	Not applicable
	Threading of Taps/ Valve	External
	Minimum Thickness in any portion of the body and bonnet for all sizes (mm)	2.5

परेशिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेशिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	9	15

Plastics Bib Taps Pillar Taps Angle Valves And Stop Valves As Per IS 9763:2000 (Latest) (20 pieces)

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Ungrouped	Type of Tap/ Valve	Bib Tap
	Materials used for the manufacture body of Tap/ Valve	Polytetra Methylene Terephthalate (PTMT)
	Nominal Sizes of Plastic taps and stop valves	20 mm (3/4 ")
	Finish for Taps/ valves	Not applicable
	Threading of Taps/ Valve	External
	Minimum Thickness in any portion of the body and bonnet for all sizes (mm)	2.5

परेशिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेशिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	20	15

Waste Fittings For Washbasin And Sinks As Per IS 2963 (19 pieces)

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
RAW MATERIAL	Material of Waste Fitting	Brass conforming to Grade 3 of IS 292/1961
DIMENSION	Nominal Size	32 mm for washbasin
WARANTEE	WARANTEE PERIOD IN NUMBER OF YEARS	3

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	19	15

Waste Pipe (20 pieces)

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Item	Type of Waste Pipe	Collapsible
Material	Material of Pipe	PVC
	Material of Waste Coupling attached with Pipe	PVC
Dimension	Basin Connection Size (in mm)	40
	Length of Pipe(in mm)	900
	Pipe Outer Diameter(in mm)	40
	Pipe Wall Thickness(in mm)	1.5

परेशिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेशिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	20	15

Towel Rail / Ring For Bathroom (21 pieces)

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	Type of Fitting	Robehook Behind Every Door
	Thickness of Ni-Cr coating	Not less than Service Condition Number 3 of Table 3 of IS 1068/1993
CONSTRUCTIONAL	Material	Leaded Brass Grade DCB-2 of IS 1264/1997 for Towel Ring
	Minimum Thickness of pipe	1.0 mm
	Color	Steel
	Shape	Square
	Towel Ring Inner Diameter	N.A
	Nominal Diameter of Pipe / Rod	18 mm
	Length of Towel Rail(mm)	NA
	Number of Mounting Bracket	1

परेशिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेशिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	21	15

Towel Rail / Ring For Bathroom (16 pieces)

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	Type of Fitting	Towel Rail
	Thickness of Ni-Cr coating	Not less than Service Condition Number 2 of Table 3 of IS 1068/1993
CONSTRUCTIONAL	Material	PLASTIC
	Minimum Thickness of pipe	solid plastic rod
	Color	white
	Shape	open rectangle
	Towel Ring Inner Diameter	N.A
	Nominal Diameter of Pipe / Rod	25 mm
	Length of Towel Rail(mm)	600
	Number of Mounting Bracket	2

Additional Specification Parameters - Towel Rail / Ring For Bathroom (16 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
PTMT Towel Rail 600 mm	PTMT Towel Rail 600 mm

* Bidders offering must also comply with the additional specification parameters mentioned above.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	16	15

Bathroom Water Shower (V2) (17 pieces)

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Type	Type of shower	Overhead shower (Wall mount with shower arm)
	Material of body/face plate	Stainless Steel
	Finish of face plate	Chrome plated
	Type of Water Flow	Only Rainfall
	Type of Multiple flow	NA
	Shape of Shower	Square
Dimensions	Size of Shower	120 mm
	Overall length of Hand Shower (in mm)	NA
	Length of Hand Shower Tube (in mt)	NA
	Diameter of Hand Shower Tube (in mm)	NA
	Material of Hand Shower Tube	NA
	Overall length of Shower Arm (in mm)	200
Warranty	Warranty (in Years)	1

Additional Specification Parameters - Bathroom Water Shower (V2) (17 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
SS Shower Rose 15 mm, 125 MM Square	SS Shower Rose 15 mm, 125 MM Square

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	17	15

Connection Pipe With Nuts (V2) (47 pieces)

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Washer Provided	Yes
Material	Connection Pipe Material	PVC Transparent Pipe
	Connection Nut Material	Brass, Stainless Steel 304, PTMT Or higher
	Washer Material	Silicon, PVC Or higher
Dimensions	Connection Thread Size(in mm)	15
	Length of Connection Pipe(in mm)	450
	Pressure Rating(kg/cm ²)	1 Or higher
	Diameter of Pipe (in mm)	10
TEST REPORT	Availability of Test Report from Central Govt /NABL/ILAC accredited lab to prove conformity to specification	No

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	47	15

Connection Pipe With Nuts (V2) (137 pieces)

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Washer Provided	Yes
Material	Connection Pipe Material	PVC Transparent Pipe
	Connection Nut Material	Brass, Stainless Steel 304, PTMT Or higher
	Washer Material	Silicon Or higher

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Dimensions	Connection Thread Size(in mm)	15
	Length of Connection Pipe(in mm)	600
	Pressure Rating(kg/cm ²)	1 Or higher
	Diameter of Pipe (in mm)	10
TEST REPORT	Availability of Test Report from Central Govt /NABL/ILAC accredited lab to prove conformity to specification	No

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	137	15

Bracket For Curtain Rod ,with Screw And Gitti

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	59	30

CP Brass Waste Coupling 40 Mm

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	5	30

CP Brass Toilet Paper Holder

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	29	30

CP Brass Botel Trap 32 Mm

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	13	30

CP Brass Pillar Cock 20 Mm Confirming To IS 8931-1993 Minimum Weight 575 Gram
(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	1	30

CP Brass Bib Cock 20 Mm Short Body Confirming To IS 8931-1993 Minimum Weight 900 Gram.

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	5	30

Corrugated Waste Pipe 32mm X 800 Mm

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	21	30

Corner Glass Shelf 300 Mm , 6 Mm Thick Toughned Glass, SS Railing And CP Brass Bracket

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
-------------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	28	30

SWR Pipe Type A Length 06 Feet 110 Mm Dia , UPVC Type

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications**Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	21	30

SWR Pipe Type A Length 06 Feet 75 Mm Dia , UPVC Type

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications**Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	14	30

Teflon Tape 12 Mm 10 Mtr Long

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	36	30

Teflon Tape 19 Mm 10 Mtr Long

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	20	30

Toilet Seat Cover White Anglo Indian Type

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	6	30

Toilet Seat Orrisa Pattern White

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	1	30

Tower Bolt S S 125 Mm

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	24	30

Tower Bolt S S 150 Mm

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	21	30

Wash Basin White 550mm X 400 Mm

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	8	30

WC Orissa Pattern Toilet Seat

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	2	30

White Cement In 01 Kgs Pack

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	25	30

Cushion Size 21 Inch X22 Inch X4 Inch 40 Density With Removable Cover

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	606	30

Door Handle 200 Mm Aluminium

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	34	30

Door Handle 200 Mm SS

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	45	30

Door Stopper 75 Mm Aluminium

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	147	30

Door Stopper 100 Mm SS

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	59	30

European Type EWC S Type And P Trap

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	19	30

Fevicol 1 Kg In Pack

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	54	30

Finnel For Curtain Rod SS

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	87	30

Galvanised MS Wire Cloth 0.56mm 3 Feet By 4 Feet Wide And 15 Mtr Long

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	20	30

Glass Sheet Plane Size 1200x900x4MM

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	17	30

Glass Shelf 500mmX 125mm With Brass Bracket, Screw And Gitti

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	27	30

Glazed Oil Putty

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	158	30

Hasp And Staple Almn Anodised 75 Mm

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	23	30

Hasp And Staple Almn Anodised 100 Mm

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	20	30

Hydraulic Door Closer Universal Type

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	11	30

Knob 25mm , SS With Nut And Screw

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	135	30

Looking Mirror 600x450x4mm Beveled Edge , With 4 Plugs, Screw And Gitti

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	50	30

M S Helical Door Spring 150mm

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	50	30

M Seal

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	8	30

Mirror Cabinet 622mmX422mm With Sliding Mirror Of 4 Mm Thick

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	11	30

Mortice Lock 65mm 4 Lever SS

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	3	30

Nail Off Size

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	32	30

Piano Type Hings SS 6 Feet

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	6	30

Plate Rack S S Size 24 Inch X24 Inch X10 Inch And Thickness Not Less Than 0.60 Mm

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	4	30

Plate Rack S S Size 36 Inch X31 Inch X10 Inch And Thickness Not Less Than 0.60 Mm

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	10	30

Ply Wood 7 Feet X3 Feet X12mm Thick BWR Grade

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	11	30

Ply Wood 8 Feet X4 Feet X 04 Mm Teak Face

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	275	30

Ply Wood 8 Feet X4 Feet X 08 Mm BWR Grade

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	2	30

PTMT Float Valve 15 Mm With Ball And Brass Rod

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	21	30

PTMT Float Valve 20 Mm With Ball And Brass Rod

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	14	30

PTMT Float Valve 25 Mm With Ball And Brass Rod

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	6	30

PTMT Grating Jali Round 125 Mm

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	27	30

PTMT Grating Jali Round 140 Mm

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	12	30

PTMT Grating Round Jali 125 Mm With Hole

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	11	30

PTMT Jet Spray With 1.00 Mtr Tube

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	29	30

PTMT Waste Coupling 32 Mm

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	34	30

PTMT Waste Coupling 40 Mm

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	11	30

PVC Internal Fitting For Low Level Cistern , Dual Action With Push Buttons

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	33	30

PVC Urinal Waste Pipe 32 Mm X 800 Mm

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	47	30

Water Tank Cover For 1000 Ltr Tank Hinges Type

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	8	30

Water Tank Cover For 500 Ltr Tank Hinges Type

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	24	30

Readymade Bituminious Path Hole Patching

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	74	30

Rotational Three Layered , White Colour Moulded Polythylen Water Storage Tank 1000 Ltr

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	8	30

Rotational Three Layered , White Colour Moulded Polythene Water Storage Tank 300 Ltr Rectangular Shape.

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	6	30

Rubber Door Seal For Door Bottom 50x90cm

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	29	30

S S Kitchen Sink Of Size 18 Inch X24 Inch X8 Inch And Thickness Of The Sheet Is Not Less Than 1.0 Mm Grade 304

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	5	30

S S Kitchen Sink Of Size 20 Inch X17 Inch X7 Inch And Thickness Of Sheet Not Less Than 1.0 Mm Grade 304

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	7	30

S S Kitchen Sink With Drain Board Of Size 41 Inch X 20 Inch X8 Inch And Thickness Of Sheet Not Less Than 1.0 Mm Grade 304.

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	7	30

Sliding Door Bolt S S 250 Mm

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	14	30

Sliding Door Bolt S S 300 Mm

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	23	30

Spindle Brass For 15 Mm Bib Cock

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	112	30

Stainless Steel Butt Hinges Size 100 Mm

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	27	30

Stainless Steel Butt Hinges Size 125 Mm

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	9	30

Stainless Steel Butt Hinges Size 75 Mm

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	20	30

Stainless Steel Grating Round 4 Inch With Hole

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	15	30

Stainless Steel Grating Round 4 Inch Without Hole

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	16	30

Stainless Steel Grating Round 5 Inch Without Hole

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	8	30

Sliding Door Bolt Alumn 250 Mm

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	12	30

Sliding Door Bolt Alumn 300 Mm

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	16	30

Spindle Brass For 20 Mm Bib Cock

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	10	30

SS Door Handle 100 Mm

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	17	30

SS Door Handle 75 Mm

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	34	30

SS Health Faucet Hand Shower With 1.5 Mtr Flexible Tube And Hook

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	117	30

GI Pipe Medium Grade 15 Mm With Socket

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	47	30

GI Pipe Medium Grade 20 Mm With Socket

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	38	30

GI Pipe Medium Grade 25 Mm With Socket

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	11	30

GI Elbow 15 Mm

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	36	30

GI Elbow 20 Mm

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	23	30

GI Elbow 25 Mm

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	8	30

GI Nipple 15 Mm X 100 Mm

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	11	30

GI Nipple 15 Mm X 125 Mm

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	17	30

GI Nipple 15 Mm X 150 Mm

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	11	30

GI Nipple 15 Mm X 50 Mm

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	14	30

GI Nipple 15 Mm X 75 Mm

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	21	30

GI Nipple 20 Mm X 100 Mm

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	11	30

GI Nipple 20 Mm X 125 Mm

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	10	30

GI Nipple 20 Mm X 150 Mm

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	7	30

GI Nipple 20 Mm X 50 Mm

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	13	30

GI Nipple 20 Mm X 75 Mm

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	5	30

GI Nipple 25 Mm X 100 Mm

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	1	30

GI Nipple 25 Mm X 125 Mm

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	1	30

GI Nipple 25 Mm X 150 Mm

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	1	30

GI Socket 15 Mm

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	29	30

GI Socket 20 Mm

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	14	30

GI Socket 25 Mm

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	5	30

GI Tee 15 Mm

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	35	30

GI Tee 20 Mm

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	14	30

GI Tee 25 Mm

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	5	30

GI Union 15 Mm

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	20	30

GI Union 20 Mm

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	5	30

GI Union 25 Mm

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	5	30

MS End Plug 15 Mm

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	11	30

MS End Plug 20 Mm

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	5	30

MS End Plug 25 Mm

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	4	30

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Generic

Manufacturer Authorization: Wherever Authorised Distributors/service providers are submitting the bid, Authorisation Form /Certificate with OEM/Original Service Provider details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid

3. Scope of Supply

Scope of supply (Bid price to include all cost components) : Only supply of Goods

4. Forms of EMD and PBG

Bidders can also submit the EMD with Banker's Cheque in favour of

HQ CWE New Delhi
payable at
Delhi Cantt

.
Bidder has to upload scanned copy / proof of the BC along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

5. Forms of EMD and PBG

Successful Bidder can submit the Performance Security in the form of Account Payee Demand Draft also (besides PBG which is allowed as per GeM GTC). DD should be made in favour of

GE South
payable at
Delhi Cantt

. After award of contract, Successful Bidder can upload scanned copy of the DD in place of PBG and has to ensure delivery of hard copy to the original DD to the Buyer within 15 days of award of contract.

6. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

1. Bidders are required to supply the material directly purchased from OEMs or their authorised dealers and bidder has to submit purchase vouchers of all items at the time of delivery to the consignee.
2. Bidders has to arrange inspection of all the items of supply order by OEMs or their marketing rep to the effect that items are genuine and purchased from OEMs or their authorised dealer.
3. To claim the warranty of the products from the company , the L1 bidder will submit the warranty card duly stamped by the company at the time of delivery of the goods.
4. Undertaking certificate that the firm of bidder has not been blacklisted as on date in any govt department.
5. The bidder has to produce solvency certificate alongwith the bid for Rs 33 lakh. The certificate should be issued form a nationalized/ scheduled bank and its date of issue should not be more than 12 months old from the date of opening of bid.
6. Prospective bidders shall quote for the makes/brands of Cera/Jaguar/Hindware/Parryware/Kohler for CP items, toilet seat cover , Cistern , PVC Connection, Waste pipe, Bottle trap, waste coupling, washbasin, EWC, Orrisa pan, Make for PTMT items Prayag/Shakti/Prima/Silver shine, Make for GI pipe and fittings Jindal/TATA/Oswal/Unik, Make for door handles , tower bolt, Lock & sliding bolt Prayag/Crown/Classic, Makes for kitchen sinks, Glass shelves and plate racks Prayag/Shakti/Prima/Jainko/Silver shine, makes for Water storage tanks Astral/Sintex/Supreme/Sheetal, Make for plywood Kiteply/Green ply/Archid ply/Centrury ply/ Green panel and make for Glass sheet Saint gobin/AIS/Modi guard. The wire mesh shall be of stainless steel SS 304 grade in lieu of galvanized MS wire. In case the products which are not available in these brands, other brands as approved in Group one category in any command/ADG of MES will be acceptable and bidder must upload product approval letter of aforesaid authority along with technical bid documents.
7. Make and Model of each item should be mentioned in specification during participation failing which the bidder will be rejected without any further intimation and no representation on this matter will be entertained. If any bidder offers any Unbranded products than it will be technically disqualified.
8. If bidder submits any fake documents, the department will take legal action against bidder/firm as per Government rules. If bidder fails to submitted any documents, the buyer has right to reject bids without assigning any reason there over.
9. All documents should be latest and clearly mentioned bid No, date, title seal and signed on every page by bidder. Bidder is also required to upload valid ink signed copy of all documents.
10. The bidder should upload acceptance of ATC on his firm letter head duly mentioned bid No and date.
11. The bidder has to upload scanned copy/ proof of the EMD alongwith the bid and has to ensure delivery of the hard copy to the buyer with in five days of bid end date/bid opening date failing which the bidder will be technically disqualified and no representation will be accepted.
12. The Plywood shall be termite resistant, water proof and ISI Marked.

7. Warranty

Warranty period of the supplied products shall be 1 years from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.

अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---