

बिड दस्तावेज़ / Bid Document

बिड विवरण / Bid Details	
बिड बंद होने की तारीख/समय / Bid End Date/Time	09-12-2025 16:00:00
बिड खुलने की तारीख/समय / Bid Opening Date/Time	09-12-2025 16:30:00
बिड पेशकश वैधता (बंद होने की तारीख से) / Bid Offer Validity (From End Date)	90 (Days)
मंत्रालय/राज्य का नाम / Ministry/State Name	Ministry Of Defence
विभाग का नाम / Department Name	Department Of Military Affairs
संगठन का नाम / Organisation Name	Indian Army
कार्यालय का नाम / Office Name	*****
कुल मात्रा / Total Quantity	1041
वस्तु श्रेणी / Item Category	<p>Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931 (Q3) , Towel Rail / Ring for Bathroom (Q3) , Bathroom Water Shower (V2) (Q3) , Copper Alloy Gate Valve for Waterworks Purpose as per IS 778 (Q3) , Toilet Seat Covers (V2) (Q4) , Tower Bolts (Ferrous Metals) as per IS 204 (Q3) , Flushing Cistern (Q3) , Connection Pipe with Nuts (V2) (Q3) , Plastics Bib Taps Pillar Taps Angle Valves and Stop Valves as per IS 9763:2000 (Latest) (Q3) , Curtain Pipe, Sider and mounting bracket (Q4) , 32mm dia and 60cm long PVC waste pipe including tail for WHB. , Two way bib cock, 15 mm dia with wall flange made of cast copper alloy, chromium plated. , Swan neck sink cock 15mm dia with swing spout and aerator, made of cast copper alloy, chromium plated fancy type. , CP elbow operated pillar cock 15mm bore . , CP Elbow operated type surgical mixer. , Looking Mirror aluminium frames and back side pvc sheet of size 24 inch x 18 inch x 4 mm with hanging arrangement , CP grating 100mm dia. , Vitreous china wash hand basin of size 550X400 white. , Kitchen plate Rack Stainless steel with Height 31 Inch and Width 30 inch depth 10 inch 0.60 mm thick. , PVC Looking mirror size 450x600mm. , PVC water storage tank of 500 ltrs three Layered . , PVC water storage tank of 1000 ltrs three Layered . , Hydraulic door closer universal type ISI Marked , GI TEE 25 mm bore ISI Marked , 20 mm dia of Ball valves high pressure of PTMT with epoxy coated aluminium rod and high density plastic ball screwed for iron pipe. , 25mm dia ball PVC valves, high pressure with polythene float valve and fly nut complete screwed for iron pipe . , Stainless steel butt hinges 100mm size ISI Marked , Glass sheet 4 mm thick ISI Marked , Bottle trap 32 mm sizewith 250 mm long. , Corner glass shelf 12 inch x 12 inch 4mm thick . , Health faucet with 8 mm dia, 1.5 mtr long flexible tube, wall hook and wall flange made of cast copper</p>

बिड विवरण / Bid Details	<p>alloy, chromium plated fancy type. , Stainless steel kitchen sink, single bowl with drainage board of overall size 940x460x203mm and bowl size 405x354x203mm. , Corner glass shelf 10 inchx10 inch , Spindles faces, of brass. , GI Dead Plug 15 mm ISI Marked , Prelaminated particle board 18 mm thick 8 feet x4 feet extr gde. , PVC internal fittings Kit complete for dual flushing cistern WC etc. , GI union 20mm bore. , Stainless steel sink minimum 1.0 mm thick overall size 560 mm x 460 mm x 203mm with approx bowl size of 510 mm x 406 mm x 203 mm 304 grade. , WC European type S trap. , Vitreous china Urinal Pot of size 375x390x590mm , Stainless steel Butt hinges medium weight cold rolled mild steel 125mm long. , CP Toilet paper holder. , Door stopper brass 125 mm , Door Stopper Single Shoes , CP extension nipple 100mm long suitable for 15mm bore . , GI tubing medium grade 15 mm bore. , Sliding bolt Aluminium anodised 250 mm long. , Al Bihari Hinges. , End Cap 25 mm ISI Marked , Mirror with plastic frame 600mmX600mm. , Aluminium anodised barrel tower bolts of extruded section, length of bolt 200mm ISI Marked. , Front Glass Shelf of size 500x125mm , Vitreous china squatting pan Orissa pattern size 580 x 440 mm , PVC Water storage tank cover. , Oil putty , Brass Non return valve, 25mm bore. , Brass Non return valve, 15mm bore. , Half Round piston for mixer , GI tee 15 mm ISI Marked , GI Tank nipple 20mm ISI Marked , White cement. , GI elbow 20mm bore ISI Marked , GI socket 15mm bore ISI Marked , GI socket 20mm bore ISI Marked , GI elbow 25mm bore ISI Marked , GI Union 15mm ISI Marked , Aluminium alloy anodised sliding door bolts with of size 300mm ISI Marked , Taflone Tape 19mm of length 10 mtr , GI Tee 20 mm ISI Marked , GI union 25mm dia ISI Marked</p>

बिड विवरण/Bid Details	
GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS	<p>32mm dia and 60cm long PVC waste pipe., Two way bib cock, 15 mm dia with wall flange. , Swan neck sink cock 15mm dia with swing spout., CP elbow operated pillar cock 15mm bore . , CP Elbow operated type surgical mixer. , Looking Mirror aluminium frames and back side pvc., CP grating 100mm dia. , Vitreous china wash hand basin of size 550X400 white. , Kitchen plate Rack Stainless steel., PVC Looking mirror size 450x600mm., PVC water storage tank of 500 ltrs three Layered . , PVC water storage tank of 1000 ltrs three Layered . , Hydraulic door closer universal type ISI Marked, GI TEE 25 mm bore ISI Marked, 20 mm dia of Ball valves high pressure., 25mm dia ball PVC valves, high pressure., Stainless steel butt hinges 100mm size ISI Marked, Glass sheet 4 mm thick ISI Marked, Bottle trap 32 mm sizewith 250 mm long. , Corner glass shelf 12 inch x 12 inch 4mm thick . , Health faucet with 8 mm dia, 1.5 mtr long flexible tube., Stainless steel kitchen sink, single bowl., Corner glass shelf 10 inchx10 inch, Spindles faces, of brass. , GI Dead Plug 15 mm ISI Marked, Prelaminated particle board 18 mm thick. , PVC internal fittings Kit complete . , GI union 20mm bore., Stainless steel sink minimum 1.0 mm thick., WC European type S trap. , Vitreous china Urinal Pot of size 375x390x590mm, Stainless steel Butt hinges medium weight. , CP Toilet paper holder. , Door stopper brass 125 mm , Door Stopper Single Shoes , CP extension nipple 100mm long suitable , GI tubing medium grade15 mm bore. , Sliding bolt Aluminium anodised 250 mm long., Al Bihari Hinges. , End Cap 25 mm ISI Marked, Mirror with plastic frame 600mmX600mm. , Aluminium anodised barrel tower bolts., Front Glass Shelf of size 500x125mm , Vitreous china squatting pan Orissa pattern, PVC Water storage tank cover. , Oil putty , Brass Non return valve, 25mm bore. , Brass Non return valve, 15mm bore. , Half Round piston for mixer, GI tee 15 mm ISI Marked , GI Tank nipple 20mm ISI Marked, White cement. , GI elbow 20mm bore ISI Marked , GI socket 15mm bore ISI Marked, GI socket 20mm bore ISI Marked, GI elbow 25mm bore ISI Marked, GI Union 15mm ISI Marked, Aluminium alloy anodised sliding door bolts, Taflone Tape 19mm of length 10 mtr, GI Tee 20 mm ISI Marked, GI union 25mm dia ISI Marked</p> <p>Searched String: 32mm dia and 60cm long PVC waste pipe.</p> <p>Unplasticized Polyvinyl Chloride (PVC - U) Pipes for Soil and Waste Discharge System as per IS 13592, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Waste Pipe, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Swing (Preschool Kit), PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694</p> <p>Searched String: Two way bib cock, 15 mm dia with wall flange.</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Swan neck sink cock 15mm dia with swing spout.</p>

विड विवरण / Bid Details	<p>Swing (Preschool Kit), Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931</p>
	<p>Searched String: CP elbow operated pillar cock 15mm bore .</p> <p>Pencil / Die Grinder (V2)</p> <p>Searched String: CP Elbow operated type surgical mixer.</p> <p>Distance Vision Testing Drum - RBSK</p> <p>Searched String: Looking Mirror aluminium frames and back side pvc.</p> <p>Auditorium Chair (V2)</p> <p>Searched String: CP grating 100mm dia.</p> <p>Commercial CPVC Pipe Fittings, Steel Tubes, Tubulars as per IS 1239, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, GI Grating (in MT), Commercial PPR Pipes Fittings as per IS 15801, Cat 6 Cable for Indoor Use, Swing (Preschool Kit), CAT 6 Cable for Outdoor, Pencil / Die Grinder (V2), Cut - off Wheel</p> <p>Searched String: Vitreous china wash hand basin of size 550X400 white.</p> <p>Sinks / Wash Basins - Vitreous China as per IS 2556 (Part 4), Towel Hand Cotton Turkish (IAF), Hand Knotted Silk Carpet (V2) Conforming to IS 14566, Bathroom Water Shower (V2)</p> <p>Searched String: Kitchen plate Rack Stainless steel.</p> <p>Stainless Steel Shoe Rack, Instrument Trolley for Hospitals (V2), Stainless Steel Shelf Rack, Commercial Dosa Hot Plate, Stainless Steel Wire Shelving Rack Or Pot Rack, medical stools or chairs, Industrial Kitchen Chimney, Stainless Steel Bain Marie, Steel Plate/Thali, Heavy Duty Storage Racks</p> <p>Searched String: PVC Looking mirror size 450x600mm.</p> <p>Cleaning Duster (V3), Domestic kitchen spatulas, File/Folder (V3), Digital Electronic Spirit Level (Digi level or Digital inclinometer), Foam Mattress (V3), Virechan Peeth For Panchakarma, Sheeting, Tickings and Bedsheets (V2) as per IS 175, Swiss Gym Ball, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694</p> <p>Searched String: PVC water storage tank of 500 ltrs three Layered .</p> <p>Reverse Osmosis based Water Treatment System above 50 LPH Capacity (V2), Rotational Moulded Polyethylene Water Storage Tanks (V2) conforming to IS 12701, Rotational Moulded Polyethylene Water Storage Tanks (V3) Conforming to IS 12701, FRP Storage Tank (V2), Hot Press Moulded Thermosetting Glass Fibre Reinforced Polyester Resing (GRP) Sectional Water Storage Tanks as per IS 14399</p> <p>Searched String: PVC water storage tank of 1000 ltrs three Layered .</p> <p>Reverse Osmosis based Water Treatment System above 50</p>

बिड विवरण / Bid Details	<p>LPH Capacity (V2), Rotational Moulded Polyethylene Water Storage Tanks (V2) conforming to IS 12701, FRP Storage Tank (V2), Rotational Moulded Polyethylene Water Storage Tanks (V3) Conforming to IS 12701, Hot Press Moulded Thermosetting Glass Fibre Reinforced Polyester Resing (GRP) Sectional Water Storage Tanks as per IS 14399</p> <p>Searched String: Hydraulic door closer universal type ISI Marked</p> <p>Door Handles (V2) ISI marked to IS 208, HYDRAULICALLY REGULATED DOOR CLOSERS, Hydrants (Landing Valve) as per IS 5290, Fire Retardant Door Curtains (V2) ISI Marked to IS 15741, Electric Ceiling Type Fan (V3) ISI Marked to IS 374, Hydrochloric Acid as per IS 265, Water Mist Type Wheeled Fire Extinguishers (V2) ISI Marked to IS 16018, Safes (V3) ISI Marked to IS 550, Stationary Storage Type Electric Water Heaters (Geyser) (V3) ISI Marked to IS 2082, Welder Gloves or Gauntlets as per IS 2573</p> <p>Searched String: GI TEE 25 mm bore ISI Marked</p> <p>Flexible Cables for Miners' Cap-Lamps (V2) ISI Marked To IS 2593, Parallel Bar - Outdoor Gym Equipment, HDPE/PP Woven Sacks for packing of 25 kg Polymer Materials (V4) ISI marked to IS 16703, Steel Tubes, Tubulars ISI marked to IS 1239 (part-1)V2, HDPE/PP Woven Sacks for packaging 50kg/25kg Sugar (V3) ISI marked to IS 14968, Electric Ceiling Fan with BLDC Motor (V3) ISI Marked to IS 374, Safety Glass For Architectural, Building And General Uses (V2) ISI Marked to IS 2553 (Part 1), (HDPE) / (PP) Woven Sacks for Packaging 10 kg, 15 kg, 20 kg, 25 kg and 30 kg Foodgrains ISI marked to IS 16208, High Strength Deformed Steel Bars and Wires for Concrete Reinforcement (V2) ISI marked to IS 1786, Hydrants (Landing Valve) as per IS 5290</p> <p>Searched String: 20 mm dia of Ball valves high pressure.</p> <p>Lamp Ballast for HPSV Lamps as per IS 15882:2009, IS 15885, Water Fittings - Copper Alloy Float Valves (Horizontal Plunger Type) as per IS: 1703, Mild Steel Sheet, General Purpose Ball Valves (V2), Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Swing (Preschool Kit), Check Valve (V2) as per IS 778, Commercial CPVC Pipe Fittings, High Strength Deformed Steel Bars and Wires for Concrete Reinforcement (V2) ISI marked to IS 1786, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985</p> <p>Searched String: 25mm dia ball PVC valves, high pressure.</p> <p>High Pressure Mud Gate valves as per API 6A(ONGC), Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Lamp Ballast for HPSV Lamps as per IS 15882:2009, IS 15885, intracompartmental pressure monitoring set accessories (Pressure Monitoring Line), General Purpose Ball Valves (V2), Water Fittings - Copper Alloy Float Valves (Horizontal Plunger Type) as per IS: 1703, Grinding Media Balls as per IS 6079, Commercial CPVC Pipe Fittings, Check Valve (V2) as per IS 778, Commercial PPR Pipes Fittings as per IS 15801</p> <p>Searched String: Stainless steel butt hinges 100mm size ISI Marked</p>
-------------------------	---

बिड विवरण/Bid Details	<p>Stainless Steel Butt Hinges as per IS 12817, High Strength Deformed Steel Bars and Wires for Concrete Reinforcement (V2) ISI marked to IS 1786, Industrial Safety Helmet (V3) ISI marked to IS 2925, General Purpose Ball Valves (V2), Electronic Baby Weighing Scale - RBSK, Covered Electrodes for Manual Metal Arc Welding of Stainless Steel and Other Similar High Alloy Steel (V2) conforming to IS 5206, Stainless Steel (IS 15997) Utensils - Tumbler - IS 14756</p> <p>Searched String: Glass sheet 4 mm thick ISI Marked</p> <p>Transparent Float Glass ISI Marked to 14900, Fabric Pin Up Notice Boards, Safety Glass For Architectural, Building And General Uses (V2) ISI Marked to IS 2553 (Part 1), Electric Ceiling Fan with BLDC Motor (V3) ISI Marked to IS 374, Stainless Steel (IS 5522) Utensils - Tumbler - IS 14756, Plain Copier Paper (V3) ISI Marked to IS 14490, Stainless Steel (IS 15997) Utensils - Tumbler - IS 14756, High Strength Deformed Steel Bars and Wires for Concrete Reinforcement (V2) ISI marked to IS 1786, Staplers (V2), Electric Ceiling Type Fan (V3) ISI Marked to IS 374</p> <p>Searched String: Bottle trap 32 mm sizewith 250 mm long.</p> <p>Plastic Grip Seal</p> <p>Searched String: Corner glass shelf 12 inch x 12 inch 4mm thick .</p> <p>Cleaning Duster (V3), Lapi Patra (Putty Applicator), traffic signs - bilinker light, Reciprocal Shakers - Mechanical Shaker Machine with Timer, Cleaning Duster (V2), Taflon Tape as per IS 14635, Polyethylene Bags for General Purposes, Polypropylene Biohazard Autoclave Bags, Digital X - Ray Films</p> <p>Searched String: Health faucet with 8 mm dia, 1.5 mtr long flexible tube.</p> <p>Locking Compression Plates (V2)</p> <p>Searched String: Stainless steel kitchen sink, single bowl.</p> <p>Stainless Steel Punch Bowl, Wet Grinder, Industrial Kitchen Chimney, Domestic Soup or Salad Bowls (V2), Mortuary Cabinet, Stainless Steel Sinks for Domestic Purposes (V3) as per IS 13983, Domestic food Storage Containers (Defence), Sinks, mugs stainless steel single double walled with double wall moulded handle, Laboratory Refrigerator (V2)</p> <p>Searched String: Corner glass shelf 10 inchx10 inch</p> <p>Bio - Medical Waste Collection Bags (Biohazard Bags), Vase, General Purpose Hand Gloves (V2), Antimicrobial Barrier Dressing for Burn (NDRF), Glass Ionomer Cement for Dentistry, Green Grass (Rajka), Descaling Chemical, Commercial Idli Steamer, Environmental Chamber, Taflon Tape as per IS 14635</p> <p>Searched String: Spindles faces, of brass.</p> <p>Brass Tube 18A-OFB, Brass seamless Tube 19B-OFB, Miniature Ring Frame Machine, ODOP Tool Kit for Metal Udhyog Brass of Mirzapur District, Uttar Pradesh, India, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Brass Glands for PVC cables of Voltage Grade up to and</p>
-----------------------	---

बिड विवरण / Bid Details	including 3.3 kV as per IS:12943, Flower Pots or Planters (V2), Brass and Bell Metal Products from Nayagarh - ODOP,
	<p>Towel Rail / Ring for Bathroom, Pad Lock Various (As Per Defence Specification)</p> <p>Searched String: GI Dead Plug 15 mm ISI Marked</p> <p>Electrical Plugs (V2) ISI Marked to IS 1293, Electric Ceiling Fan with BLDC Motor (V3) ISI Marked to IS 374, Portable Fire Extinguishers (V2) ISI Marked to IS 15683, Steel Tubes, Tubulars ISI marked to IS 1239 (part-1)V2, Flat Woven Webbing Slings ISI Marked to IS 15041, High Strength Deformed Steel Bars and Wires for Concrete Reinforcement (V2) ISI marked to IS 1786, Fire Retardant Door Curtains (V2) ISI Marked to IS 15741, Safety Footwear (V3) ISI marked to IS 15298 (Part 2), Electric Ceiling Type Fan (V3) ISI Marked to IS 374, Performance Footwear Sports (V2) ISI marked to IS 15844 (Part 2)</p> <p>Searched String: Prelaminated particle board 18 mm thick.</p> <p>Prelaminated Particle Boards From Wood and Other Lignocellulosic Material (V2) as per IS 12823, Fabric Pin Up Notice Boards, Wooden Podium, Foot Rest, Ring Binder - File Folder, Prelaminated MDF Board, Particle Boards</p> <p>Searched String: PVC internal fittings Kit complete .</p> <p>Bayley-III Screening Test Complete Kit, Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Electrician tool kit, Losses In Pipe Fittings Apparatus, Yoga Mats, Electric A / C Gas Leak Detector Complete Set Kit for Educational Purpose, Transformer Oil BDV Test Kit, Pre - School Education Kit, Elbow Pipe Fitting, Swiss Gym Ball</p> <p>Searched String: GI union 20mm bore.</p> <p>Parallel Bar - Outdoor Gym Equipment, Pipe Clamps (V2), Steel Tubes, Tubulars and Other Wrought Steel Fittings (V2) as per IS 1239 Part 1, Commercial CPVC Pipe Fittings, Steel Tubes used for Water Wells (V2) as per IS 4270, Rubber Welding Hoses as per IS 447, Air Hoses as per IS 446:1987, Pencil / Die Grinder (V2), Cable Tray (BHEL), Cutting Tools</p> <p>Searched String: Stainless steel sink minimum 1.0 mm thick.</p> <p>Steel Scrap, Ring Binder - File Folder, Ultrasonic Thickness Gauge, galvanized steel sheets as per IS 277, tray mess compartmented ss army pattern, Steel Tubes used for Water Wells (V2) as per IS 4270, Stainless Steel Safety Razor Blades as per IS 7371, Solar Powered Drinking Water Cooler, Oxygen Flow Meter, Picket Steel as per DGS&D Drawing</p> <p>Searched String: WC European type S trap.</p> <p>S type load Cell, Portable Single Operated Rectifier Type DC Arc Welding Set Suitable for Manual Arc Welding Process as per IS 4559, Cast Copper Alloy Traps, European Pattern Toilet Seat Vitreous China, Thermocouple Standards Platinum / Platinum Rhodium, Metal Shelving Racks (Adjustable Type) confirming to IS 1883 (V2), Bullet Recovery Box, PVC Insulated Unsheathed Cable with Flexible Conductor as per IS 694, Mouse Trap (V2), Trap for flying insect</p>

बिड विवरण / Bid Details	Searched String: Vitreous china Urinal Pot of size 375x390x590mm
GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS	<p>Cleaning Duster (V3), Urinal Bowls as per IS 2556 (Part 6), Foam Mattress (V3), Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Cotton Towelling And Towels (V3) Conforming To IS 7056, Handloom Cotton Bed Sheets (V2) as per IS 745, Cast Iron Bench, Bathroom Water Shower (V2), Towel Hand Cotton Turkish (IAF), Sluice Valve For Water Works Purposes (50 To 1200 Mm Size) (V2) As Per Is 14846</p> <p>Searched String: Stainless steel Butt hinges medium weight.</p> <p>Stainless Steel Butt Hinges as per IS 12817, Steel Butt Hinges as per IS 1341, Steel Back Flap Hinges-IS:3843, Hot Rolled Steel Beam, Column, Channel and Angle Sections (V2) conforming to IS 808, Compact Light Weight Stainless Steel Multi Utility Tool (MHA), Stainless Steel Safety Razor Blades as per IS 7371, Steel Trunk confirming to IS 7257 (V3)</p> <p>Searched String: CP Toilet paper holder.</p> <p>Toilet Paper (V3) Conforming to IS 14661, Toilet Paper (V2) as per IS 14661, CPU Trolley / CPU Stand, Sign holders or stands, Report Cover, Commercial CPVC Pipe Fittings</p> <p>Searched String: Door stopper brass 125 mm</p> <p>Customised Envelopes, M.S Stopper for Traffic Control (Portable Barrier), Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Commercial CPVC Pipe Fittings, Pad Lock Various (As Per Defence Specification), Swing Check Type Reflux Valves for Water Works Purposes (Single Door Pattern) (V2) as per IS 5312 (Part1), Compostable Nursery Bags, Roti Making Machine, Globe Valve as per IS 778</p> <p>Searched String: Door Stopper Single Shoes</p> <p>Laboratory Refrigerator (V2), Wooden Shoe Rack, Swing Check Type Reflux (Non - Return) Valves for Water Works Purposes (Single Door Pattern) as per IS 5312, LCR Meter, Swing Check Type Reflux Valves for Water Works Purposes (Single Door Pattern) (V2) as per IS 5312 (Part1), Laboratory Refrigerator, Sliding door, Safes (V2) as per IS 550, Air Walker / Stroller - Outdoor Gym Equipment, Door Frame Metal Detector</p> <p>Searched String: CP extension nipple 100mm long suitable</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: GI tubing medium grade 15 mm bore.</p> <p>Steel Tubes, Tubulars as per IS 1239, Steel Tubes, Tubulars and Other Wrought Steel Fittings (V2) as per IS 1239 Part 1, Steel Tubes used for Water Wells (V2) as per IS 4270, Padlocks (ताले) confirming to IS 15275</p> <p>Searched String: Sliding bolt Aluminium anodised 250 mm long.</p>

विड विवरण/Bid Details	<p>Plastic Grip Seal, Tower Bolts (Ferrous Metals) as per IS 204, PVC Single Core and Multi Core Circular Sheathed</p> <p>Aluminium Cable with Rigid Conductor (V2) as per IS 694, Electro-Magnetic Lock(MHA), Tower Bolts (Non-Ferrous Metals) V2 as per IS 204</p> <p>Searched String: Al Bihari Hinges.</p> <p>Parliament Hinges-IS:362, Steam Sterlizer (V2), Non - Ferrous Metal Butt Hinges as per IS 205, Steel Back Flap Hinges-IS:3843, Steel Butt Hinges as per IS 1341, Stainless Steel Butt Hinges as per IS 12817, Steam Sterlizer, Double - Acting Spring Hinges as per IS 453, Continuous (Piano) Hinges as per IS 3818, Multilayer Pe-Al-Pe Composite Plumbing Pipes As Per Iapmo Igc-India 308-2014 And Associated Fittings (NPCIL)</p> <p>Searched String: End Cap 25 mm ISI Marked</p> <p>Flexible Cables for Miners' Cap-Lamps (V2) ISI Marked To IS 2593, Electric Ceiling Fan with BLDC Motor (V3) ISI Marked to IS 374, A.C. Motor Capacitors ISI Marked to IS 2993 (Part 1), Steel Tubes, Tubulars ISI marked to IS 1239 (part-1)V2, Drums large, fixed ends, Grade B ISI Marked to IS 1783 Part 2, High Strength Deformed Steel Bars and Wires for Concrete Reinforcement (V2) ISI marked to IS 1786, Drums large, fixed ends, Grade A ISI Marked to IS 1783 Part 1, HDPE/PP Woven Sacks for packing of 25 kg Polymer Materials (V4) ISI marked to IS 16703, Electric Ceiling Type Fan (V3) ISI Marked to IS 374, HDPE/PP Woven Sacks for packaging 50kg/25kg Sugar (V3) ISI marked to IS 14968</p> <p>Searched String: Mirror with plastic frame 600mmX600mm.</p> <p>Plastic Collapsible Mountage, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Bathroom or Toilet Mirror (V3), Dental Mouth Mirror or Dentist's Mirror - RBSK, Plastic Folder with Printing, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, Bottle Water Plastic with Cover (DEFENCE), Pin Up Notice Board (V2), plastic bottles water bottle with carry bag for cpmf, Parallel Bar - Outdoor Gym Equipment</p> <p>Searched String: Aluminium anodised barrel tower bolts.</p> <p>Tower Bolts (Ferrous Metals) as per IS 204, Tower Ladder (V2), Tower Bolts (Non-Ferrous Metals) V2 as per IS 204, Kadhai, Pan with Iron Handle / Chapati Tawa (Handel Cover with Wood) / Dosa Tawa</p> <p>Searched String: Front Glass Shelf of size 500x125mm</p> <p>Cleaning Duster (V3), Antimicrobial Barrier Dressing for Burn (NDRF), Pin Up Notice Board (V2), Maida as per IS 1009, Foam Mattress (V3), Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Cotton Towelling And Towels (V3) Conforming To IS 7056, Handloom Cotton Bed Sheets (V2) as per IS 745, Cast Iron Bench, petri plates or dishes</p> <p>Searched String: Vitreous china squatting pan Orissa pattern</p> <p>Toilet Seat - Indian Style Squatting Pan, European Pattern Toilet Seat Vitreous China, Sinks / Wash Basins - Vitreous</p>
-----------------------	---

विड विवरण/Bid Details	China as per IS 2556 (Part 4), (Vitreous China) - Washdown Water Closets as per IS 2556
	<p>Searched String: PVC Water storage tank cover.</p> <p>CADAVER STORAGE TANK, Reverse Osmosis based Water Treatment System above 50 LPH Capacity (V2), FRP Storage Tank (V2), Environmental Chamber, Canvas Water Tank, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, PVC Shoe Cover (NPCIL), Rotational Moulded Polyethylene Water Storage Tanks (V2) conforming to IS 12701, Rotational Moulded Polyethylene Water Storage Tanks (V3) Conforming to IS 12701, Self - Contained Drinking Water Coolers (V3) as per IS 1475</p> <p>Searched String: Oil putty</p> <p>Metal Putty, 15w - 40 Diesel Engine Oil, Titanium Putty, Putty for use on Window Frames as per IS 419, Lapi Patra (Putty Applicator), Internal Combustion Engine Crankcase Oils for Automotive Application (Diesel and gasoline) as per IS: 13656, Dental Addition Silicone based Putty Impression Material, Gear Lubricants For Enclosed Industrial Gear Drives conforming to IS 8406, Dental Addition Silicone Based Putty Impression Material (V2), Oil seal</p> <p>Searched String: Brass Non return valve, 25mm bore.</p> <p>Non Return Valve, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Body Seat Ring For Non Return Valve-IS:5312, Check Valve (V2) as per IS 778, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Swing Check Type Reflux (Non-Return] Valves for Water work purpose - IS 5312, Swing Check Type Reflux Valves for Water Works Purposes (Single Door Pattern) (V2) as per IS 5312 (Part1), Swing Check Type Reflux (Non - Return) Valves for Water Works Purposes (Single Door Pattern) as per IS 5312, Globe Valve as per IS 778, Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931</p> <p>Searched String: Brass Non return valve, 15mm bore.</p> <p>Non Return Valve, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Body Seat Ring For Non Return Valve-IS:5312, Check Valve (V2) as per IS 778, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Swing Check Type Reflux (Non-Return] Valves for Water work purpose - IS 5312, Swing Check Type Reflux Valves for Water Works Purposes (Single Door Pattern) (V2) as per IS 5312 (Part1), Swing Check Type Reflux (Non - Return) Valves for Water Works Purposes (Single Door Pattern) as per IS 5312, Globe Valve as per IS 778, Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931</p> <p>Searched String: Half Round piston for mixer</p> <p>Rectangular/Trapezoidal Brass Bar - Half Hard-Half Round Edge and Profiles (BHEL), LED Based Indicating Lamp for Panel Cut Outs, T - Shirt White Half Sleeves Round / Full Neck for Ministerial Staff of CAPFS (MHA) QRs, Copper Rods And Bars For Electrical Purposes-IS:613, Brass Wire For General Engineering Purpose-IS:4413, Crop Protection Equipment - Hand Operated Knapsack Sprayer, Piston Type for Agriculture as per IS 3906, Alloy Steel Round Bars</p>

बिड विवरण/Bid Details	(BHEL), Pressure Calibrator, Planetary Mixer Used for Testing of Cement and Pozzolana, Shirt Polyester and Cotton Half Sleeve for IAF Personnel
	<p>Searched String: GI tee 15 mm ISI Marked</p> <p>Portable Fire Extinguishers (V2) ISI Marked to IS 15683, Electric Ceiling Fan with BLDC Motor (V3) ISI Marked to IS 374, Flat Woven Webbing Slings ISI Marked to IS 15041, Steel Tubes, Tubulars ISI marked to IS 1239 (part-1)V2, Fire Retardant Door Curtains (V2) ISI Marked to IS 15741, High Strength Deformed Steel Bars and Wires for Concrete Reinforcement (V2) ISI marked to IS 1786, Safety Footwear (V3) ISI marked to IS 15298 (Part 2), Performance Footwear Sports (V2) ISI marked to IS 15844 (Part 2), Electric Ceiling Type Fan (V3) ISI Marked to IS 374, Jute Bags for Packaging 50 kg Sugar ISI marked to IS 15138</p> <p>Searched String: GI Tank nipple 20mm ISI Marked</p> <p>Electric Ceiling Fan with BLDC Motor (V3) ISI Marked to IS 374, Steel Tubes, Tubulars ISI marked to IS 1239 (part-1)V2, High Strength Deformed Steel Bars and Wires for Concrete Reinforcement (V2) ISI marked to IS 1786, Welder Gloves or Gauntlets as per IS 2573, Electric Ceiling Type Fan (V3) ISI Marked to IS 374, Hydrants (Landing Valve) as per IS 5290, Industrial Safety Helmet (V3) ISI marked to IS 2925, Commercial CPVC Pipe Fittings</p> <p>Searched String: White cement.</p> <p>White Cement Based Polymeric Putty as per IS 17545, Dry Erase Writing Boards (V3), White Soft Paraffin, synthetic web equipment improved version, White Yam Seeds, Speed Post Envelope (Large), Calcofluor white stain, Cement Capsule, Register (V2), Solvent Cement</p> <p>Searched String: GI elbow 20mm bore ISI Marked</p> <p>Electric Ceiling Fan with BLDC Motor (V3) ISI Marked to IS 374, Steel Tubes, Tubulars ISI marked to IS 1239 (part-1)V2, High Strength Deformed Steel Bars and Wires for Concrete Reinforcement (V2) ISI marked to IS 1786, Electric Ceiling Type Fan (V3) ISI Marked to IS 374, Industrial Safety Helmet (V3) ISI marked to IS 2925</p> <p>Searched String: GI socket 15mm bore ISI Marked</p> <p>Switched Socket-Outlets without Interlock for Fixed Installations ISI Marked to IS 15787, Electric Ceiling Fan with BLDC Motor (V3) ISI Marked to IS 374, Steel Tubes, Tubulars ISI marked to IS 1239 (part-1)V2, High Strength Deformed Steel Bars and Wires for Concrete Reinforcement (V2) ISI marked to IS 1786, Electric Ceiling Type Fan (V3) ISI Marked to IS 374, Industrial Safety Helmet (V3) ISI marked to IS 2925, Steel Tubes, Tubulars and Other Wrought Steel Fittings (V2) as per IS 1239 Part 1, Safes (V3) ISI Marked to IS 550</p> <p>Searched String: GI socket 20mm bore ISI Marked</p> <p>Switched Socket-Outlets without Interlock for Fixed Installations ISI Marked to IS 15787, Electric Ceiling Fan with BLDC Motor (V3) ISI Marked to IS 374, Steel Tubes, Tubulars ISI marked to IS 1239 (part-1)V2, High Strength Deformed Steel Bars and Wires for Concrete Reinforcement (V2) ISI marked to IS 1786, Electric Ceiling Type Fan (V3) ISI Marked</p>

विड विवरण / Bid Details	to IS 374, Industrial Safety Helmet (V3) ISI marked to IS 2925, Steel Tubes, Tubulars and Other Wrought Steel Fittings (V2) as per IS 1239 Part 1
	<p>Searched String: GI elbow 25mm bore ISI Marked</p> <p>Electric Ceiling Fan with BLDC Motor (V3) ISI Marked to IS 374, Steel Tubes, Tubulars ISI marked to IS 1239 (part-1)V2, High Strength Deformed Steel Bars and Wires for Concrete Reinforcement (V2) ISI marked to IS 1786, Electric Ceiling Type Fan (V3) ISI Marked to IS 374, Industrial Safety Helmet (V3) ISI marked to IS 2925, Powder Based Wheeled Fire Extinguishers (V2) ISI Marked to IS 16018, Plain Copier Paper (V3) ISI Marked to IS 14490</p> <p>Searched String: GI Union 15mm ISI Marked</p> <p>Methylene Chloride (Dichloromethane) ISI Marked to IS 4566 (In Liter), Portable Fire Extinguishers (V2) ISI Marked to IS 15683, Safes (V3) ISI Marked to IS 550, Steel Tubes, Tubulars ISI marked to IS 1239 (part-1)V2, Transparent Float Glass ISI Marked to 14900, Parallel Bar - Outdoor Gym Equipment, Disposable Baby Diaper ISI Marked to IS 17509, Welder Gloves or Gauntlets as per IS 2573, Disposable Sanitary Napkin ISI Marked to IS 5405, Electric Ceiling Fan with BLDC Motor (V3) ISI Marked to IS 374</p> <p>Searched String: Aluminium alloy anodised sliding door bolts</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Taflone Tape 19mm of length 10 mtr</p> <p>V - Belts - Endless V - Belt for Industrial Purposes as per IS 2494, Pressure Sensitive Adhesive Tapes with Plastic Base (V3) Conforming to IS 13262, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Packaging Tape, Badminton Racket, Cast Iron Bench, Transparent Tape (V2), Taflon Tape as per IS 14635, Thermal Paper (V2) Conforming to IS 17568</p> <p>Searched String: GI Tee 20 mm ISI Marked</p> <p>Door Handles (V2) ISI marked to IS 208, Electric Ceiling Fan with BLDC Motor (V3) ISI Marked to IS 374, Portable Fire Extinguishers (V2) ISI Marked to IS 15683, Steel Tubes, Tubulars ISI marked to IS 1239 (part-1)V2, Plain Gypsum Plaster Board ISI Marked to IS 2095 (Part 1), High Strength Deformed Steel Bars and Wires for Concrete Reinforcement (V2) ISI marked to IS 1786, Stationary Storage Type Electric Water Heaters (Geyser) (V3) ISI Marked to IS 2082, Needle Punched Nonwoven Geobags For Coastal And Waterways Protection ISI Marked to IS 16653, Electric Ceiling Type Fan (V3) ISI Marked to IS 374, (HDPE) / (PP) Woven Sacks for Packaging 10 kg, 15 kg, 20 kg, 25 kg and 30 kg Foodgrains ISI marked to IS 16208</p> <p>Searched String: GI union 25mm dia ISI Marked</p> <p>Disposable Baby Diaper ISI Marked to IS 17509, Electric Ceiling Fan with BLDC Motor (V3) ISI Marked to IS 374, Tower Bolts (Ferrous Metals) as per IS 204, High Strength Deformed Steel Bars and Wires for Concrete Reinforcement (V2) ISI marked to IS 1786, Steel Tubes, Tubulars ISI marked</p>

बिड विवरण/Bid Details	to IS 1239 (part-1)V2, Electric Ceiling Type Fan (V3) ISI Marked to IS 374, Welder Gloves or Gauntlets as per IS 2573, Industrial Safety Helmet (V3) ISI marked to IS 2925, Commercial CPVC Pipe Fittings, Powder Based Wheeled Fire Extinguishers (V2) ISI Marked to IS 16018
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	<ul style="list-style-type: none"> Stainless Steel Sinks for Domestic Purposes (V3) as per IS 13983
बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) / Minimum Average Annual Turnover of the bidder (For 3 Years)	5 Lakh (s)
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/ Years of Past Experience Required for same/similar service	3 Year (s)
टर्नओवर के लिए एमएसई को छूट प्राप्त है / MSE Exemption for Turnover	Yes Complete
टर्नओवर के लिए स्टार्टअप को छूट प्राप्त है / Startup Exemption for Turnover	Yes Complete
विक्रेता से मांगे गए दस्तावेज़/ Document required from seller	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेजों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेन् है/ Do you want to show documents uploaded by bidders to all bidders participated in bid?	No
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	3
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	2
विगत प्रदर्शन / Past Performance	50 %
बिड से रिवर्स नीलामी सक्रिय किया/ Bid to RA enabled	Yes
रिवर्स नीलामी योग्यता नियम/ RA Qualification Rule	H1-Highest Priced Bid Elimination
बिड का प्रकार/ Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/ Primary product category	Toilet Seat Covers (V2)
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय / Time allowed for Technical Clarifications during technical evaluation	2 Days

बिड विवरण/Bid Details	
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईएमडी राशि/EMD Amount	28122

ईपीबीजी विवरण /ePBG Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईपीबीजी प्रतिशत (%) /ePBG Percentage(%)	5.00
ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months).	12

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित कैटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज प्रस्तुत करने हैं। एमएसई कैटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b).ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

लाभार्थी /Beneficiary :

CWE
HQ CWE NEW DELHI, RAO TULA RAM MARG, Delhi Cantt, Department of Military Affairs, Indian Army, Ministry of Defence
(Surender Singh)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई के लिए आरक्षित / Reserved for Make In India products

एमआईआई के लिए आरक्षित / Reserved for Make In India products	Yes
---	-----

एमएसई खरीद वरीयता/MSE Purchase Preference

--	--

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं को खरीद में प्राथमिकता, यदि उनका मूल्य $L1+X\%$ तक की सीमा में हो / Purchase Preference to MSE OEMs available upto price within $L1+X\%$	15
सूक्ष्म और लघु उद्यम को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MSE purchase preference	25

1. If the bidder is a Micro or Small Enterprise (MSE) as per latest orders issued by Ministry of MSME, the bidder shall be exempted from the eligibility criteria of "Bidder Turnover" as defined above subject to meeting of quality and technical specifications. If the bidder itself is MSE OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking exemption from Turnover, shall upload the supporting documents to prove his eligibility for exemption.
2. If the bidder is a DPIIT registered Startup, the bidder shall be exempted from the the eligibility criteria of "Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT Registered OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking exemption from Turnover shall upload the supporting documents to prove his eligibility for exemption.
3. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
4. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
5. Bid reserved for Make In India products: : Procurement under this bid is reserved for purchase from Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. However, eligible micro and small enterprises will be allowed to participate. The minimum local content to qualify as a class 1 local supplier is denoted in the bid document. All bidders must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which the bid is liable to be rejected. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020 . In case Buyer has selected Purchase preference to Micro and Small Enterprises clause in the bid, the same will get precedence over this clause.
6. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within $L-1 + 15\%$ (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are

advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

7. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

8. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 50% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

9. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:

- i. If number of technically qualified bidders are only 2 or 3.
- ii. If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
- iii. In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
- iv. If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
- v. If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 (25 pieces)

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Specification	Governing Specification	Conforming to IS 8931
Type	Item	Type 1 Bib tap
	Dimension	As per table 4 of the governing specification
	Nominal Size of bore of pipe to which taps and valves are fitted(in mm)	15
Material	Material of body, body components, nozzle , bonnet and back nuts	Cast brass
	Material of inlet tubes	Copper tubes
	Material of flanges	Die cast brass
	Material of diverter and diverter components	NA
	Material of spindle, glands, washer plate, nuts, screw and pin	Extruded brass rods

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Material of circlip, wire locks	Phosphor bronze sheet
	Material of 'O' ring , gasket, and seat washer	Synthetic rubber
	Material of Knob and knob components	Cast brass
Generic	Aerating device fitted with tap	No
	Flow straightening device fitted with tap	Yes
Warranty	Warranty (in months)	12

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	25	15

Towel Rail / Ring For Bathroom (14 pieces)

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	Type of Fitting	Towel Rail
	Thickness of Ni-Cr coating	Not less than Service Condition Number 2 of Table 3 of IS 1068/1993
CONSTRUCTIONAL	Material	Cast Brass for Towel Rail
	Minimum Thickness of pipe	2.0 mm
	Color	Steel
	Shape	open rectangle
	Towel Ring Inner Diameter	N.A
	Nominal Diameter of Pipe / Rod	20 mm

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Length of Towel Rail(mm)	750
	Number of Mounting Bracket	2

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	14	15

Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 (4 pieces)

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Specification	Governing Specification	Conforming to IS 8931
Type	Item	Single lever pillar mounted basin mixture
	Dimension	As per table 12 of the governing specification
	Nominal Size of bore of pipe to which taps and valves are fitted(in mm)	15
Material	Material of body, body components, nozzle , bonnet and back nuts	Cast brass
	Material of inlet tubes	Brass tubes
	Material of flanges	Cast brass
	Material of diverter and diverter components	NA
	Material of spindle, glands, washer plate, nuts, screw and pin	Extruded brass rods
	Material of circlip, wire locks	Phosphor bronze sheet

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Material of 'O' ring , gasket, and seat washer	Synthetic rubber
	Material of Knob and knob components	Cast brass
Generic	Aerating device fitted with tap	No
	Flow straightening device fitted with tap	Yes
Warranty	Warranty (in months)	6

Additional Specification Parameters - Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 (4 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
CP centre hole basin mixture for WHB.	CP centre hole basin mixture for WHB.

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	4	15

Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 (12 pieces)

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Specification	Governing Specification	Conforming to IS 8931
Type	Item	Stop valve with external thread
	Dimension	As per table 5 of the governing specification
	Nominal Size of bore of pipe to which taps and valves are fitted(in mm)	15

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Material	Material of body, body components, nozzle , bonnet and back nuts	Cast brass
	Material of inlet tubes	Brass tubes
	Material of flanges	Stainless steel sheet
	Material of diverter and diverter components	NA
	Material of spindle, glands, washer plate, nuts, screw and pin	Forged brass
	Material of circlip, wire locks	Stainless steel
	Material of 'O' ring , gasket, and seat washer	Synthetic butadiene rubber (SBR)
	Material of Knob and knob components	Zinc base alloys
Generic	Aerating device fitted with tap	No
	Flow straightening device fitted with tap	No
Warranty	Warranty (in months)	12

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	12	15

Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 (3 pieces)

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Specification	Governing Specification	Conforming to IS 8931
Type	Item	Single lever wall mounted sink mixture with swivel spout
	Dimension	As per table 13 of the governing specification
	Nominal Size of bore of pipe to which taps and valves are fitted(in mm)	15
Material	Material of body, body components, nozzle , bonnet and back nuts	Cast brass
	Material of inlet tubes	Brass tubes
	Material of flanges	Cast brass
	Material of diverter and diverter components	NA
	Material of spindle, glands, washer plate, nuts, screw and pin	Forged brass
	Material of circlip, wire locks	Phosphor bronze sheet
	Material of 'O' ring , gasket, and seat washer	Synthetic rubber
	Material of Knob and knob components	Forged brass
Generic	Aerating device fitted with tap	Yes
	Flow straightening device fitted with tap	Yes
Warranty	Warranty (in months)	6

Additional Specification Parameters - Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 (3 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
15 mm dia brass chromium plated Sink Mixture.	15 mm dia brass chromium plated Sink Mixture.

* Bidders offering must also comply with the additional specification parameters mentioned above.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	3	15

Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 (5 pieces)

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Specification	Governing Specification	Conforming to IS 8931
Type	Item	Type 3 wall mounted combination tap assembly
	Dimension	As per table 6 of the governing specification
	Nominal Size of bore of pipe to which taps and valves are fitted(in mm)	15
Material	Material of body, body components, nozzle , bonnet and back nuts	Cast brass
	Material of inlet tubes	Brass tubes
	Material of flanges	Cast brass
	Material of diverter and diverter components	NA
	Material of spindle, glands, washer plate, nuts, screw and pin	Rolled brass rods
	Material of circlip, wire locks	Stainless steel
	Material of 'O' ring , gasket, and seat washer	Synthetic butadiene rubber (SBR)
	Material of Knob and knob components	Zinc base alloys
Generic	Aerating device fitted with tap	Yes
	Flow straightening device fitted with tap	Yes
Warranty	Warranty (in months)	12

Additional Specification Parameters - Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 (5 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Wall mixer 15mm dia with flexible hand shower tube and hand shower, made of cast copper alloy, chromium plated fancy type.	Wall mixer 15mm dia with flexible hand shower tube and hand shower, made of cast copper alloy, chromium plated fancy type.

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेशिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेशिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	5	15

Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 (19 pieces)

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Specification	Governing Specification	Conforming to IS 8931
Type	Item	Type 1 Bib tap
	Dimension	As per table 4 of the governing specification
	Nominal Size of bore of pipe to which taps and valves are fitted(in mm)	15
Material	Material of body, body components, nozzle , bonnet and back nuts	Cast brass
	Material of inlet tubes	Brass tubes
	Material of flanges	Stainless steel sheet
	Material of diverter and diverter components	NA
	Material of spindle, glands, washer plate, nuts, screw and pin	Extruded brass rods
	Material of circlip, wire locks	Phosphor bronze sheet

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Material of 'O' ring , gasket, and seat washer	Synthetic rubber
	Material of Knob and knob components	Zinc base alloys
Generic	Aerating device fitted with tap	Yes
	Flow straightening device fitted with tap	Yes
Warranty	Warranty (in months)	12

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	19	15

Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 (5 pieces)

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Specification	Governing Specification	Conforming to IS 8931
Type	Item	Single lever pillar mounted basin mixture
	Dimension	As per table 12 of the governing specification
	Nominal Size of bore of pipe to which taps and valves are fitted(in mm)	15
Material	Material of body, body components, nozzle , bonnet and back nuts	Cast brass
	Material of inlet tubes	Brass tubes
	Material of flanges	Stainless steel sheet
	Material of diverter and diverter components	NA

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Material of spindle, glands, washer plate, nuts, screw and pin	Extruded brass rods
	Material of circlip, wire locks	Phosphor bronze sheet
	Material of 'O' ring , gasket, and seat washer	Synthetic rubber
	Material of Knob and knob components	Zinc base alloys
Generic	Aerating device fitted with tap	Yes
	Flow straightening device fitted with tap	Yes
Warranty	Warranty (in months)	12

Additional Specification Parameters - Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 (5 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Swan neck type basin mixture 15mm dia with swing spout and aerator, made of cast copper alloy, chromium plated fancy type.	Swan neck type basin mixture 15mm dia with swing spout and aerator, made of cast copper alloy, chromium plated fancy type.

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	5	15

Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 (15 pieces)

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Specification	Governing Specification	Conforming to IS 8931
Type	Item	Pillar tap
	Dimension	As per table 3 of the governing specification
	Nominal Size of bore of pipe to which taps and valves are fitted(in mm)	15
Material	Material of body, body components, nozzle , bonnet and back nuts	Cast brass
	Material of inlet tubes	Brass tubes
	Material of flanges	Cast brass
	Material of diverter and diverter components	NA
	Material of spindle, glands, washer plate, nuts, screw and pin	Extruded brass rods
	Material of circlip, wire locks	Phosphor bronze sheet
	Material of 'O' ring , gasket, and seat washer	Synthetic rubber
	Material of Knob and knob components	Cast brass
Generic	Aerating device fitted with tap	Yes
	Flow straightening device fitted with tap	No
Warranty	Warranty (in months)	12

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	15	15

Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 (12 pieces)

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Specification	Governing Specification	Conforming to IS 8931
Type	Item	Type 1 Bib tap
	Dimension	As per table 4 of the governing specification
	Nominal Size of bore of pipe to which taps and valves are fitted(in mm)	15
Material	Material of body, body components, nozzle , bonnet and back nuts	Cast brass
	Material of inlet tubes	Brass tubes
	Material of flanges	Cast brass, Stainless steel sheet
	Material of diverter and diverter components	NA
	Material of spindle, glands, washer plate, nuts, screw and pin	Extruded brass rods
	Material of circlip, wire locks	Phosphor bronze sheet
	Material of 'O' ring , gasket, and seat washer	Synthetic rubber, Synthetic butadiene rubber (SBR)
	Material of Knob and knob components	Cast brass, Zinc base alloys
Generic	Aerating device fitted with tap	Yes
	Flow straightening device fitted with tap	Yes, No
Warranty	Warranty (in months)	6, 12

Additional Specification Parameters - Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 (12 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Long body bib cock, 15 mm dia with wall flange made of cast copper alloy, chromium plated.	Long body bib cock, 15 mm dia with wall flange made of cast copper alloy, chromium plated.

* Bidders offering must also comply with the additional specification parameters mentioned above.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	12	15

Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 (20 pieces)

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Specification	Governing Specification	Conforming to IS 8931
Type	Item	Angle stop valve
	Dimension	As per table 5 of the governing specification
	Nominal Size of bore of pipe to which taps and valves are fitted(in mm)	15
Material	Material of body, body components, nozzle , bonnet and back nuts	Cast brass
	Material of inlet tubes	Brass tubes
	Material of flanges	Stainless steel sheet
	Material of diverter and diverter components	NA
	Material of spindle, glands, washer plate, nuts, screw and pin	Forged brass
	Material of circlip, wire locks	Phosphor bronze sheet
	Material of 'O' ring , gasket, and seat washer	Synthetic rubber
	Material of Knob and knob components	Zinc base alloys
Generic	Aerating device fitted with tap	Yes
	Flow straightening device fitted with tap	Yes
Warranty	Warranty (in months)	12

परिषदी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषदी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	20	15

Bathroom Water Shower (V2) (6 pieces)

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Type	Type of shower	Overhead shower (Wall mount with shower arm)
	Material of body/face plate	ABS
	Finish of face plate	Chrome plated
	Type of Water Flow	Rainfall and Multiple flow
	Type of Multiple flow	Rainstream
	Shape of Shower	Round
Dimensions	Size of Shower	100 mm
	Overall length of Hand Shower (in mm)	NA
	Length of Hand Shower Tube (in mt)	NA
	Diameter of Hand Shower Tube (in mm)	NA
	Material of Hand Shower Tube	NA
	Overall length of Shower Arm (in mm)	200
Warranty	Warranty (in Years)	1

परिषदी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषित/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	6	15

Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 (11 pieces)

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Specification	Governing Specification	Conforming to IS 8931
Type	Item	Pillar tap
	Dimension	As per table 3 of the governing specification
	Nominal Size of bore of pipe to which taps and valves are fitted(in mm)	15
Material	Material of body, body components, nozzle , bonnet and back nuts	Cast brass
	Material of inlet tubes	Brass tubes
	Material of flanges	Cast brass
	Material of diverter and diverter components	NA
	Material of spindle, glands, washer plate, nuts, screw and pin	Extruded brass rods
	Material of circlip, wire locks	Phosphor bronze sheet
	Material of 'O' ring , gasket, and seat washer	Synthetic rubber
	Material of Knob and knob components	Cast brass
Generic	Aerating device fitted with tap	Yes
	Flow straightening device fitted with tap	Yes
Warranty	Warranty (in months)	12

Additional Specification Parameters - Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 (11 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Pillar tap 15mm dia with swing spout, made of cast copper alloy, chromium plated fancy type.	Pillar tap 15mm dia with swing spout, made of cast copper alloy, chromium plated fancy type.

* Bidders offering must also comply with the additional specification parameters mentioned above.

परिषी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	11	15

Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 (13 pieces)

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Specification	Governing Specification	Conforming to IS 8931
Type	Item	Type 1 Bib tap
	Dimension	As per table 4 of the governing specification
	Nominal Size of bore of pipe to which taps and valves are fitted(in mm)	15
Material	Material of body, body components, nozzle , bonnet and back nuts	Cast brass
	Material of inlet tubes	Brass tubes
	Material of flanges	Cast brass
	Material of diverter and diverter components	NA
	Material of spindle, glands, washer plate, nuts, screw and pin	Extruded brass rods
	Material of circlip, wire locks	Phosphor bronze sheet
	Material of 'O' ring , gasket, and seat washer	Synthetic rubber

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Material of Knob and knob components	Cast brass
Generic	Aerating device fitted with tap	Yes
	Flow straightening device fitted with tap	No
Warranty	Warranty (in months)	6

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	13	15

Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 (4 pieces)

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Specification	Governing Specification	Conforming to IS 8931
Type	Item	Single lever pillar mounted basin mixture
	Dimension	As per table 12 of the governing specification
	Nominal Size of bore of pipe to which taps and valves are fitted(in mm)	15
Material	Material of body, body components, nozzle , bonnet and back nuts	Cast brass
	Material of inlet tubes	Brass tubes
	Material of flanges	Stainless steel sheet
	Material of diverter and diverter components	NA

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Material of spindle, glands, washer plate, nuts, screw and pin	Extruded brass rods
	Material of circlip, wire locks	Phosphor bronze sheet
	Material of 'O' ring , gasket, and seat washer	Synthetic rubber
	Material of Knob and knob components	Zinc base alloys
Generic	Aerating device fitted with tap	Yes
	Flow straightening device fitted with tap	Yes
Warranty	Warranty (in months)	12

Additional Specification Parameters - Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 (4 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Centre hole mixture 15mm dia, made of cast copper alloy, chromium plated fancy type.	Centre hole mixture 15mm dia, made of cast copper alloy, chromium plated fancy type.

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	4	15

Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 (3 pieces)

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
---------------------	-------------------------------------	---

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Specification	Governing Specification	Conforming to IS 8931
Type	Item	Single lever pillar mounted basin mixture
	Dimension	As per table 12 of the governing specification
	Nominal Size of bore of pipe to which taps and valves are fitted(in mm)	15
Material	Material of body, body components, nozzle , bonnet and back nuts	Cast brass
	Material of inlet tubes	Brass tubes
	Material of flanges	Stainless steel sheet
	Material of diverter and diverter components	NA
	Material of spindle, glands, washer plate, nuts, screw and pin	Extruded brass rods
	Material of circlip, wire locks	Phosphor bronze sheet
	Material of 'O' ring , gasket, and seat washer	Synthetic rubber
	Material of Knob and knob components	Zinc base alloys
Generic	Aerating device fitted with tap	Yes
	Flow straightening device fitted with tap	Yes
Warranty	Warranty (in months)	24

Additional Specification Parameters - Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 (3 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
CP center hole basin mixer 15mm bore.	CP center hole basin mixer 15mm bore.

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	3	15

Copper Alloy Gate Valve For Waterworks Purpose As Per IS 778 (6 pieces)

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
SIZE / TYPE / DIMENSIONAL / MATERIAL	Classification	Class 2 Valves
	Nominal Size of Valve	25.0 (millimeter)
	Type of Gate Valve	Solid Wedge
	Type of Valves End	Screwed End Valve
CONFORMITY / CERTIFICATION	ISI Marking	Yes

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	6	15

Copper Alloy Gate Valve For Waterworks Purpose As Per IS 778 (7 pieces)

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
SIZE / TYPE / DIMENSIONAL / MATERIAL	Classification	Class 1 Valves
	Nominal Size of Valve	20.0 (millimeter)
	Type of Gate Valve	Solid Wedge

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Type of Valves End	Screwed End Valve
CONFORMITY / CERTIFICATION	ISI Marking	Yes

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	7	15

Copper Alloy Gate Valve For Waterworks Purpose As Per IS 778 (9 pieces)

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
SIZE / TYPE / DIMENSIONAL / MATERIAL	Classification	Class 2 Valves
	Nominal Size of Valve	15.0 (millimeter)
	Type of Gate Valve	Solid Wedge
	Type of Valves End	Screwed End Valve
CONFORMITY / CERTIFICATION	ISI Marking	Yes

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	9	15

Toilet Seat Covers (V2) (22 pieces)

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Physical Characteristics	Material of cover	polypropylene
Dimensions	Length of cover(in cm)	20-30
	Width of cover(in cm)	30-35
	Warranty	2, 3 Or higher
Test Report	Availability of Test Report from Central Govt/NABL/ILAC accredited lab to prove conformity to specification	No
	Test Report to be furnished to the buyer on demand	No

परिषीती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषीती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	22	15

Tower Bolts (Ferrous Metals) As Per IS 204 (23 pieces)

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
ITEM	Item	"Barrel Tower Bolts (Type - 1A)"
SPECIFICATION	Conforming to Specification - no IS: 204 (Part 1), latest	Yes
FILTER	Shape of the Bolt	Round
	Fixing of knob with Bolt	Riveted

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Bolt's Finish	Zinc Plated (Zinc Plated as per 1573 : 1986)
	Other Part of Tower Bolt Finish	Zinc Plated (Zinc Plated as per 1573 : 1986)
DIMENSIONS	"Barrel Tower Bolts size (mm)"	200
	Semi-Barrel Tower Bolts size (mm)	NA
	Riveted or Spot Welded Tower Bolts size (mm)	NA
	"Skeleton Tower Bolts size (mm)"	NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	23	15

Flushing Cistern (6 pieces)

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	Operating Mechanism	Push Button Type
	Flushing Operation	Dual Flush System
	CAPACITY OF THE CISTERN IN LITRES	10 LTR
	Flush Pipe	With
MATERIAL	Material of Flush Pipe	HDPE
	Material of Cistern	HDPE
WARANTEE	WARANTEE PERIOD IN NUMBER OF YEARS	4

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	6	15

Flushing Cistern (7 pieces)

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	Operating Mechanism	Lever Type
	Flushing Operation	Single Flush System
	CAPACITY OF THE CISTERN IN LITRES	10 LTR
	Flush Pipe	With
MATERIAL	Material of Flush Pipe	HDPE
	Material of Cistern	Acrylonitrile-Butadiene-Styrene (ABS)
WARANTEE	WARANTEE PERIOD IN NUMBER OF YEARS	1

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	7	15

Towel Rail / Ring For Bathroom (2 pieces)

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	Type of Fitting	Towel Rail
	Thickness of Ni-Cr coating	Not less than Service Condition Number 2 of Table 3 of IS 1068/1993
CONSTRUCTIONAL	Material	Cast Brass for Towel Rail
	Minimum Thickness of pipe	0.75 mm
	Color	Steel
	Shape	closed rectangle
	Towel Ring Inner Diameter	150 mm
	Nominal Diameter of Pipe / Rod	18 mm
	Length of Towel Rail(mm)	600
	Number of Mounting Bracket	4

Additional Specification Parameters - Towel Rail / Ring For Bathroom (2 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Towel Rack 24".	Towel Rack 24".

* Bidders offering must also comply with the additional specification parameters mentioned above.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	2	15

Bathroom Water Shower (V2) (13 pieces)

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Type	Type of shower	Overhead shower (Wall mount with shower arm)
	Material of body/face plate	Brass
	Finish of face plate	Chrome plated
	Type of Water Flow	Rainfall and Multiple flow
	Type of Multiple flow	Rainflow
	Shape of Shower	Square
Dimensions	Size of Shower	100 mm
	Overall length of Hand Shower (in mm)	NA
	Length of Hand Shower Tube (in mt)	NA
	Diameter of Hand Shower Tube (in mm)	NA
	Material of Hand Shower Tube	NA
	Overall length of Shower Arm (in mm)	150
Warranty	Warranty (in Years)	1

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	13	15

Bathroom Water Shower (V2) (8 pieces)

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Type	Type of shower	Hand Shower
	Material of body/face plate	ABS

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Finish of face plate	Chrome plated
	Type of Water Flow	Rainfall and Multiple flow
	Type of Multiple flow	Massage, Cascade, Mist, Whirl, Monorail, Rainflow, Rainstream
	Shape of Shower	Round
Dimensions	Size of Shower	75 mm
	Overall length of Hand Shower (in mm)	200
	Length of Hand Shower Tube (in mt)	1.5
	Diameter of Hand Shower Tube (in mm)	8
	Material of Hand Shower Tube	Stainless Steel
	Overall length of Shower Arm (in mm)	NA
Warranty	Warranty (in Years)	2

Additional Specification Parameters - Bathroom Water Shower (V2) (8 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Hand shower round shape single flow, ABS body chrome plated fancy type with flexible tube and wall hook 15mm dia,	Hand shower round shape single flow, ABS body chrome plated fancy type with flexible tube and wall hook 15mm dia,

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	8	15

Connection Pipe With Nuts (V2) (29 pieces)

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Washer Provided	Yes
Material	Connection Pipe Material	PVC Transparent Pipe
	Connection Nut Material	Brass, Stainless Steel 304, PTMT Or higher
	Washer Material	Silicon, PVC Or higher
Dimensions	Connection Thread Size(in mm)	15
	Length of Connection Pipe(in mm)	450
	Pressure Rating(kg/cm ²)	1, 2 Or higher
	Diameter of Pipe (in mm)	15
TEST REPORT	Availability of Test Report from Central Govt /NABL/ILAC accredited lab to prove conformity to specification	Yes

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	29	15

Connection Pipe With Nuts (V2) (14 pieces)

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Washer Provided	Yes
Material	Connection Pipe Material	PVC Transparent Pipe
	Connection Nut Material	Brass, Stainless Steel 304 Or higher
	Washer Material	Silicon Or higher

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Dimensions	Connection Thread Size(in mm)	15
	Length of Connection Pipe(in mm)	600
	Pressure Rating(kg/cm ²)	1 Or higher
	Diameter of Pipe (in mm)	12
TEST REPORT	Availability of Test Report from Central Govt /NABL/ILAC accredited lab to prove conformity to specification	No

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	14	15

Bathroom Water Shower (V2) (4 pieces)

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Type	Type of shower	Hand Shower
	Material of body/face plate	Brass
	Finish of face plate	Chrome plated
	Type of Water Flow	Only Rainfall
	Type of Multiple flow	NA
	Shape of Shower	Round
Dimensions	Size of Shower	80 mm
	Overall length of Hand Shower (in mm)	200
	Length of Hand Shower Tube (in mt)	1.5

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Diameter of Hand Shower Tube (in mm)	12
	Material of Hand Shower Tube	Stainless Steel
	Overall length of Shower Arm (in mm)	NA
	Warranty	Warranty (in Years)
		1

Additional Specification Parameters - Bathroom Water Shower (V2) (4 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
CP hand shower 15mm bore bend shower.	CP hand shower 15mm bore bend shower.

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	4	15

Plastics Bib Taps Pillar Taps Angle Valves And Stop Valves As Per IS 9763:2000 (Latest) (32 pieces)

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Ungrouped	Type of Tap/ Valve	Bib Tap
	Materials used for the manufacture body of Tap/ Valve	Polytetra Methylene Terephthalate (PTMT)
	Nominal Sizes of Plastic taps and stop valves	15 mm (1/2 ")

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Finish for Taps/ valves	Not applicable
	Threading of Taps/ Valve	Internal
	Minimum Thickness in any portion of the body and bonnet for all sizes (mm)	2.5

Additional Specification Parameters - Plastics Bib Taps Pillar Taps Angle Valves And Stop Valves As Per IS 9763:2000 (Latest) (32 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Bib cock PVC long body 15 mm bore.	Bib cock PVC long body 15 mm bore.

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	32	15

Plastics Bib Taps Pillar Taps Angle Valves And Stop Valves As Per IS 9763:2000 (Latest) (26 pieces)

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Ungrouped	Type of Tap/ Valve	Bib Tap
	Materials used for the manufacture body of Tap/ Valve	PVC
	Nominal Sizes of Plastic taps and stop valves	15 mm (1/2 ")
	Finish for Taps/ valves	Not applicable
	Threading of Taps/ Valve	Internal

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Minimum Thickness in any portion of the body and bonnet for all sizes (mm)	2.5

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	26	15

Plastics Bib Taps Pillar Taps Angle Valves And Stop Valves As Per IS 9763:2000 (Latest) (9 pieces)

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Ungrouped	Type of Tap/ Valve	Stop Valve
	Materials used for the manufacture body of Tap/ Valve	PVC
	Nominal Sizes of Plastic taps and stop valves	15 mm (1/2 ")
	Finish for Taps/ valves	Not applicable
	Threading of Taps/ Valve	External
	Minimum Thickness in any portion of the body and bonnet for all sizes (mm)	2.5

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	9	15

Plastics Bib Taps Pillar Taps Angle Valves And Stop Valves As Per IS 9763:2000 (Latest) (8 pieces)

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Ungrouped	Type of Tap/ Valve	Stop Valve
	Materials used for the manufacture body of Tap/ Valve	Polytetra Methylene Terephthalate (PTMT)
	Nominal Sizes of Plastic taps and stop valves	15 mm (1/2 ")
	Finish for Taps/ valves	Not applicable
	Threading of Taps/ Valve	External
	Minimum Thickness in any portion of the body and bonnet for all sizes (mm)	2.5

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	8	15

Plastics Bib Taps Pillar Taps Angle Valves And Stop Valves As Per IS 9763:2000 (Latest) (10 pieces)

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Ungrouped	Type of Tap/ Valve	Pillar Tap
	Materials used for the manufacture body of Tap/ Valve	Polytetra Methylene Terephthalate (PTMT)
	Nominal Sizes of Plastic taps and stop valves	15 mm (1/2 ")
	Finish for Taps/ valves	Not applicable
	Threading of Taps/ Valve	External
	Minimum Thickness in any portion of the body and bonnet for all sizes (mm)	2.5

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	10	15

Connection Pipe With Nuts (V2) (8 pieces)

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Washer Provided	Yes
Material	Connection Pipe Material	PVC Transparent Pipe
	Connection Nut Material	Brass, Stainless Steel 304, PTMT Or higher
	Washer Material	Silicon, PVC Or higher
Dimensions	Connection Thread Size(in mm)	15
	Length of Connection Pipe(in mm)	450
	Pressure Rating(kg/cm ²)	1, 2 Or higher
	Diameter of Pipe (in mm)	12

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
TEST REPORT	Availability of Test Report from Central Govt /NABL/ILAC accredited lab to prove conformity to specification	No

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	8	15

Connection Pipe With Nuts (V2) (13 pieces)

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Washer Provided	No
Material	Connection Pipe Material	Stainless Steel 304
	Connection Nut Material	Brass Or higher
	Washer Material	Silicon Or higher
Dimensions	Connection Thread Size(in mm)	15
	Length of Connection Pipe(in mm)	450
	Pressure Rating(kg/cm ²)	1, 2, 3 Or higher
	Diameter of Pipe (in mm)	12
TEST REPORT	Availability of Test Report from Central Govt /NABL/ILAC accredited lab to prove conformity to specification	No

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	13	15

Curtain Pipe, Sider And Mounting Bracket (8 meter)

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
ITEM	ITEM	Curtain Pipe
OTHER REQUIREMENTS	Sider(one pair per pipe)	Without
DIMENSON	Outside Diameter of curtain pipe (in mm)	25mm
	Length of curtain pipe(In Meter)	4
	Minimum Wall thickness of pipe (In MM)	2, 3, 4, 5 Or higher
	Minimum thickness of Curtain pipe hanging bracket (in mm)	2, 3 Or higher

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	8	15

Copper Alloy Gate Valve For Waterworks Purpose As Per IS 778 (4 pieces)

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
SIZE / TYPE / DIMENSIONAL / MATERIAL	Classification	Class 2 Valves
	Nominal Size of Valve	15.0 (millimeter)
	Type of Gate Valve	Solid Wedge
	Type of Valves End	Screwed End Valve

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	4	15

Copper Alloy Gate Valve For Waterworks Purpose As Per IS 778 (6 pieces)

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
SIZE / TYPE / DIMENSIONAL / MATERIAL	Classification	Class 1 Valves
	Nominal Size of Valve	20.0 (millimeter)
	Type of Gate Valve	Solid Wedge
	Type of Valves End	Screwed End Valve

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	6	15

32mm Dia And 60cm Long PVC Waste Pipe Including Tail For WHB.

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	26	30

Two Way Bib Cock, 15 Mm Dia With Wall Flange Made Of Cast Copper Alloy, Chromium Plated.

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	8	30

Swan Neck Sink Cock 15mm Dia With Swing Spout And Aerator, Made Of Cast Copper Alloy, Chromium Plated Fancy Type.

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	4	30

CP Elbow Operated Pillar Cock 15mm Bore .

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	8	30

CP Elbow Operated Type Surgical Mixer.

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	2	30

Looking Mirror Aluminium Frames And Back Side Pvc Sheet Of Size 24 Inch X 18 Inch X 4 Mm With Hanging Arrangement

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	5	30

CP Grating 100mm Dia.

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
-------------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	14	30

Vitreous China Wash Hand Basin Of Size 550X400 White.

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications**Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	5	30

Kitchen Plate Rack Stainless Steel With Height 31 Inch And Width 30 Inch Depth 10 Inch 0.60 Mm Thick.

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications**Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	3	30

PVC Looking Mirror Size 450x600mm.

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	10	30

PVC Water Storage Tank Of 500 Ltrs Three Layered .

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	2	30

PVC Water Storage Tank Of 1000 Ltrs Three Layered .

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	5	30

Hydraulic Door Closer Universal Type ISI Marked

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	25	30

GI TEE 25 Mm Bore ISI Marked

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	8	30

20 Mm Dia Of Ball Valves High Pressure Of PTMT With Epoxy Coated Aluminium Rod And High Density Plastic Ball Screwed For Iron Pipe.

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	13	30

25mm Dia Ball PVC Valves, High Pressure With Polythene Float Valve And Fly Nut Complete Screwed For Iron Pipe .

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	6	30

Stainless Steel Butt Hinges 100mm Size ISI Marked

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	32	30

Glass Sheet 4 Mm Thick ISI Marked

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	17	30

Bottle Trap 32 Mm Sizewith 250 Mm Long.

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	4	30

Corner Glass Shelf 12 Inch X 12 Inch 4mm Thick .

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	6	30

Health Faucet With 8 Mm Dia, 1.5 Mtr Long Flexible Tube, Wall Hook And Wall Flange Made Of Cast Copper Alloy, Chromium Plated Fancy Type.

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	10	30

Stainless Steel Kitchen Sink, Single Bowl With Drainage Board Of Overall Size 940x460x203mm And Bowl Size 405x354x203mm.

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	1	30

Corner Glass Shelf 10 Inchx10 Inch

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	5	30

Spindles Faces, Of Brass.

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	32	30

GI Dead Plug 15 Mm ISI Marked

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	9	30

Prelaminated Particle Board 18 Mm Thick 8 Feet X4 Feet Extr Gde.

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	3	30

PVC Internal Fittings Kit Complete For Dual Flushing Cistern WC Etc.

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	7	30

GI Union 20mm Bore.

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	7	30

Stainless Steel Sink Minimum 1.0 Mm Thick Overall Size 560 Mm X 460 Mm X 203mm With Approx Bowl Size Of 510 Mm X 406 Mm X 203 Mm 304 Grade.

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	1	30

WC European Type S Trap.

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	3	30

Vitreous China Urinal Pot Of Size 375x390x590mm

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	2	30

Stainless Steel Butt Hinges Medium Weight Cold Rolled Mild Steel 125mm Long.

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	22	30

CP Toilet Paper Holder.

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	4	30

Door Stopper Brass 125 Mm

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	23	30

Door Stopper Single Shoes

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	43	30

CP Extension Nipple 100mm Long Suitable For 15mm Bore .

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	17	30

GI Tubing Medium Grade15 Mm Bore.

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	18	30

Sliding Bolt Aluminium Anodised 250 Mm Long.

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	18	30

Al Bihari Hinges.

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	8	30

End Cap 25 Mm ISI Marked

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	6	30

Mirror With Plastic Frame 600mmX600mm.

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	6	30

Aluminium Anodised Barrel Tower Bolts Of Extruded Section, Length Of Bolt 200mm ISI Marked.

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	15	30

Front Glass Shelf Of Size 500x125mm

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	3	30

Vitreous China Squatting Pan Orissa Pattern Size 580 X 440 Mm

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	1	30

PVC Water Storage Tank Cover.

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	6	30

Oil Putty

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	9	30

Brass Non Return Valve, 25mm Bore.

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	2	30

Brass Non Return Valve, 15mm Bore.

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	3	30

Half Round Piston For Mixer

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	17	30

GI Tee 15 Mm ISI Marked

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	7	30

GI Tank Nipple 20mm ISI Marked

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	13	30

White Cement.

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	9	30

GI Elbow 20mm Bore ISI Marked

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	7	30

GI Socket 15mm Bore ISI Marked

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	17	30

GI Socket 20mm Bore ISI Marked

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	11	30

GI Elbow 25mm Bore ISI Marked

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	5	30

GI Union 15mm ISI Marked

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	4	30

Aluminium Alloy Anodised Sliding Door Bolts With Of Size 300mm ISI Marked

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	5	30

Taflone Tape 19mm Of Length 10 Mtr

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	5	30

GI Tee 20 Mm ISI Marked

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	5	30

GI Union 25mm Dia ISI Marked

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	4	30

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Generic

Manufacturer Authorization: Wherever Authorised Distributors/service providers are submitting the bid, Authorisation Form /Certificate with OEM/Original Service Provider details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid

3. Forms of EMD and PBG

Bidders can also submit the EMD with Banker's Cheque in favour of

HQ CWE NEW DELHI
payable at
Delhi Cantt

Bidder has to upload scanned copy / proof of the BC along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

4. Forms of EMD and PBG

Successful Bidder can submit the Performance Security in the form of Account Payee Demand Draft also (besides PBG which is allowed as per GeM GTC). DD should be made in favour of

GE E/M R&R Hosp
payable at
Delhi Cantt

. After award of contract, Successful Bidder can upload scanned copy of the DD in place of PBG and has to ensure delivery of hard copy to the original DD to the Buyer within 15 days of award of contract.

5. Scope of Supply

Scope of supply (Bid price to include all cost components) : Only supply of Goods

6. Warranty

Warranty period of the supplied products shall be 1 years from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during

the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.

7. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

1. Bidders are required to supply the material directly purchased from OEMs or their authorised dealers and bidder has to submit purchase vouchers of all items at the time of delivery to the consignee.
2. Bidders has to arrange inspection of all the items of supply order by OEMs or their marketing rep to the effect that items are genuine and purchased from OEMs or their authorised dealer.
3. To claim the warranty of the products from the company , the L1 bidder will submit the warranty card duly stamped by the company at the time of delivery of the goods.
4. Undertaking certificate that the firm of bidder has not been blacklisted as on date in any govt department.
5. The bidder has to produce solvency certificate alongwith the bid for Rs 10 lakh. The certificate should be issued from a nationalized/ scheduled bank and its date of issue should not be more than 12 months old from the date of opening of bid.
6. Prospective bidders shall quote for the makes/brands of Cera/Jaguar/Hindware/Parryware/Kohler for CP items, toilet seat cover , Cistern , PVC Connection, Waste pipe, Bottle trap, waste coupling, washbasin, EWC, Orrisa pan, Make for PTMT items Prayag/Shakti/Prima/Silver shine, Make for GI pipe and fittings Jindal/TATA/Oswal/Unik, Make for door handles , tower bolt, Lock & sliding bolt Prayag/Crown/Classic, Makes for kitchen sinks, Glass shelves and plate racks Prayag/Shakti/Prima/Jainko/Silver shine, makes for Water storage tanks Astral/Sintex/Supreme/Sheetal, Make for prelaminated particle board Kitply/Green ply/Archid ply/Centre ply/ Green panel and make for Glass sheet Saint gobin/AIS/Modi guard. In case the products which are not available in these brands, other brands as approved in Group one category in any command/ADG of MES will be acceptable and bidder must upload product approval letter of aforesaid authority along with technical bid documents.
7. Make and Model of each item should be mentioned in specification during participation failing which the bidder will be rejected without any further intimation and no representation on this matter will be entertained. If any bidder offers any Unbranded products than it will be technically disqualified.
8. If bidder submits any fake documents, the department will take legal action against bidder/firm as per Government rules. If bidder fails to submit any documents, the buyer has right to reject bids without assigning any reason there over.
9. All documents should be latest and clearly mentioned bid No, date, title seal and signed on every page by bidder. Bidder is also required to upload valid ink signed copy of all documents.
10. The bidder should upload acceptance of ATC on his firm letter head duly mentioned bid No and date.
11. The bidder has to upload scanned copy/ proof of the EMD alongwith the bid and has to ensure delivery of the hard copy to the buyer within five days of bid end date/bid opening date failing which the bidder will be technically disqualified and no representation will be accepted.
12. The Prelaminated particle board shall be termite resistant, water proof and ISI Marked.

अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.

4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---