

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	06-12-2025 20:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	06-12-2025 20:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	180 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Defence
विभाग का नाम/Department Name	Department Of Military Affairs
संगठन का नाम/Organisation Name	Indian Army
कार्यालय का नाम/Office Name	*****
कुल मात्रा/Total Quantity	1534
वस्तु श्रेणी /Item Category	Inj , Enema 10 , Syb Dicyclomine , Multi Vit Inj , Tube Endo-tracheal nasal , Tube Endo tracheal Reinforced PVC , Tube Endo-tracheal Reinforced PVC , Tube Endo-tracheal reinforced PVC
GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS	Diltiazem 5mg/ml Inj, Hydrocortisone Enema 10% w/w, Syb Dicyclomine drops of 15 ml, Multi Vit Inj IV 2-10 ml with minimum , Tube Endo-tracheal nasal size 5.0 with cuff, Tube Endo-tracheal nasal size 5.5 with cuff, Tube Endo-tracheal nasal size 6.0 with cuff, Tube Endo-tracheal nasal size 6.5 with cuff, Tube Endo-tracheal nasal size 7.0 with cuff, Tube Endo-tracheal nasal size 7.5 with cuff, Tube Endo-tracheal nasal size 8.0 with cuff, Tube Endo-tracheal nasal size 8.5 with cuff, Tube Endo-tracheal nasal size 9.0 with cuff, Tube Endo-tracheal nasal size 9.5 with cuff, Tube Endo tracheal Reinforced PVC size 5.0 with cuff, Tube Endo-tracheal Reinforced PVC size 5.5 with cuff., Tube Endo-tracheal reinforced PVC 6.0 with cuff, Tube Endo-tracheal Reinforced PVC size 6.5 with cuff, Tube Endo-tracheal Reinforced PVC size 7.0 with cuff, Tube Endo-tracheal Reinforced PVC size 7.5 with cuff, Tube Endo-tracheal Reinforced PVC size 8.0 with cuff, Tube Endo-tracheal Reinforced PVC size 8.5 with cuff, Tube Endo-tracheal Reinforced PVC size 9.0 with cuff, Tube Endo-tracheal Reinforced PVC size 9.5 with cuff
	Searched String: Diltiazem 5mg/ml Inj Diltiazem Injection, Sterile Hypodermic Syringe (V3), Virechan Peeth For Panchakarma, Blood Collection Tube, Laboratory Desiccator (V2), Disposable Syringes as per IS 10258, Diltiazem Tablet, Shaker Incubator, Whistle (V2), Minifuge Searched String: Hydrocortisone Enema 10% w/w

बिड विवरण/Bid Details	<p>Brodifacoum 0.005 %w/w BB (Bait Block), LED Luminaire (for Flood Light) as per IS 10322, IS 16107, Chlorpyrifos 75 %w/w Water-Dispersible Granule (WG), W - Beam Crash Barrier, Retro Reflective W/T Board, Soft Tissue Diode Dental Laser, Retro Reflective W Board (Railways), LED Luminaire (Recessed Luminaire) (V2), White LED (W - LED) Based Solar Home Lighting Systems (V2), 15w - 40 Diesel Engine Oil</p> <p>Searched String: Syp Dicyclomine drops of 15 ml</p> <p>Pipe Clamps (V2)</p> <p>Searched String: Multi Vit Inj IV 2-10 ml with minimum Vitamin C Injection with Vitamin B12, Folic Acid, Niacinamide Injection (2 Part Combi Pack Multivitamin Injection), PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, PVC Copper Cable Single and Multi Core Circular Sheathed Cable with Flexible Conductor as per IS 694</p> <p>Searched String: Tube Endo-tracheal nasal size 5.0 with cuff</p> <p>endotracheal tube cuffed for laser surgery, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Endotracheal Tube - Sterile (Single Use), Nasal Pack (V2), endotracheal or tracheotomy sets et tube with tapered shaped cuff with subglottice suction, Non Sparking Ring Slugging Spanners (V2), tracheostomy tubes without cuff plain single use blister pack pre sterilized, Salicylic acid as per IS:7559, PCR Tubes, Blood Collection Tube</p> <p>Searched String: Tube Endo-tracheal nasal size 5.5 with cuff</p> <p>endotracheal tube cuffed for laser surgery, endotracheal tubes or reinforced endotracheal tube plain, Endotracheal Tube - Sterile (Single Use), Open / Endoscopic Clip Applicator (V2), endotracheal or tracheotomy sets et tube with tapered shaped cuff with subglottice suction, Blood Collection Tube, Non Sparking Ring Slugging Spanners (V2), Non Sparking Combination Spanners (V2), Non Sparking Double Open Ended Spanner (V2), Non Sparking Double Ended Ring Spanner (V2)</p> <p>Searched String: Tube Endo-tracheal nasal size 6.0 with cuff</p> <p>endotracheal tube cuffed for laser surgery, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Endotracheal Tube - Sterile (Single Use), tracheostomy tubes without cuff plain single use blister pack pre sterilized, endotracheal or tracheotomy sets et tube with tapered shaped cuff with subglottice suction, Small Sized Valve Regulated Lead Acid Batteries as per IS Jisc 8702 - 1, Non Sparking Double Open Ended Spanner (V2), Non Sparking Adjustable Wrench (V2), Laboratory Filter Papers (V2), Non Sparking Combination Spanners (V2)</p>
-----------------------	--

बिड विवरण / Bid Details	Searched String: Tube Endo-tracheal nasal size 6.5 with cuff
<p>GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS</p>	<p>endotracheal tube cuffed for laser surgery, endotracheal tubes or reinforced endotracheal tube plain, Endotracheal Tube - Sterile (Single Use), endotracheal or tracheotomy sets et tube with tapered shaped cuff with subglottice suction, Non Sparking Double Ended Ring Spanner (V2), Nasal Pack (V2), Non Sparking Combination Spanners (V2), tracheostomy tubes without cuff plain single use blister pack pre sterilized, Non Sparking Double Open Ended Spanner (V2), Automative Cleaner</p>
	<p>Searched String: Tube Endo-tracheal nasal size 7.0 with cuff</p> <p>endotracheal tube cuffed for laser surgery, Small Sized Valve Regulated Lead Acid Batteries as per IS Jisc 8702 - 1, Endotracheal Tube - Sterile (Single Use), tracheostomy tubes without cuff plain single use blister pack pre sterilized, endotracheal or tracheotomy sets et tube with tapered shaped cuff with subglottice suction, Non Sparking Double Open Ended Spanner (V2), Non Sparking Combination Spanners (V2)</p>
	<p>Searched String: Tube Endo-tracheal nasal size 7.5 with cuff</p> <p>endotracheal tube cuffed for laser surgery, endotracheal tubes or reinforced endotracheal tube plain, Endotracheal Tube - Sterile (Single Use), Nasal Pack (V2), endotracheal or tracheotomy sets et tube with tapered shaped cuff with subglottice suction, Prefab Shelters With PUF Panel of Size 7.620 M X 10.661 (As Per GeM Drawing), Non Sparking Combination Spanners (V2), Non Sparking Double Ended Ring Spanner (V2), Non Sparking Double Open Ended Spanner (V2)</p>
	<p>Searched String: Tube Endo-tracheal nasal size 8.0 with cuff</p> <p>endotracheal tube cuffed for laser surgery, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Endotracheal Tube - Sterile (Single Use), Nasal Pack (V2), endotracheal or tracheotomy sets et tube with tapered shaped cuff with subglottice suction, Laboratory Filter Papers (V2), tracheostomy tubes without cuff plain single use blister pack pre sterilized, PCR Tubes, Non Sparking Double Open Ended Spanner (V2), Non Sparking Adjustable Wrench (V2)</p>
	<p>Searched String: Tube Endo-tracheal nasal size 8.5 with cuff</p> <p>endotracheal tube cuffed for laser surgery, endotracheal tubes or reinforced endotracheal tube plain, Endotracheal Tube - Sterile (Single Use), Nasal Pack (V2), endotracheal or tracheotomy sets et tube with tapered shaped cuff with subglottice suction, Non Sparking Double Ended Ring Spanner (V2), Non Sparking Pipe Wrench (V2), Non Sparking Combination Spanners (V2), Non Sparking Double Open Ended Spanner (V2), Non Sparking Adjustable Wrench (V2)</p> <p>Searched String: Tube Endo-tracheal nasal size 9.0 with cuff</p>

बिड विवरण / Bid Details	endotracheal tube cuffed for laser surgery, tracheostomy tubes without cuff plain single use blister pack pre sterilized,
	<p>Endotracheal Tube - Sterile (Single Use), endotracheal or tracheotomy sets et tube with tapered shaped cuff with subglottice suction, Non Sparking Double Open Ended Spanner (V2)</p> <p>Searched String: Tube Endo-tracheal nasal size 9.5 with cuff</p> <p>endotracheal tube cuffed for laser surgery, endotracheal tubes or reinforced endotracheal tube plain, Endotracheal Tube - Sterile (Single Use), Nasal Pack (V2), endotracheal or tracheotomy sets et tube with tapered shaped cuff with subglottice suction, Non Sparking Double Open Ended Spanner (V2), tracheostomy tubes without cuff plain single use blister pack pre sterilized, Non Sparking Double Ended Ring Spanner (V2), Non Sparking Combination Spanners (V2), LCP 3.5mm Distal Medial Tibial Plate with corresponding screws</p> <p>Searched String: Tube Endo tracheal Reinforced PVC size 5.0 with cuff</p> <p>Endotracheal Tube - Sterile (Single Use)</p> <p>Searched String: Tube Endo-tracheal Reinforced PVC size 5.5 with cuff.</p> <p>Endotracheal Tube - Sterile (Single Use), endotracheal tubes or reinforced endotracheal tube plain</p> <p>Searched String: Tube Endo-tracheal reinforced PVC 6.0 with cuff</p> <p>endotracheal tubes or reinforced endotracheal tube plain, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Endotracheal Tube - Sterile (Single Use), tracheostomy tubes with cuff blister pack adult, endotracheal tube cuffed for laser surgery, PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694, endotracheal or tracheotomy sets et tube with tapered shaped cuff with subglottice suction</p> <p>Searched String: Tube Endo-tracheal Reinforced PVC size 6.5 with cuff</p> <p>Endotracheal Tube - Sterile (Single Use), endotracheal tubes or reinforced endotracheal tube plain</p> <p>Searched String: Tube Endo-tracheal Reinforced PVC size 7.0 with cuff</p> <p>Endotracheal Tube - Sterile (Single Use)</p> <p>Searched String: Tube Endo-tracheal Reinforced PVC size 7.5 with cuff</p> <p>Endotracheal Tube - Sterile (Single Use), endotracheal tubes or reinforced endotracheal tube plain</p> <p>Searched String: Tube Endo-tracheal Reinforced PVC size 8.0 with cuff</p> <p>Endotracheal Tube - Sterile (Single Use)</p> <p>Searched String: Tube Endo-tracheal Reinforced PVC size</p>

बिड विवरण / Bid Details	8.5 with cuff
	<p>Endotracheal Tube - Sterile (Single Use), endotracheal tubes or reinforced endotracheal tube plain</p> <p>Searched String: Tube Endo-tracheal Reinforced PVC size 9.0 with cuff</p> <p>Endotracheal Tube - Sterile (Single Use), tracheostomy tubes without cuff plain single use blister pack pre sterilized</p> <p>Searched String: Tube Endo-tracheal Reinforced PVC size 9.5 with cuff</p> <p>Endotracheal Tube - Sterile (Single Use), endotracheal tubes or reinforced endotracheal tube plain</p>
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	<ul style="list-style-type: none"> • Ayurvedic Classical Medicines (Asava)
बीओक्यू शीर्षक / BOQ Title	DGLP GEM BOQ 02
बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) / Minimum Average Annual Turnover of the bidder (For 3 Years)	1 Lakh (s)
मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का) / OEM Average Turnover (Last 3 Years)	1 Lakh (s)
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष / Years of Past Experience Required for same/similar service	3 Year (s)
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / MSE Exemption for Years of Experience and Turnover	No
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / Startup Exemption for Years of Experience and Turnover	No
विक्रेता से मांगे गए दस्तावेज़ / Document required from seller	<p>Experience Criteria, Past Performance, Bidder Turnover, Certificate (Requested in ATC), OEM Authorization Certificate, OEM Annual Turnover</p> <p>*In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer</p>
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेजों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेन् है / Do you want to show documents uploaded by bidders to all bidders participated in bid?	No
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या / Minimum number of bids required to disable automatic bid extension	1

बिड विवरण/Bid Details	
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	3
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	1
विगत प्रदर्शन / Past Performance	10 %
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	No
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	Inj
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

आवश्यकता/Required	No
-------------------	----

ईपीबीजी विवरण /ePBG Detail

आवश्यकता/Required	No
-------------------	----

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता/MII Purchase Preference

एमआईआई खरीद वरीयता/MII Purchase Preference	No
--	----

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
---	-----

सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं को खरीद में प्राथमिकता, यदि उनका मूल्य $L1+X\%$ तक की सीमा में हो / Purchase Preference to MSE OEMs available upto price within $L1+X\%$	15
सूक्ष्म और लघु उद्यम को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MSE purchase preference	25

1. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
2. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
3. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
4. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within $L-1 + 15\%$ (Selected by Buyer) of margin of purchase preference / price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.
5. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.
6. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 10% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

Inj

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Chennai	7	15

Enema 10

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Chennai	45	15

Syp Dicyclomine

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Chennai	183	15

Multi Vit Inj**तकनीकी विशिष्टियाँ /Technical Specifications****Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Chennai	1080	15

Tube Endo-tracheal Nasal**तकनीकी विशिष्टियाँ /Technical Specifications****Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Chennai	12	15

Tube Endo-tracheal Nasal

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Chennai	12	15

Tube Endo-tracheal Nasal

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Chennai	12	15

Tube Endo-tracheal Nasal

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Chennai	14	15

Tube Endo-tracheal Nasal

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Chennai	20	15

Tube Endo-tracheal Nasal

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Chennai	20	15

Tube Endo-tracheal Nasal

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Chennai	16	15

Tube Endo-tracheal Nasal

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Chennai	12	15

Tube Endo-tracheal Nasal**तकनीकी विशिष्टियाँ /Technical Specifications****Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Chennai	10	15

Tube Endo-tracheal Nasal**तकनीकी विशिष्टियाँ /Technical Specifications****Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषीती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषीती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Chennai	9	15

Tube Endo Tracheal Reinforced PVC

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषीती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषीती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Chennai	10	15

Tube Endo-tracheal Reinforced PVC

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषीती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Chennai	9	15

Tube Endo-tracheal Reinforced PVC

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Chennai	9	15

Tube Endo-tracheal Reinforced PVC

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Chennai	8	15

Tube Endo-tracheal Reinforced PVC

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Chennai	9	15

Tube Endo-tracheal Reinforced PVC

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Chennai	8	15

Tube Endo-tracheal Reinforced PVC

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Chennai	9	15

Tube Endo-tracheal Reinforced PVC**तकनीकी विशिष्टियाँ /Technical Specifications****Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Chennai	8	15

Tube Endo-tracheal Reinforced PVC**तकनीकी विशिष्टियाँ /Technical Specifications****Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Chennai	6	15

Tube Endo-tracheal Reinforced PVC**तकनीकी विशिष्टियाँ /Technical Specifications**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Chennai	6	15

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions**1. Generic**

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Ration Item ATCs

Warranty The following Warranty clause will form part of the contract placed on successful Bidder :-
(a) The Seller warrants that the goods supplied under the contract conform to Defence Food Specification prescribed and shall perform according to the said Defence Food Specification in any climate and under

all conditions of storage and movement in India (the warranty period of the item is as given in the Defence Food Specification attached from the date of acceptance of stores).

(b) The Seller warrants for a period of warranty as prescribed (the warranty period of the item is as given in the Defence Food Specification attached) from the date of acceptance of stores, that the goods/ stores supplied under the contract shall be free from all types of defects.

(c) Once the stocks are accepted by the verdict of CFL/ FIU, stocks are dispatched to various depots and stocked/issued to troops for consumption. This does not mean that the responsibility of supplier is over. At any point of time, the DGST or his authorised representative (s) may draw samples from the stocks supplied from locations where they are held at that point of time to confirm that the stocks supplied by the supplier are meeting the concerned DFS. Prior to drawl of such samples, the supplier will be intimated by the fastest means by the supply depot where the stocks are held to make available the authorised representative of the supplier within three working days in whose presence the sample will be drawn. Failing which, the sample will be drawn unilaterally and the decision on the same will be final and no representation in this regard will be accepted later.

(d) If within the period of warranty, after analysis of the samples drawn as per Para (c) above, the goods are reported by the Buyer to have failed to meet the quality parameters as per the Defence Food Specifications, the stock will be declared as "Failed to Perform within Warranty Period". In the event of the supplies or part of it having been declared (during the period of warranty) as "Failed to Perform within Warranty Period" by the Director General of Supplies and Transport, QMG's Branch, IHQ of MoD (Army), in New Delhi or any officer acting on his behalf whose opinion as to whether or not the particular consignment is meeting the quality as per DFS for the item, will be final and the seller will avail any one options as specified in the succeeding paras within a maximum period of 45 days from the date the notification letter is dispatched for such defect by the buyer, failing which, the buyer will take actions as deemed fit to recover from the supplier the price thereof together with all incidental and freight charges incurred from the place of delivery to the place where the supplies were ultimately condemned. The opinion of the BUYER or any officer acting on his behalf in regard to these charges will be final. This opinion shall be regarded as having been made without committing Govt in any way nor will such decision prejudice the Govt rights.

(e) Claims shall be prepared by the supply depots for the cost of affected quantity including GST and all incidental charges including transportation charges if any, and other incidental charges if any through CDP (APO). The stocks shall be segregated at the supply depot. The supplier is given two options in this eventuality. Option 1- Supplier will make good the loss amounting the claim prepared by the concerned supply depot by depositing the money to PCDA (Delhi) within 30 days of intimation sent by APO to the supplier and supplier shall lift the stock (only once supplier has made the payment to PCDA(Delhi)) from locations where they are stored at that time within 45 days of date of issue letter by APO (with copy to all) on his own cost, failing which the stock shall be destroyed by a board of officers. It shall be the sole responsibility of the supplier to lift such stocks declared failed to perform within warranty in the stipulated time. Option 2- the Seller shall replace the same free of charge, within a maximum period of 45 days from the date the notification letter is dispatched for such defect by the buyer, failing which the stores will be destroyed in situ at SELLER's risk and cost by a station board of officers. No DP extensions for the purpose is required and consequently the firm will have to furnish a fresh validity of PBG submitted, at APO. The fresh stock intended to replace with the affected stock, will undergo similar QC procedure as followed during initial acceptance of the stocks. The supplier will transport fit stocks to the supply depot where the affected stocks are held by his own cost and expense.

(f) The seller will intimate the buyer within 10 days of intimation dispatched by APO wrt the defect in such an event, the option he is willing to adopt along with the documents as under :-

(i) If the seller is willing for option 1, the intimation letter will also accompany the proof of the deposition of the claimable amount at PCDA Delhi.

(ii) If the seller is willing for option 2, the intimation letter will include the extension of the PBG for a corresponding period as per the warranty period mentioned in the DFS.

(g) In case, the seller fails to make good the loss or replace the affected stocks as desired, after the stipulated time period of 45 days, such stocks will be destroyed insitu. Appropriate legal action will be initiated against the supplier there after. Supplier cannot claim on the destruction of such stocks irrespective of the outcome of the legal action.

(h) Such stocks which are stored in forward depots/ units from where it cannot be retrieved for handing over to suppliers shall be destroyed by board of officers.

(j) The declaration by the Buyer or any officer acting on his behalf communicated to the SUPPLIER in writing that a particular consignment has been condemned will be taken by the SUPPLIER as the conclusive evidence of the proper communication of that consignment provided that such communication is issued by the Buyer within 45 days of the expiry of the warranty period. Nothing herein contain shall prejudice any other right of the BUYER in that behalf under this contract or otherwise.

(k) Warranty in case of any preponement of supplies at the request of the supplier will be valid as per the original Delivery Period. A confirmation for the same will be issued in writing by the supplier.

(l) The Supplier will have to refund to the government any claim under the warranty clause and other

claim(s) that may arise out or under this agreement as soon as a demand to that effect is made by the Buyer failing which such claims will be recovered by adjustment against the performance security deposits. Should this sum be not sufficient to cover the full amount recoverable, the Supplier shall pay the remaining balance due to the government on demand. In respect of contracts providing for an execution by the Supplier of guarantee regarding maintenance of the wholesomeness of stores supplied, the performance security deposit or such portion thereof as may be decided by the Buyer may be withheld till the expiry of the warranty period relating to final supplies.

अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976,

The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---