

बिड दस्तावेज़ / Bid Document

बिड विवरण / Bid Details	
बिड बंद होने की तारीख/समय / Bid End Date/Time	13-12-2025 17:00:00
बिड खुलने की तारीख/समय / Bid Opening Date/Time	13-12-2025 17:30:00
बिड पेशकश वैधता (बंद होने की तारीख से) / Bid Offer Validity (From End Date)	180 (Days)
मंत्रालय/राज्य का नाम / Ministry/State Name	Himachal Pradesh
विभाग का नाम / Department Name	Technical Education Department Himachal Pradesh
संगठन का नाम / Organisation Name	N/a
कार्यालय का नाम / Office Name	Department Of Technical Education
कुल मात्रा / Total Quantity	78
वस्तु श्रेणी / Item Category	Modular Table / Meeting Table / Centre Table (V2) (Q2) , Metal Storage Cabinet (Q2) , Revolving Chair (V5) (Q2) , Chair (Without Wheels) for General Purpose (Q2) , Free standing PARTITION PANEL (Q3) , Wooden Shelf / Case / Rack / Credenza / Modular Storage (V2) (Q2)
बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) / Minimum Average Annual Turnover of the bidder (For 3 Years)	5 Lakh (s)
मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का) / OEM Average Turnover (Last 3 Years)	40 Lakh (s)
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष / Years of Past Experience Required for same/similar service	3 Year (s)
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / MSE Exemption for Years of Experience and Turnover	No
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / Startup Exemption for Years of Experience and Turnover	No
विक्रेता से मांगे गए दस्तावेज़ / Document required from seller	Experience Criteria, Past Performance, Bidder Turnover, Certificate (Requested in ATC), OEM Authorization Certificate, OEM Annual Turnover, Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer

बिड विवरण/Bid Details	
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेजों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	3
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	1
विगत प्रदर्शन /Past Performance	50 %
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	No
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	Modular Table / Meeting Table / Centre Table (V2)
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
Payment Timelines	Payments shall be made to the Seller within 45 days of issue of consignee receipt-cum-acceptance certificate (CRAC) and on-line submission of bills (This is in supersession of 10 days time as provided in clause 12 of GeM GTC)
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

आवश्यकता/Required	No
-------------------	----

ईपीबीजी विवरण /ePBG Detail

आवश्यकता/Required	No
-------------------	----

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	No
---	----

एमआईआई खरीद वरीयता / MII Purchase Preference

एमआईआई खरीद वरीयता / MII Purchase Preference	Yes
मेक इन इंडिया विक्रेताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में है / Purchase Preference to MII sellers available upto price within L1+X%	20
मेक इन इंडिया खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MII purchase preference	50
सार्वजनिक खरीद (मेक-इन-इंडिया को प्राथमिकता) आदेश 2017 के अनुसार केवल क्लास 1/क्लास 2 के स्थानीय आपूर्तिकर्ताओं को ही भागीदारी की अनुमति है दिनांक 16.09.2020 (समय-समय पर संशोधित एवं लागू) / Allow participation only from Class 1/Class 2 local suppliers as per the Public procurement(Preference to Make-in-india) order 2017 date 16.09.2020(as amended and applicable time to time)	Yes, in compliance with the MII ORDER : DPIIT Order(as amended and applicable time to time)

1. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
2. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
3. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
4. Preference to Make In India products (For bids < 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum

local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

5. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

6. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 50% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

Modular Table / Meeting Table / Centre Table (V2) (1 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Table Top	Table Top Material Type	Particle Board, MDF Board, Marine Ply, BWP Ply, MR (Moisture Resistant) Ply, Glass Or higher
	Availability of Table top edge	Yes, No
	Shape of Table Top (For Circle and Square, Length and Depth must be same)	Square, Rectangle, Circle, Oval, Hexagon, Trapezoid
	Width of Table Top (Tolerance ± 50 mm)	900 mm, 1050 mm, 1200 mm, 1350 mm, 1500 mm, 1650 mm, 1800 mm, 1950 mm, 2100 mm, 2250 mm, 2400 mm, 600 mm, 750 mm
	Depth of Table Top (Tolerance ± 50 mm)	600 mm, 750 mm, 900 mm, 1050 mm, 1200 mm, 1350 mm, 1500 mm, 1650 mm, 1800 mm, 1950 mm, 2100 mm, 2250 mm, 2400 mm
	Height of Table Top Adjustable	Yes, No
Table Understructure	Material Type in Table Understructure	Metal Understructure, Wooden/Engineer Wood Understructure, Metal Frame in combination with wooden understructure

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Support Type in Table Understructure	Leg, Gable
	Material of Table Understructure	Mild Steel, Aluminium, Particle Board, MDF Board, Marine Ply, MR (Moisture Resistant) Ply, BWP Ply, Mild Steel with Particle Board, Mild Steel with MDF Board, Mild Steel with Marine Ply, Mild Steel with MR Ply, Mild Steel with BWP Ply Or higher
	Table Understructure Metal Legs Cross Section (Approx)	40 x 40 mm, 50 x 50 mm, 60 x 30 mm, 100 x 40 mm, NA, 50 x 30 mm
	Thickness of Metal Legs Cross Section	NA, 0.8 mm, 1.0 mm, 1.2 mm, 1.6 mm, 2.0 mm
	Thickness of Wooden Leg / Gable (Tolerance ± 2 mm)	18 mm, 25 mm, 36 mm, 45 mm, 50 mm, NA
	Availability of modesty panel	Yes, No
Pedestal / Storage Unit in Table	Availability of Pedestal / Storage Unit	Yes, No

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sumit Kumar	176057,PRINCIPAL, GOVT ITI DHARAMSHALA AT DARI, PO DARI TEHSIL DHARAMSHALA DISTRICT KANGRA HP	1	45

Metal Storage Cabinet (1 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Type of Product	Storage Unit With door, Storage Unit Without door
	Mounting Positioning of Product	Wall Mounted, Floor Standing
	Number of shelves	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Material of Shelves	Stainless Steel, Mild Steel, Aluminium
	Availability of Drawers	Yes, No
	Availability of Locks in the Drawer	Yes, No
	Type of lock in the Drawer	NA, Deadbolt Locks, Cam Locks, Numeric Locks, RFID Locks, Digital Locks
	Finish of exterior	Painted, Powder Coating
Supporting Frame Structure within Storage Cabinet	Material of Frame	Mild Steel, Stainless Steel, Aluminium, NA
Top Section Sheet	Material of Top Section Sheet	Mild Steel, Stainless Steel, Aluminium, Wood
Bottom Section Sheet	Material of Bottom Section Sheet	Mild Steel, Stainless Steel, Aluminium
Back Section Sheet	Availability of Back Section Sheet	Yes, No
	Material of Back Section Sheet	Mild Steel, Stainless Steel, Aluminium, NA
Door	Availability of Door	Yes, No
	Primary Material Type of door (Seller to select and state "primary" door in case of hybrid options)	Mild Steel, Stainless Steel, Aluminium, Wooden, Plastic, Glass, NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sumit Kumar	176057,PRINCIPAL, GOVT ITI DHARAMSHALA AT DARI, PO DARI TEHSIL DHARAMSHALA DISTRICT KANGRA HP	1	45

Revolving Chair (V5) (1 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC REQUIREMENTS	Type of Chair	Revolving Chair of Adjustable height with Wheels
CHAIR SEAT	Seat upholstery material	Mesh fabrics, Polyester fabric, Leatherette, Leather
CHAIR BACKREST	Backrest Height (Low-back range: 200 - 400 mm, Mid-back range: 400 - 700 mm, High-back range: More than 700 mm)	Low-back, Mid-back, High-back
	Locking available while tilting backrest	Yes, No
	Lumbar Support available in Seat Backrest	Yes, No
	Headrest available in Chair	Yes, No
CHAIR ARMREST	Armrest Available in the Chair	Yes, No

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sumit Kumar	176057, PRINCIPAL, GOVT ITI DHARAMSHALA AT DARI, PO DARI TEHSIL DHARAMSHALA DISTRICT KANGRA HP	1	45

Chair (Without Wheels) For General Purpose (2 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
CHAIR BACKREST	Backrest Height (Low-back range: 200 - 400 mm, Mid-back range: 400 - 700 mm)	Low-back, Mid-back
	Lumbar Support available in Seat Backrest	Yes, No

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
CHAIR ARMREST	Armrest Available in the Chair	Yes, No
	Type of Armrest in Chair	Without Armrest, Fixed armrest with Cushion, Fixed armrest with Padding, Fixed armrest without cushion and padding

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sumit Kumar	176057, PRINCIPAL, GOVT ITI DHARAMSHALA AT DARI, PO DARI TEHSIL DHARAMSHALA DISTRICT KANGRA HP	2	45

Free Standing PARTITION PANEL (51 square foot)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	Panel thickness	52.4 mm (having cable management facility), 22.8 mm (no cable management ability)
	Panel structure Hint : Panels are supported on legs with levellers at various locations (depending on the layout requirements)	For 52.4 mm - 2 nos. Vertical trim + Horizontal trims (at every division of blocks/tiles) + Blocks (for intermediate panels) + 1 no. of fabricated bottom frame (welded structure) + bottom tiles + top tiles + 1 no. of top trim, For 22.8 mm - 2 nos. Vertical trim + Horizontal trims (at every division of blocks/tiles) + Blocks (Intermediate/Top/Bottom) + 1 no. of top trim + 1 no. of end trim + 1 no. of end trim's cap
MATERIAL	Blocks made out of	Composite construction of MDF and paper honeycomb, Particle board with laminate - (Laminate Block- 38 mm Honeycomb+ 3 mm MDF both side + 0.6 Laminate), Particle board with fabric (Fabric Block- 38 mm Honeycomb+ 3 mm MDF both side + 0.6 Fabric)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Brackets made of	Full gable end bracket made from 1.2 mm thick MS CRCA grade D conforming to IS 513, Work surface bracket and Holder bracket made from 2 mm thick CRCA grade D steel conforming to IS 513 - 19
	Bracket sizes/width	450 mm, 600 mm, 750 mm
	Panel legs (single side) size for 52[dot]4 mm panel thickness (tolerances : +/- 10 mm) Hint : select 'NA' if single side panel legs (for 52[dot]4 mm panel thickness) not required	340 mm, 490 mm, 640 mm, N.A
	Panel legs (double side) size for 52[dot]4 mm panel thickness (tolerances : +/- 10 mm) Hint : select 'NA' if double side panel legs (for 52[dot]4 mm panel thickness) not required	655 mm, 805 mm, 955 mm, 1105 mm, 1255 mm, N.A
	Panel legs (double side) size for 22[dot]8 mm panel thickness (tolerances : +/- 10 mm) Hint : select 'NA' if double side panel legs (for 22[dot]8 mm panel thickness) not required	650 mm, 800 mm, 950 mm, 1100 mm, 1250 mm, N.A
PANEL COMPONENTS	Blocks for 52[dot]4 mm panel thickness Hint : these blocks are located in mid segment of the panels and can be provided with cut outs for mounting switch boxes (above or below the work tops)	Comprises of 38 mm thick paper honeycomb + 3 mm MDF on each sides + 0.6 mm decorative laminate on both sides - Particle board framing used on outer boundary of these blocks as well as intermediately at certain locations forming conduit for passing cables, Comprises of 38 mm thick paper honeycomb + 3 mm MDF on each sides + 0.6 mm fabric on both sides - Particle board framing used on outer boundary of these blocks as well as intermediately at certain locations forming conduit for passing cables, N.A

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Top tiles finish for 52[dot]4 mm panel thickness Hint : These tiles are slide in to the panels from top before fixing the top horizontal and supported from top and bottom side with clips fitted in horizontal extrusion	Fabric magnetic tiles (fabric upholstered metal tiles in 0.6 mm thick G.I Grade O conforming to IS 277), Fabric tack tiles (fabric upholstered metal tiles in 0.6 mm thick G.I Grade O conforming to IS 277 with P.E foam in the tile), Plain metal tiles (0.6 mm thick MS CRCA Grade D Conforming to IS 513 powder coated with Epoxy – polyester finish), Laminated tiles (9 mm to 9.5 mm thick pre-laminated particle board conforming to IS 12823 having all its edges with minimum 0.5 mm thick PVC edging), Post laminated tiles (8 mm thick pre-laminated particle board conforming to IS 12823 laminated with 0.6 mm thick high pressure laminate on outer side and 0.6 mm backing laminate on inner surface and having all its edges with minimum 0.5 mm thick PVC edging), White board tiles (8 mm thick pre-laminated particle board conforming to IS 12823 laminated with 0.6 mm thick white glossy high pressure laminate on outer side and 0.6 mm backing laminate on inner surface and having all its edges with minimum 0.5 mm thick PVC edging), Glass tiles (4 mm thick toughened clear glass fitted on both sides of panel using vertical and horizontal stiffeners of 6 mm powder coated CRCA steel grade D conforming to IS 513), N.A
	Height of Top tiles for 52[dot]4 mm panel thickness (tolerances : +/- 10 mm) Hint : sizes are including the fabric or edge banding thickness if applicable	260 mm (for panel height of 3 feet, 4 feet and 5 feet), 375 mm (for panel height of 3.5 feet), 415 mm (for panel height of 4.5 feet), N.A
	Width of Top tiles for 52[dot]4 mm panel thickness (tolerances : +/- 10 mm) Hint : sizes are including the fabric or edge banding thickness if applicable	285 mm, 435 mm, 585 mm, 735 mm, 885 mm, 1035 mm, 1185 mm, 1335 mm, 1485 mm, 1635 mm, 1785 mm, N.A
	Split Top tiles for 52[dot]4 mm and 22[dot]8 mm panel thickness Hint : For two different finishes in single panels	Available, Not available
	Height of Split top tiles for 52[dot]4 mm and 22[dot]8 mm panel thickness (tolerances : +/- 10 mm) Hint : sizes (according to panel height) are including the fabric or edge banding thickness if applicable	260 mm (for panel height of 3 feet, 4 feet and 5 feet), 375 mm (for panel height of 3.5 feet), 415 mm (for panel height of 4.5 feet), N.A

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Width of Split top tiles for 52[dot]4 mm and 22[dot]8 mm panel thickness (tolerances : +/- 10 mm) Hint : sizes are including the fabric or edge banding thickness if applicable	290 mm, 440 mm, 590 mm, 740 mm, 890 mm, 1040 mm, 1190 mm, 1340 mm, 1490 mm, N.A
	Bottom tiles finish for 52[dot]4 mm panel thickness Hint : Bottom tiles are press fitted on to the assembly frame of the panel with the help of snap on clips - Switches can be mounted on these bottom tiles as per buyer's requirement	Fabric magnetic tiles, Plain metal tiles, Laminated tiles, Post-laminated tiles, N.A
	Width of Bottom tiles for 52[dot]4 mm panel thickness (tolerances : +/- 10 mm) Hint : sizes are including the fabric or edge banding thickness if applicable	280 mm, 430 mm, 580 mm, 730 mm, 880 mm, 1030 mm, 1180 mm, 1330 mm, 1480 mm, 1630 mm, 1780 mm, N.A
	Bottom Blocks for 22[dot]8 mm panel thickness	Fabric finish (made from 18 mm thick PPB/PLB upholstered with fabric using adhesives), Metal finish (made from two components of 0.8 mm thick M.S. CRCA Grade D conforming to IS 513 powder coated with epoxy polyester finish), Laminate finish (made from 18 mm thick particle board), N.A
	Width of Bottom Blocks for 22[dot]8 mm panel thickness (tolerances : +/- 10 mm) Hint : sizes are including the fabric or edge banding thickness if applicable	285 mm, 435 mm, 585 mm, 735 mm, 885 mm, 1035 mm, 1185 mm, 1335 mm, 1485 mm, 1635 mm, 1785 mm, N.A
	Width of Intermediate Blocks for 22[dot]8 mm panel thickness (tolerances : +/- 10 mm) Hint : sizes are including the fabric or edge banding thickness if applicable	285 mm, 435 mm, 585 mm, 735 mm, 885 mm, 1035 mm, 1185 mm, 1335 mm, 1485 mm, 1635 mm, 1785 mm, N.A

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Top Blocks for 22[dot]8 mm panel thickness	Fabric finish (made from 18 mm thick PPB/PLB upholstered with fabric using adhesives), Laminate finish (made from 18 mm thick particle board), White board finish (made of 16 mm thick particle board laminated with 0.6 mm thick white glossy high pressure laminate on both sides and having all its edges with minimum 0.5 mm thick PVC edging), Fabric metal finish (made of two metal tiles of 0.6 mm G.I grade O conforming to IS 277 and fabric is upholsterd using synthetic thermoplastics pressure sensitive hot melt adhesive), Tackable finish (made from 18 mm thick PLB battens which hold 3 mm MDF in between and 6 mm thick PE foam pasted on 3 mm thick MDF and upholstered with fabric on both sides using adhesive), Glass finish (made of 4 mm thick toughened plain glass having diamond polish edge finish), N.A
	Height of Top Blocks for 22[dot]8 mm panel thickness (tolerances : +/- 10 mm) Hint : sizes are including the fabric or edge banding thickness if applicable	260 mm, 375 mm, 415 mm, N.A
	Width of Top Blocks for 22[dot]8 mm panel thickness (tolerances : +/- 10 mm) Hint : sizes are including the fabric or edge banding thickness if applicable	285 mm, 435 mm, 585 mm, 735 mm, 885 mm, 1035 mm, 1185 mm, 1335 mm, 1485 mm, 1635 mm, 1785 mm, N.A
	Height of End panel 22[dot]8 mm (tolerances : +/- 10 mm) Hint : This can be used in aisle conditions only	935 mm, 965 mm, 1050 mm, 1080 mm, 1200 mm, 1235 mm, 1355 mm, 1390 mm, 1470 mm, 1500 mm, N.A
	Width of End panel 22[dot]8 mm (tolerances : +/- 10 mm) Hint : This can be used in aisle conditions only	1060 mm (suitable for 450 mm depth worktop), 1360 mm (suitable for 600 mm depth worktop), 1660 mm (suitable for 750 mm depth worktop), N.A
	Bottom screen of end panel 22[dot]8 mm (off module fixing)	PLB - fabric finish blocks (made from 18 mm thick PPB/PLB upholstered with fabric using adhesive), Laminate finish blocks (made from 18 mm thick particle board), Metal finish blocks (made from two components - both components are 0.8 mm thick M.S. CRCA Grade D conforming to IS 513 powder coated with epoxy polyester finish and fastened together using M6 nutserts), N.A

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Top screen of end panel 22[decimal]8 mm (off module fixing)	PLB – fabric finish blocks (made from 18 mm thick PPB/PLB upholstered with fabric using adhesive), Laminate finish blocks (made from 18 mm thick particle board), White board blocks (made from 16 mm thick particle board laminated with 0.6 mm white glossy high pressure laminate on both sides and having all its edges with minimum 0.5 mm thick PVC edging), N.A
	Panel joinery / Posts (22[decimal]8 mm panels cannot be interconnected - these are joined as fin panels to 52[decimal]4 mm panels only using fin posts) Hint : panel can be joined to each other directly with 180 degree joinery or with help of post to	2 way 180 degree, 2 way 90 degree, 3 way 90 degree, 4 way 90 degree, 2 way 120 degree, 3 way 120 degree, Single side (2 way) End Fin LH/RH – for connecting 22.8 mm panels as fins with 52.4 mm on spine, Single side middle fin - for connecting 22.8 mm panels as fins with 52.4 mm on spine, Both side End Fin (3 way fin) - for connecting 22.8 mm panels as fins with 52.4 mm on spine, Both side shared fin (4 way) - for connecting 22.8 mm panels as fins with 52.4 mm on spine, N.A
	Stability post - according to unit height - to avoid movement of free standing panels (tolerances : +/- 10 mm) Hint : End trim fixing is not required alongwith stability post	930 mm (for 3 feet unit height)), 1045 mm (for 3.5 feet unit height), 1200 mm (for 4 feet unit height), 1350 mm (for 4.5 feet unit height), 1464.5 mm (for 5 feet unit height)

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sumit Kumar	176057,PRINCIPAL, GOVT ITI DHARAMSHALA AT DARI, PO DARI TEHSIL DHARAMSHALA DISTRICT KANGRA HP	51	45

Modular Table / Meeting Table / Centre Table (V2) (5 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
---------------------	-------------------------------------	---

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Table Top	Table Top Material Type	Particle Board, MDF Board, Marine Ply, BWP Ply, MR (Moisture Resistant) Ply, Glass Or higher
	Availability of Table top edge	Yes, No
	Shape of Table Top (For Circle and Square, Length and Depth must be same)	Square, Rectangle, Circle, Oval, Hexagon, Trapezoid
	Width of Table Top (Tolerance ± 50 mm)	900 mm, 1050 mm, 1200 mm, 1350 mm, 1500 mm, 1650 mm, 1800 mm, 1950 mm, 2100 mm, 2250 mm, 2400 mm, 600 mm, 750 mm
	Depth of Table Top (Tolerance ± 50 mm)	600 mm, 750 mm, 900 mm, 1050 mm, 1200 mm, 1350 mm, 1500 mm, 1650 mm, 1800 mm, 1950 mm, 2100 mm, 2250 mm, 2400 mm
	Height of Table Top Adjustable	Yes, No
Table Understructure	Material Type in Table Understructure	Metal Understructure, Wooden/Engineer Wood Understructure, Metal Frame in combination with wooden understructure
	Support Type in Table Understructure	Leg, Gable
	Material of Table Understructure	Mild Steel, Aluminium, Particle Board, MDF Board, Marine Ply, MR (Moisture Resistant) Ply, BWP Ply, Mild Steel with Particle Board, Mild Steel with MDF Board, Mild Steel with Marine Ply, Mild Steel with MR Ply, Mild Steel with BWP Ply Or higher
	Table Understructure Metal Legs Cross Section (Approx)	40 x 40 mm, 50 x 50 mm, 60 x 30 mm, 100 x 40 mm, NA, 50 x 30 mm
	Thickness of Metal Legs Cross Section	NA, 0.8 mm, 1.0 mm, 1.2 mm, 1.6 mm, 2.0 mm
	Thickness of Wooden Leg / Gable (Tolerance ± 2 mm)	18 mm, 25 mm, 36 mm, 45 mm, 50 mm, NA
	Availability of modesty panel	Yes, No
Pedestal / Storage Unit in Table	Availability of Pedestal / Storage Unit	Yes, No

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
---------------	---	-------------	------------------	------------------------------

क्र.सं./S.No.	प्रेषित/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sumit Kumar	176057,PRINCIPAL, GOVT ITI DHARAMSHALA AT DARI, PO DARI TEHSIL DHARAMSHALA DISTRICT KANGRA HP	5	45

Metal Storage Cabinet (7 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Type of Product	Storage Unit With door, Storage Unit Without door
	Mounting Positioning of Product	Wall Mounted, Floor Standing
	Number of shelves	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11
	Material of Shelves	Stainless Steel, Mild Steel, Aluminium
	Availability of Drawers	Yes, No
	Availability of Locks in the Drawer	Yes, No
	Type of lock in the Drawer	NA, Deadbolt Locks, Cam Locks, Numeric Locks, RFID Locks, Digital Locks
	Finish of exterior	Painted, Powder Coating
Supporting Frame Structure within Storage Cabinet	Material of Frame	Mild Steel, Stainless Steel, Aluminium, NA
Top Section Sheet	Material of Top Section Sheet	Mild Steel, Stainless Steel, Aluminium, Wood
Bottom Section Sheet	Material of Bottom Section Sheet	Mild Steel, Stainless Steel, Aluminium
Back Section Sheet	Availability of Back Section Sheet	Yes, No
	Material of Back Section Sheet	Mild Steel, Stainless Steel, Aluminium, NA
Door	Availability of Door	Yes, No
	Primary Material Type of door (Seller to select and state "primary" door in case of hybrid options)	Mild Steel, Stainless Steel, Aluminium, Wooden, Plastic, Glass, NA

परिषदी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषदी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sumit Kumar	176057,PRINCIPAL, GOVT ITI DHARAMSHALA AT DARI, PO DARI TEHSIL DHARAMSHALA DISTRICT KANGRA HP	7	45

Revolving Chair (V5) (5 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC REQUIREMENTS	Type of Chair	Revolving Chair of Adjustable height with Wheels
CHAIR SEAT	Seat upholstery material	Mesh fabrics, Polyester fabric, Leatherette, Leather
CHAIR BACKREST	Backrest Height (Low-back range: 200 - 400 mm, Mid- back range: 400 - 700 mm, High-back range: More than 700 mm)	Low-back, Mid-back, High-back
	Locking available while tilting backrest	Yes, No
	Lumbar Support available in Seat Backrest	Yes, No
	Headrest available in Chair	Yes, No
CHAIR ARMREST	Armrest Available in the Chair	Yes, No

परिषदी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sumit Kumar	176057,PRINCIPAL, GOVT ITI DHARAMSHALA AT DARI, PO DARI TEHSIL DHARAMSHALA DISTRICT KANGRA HP	5	45

Wooden Shelf / Case / Rack / Credenza / Modular Storage (V2) (4 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	Type of Product	Rack (unit without door or closed compartment), Case or Storage Unit (unit with door), Pedestal
	Mounting Positioning of Product	Wall Mounted, Floor Standing
	Availability of Doors	Yes, No
	Availability of Drawers	Yes, No
	Availability of Locks	Yes, No
	Type of lock	NA, Deadbolt Locks, Cam Locks, Numeric Locks, RFID Locks, Digital Locks
	Overall Height of Unit (in mm)	450 - 500, 500 - 550, 550 - 600, 600 - 650, 650 - 700, 700 - 750, 750 - 800, 800 - 850, 850 - 900, 900 - 1000, 1000 - 1050, 1050 - 1100, 1100 - 1150, 1150 - 1200, 1200 - 1250, 1250 - 1300, 1300 - 1350, 1350 - 1400, 1400 - 1450, 1450 - 1500, 1500 - 1550, 1550 - 1600, 1600 - 1650, 1650 - 1700, 1700 - 1750, 1750 - 1800, 1800 - 1850, 1850 - 1900, 1900 - 1950, 1950 - 2000, 2000 - 2050, 2050 - 2100, 2100 - 2150, 2150 - 2200, 2200 - 2250, 2250 - 2300, 2300 - 2350, 2350 - 2400
	Overall Width of Unit (in mm)	450 - 500, 500 - 550, 550 - 600, 600 - 650, 650 - 700, 700 - 750, 750 - 800, 800 - 850, 850 - 900, 900 - 950, 950 - 1000, 1000 - 1050, 1050 - 1100, 1100 - 1150, 1150 - 1200, 1200 - 1250, 1250 - 1300, 1300 - 1350, 1350 - 1400, 1400 - 1450, 1450 - 1500, 1500 - 1550
	Depth of Unit (in mm)	300 - 325, 325 - 350, 350 - 375, 375 - 400, 400 - 425, 425 - 450, 450 - 500, 500 - 550, 550 - 600
Top Section	Material of Top Section	Particle Board, MDF Board, Marine Ply, MR (Moisture Resistant) Ply, BWP Ply Or higher
	Availability of Cushion in Top Section	Yes, No

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Bottom Section	Material of Bottom Section	Particle Board, MDF Board, Marine Ply, MR (Moisture Resistant) Ply, BWP Ply Or higher
	Availability of legs / stand	Yes, No
Sides Section	Type of Sides Section	Frame, Gable / Sheet
Back Section	Availability of Back Section	Yes, No

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sumit Kumar	176057, PRINCIPAL, GOVT ITI DHARAMSHALA AT DARI, PO DARI TEHSIL DHARAMSHALA DISTRICT KANGRA HP	4	45

Modular Table / Meeting Table / Centre Table (V2) (1 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Table Top	Table Top Material Type	Particle Board, MDF Board, Marine Ply, BWP Ply, MR (Moisture Resistant) Ply, Glass Or higher
	Availability of Table top edge	Yes, No
	Shape of Table Top (For Circle and Square, Length and Depth must be same)	Square, Rectangle, Circle, Oval, Hexagon, Trapezoid
	Width of Table Top (Tolerance ± 50 mm)	900 mm, 1050 mm, 1200 mm, 1350 mm, 1500 mm, 1650 mm, 1800 mm, 1950 mm, 2100 mm, 2250 mm, 2400 mm, 600 mm, 750 mm
	Depth of Table Top (Tolerance ± 50 mm)	600 mm, 750 mm, 900 mm, 1050 mm, 1200 mm, 1350 mm, 1500 mm, 1650 mm, 1800 mm, 1950 mm, 2100 mm, 2250 mm, 2400 mm
	Height of Table Top Adjustable	Yes, No

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Table Understructure	Material Type in Table Understructure	Metal Understructure, Wooden/Engineer Wood Understructure, Metal Frame in combination with wooden understructure
	Support Type in Table Understructure	Leg, Gable
	Material of Table Understructure	Mild Steel, Aluminium, Particle Board, MDF Board, Marine Ply, MR (Moisture Resistant) Ply, BWP Ply, Mild Steel with Particle Board, Mild Steel with MDF Board, Mild Steel with Marine Ply, Mild Steel with MR Ply, Mild Steel with BWP Ply Or higher
	Table Understructure Metal Legs Cross Section (Approx)	40 x 40 mm, 50 x 50 mm, 60 x 30 mm, 100 x 40 mm, NA, 50 x 30 mm
	Thickness of Metal Legs Cross Section	NA, 0.8 mm, 1.0 mm, 1.2 mm, 1.6 mm, 2.0 mm
	Thickness of Wooden Leg / Gable (Tolerance ± 2 mm)	18 mm, 25 mm, 36 mm, 45 mm, 50 mm, NA
	Availability of modesty panel	Yes, No
Pedestal / Storage Unit in Table	Availability of Pedestal / Storage Unit	Yes, No

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sumit Kumar	176057, PRINCIPAL, GOVT ITI DHARAMSHALA AT DARI, PO DARI TEHSIL DHARAMSHALA DISTRICT KANGRA HP	1	45

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the

original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976,

The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा। In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---