

**बिड दस्तावेज़ / Bid Document**

| बिड विवरण / Bid Details  |  |
|--|--|
| बिड बंद होने की तारीख/समय / Bid End Date/Time  | 08-12-2025 14:00:00  |
| बिड खुलने की तारीख/समय / Bid Opening Date/Time   | 08-12-2025 14:30:00  |
| बिड पेशकश वैधता (बंद होने की तारीख से) / Bid Offer Validity (From End Date)  | 30 (Days)  |
| मंत्रालय/राज्य का नाम / Ministry/State Name  | Bihar  |
| विभाग का नाम / Department Name   | Panchayat Raj Department Bihar   |
| संगठन का नाम / Organisation Name   | Panchayati Raj Department  |
| कार्यालय का नाम / Office Name  | Sakarbasa  |
| कुल मात्रा / Total Quantity  | 7  |
| वस्तु श्रेणी / Item Category   | Leg Press - Outdoor Gym Equipments (Q3) , Parallel Bar - Outdoor Gym Equipment (Q3) , Twister - Outdoor Gym Equipment (Q3) , Chest Press - Outdoor Gym Equipments (Q3) , Shoulder Builder / Arm Wheel - Outdoor Gym Equipment (Q3) , Sit Up Board - Outdoor Gym Equipment (Q3) , Surf Board - Outdoor Gym Equipment (Q3) |
| उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष / Years of Past Experience Required for same/similar service   | 3 Year (s)   |
| एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / MSE Exemption for Years of Experience and Turnover  | No   |
| स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / Startup Exemption for Years of Experience and Turnover  | No   |
| विक्रेता से मांगे गए दस्तावेज़ / Document required from seller   | Experience Criteria, Past Performance, Bidder Turnover, Certificate (Requested in ATC)<br>*In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer                                     |
| क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेजों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है / Do you want to show documents uploaded by bidders to all bidders participated in bid? | No   |

| बिड विवरण/Bid Details  |                                    |
|--|------------------------------------|
| बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / <b>Minimum number of bids required to disable automatic bid extension</b>   | 1                                  |
| दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / <b>Number of days for which Bid would be auto-extended</b>   | 3                                  |
| ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / <b>Number of Auto Extension count</b>   | 1                                  |
| विगत प्रदर्शन / <b>Past Performance</b>  | 50 %                               |
| बिड से रिवर्स नीलामी सक्रिय किया/ <b>Bid to RA enabled</b>   | No                                 |
| बिड का प्रकार/ <b>Type of Bid</b>  | Two Packet Bid                     |
| प्राथमिक उत्पाद श्रेणी/ <b>Primary product category</b>  | Leg Press - Outdoor Gym Equipments |
| तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय / <b>Time allowed for Technical Clarifications during technical evaluation</b>  | 2 Days                             |
| निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/ <b>Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)</b> | No                                 |
| मूल्यांकन पद्धति/ <b>Evaluation Method</b>   | Total value wise evaluation        |
| मध्यस्थता खंड/ <b>Arbitration Clause</b>   | No                                 |
| सुलह खंड/ <b>Mediation Clause</b>  | No                                 |

#### ईएमडी विवरण/EMD Detail

|                   |    |
|-------------------|----|
| आवश्यकता/Required | No |
|-------------------|----|

#### ईपीबीजी विवरण /ePBG Detail

|                   |    |
|-------------------|----|
| आवश्यकता/Required | No |
|-------------------|----|

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

#### एमएसई खरीद वरीयता/MSE Purchase Preference

|   |    |
|---|----|
| एमएसई खरीद वरीयता/MSE Purchase Preference | No |
|---|----|

#### एमआईआई खरीद वरीयता/MII Purchase Preference

एमआईआई खरीद वरीयता/MII Purchase Preference

No

1. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

2. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

3. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 50% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

### Leg Press - Outdoor Gym Equipments ( 1 pieces )

#### तकनीकी विशिष्टियाँ /Technical Specifications

[\\* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

| विवरण/Specification | विशिष्टि का नाम /Specification Name        | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|--|---|
| TYPE                | Type                                       | Leg Press Double  |
| CAPACITY            | Maximum User Weight ( Kg )                 | 100.0 (kilogram)  |
| MATERIAL            | Governing Specification for GI Pipes       | BIS specification No IS 1161:2014, latest                       |
|                     | All the GI Pipes are ISI marked            | No  |
|                     | Main Central Pipe                          | 150mm Nominal Bore G.I. Pipe                                    |
|                     | Main Central Pipe, Class as per IS 1239    | Heavy   |
|                     | Moving Frame Pipe                          | 40mm Nominal bore G.I. pipe                                     |
|                     | Moving Frame Pipe, Class as per IS 1239    | Heavy   |
|                     | Foot Rest Frame/ Foot Rest Hinging Pipe    | 25mm Nominal Bore G.I. Pipe                                     |
|                     | Foot Rest Frame Pipe, Class as per IS 1239 | Not applicable for M.S. Plates                                  |
|                     | Connecting Links                           | 40mm Nominal Bore G.I. Pipe                                     |

| विवरण/Specification | विशिष्टि का नाम /Specification Name               | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)  |
|---------------------|---|--|
|                     | Connecting Links Pipe, Class as per IS 1239       | Heavy  |
|                     | MS Foundation Plate Thickness                     | 10.0 (millimeter)  |
|                     | Foundation Pipes with anchoring                   | 750mm deep GI Pipe, supported with M.S. Angle 25 X 25 X 4mm      |
|                     | Nominal Bore of Foundation Pipe                   | 150mm  |
|                     | Foundation Pipe, Class as per IS 1239             | Heavy  |
|                     | Bearings  | Tapered Roller Bearing   |
|                     | Seat and Back Rest                                | 3mm thick, HDPE with uniform bending radius to avoid sharp edges |
| OTHER REQUIREMENTS  | Installation                                      | Not Included   |
| CERTIFICATION       | Certification ( Safety and Quality Requirements ) | No   |
| WARRANTY            | Warranty ( years )                                | 3.0 (year)   |

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address      | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---------------|---|------------------|------------------|------------------------------|
| 1             | Birendra Das  | 848202,sakarbasa | 1                | 15                           |

**Parallel Bar - Outdoor Gym Equipment ( 1 pieces )**

**तकनीकी विशिष्टियाँ /Technical Specifications**

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

| विवरण/Specification | विशिष्टि का नाम /Specification Name  | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|--------------------------------------|---|
| Material            | Governing Specification for GI Pipes | BIS specification No IS 1161:2014, latest                       |
|                     | All the GI Pipes are ISI marked      | Yes   |
|                     | Vertical / Standing Pipes            | 32 mm Nominal Bore G.I. Pipe                                    |

| विवरण/Specification | विशिष्टि का नाम /Specification Name  | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|--|---|
|                     | <b>Vertical/ Standing Pipes, Class as per IS 1239</b>  | Heavy   |
|                     | <b>Vertical / Standing Pipe (as per Clause 3 of IS 1161) , Nominal Bore &amp; Wall Thickness</b> | 80 mm NB with 3.2 mm Thickness                                  |
|                     | <b>Horizontal Pipe</b>   | 32 mm Nominal Bore G.I. Pipe                                    |
|                     | <b>Horizontal Pipe, Class as per IS 1239</b>   | Heavy   |
|                     | <b>Horizontal Pipe ( As per Clause 3, of IS 1161 ) Nominal Bore &amp; Wall Thickness</b>         | 32 mm NB with 2.6 mm Thickness                                  |
|                     | <b>Grade Material as per table 2 of IS 1161</b>  | YSt 310   |
|                     | <b>Foundation Pipes with anchoring</b>   | 500mm deep GI Pipe, supported with M.S. Angle 25 X 25 X 4mm     |
|                     | <b>Nominal Bore of Foundation Pipe</b>   | 32 mm   |
|                     | <b>Foundation Pipe, Class as per IS 1239</b>   | Heavy   |
|                     | <b>Foundation Pipe Pipe ( as per IS 1161 ) as per clause 3, Nominal Wall &amp; Thickness</b>     | 32 mm NB with 2.6 mm Thickness                                  |
|                     | <b>M S Foundation Plate Thickness</b>  | 10.0 (millimeter)   |
|                     | <b>Bearings</b>  | Ball Bearing  |
|                     | <b>Foot Rest</b>   | Fibre Reinforced Plastic  |
| Other Requirements  | <b>Installation</b>  | Included  |
| Certification       | <b>Certification ( Safety and Quality Requirements )</b>   | As per European Standard EN 16630                               |
| Warranty            | <b>Warranty ( years )</b>  | 2.0 (year)  |

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address      | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---------------|---|------------------|------------------|------------------------------|
| 1             | Birendra Das  | 848202,sakarbasa | 1                | 15                           |

**Twister - Outdoor Gym Equipment ( 1 pieces )****तकनीकी विशिष्टियाँ /Technical Specifications**

\* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

| विवरण/Specification | विशिष्टि का नाम /Specification Name   | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|---|---|
| TYPE                | Type  | Triple Twister ( Three standing )                               |
| CAPACITY            | Maximum User Weight ( Kg )  | 100.0 (kilogram)  |
| MATERIAL            | Governing Specification for GI Pipes  | BIS specification No IS 1239 ( Part 1 )- 2004, latest           |
|                     | All the GI Pipes are ISI marked   | Yes   |
|                     | Main Central Pipe   | 80mm Nominal Bore G.I. Pipe                                     |
|                     | Main Frame Pipe, Class as per IS 1239   | Heavy   |
|                     | Main Central Pipe ( As per Clause 3, of IS 1161 ) Nominal Bore & Wall Thickness                   | 80 mm NB with 3.2 mm Thickness                                  |
|                     | Grade Material as per table 2 of IS 1161  | Not Applicable  |
|                     | Standing/ Sitting Twister Frame Pipe  | 40 mm Nominal Bore G.I. Pipe                                    |
|                     | Standing/ Sitting Twister Frame Pipe, Class as per IS 1239  | Heavy   |
|                     | Standing/ Sitting Twister Frame Pipe (As per Clause 3, of IS 1161 ) Nominal Bore & Wall Thickness | 40 mm NB with 3.2 mm Thickness                                  |
|                     | Grade Material as per table 2 IS 1161   | Not Applicable  |
|                     | Rotating Disk Support Pipe at Bottom Pipe   | 80 mm Nominal Bore G.I. Pipe                                    |
|                     | Rotating Disk Support Pipe, Class as per IS 1239  | Heavy   |
|                     | Rotating Disk Support Pipe ( as per IS 1161 ) as per Clause 3, Nominal Bore & Wall Thickness      | 80 mm NB with 4.8 mm Thickness                                  |
|                     | Grade Material (as per table 2 of IS 1161 )   | Not Applicable  |
|                     | Handle Frame Pipe   | 32mm Nominal bore G.I. pipe                                     |
|                     | Handle Frame Pipe, Class as per IS 1239   | Heavy   |

| विवरण/Specification | विशिष्टि का नाम /Specification Name   | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|---|---|
|                     | Handle Frame Pipe ( as per IS 1161 ) as per clause 3, Nominal Wall & Thickness    | 32 mm NB with 3.2 mm Thickness                                  |
|                     | Grade Material per table 2 of IS 1161   | Not Applicable  |
|                     | Foundation Pipes with anchoring   | 500mm deep GI Pipe, supported with M.S. Angle 25 X 25 X 4mm     |
|                     | Nominal Bore of Foundation Pipe   | 80mm  |
|                     | Foundation Pipe, Class as per IS 1239   | Heavy   |
|                     | Foundation Pipe Pipe ( as per IS 1161 ) as per clause 3, Nominal Wall & Thickness | 80 mm NB with 4.8 mm Thickness                                  |
|                     | Grade Material (as per table 2 of IS 1161)  | Not Applicable  |
|                     | M S Foundation Plate Thickness  | 10.0 (millimeter)   |
|                     | Bearings  | Ball Bearing  |
|                     | Foot Rest   | LDPE  |
| OTHER REQUIREMENTS  | Installation  | Included  |
| CERTIFICATION       | Certification ( Safety and Quality Requirements )                                 | As per European Standard EN 16630                               |
| WARRANTY            | Warranty ( years )  | 2.0 (year)  |

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address      | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---------------|---|------------------|------------------|------------------------------|
| 1             | Birendra Das  | 848202,sakarbasa | 1                | 15                           |

**Chest Press - Outdoor Gym Equipments ( 1 pieces )**

**तकनीकी विशिष्टियाँ /Technical Specifications**

\* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

| विवरण/Specification | विशिष्टि का नाम /Specification Name               | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)  |
|---------------------|---|--|
| TYPE                | Type  | Chest Press Single   |
| CAPACITY            | Maximum User Weight ( Kg )                        | 110.0 (kilogram)   |
| MATERIAL            | Governing Specification for GI Pipes              | BIS specification No IS 1239 ( Part 1 )- 2004, latest            |
|                     | All the GI Pipes are ISI marked                   | Yes  |
|                     | Main Central Pipe                                 | 150mm Nominal Bore G.I. Pipe                                     |
|                     | Main Central Pipe, Class as per IS 1239           | Heavy  |
|                     | Handle Frame                                      | 40mm Nominal bore G.I. pipe                                      |
|                     | Handle Frame Pipe, Class as per IS 1239           | Heavy  |
|                     | Seat Frame  | 32mm Nominal Bore G.I. Pipe                                      |
|                     | Seat Frame Pipe, Class as per IS 1239             | Medium   |
|                     | Connecting Links                                  | 12mm thick MS plates   |
|                     | Connecting Links Pipe, Class as per IS 1239       | Not applicable for M.S. Plates and Pipes as per IS 1161          |
|                     | Foot Rest Pipe                                    | 32mm Nominal Bore G.I. Pipe                                      |
|                     | Foot Rest Pipe, Class as per IS 1239              | Medium   |
|                     | MS Foundation Plate Thickness                     | 12.0 (millimeter)  |
|                     | Foundation Pipes with anchoring                   | 500mm deep GI Pipe, supported with M.S. Angle 25 X 25 X 4mm      |
|                     | Nominal Bore of Foundation Pipe                   | 100mm  |
|                     | Foundation Pipe, Class as per IS 1239             | Medium   |
|                     | Seat and Back Rest                                | 3mm thick, HDPE with uniform bending radius to avoid sharp edges |
|                     | Bearings  | Tapered Roller Bearing   |
| OTHER REQUIREMENTS  | Installation                                      | Not Included   |
| CERTIFICATION       | Certification ( Safety and Quality Requirements ) | As per European Standard EN 16630                                |
| WARRANTY            | Warranty ( years )                                | 2.0 (year)   |



परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address      | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---------------|---|------------------|------------------|------------------------------|
| 1             | Birendra Das  | 848202,sakarbasa | 1                | 15                           |

**Shoulder Builder / Arm Wheel - Outdoor Gym Equipment ( 1 pieces )**

तकनीकी विशिष्टियाँ /Technical Specifications

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

| विवरण/Specification | विशिष्टि का नाम /Specification Name                           | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|---|---|
| TYPE                | Type  | Two Wheel   |
| MATERIAL            | <b>Governing Specification for GI Pipes</b>                   | BIS specification No IS 1161:2014, latest                       |
|                     | <b>All the GI Pipes are ISI marked</b>                        | No  |
|                     | <b>Main Central Pipe construction</b>                         | 80mm Nominal Bore G.I. Pipe                                     |
|                     | <b>Main Central Pipe, Class as per IS 1239</b>                | Medium  |
|                     | <b>Ring ( Wheel )</b>   | 25mm Nominal Bore G.I. Pipe                                     |
|                     | <b>Ring ( Wheel ) Pipe, Class as per IS 1239</b>              | Medium  |
|                     | <b>Pipe of Spokes of Wheel</b>                                | 15mm Nominal bore G.I. pipe                                     |
|                     | <b>Pipe of Spoke of Wheel , Class as per IS 1239</b>          | Medium  |
|                     | <b>Connector Pipe ( between Main Central Pipe and Wheel )</b> | 32 mm Nominal bore G.I. pipe                                    |
|                     | <b>Connector Pipe, Class as per IS 1239</b>                   | Medium  |
|                     | <b>MS Foundation Plate Thickness</b>                          | 10.0 (millimeter)   |
|                     | <b>Foundation Pipes with anchoring</b>                        | 750mm deep GI Pipe, supported with M.S. Angle 25 X 25 X 4mm     |
|                     | <b>Nominal Bore of Foundation Pipe</b>                        | 80mm  |
|                     | <b>Foundation Pipe, Class as per IS 1239</b>                  | Medium  |
|                     | <b>Bearings</b>   | Ball Bearing  |

| विवरण/Specification | विशिष्टि का नाम /Specification Name               | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|---|---|
| OTHER REQUIREMENTS  | Installation                                      | Not Included  |
| CERTIFICATION       | Certification ( Safety and Quality Requirements ) | No  |
| WARRANTY            | Warranty ( years )                                | 2.0 (year)  |

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address      | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---------------|---|------------------|------------------|------------------------------|
| 1             | Birendra Das  | 848202,sakarbasa | 1                | 15                           |

**Sit Up Board - Outdoor Gym Equipment ( 1 pieces )**

**तकनीकी विशिष्टियाँ /Technical Specifications**

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

| विवरण/Specification | विशिष्टि का नाम /Specification Name   | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|---|---|
| TYPE                | Type  | Double Station  |
| MATERIAL            | Type of Back Rest   | Plain Sheet   |
|                     | Material of Back Rest   | Fibre Reinforced Plastic  |
|                     | Governing Specification for GI Pipes  | BIS specification No IS 1161:2014, latest                       |
|                     | All the GI Pipes are ISI marked   | Yes   |
|                     | Main Frame/Central Pipe   | 50mm Nominal Bore G.I. Pipe                                     |
|                     | Main Frame/Central Pipe, Class as per IS 1239   | Medium  |
|                     | Main Frame/Central Pipe ( As per Clause 3, of IS 1161 ) Nominal Bore & Wall Thickness | 80 mm NB with 3.2 mm Thickness                                  |
|                     | Grade of Material as per table 2 of IS 1161   | YSt 210   |
|                     | Foot Rest Pipe  | 32mm Nominal Bore G.I. Pipe                                     |

| विवरण/Specification | विशिष्टि का नाम /Specification Name   | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|---|---|
|                     | <b>Foot Rest Pipe , Class as per IS 1239</b>  | Medium  |
|                     | <b>Foot Rest Pipe ( As per as per Clause 3, of IS 1161 ) , Nominal Bore &amp; Wall Thickness</b>              | 32 mm NB with 3.2 mm Thickness                                  |
|                     | <b>Grade of Material as per table 2 IS 1161</b>   | YSt 240   |
|                     | <b>Back Rest Frame Pipe and Connecting Links</b>  | 25 mm Nominal Bore G.I. Pipe                                    |
|                     | <b>Back Rest Frame Pipe and Connecting Links, Class as per IS 1239</b>  | Medium  |
|                     | <b>Back Rest Frame Pipe and Connecting Links ( As per Clause 3, of IS 1161 ) Nominal Wall &amp; Thickness</b> | 25 mm NB with 3.2 mm Thickness                                  |
|                     | <b>Grade of Material (as per table 2 of IS 1161 )</b>   | YSt 210   |
|                     | <b>Leg Support Pipe</b>   | 32mm Nominal bore G.I. pipe                                     |
|                     | <b>Leg Support Pipe , Class as per IS 1239</b>  | Medium  |
|                     | <b>Leg Support Pipe ( as per IS 1161 ) as per clause 3, Nominal Wall &amp; Thickness</b>                      | 32 mm NB with 2.6 mm Thickness                                  |
|                     | <b>Grade of Material per table 2 of IS 1161</b>   | YSt 210   |
|                     | <b>Foundation Pipes with anchoring</b>  | 750mm deep GI Pipe, supported with M.S. Angle 25 X 25 X 4mm     |
|                     | <b>Nominal Bore of Foundation Pipe</b>  | 80mm  |
|                     | <b>Foundation Pipe, Class as per IS 1239</b>  | Medium  |
|                     | <b>Foundation Pipe Pipe ( as per IS 1161 ) as per clause 3, Nominal Wall &amp; Thickness</b>                  | 80 mm NB with 3.2 mm Thickness                                  |
|                     | <b>Grade of Material (as per table 2 of IS 1161)</b>  | YSt 210   |
|                     | <b>M S Foundation Plate Thickness</b>   | 10.0 (millimeter)   |
| OTHER REQUIREMENTS  | <b>Installation</b>   | Not Included  |
| CERTIFICATION       | <b>Certification ( Safety and Quality Requirements )</b>  | No  |

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|-------------------------------------|---|
| WARRANTY            | Warranty ( years )                  | 2.0 (year)  |

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address     | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---------------|---|-----------------|------------------|------------------------------|
| 1             | Birendra Das  | 848202,sakarbas | 1                | 15                           |

### Surf Board - Outdoor Gym Equipment ( 1 pieces )

तकनीकी विशिष्टियाँ /Technical Specifications

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

| विवरण/Specification | विशिष्टि का नाम /Specification Name   | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|---|---|
| TYPE                | Type  | Double  |
| CAPACITY            | Maximum User Weight ( Kg )  | 100.0 (kilogram)  |
| MATERIAL            | Governing Specification for GI Pipes  | BIS specification No IS 1161:2014, latest                       |
|                     | All the GI Pipes are ISI marked   | Yes   |
|                     | Main Central Pipe   | 100mm Nominal Bore G.I. Pipe                                    |
|                     | Main Frame Pipe, Class as per IS 1239   | Heavy   |
|                     | Main Central Pipe ( As per Clause 3, of IS 1161 ) Nominal Bore & Wall Thickness                       | 100 mm NB with 5.4 mm Thickness                                 |
|                     | Grade Material as per table 2 of IS 1161  | Not Applicable  |
|                     | Movement (Paddle) Frame   | 40mm Nominal Bore G.I. Pipe                                     |
|                     | Movement ( Paddle ) Frame Pipe, Class as per IS 1239  | Heavy   |
|                     | Movement ( Paddle ) Frame Pipe ( As per as per Clause 3, of IS 1161 ) , Nominal Bore & Wall Thickness | 32 mm NB with 3.2 mm Thickness                                  |

| विवरण/Specification | विशिष्टि का नाम /Specification Name  | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|--|---|
|                     | <b>Grade Material as per table 2 IS 1161</b>   | Not Applicable  |
|                     | <b>Connecting Links</b>  | 40 mm Nominal Bore G.I. Pipe                                    |
|                     | <b>Connecting Links Pipe, Class as per IS 1239</b>   | Heavy   |
|                     | <b>Connecting Link Pipe ( As per Clause 3, of IS 1161 ) Nominal Wall &amp; Thickness</b>     | 32 mm NB with 3.2 mm Thickness                                  |
|                     | <b>Grade Material (as per table 2 of IS 1161 )</b>   | Not Applicable  |
|                     | <b>Handle Frame</b>  | 32mm Nominal bore G.I. pipe                                     |
|                     | <b>Handle Frame Pipe, Class as per IS 1239</b>   | Heavy   |
|                     | <b>Handle Frame Pipe ( as per IS 1161 ) as per clause 3, Nominal Wall &amp; Thickness</b>    | 25 mm NB with 2.6 mm Thickness                                  |
|                     | <b>Grade Material per table 2 of IS 1161</b>   | Not Applicable  |
|                     | <b>Foundation Pipes with anchoring</b>   | 750mm deep GI Pipe, supported with M.S. Angle 25 X 25 X 4mm     |
|                     | <b>Nominal Bore of Foundation Pipe</b>   | 100mm   |
|                     | <b>Foundation Pipe, Class as per IS 1239</b>   | Heavy   |
|                     | <b>Foundation Pipe Pipe ( as per IS 1161 ) as per clause 3, Nominal Wall &amp; Thickness</b> | 80 mm NB with 3.2 mm Thickness                                  |
|                     | <b>Grade Material (as per table 2 of IS 1161)</b>  | Not Applicable  |
|                     | <b>M S Foundation Plate Thickness</b>  | 10.0 (millimeter)   |
|                     | <b>Bearings</b>  | Ball Bearing  |
|                     | <b>Foot Rest</b>   | Fibre Reinforced Plastic  |
| OTHER REQUIREMENTS  | <b>Installation</b>  | Not Included  |
| CERTIFICATION       | <b>Certification ( Safety and Quality Requirements )</b>                                     | No  |
| WARRANTY            | <b>Warranty ( years )</b>  | 2.0 (year)  |

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.N<br>o. | परेषिती/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address     | मात्रा /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---|-----------------|------------------|---------------------------------|
| 1                 | Birendra Das  | 848202,sakarbas | 1                | 15                              |

**क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions****1. Generic**

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be  $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$ , subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

**2. Generic**

After award of contract – Successful Bidder shall have to get Detailed Design Drawings approved from buyer before starting fabrication. Successful Bidder shall submit Detailed Design Drawings for Buyer's approval, within 7 days of award of contract. Buyer shall, either approve the drawings or will provide complete list of modification required in the drawings within 7 days. Seller shall be required to ensure supply as per approved Drawings with modifications as communicated by Buyer. If there is delay from buyer side in approval of drawing– the delivery period shall be refixed without LD for the period of delay in approval of Drawing.

**3. Generic**

Actual delivery (and Installation & Commissioning (if covered in scope of supply)) is to be done at following address

as per buyer provided  
as per buyer provided  
as per buyer provided  
as per buyer provided  
as per buyer provided

**4. Generic**

**Bidder financial standing:** The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.

**5. Inspection**

**Pre-dispatch inspection at Seller premises (Fee/Charges to be borne by the BUYER):** Before dispatch, the goods will be inspected by Buyer / Consignee or their Authorized Representative or by Nominated External Inspection Agency (independently or jointly with Buyer or Consignee as decided by the Buyer) at Seller premises (or at designated place for inspection as declared / communicated by the seller) for their compliance to the contract specifications. Fee/Charges taken by the External inspection Agency and any external laboratories testing charges shall be borne by the Buyer. For in-house testing, the Sellers will provide necessary facilities free of cost. Seller shall notify the Buyer through e-mail about

readiness of goods for pre-dispatch inspection and Buyer will notify the Seller about the Authorized Representative/ Nominated External Inspection Agency and the date for testing. The goods would be dispatched to consignee only after clearance in pre-dispatch inspection. Consignee's right of rejection as per GTC in respect of the goods finally received at his location shall in no way be limited or waived by reason of the goods having previously been inspected, tested and passed by Buyer/ Consignee or its Nominated External Inspection Agency prior to the goods' shipment. While bidding, the sellers should take into account 7 days for inspection from the date of email offering the goods for inspection. Any delay in inspection beyond 7 days shall be on the part of the buyer and shall be regularised without Liquidated Damages.

When there is requirement of submission the advance sample, the seller shall inform the buyer promptly through emails about the date of submission of sample to the buyer nominated Inspection agency.

## 6. **Generic**

Malicious Code Certificate:

The seller should upload following certificate in the bid:-

(a) This is to certify that the Hardware and the Software being offered, as part of the contract, does not contain Embedded Malicious code that would activate procedures to :-

- (i) Inhibit the desires and designed function of the equipment.
- (ii) Cause physical damage to the user or equipment during the exploitation.
- (iii) Tap information resident or transient in the equipment/network.

(b) The firm will be considered to be in breach of the procurement contract, in case physical damage, loss of information or infringements related to copyright and Intellectual Property Right (IPRs) are caused due to activation of any such malicious code in embedded software.

## 7. **Buyer Added Bid Specific ATC**

Buyer Added text based ATC clauses

- 1) Affidavit of Rs.1000 non-judicial stamp paper for non blacklisting/debarred from 1st class executive magistrate (Affidavit must be issued after publication of this bid),
- 2) Bidder must have to submit character certificate issued from sup. of police with bid.
- 3) Self attested copy of product datasheet must be submitted with bid.
- 4) End User Certificate from previous client (from at least 3 ULBs) must be submitted with bid.
- 5) Bidder must have to submit certificate like occupational health and safety, environment management certificate, quality management certificate,
- 7) Self attested copy of last six month GST return (Form GSTR 3B) must be submitted by bidder with bid.
- 8) Documents related to past performance and experience must be self attested.
- 9) Bidder must have to submit last three years ITR with bid.
- 10) Third party inspection of the supplied product will be done and cost of this will be borne by seller. Buyer Added text based ATC clauses

- 11) only local bidder allow

## 8. **Certificates**

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

## 9. **Certificates**

ISO 9001: The bidder or the OEM of the offered products must have ISO 9001 certification.

## 10. Warranty

Warranty period of the supplied products shall be 1 years from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.

## अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.



**All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.**

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

**---धन्यवाद/Thank You---**