





दिनांक /Dated: 27-11-2025

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details			
बिड बंद होने की तारीख/समय /Bid End Date/Time	08-12-2025 19:00:00		
बिड खुलने की तारीख/समय /Bid Opening Date/Time	08-12-2025 19:30:00		
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	d Offer 30 (Days)		
मंत्रालय/राज्य का नाम/Ministry/State Name Ministry Of Defence			
विभाग का नाम/ Department Name Department Of Military Affairs			
संगठन का नाम/ Organisation Name Indian Army			
कार्यालय का नाम/Office Name	*****		
कुल मात्रा/Total Quantity	28		
Coupling rubber , Gasket Set , Mounting pad , Pu वस्तु श्रेणी / Item Category feed Complete , Pipe Fuel Wire Braided , Valve E Valve Inlet , Pre Filter Element With Sealing Ring			
GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS	Coupling Rubber, Gasket Set, Mounting Pad, Pipe for fuel Feed Pump COmplete, Pipe Fuel wire Braided, Valve Exhaust, Inlet Valve, Pipe Fiter Element with Sealing Ring		

Grommet, Single Use Sterile Rubber Surgical Gloves Conforming to IS 13422 Searched String: Gasket Set Gasket (BHEL) Searched String: Mounting Pad Anti vibration mounting pad Searched String: Pipe for fuel Feed Pump COmplete Polyethylene Pipes For The Supply Of Gaseous Fuels (V2). Per Is 14885, Kerosene oil fired bukhari complete with exhaust pipes (MHA), Sprinkler Pipes (Part 2) Fitting, Quicl Coupled Polyethylene Pipes Fittings as per IS 14151 Searched String: Pipe Fuel wire Braided Cotton braided pneumatic rubber hose, Connection Pipe with Nuts (V2), Steel Wire Ropes for General Engineering Purpose (V2) Conforming to Is 2266, Polytylene Pipes F The Supply Of Gaseous Fuels (V2) As Per Is 14885 Searched String: Valve Exhaust Solenoid Valve with Spring Return In/Exhaust, Stationary Valve Regulated Lead Acid Batteries (V2) as per IS 15549, PULLEY FOR EXHAUST FAN, Kerosene oil fired bukhari complete with exhaust pipes (MHA), Kitchen Chimney, Needle Valve, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Propeller Type AC Ventilating Fans Exhaust Fans (V2) as per IS 15349, Sequence valve, Syringe Filter, General Purpose Ball Valves (V2), Angle Seat Valve, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Control Valve Pneumatic, CPVC Ball Valve, Cost Copp Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 778, Control Valve Pneumatic, CPVC Ball Valve, Cast Copp Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781 Searched String: Pipe Fiter Element with Sealing Ring Asbestos Cement Pressure Pipe and Joints (V2) as per IS 1592, Spiral Wound Metallic Gasket, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985	बिड विवरण/Bid Details		
Pressure Pipe and Joints (V2) as per is 1592, Saddile Coupling (BHEL), Coupling (BHEL), Couplings, Rubberized Weight Dumbbells, Rubber Tourniquet, Rubbe Grommet, Single Use Sterile Rubber Surgical Gloves Conforming to Is 13422 Searched String: Gasket Set Gasket (BHEL) Searched String: Mounting Pad Anti vibration mounting pad Searched String: Pipe for fuel Feed Pump COmplete Polyethylene Pipes For The Supply Of Gaseous Fuels (V2). Per Is 14885, Kerosene oil fired bukhari complete with exhaust pipes (MHA), Sprinkler Pipes (Part 2) Fitting, Quic Coupled Polyethylene Pipes Fittings as per IS 14151 Searched String: Pipe Fuel wire Braided Cotton braided pneumatic rubber hose, Connection Pipe with Nuts (V2), Steel Wire Ropes for General Engineering Purpose (V2) Conforming to IS 2266, Polyethylene Pipes F The Supply Of Gaseous Fuels (V2) As Per Is 14885 Searched String: Valve Exhaust Solenoid Valve with Spring Return In/Exhaust, Stationary Valve Regulated Lead Acid Batteries (V2) as per IS 15549, PULLEY FOR EXHAUST FAN, Kerosene oil fired bukhari complete with exhaust pipes (MHA), Kitchen Chimney, Needle Valve, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Propeller Type AC Ventilating Fans Exhaust Fans (V2) as per IS 15349, Sequence valve, Syringe Filter, General Purpose Ball Valves (V2), Angle Seat Valve Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Control Valve Pneumatic, CPVC Ball Valve, Cast Copper Alloy Gate Valve for Water Services as per IS 778, Control Valve Pneumatic, CPVC Ball Valve, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Searched String: Pipe Fitter Element with Sealing Ring Asbestos Cement Pressure Pipe and Joints (V2) as per IS 1592, Spiral Wound Metallic Gasket, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985		Searched String: Coupling Rubber	
Gasket (BHEL) Searched String: Mounting Pad Anti vibration mounting pad Searched String: Pipe for fuel Feed Pump COmplete Polyethylene Pipes For The Supply Of Gaseous Fuels (V2). Per Is 14885, Kerosene oil fired bukhari complete with exhaust pipes (MHA), Sprinkler Pipes (Part 2) Fitting, Quici Coupled Polyethylene Pipes Fittings as per IS 14151 Searched String: Pipe Fuel wire Braided Cotton braided pneumatic rubber hose, Connection Pipe with Nuts (V2), Steel Wire Ropes for General Engineering Purpose (V2) Conforming to IS 2266, Polyethylene Pipes F The Supply Of Gaseous Fuels (V2) As Per Is 14885 Searched String: Valve Exhaust Solenoid Valve with Spring Return In/Exhaust, Stationary Valve Regulated Lead Acid Batteries (V2) as per IS 15549, PULLEY FOR EXHAUST FAN, Kerosene oil fired bukhari complete with exhaust pipes (MHA), Kitchen Chimney, Needle Valve, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Propeller Type AC Ventilating Fans Exhaust Fans (V2) as per IS 2312, General Purpose Ball Valves (V2), Sequence valve, Syringe Filter, General Purpose Ball Valves (V2), Angle Seat Valve, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Control Valve Pneumatic, CPVC Ball Valve, Cast Copp Alloy Screw Down Bib Taps and Stop Valve, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778. Control Valve Pneumatic, CPVC Ball Valve, Cast Copp Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781 Searched String: Pipe Fiter Element with Sealing Ring Asbestos Cement Pressure Pipe and Joints (V2) as per IS 1592, Spiral Wound Metallic Gasket, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985		Pressure Pipe and Joints (V2) as per IS 1592, Saddle Coupling (BHEL), Coupling-I (BHEL), Gear couplings, Rubberized Weight Dumbbells, Rubber Tourniquet, Rubber Grommet, Single Use Sterile Rubber Surgical Gloves	
Searched String: Mounting Pad Anti vibration mounting pad Searched String: Pipe for fuel Feed Pump COmplete Polyethylene Pipes For The Supply Of Gaseous Fuels (V2). Per Is 14885, Kerosene oil fired bukhari complete with exhaust pipes (MHA), Sprinkler Pipes (Part 2) Fitting, Quic' Coupled Polyethylene Pipes Fittings as per IS 14151 Searched String: Pipe Fuel wire Braided Cotton braided pneumatic rubber hose, Connection Pipe with Nuts (V2), Steel Wire Ropes for General Engineering Purpose (V2) Conforming to IS 2266, Polyethylene Pipes Fithe Supply Of Gaseous Fuels (V2) As Per Is 14885 Searched String: Valve Exhaust Solenoid Valve with Spring Return In/Exhaust, Stationary Valve Regulated Lead Acid Batteries (V2) as Per Is 15549, PULLEY FOR EXHAUST FAN, Kerosene oil fired bukhari complete with exhaust pipes (MHA), Kitchen Chimney, Needle Valve, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Propeller Type AC Ventilating Fans Exhaust Fans (V2) as per IS 2312, General Purpose Ball Valves (V2), Sequence valve Searched String: Inlet Valve Needle Valve, Stationary Valve Regulated Lead Acid Batteries (V2) as per IS 15549, Sequence valve, Syringe Filter, General Purpose Ball Valves (V2), Angle Seat Valve, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778. Control Valve Pneumatic, CPVC Ball Valve, Cast Copp Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781 Searched String: Pipe Fiter Element with Sealing Ring Asbestos Cement Pressure Pipe and Joints (V2) as per IS 1592, Spiral Wound Metallic Gasket, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985		Searched String: Gasket Set	
Searched String: Pipe for fuel Feed Pump COmplete Polyethylene Pipes For The Supply Of Gaseous Fuels (V2). Per Is 14885. Kerosene oil fired bukhari complete with exhaust pipes (MHA), Sprinkler Pipes (Part 2) Fitting, Quici Coupled Polyethylene Pipes Fittings as per IS 14151 Searched String: Pipe Fuel wire Braided Cotton braided pneumatic rubber hose, Connection Pipe with Nuts (V2), Steel Wire Ropes for General Engineering Purpose (V2) Conforming to IS 2266, Polyethylene Pipes F The Supply Of Gaseous Fuels (V2) As Per Is 14885 Searched String: Valve Exhaust Solenoid Valve with Spring Return In/Exhaust, Stationary Valve Regulated Lead Acid Batteries (V2) as per IS 15549, PULLEY FOR EXHAUST FAN, Kerosene oil fired bukhari complete with exhaust pipes (MHA), kitchen Chimney, Needle Valve, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Propeller Type AC Ventilating Fans Exhaust Fans (V2) as per IS 2312, General Purpose Ball Valves (V2), Sequence valve Searched String: Inlet Valve Needle Valve, Stationary Valve Regulated Lead Acid Batteries (V2) as per IS 15549, Sequence valve, Syringe Filter, General Purpose Ball Valves (V2), Angle Seat Valve, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Control Valve Pneumatic, CPVC Ball Valve, Cast Cop Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781 Searched String: Pipe Fiter Element with Sealing Ring Asbestos Cement Pressure Pipe and Joints (V2) as per IS 1592, Spiral Wound Metallic Gasket, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985		Gasket (BHEL)	
Searched String: Pipe for fuel Feed Pump COmplete Polyethylene Pipes For The Supply Of Gaseous Fuels (V2). Per Is 14885, Kerosene oil fired bukhari complete with exhaust pipes (MHA), Sprinkler Pipes (Part 2) Fitting, Quici Coupled Polyethylene Pipes Fittings as per IS 14151 Searched String: Pipe Fuel wire Braided Cotton braided pneumatic rubber hose, Connection Pipe with Nuts (V2), Steel Wire Ropes for General Engineering Purpose (V2) Conforming to IS 2266, Polyethylene Pipes F The Supply Of Gaseous Fuels (V2) As Per Is 14885 Searched String: Valve Exhaust Solenoid Valve with Spring Return In/Exhaust, Stationary Valve Regulated Lead Acid Batteries (V2) as per IS 15549, PULLEY FOR EXHAUST FAN, Kerosene oil fired bukhari complete with exhaust pipes (MHA), Kitchen Chimney, Needle Valve, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Propeller Type AC Ventilating Fans Exhaust Fans (V2) as per IS 2312, General Purpose Ball Valves (V2), Sequence valve Searched String: Inlet Valve Needle Valve, Stationary Valve Regulated Lead Acid Batteries (V2) as per IS 15549, Sequence valve, Syringe Filter, General Purpose Ball Valves (V2), Angle Seat Valve, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Control Valve Pneumatic, CPVC Ball Valve, Cast Cop Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781 Searched String: Pipe Fiter Element with Sealing Ring Asbestos Cement Pressure Pipe and Joints (V2) as per IS 1592, Spiral Wound Metallic Gasket, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985		Searched String: Mounting Pad	
Polyethylene Pipes For The Supply Of Gaseous Fuels (V2). Per Is 14885, Kerosene oil fired bukhari complete with exhaust pipes (MHA), Sprinkler Pipes (Part 2) Fitting, Quici Coupled Polyethylene Pipes Fittings as per IS 14151 Searched String: Pipe Fuel wire Braided Cotton braided pneumatic rubber hose, Connection Pipe with Nuts (V2), Steel Wire Ropes for General Engineering Purpose (V2) Conforming to IS 2266, Polyethylene Pipes F The Supply Of Gaseous Fuels (V2) As Per Is 14885 Searched String: Valve Exhaust Solenoid Valve with Spring Return In/Exhaust, Stationary Valve Regulated Lead Acid Batteries (V2) as per IS 15549, PULLEY FOR EXHAUST FAN, Kerosene oil fired bukhari complete with exhaust pipes (MHA), Kitchen Chimney, Needle Valve, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Propeller Type AC Ventilating Fans Exhaust Fans (V2) as per IS 2312, General Purpose Ball Valves (V2), Sequence valve Searched String: Inlet Valve Needle Valve, Stationary Valve Regulated Lead Acid Batteries (V2) as per IS 15549, Sequence valve, Syringe Filter, General Purpose Ball Valves (V2), Angle Seat Valve, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Control Valve Pneumatic, CPVC Ball Valve, Cast Copp. Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781 Searched String: Pipe Fiter Element with Sealing Ring Asbestos Cement Pressure Pipe and Joints (V2) as per IS 1592, Spiral Wound Metallic Gasket, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985		Anti vibration mounting pad	
Per Is 14885, Kerosene oil fired bukhari complete with exhaust pipes (MHA), Sprinkler Pipes (Part 2) Fitting, Quici Coupled Polyethylene Pipes Fittings as per IS 14151 Searched String: Pipe Fuel wire Braided Cotton braided pneumatic rubber hose, Connection Pipe with Nuts (V2), Steel Wire Ropes for General Engineering Purpose (V2) Conforming to IS 2266, Polyethylene Pipes F The Supply Of Gaseous Fuels (V2) As Per Is 14885 Searched String: Valve Exhaust Solenoid Valve with Spring Return In/Exhaust, Stationary Valve Regulated Lead Acid Batteries (V2) as per IS 15549, PULLEY FOR EXHAUST FAN, Kerosene oil fired bukhari complete with exhaust pipes (MHA), Kitchen Chimney, Needle Valve, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Propeller Type AC Ventilating Fans Exhaust Fans (V2) as per IS 2312, General Purpose Ball Valves (V2), Sequence valve (V2), Sequence valve (V2), Sequence valve, Syringe Filter, General Purpose Ball Valves (V2), Angle Seat Valve, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Control Valve Pneumatic, CPVC Ball Valve, Cast Copp Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781 Searched String: Pipe Fiter Element with Sealing Ring Asbestos Cement Pressure Pipe and Joints (V2) as per IS 1592, Spiral Wound Metallic Gasket, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985		Searched String: Pipe for fuel Feed Pump COmplete	
Cotton braided pneumatic rubber hose, Connection Pipe with Nuts (V2), Steel Wire Ropes for General Engineering Purpose (V2) Conforming to IS 2266, Polyethylene Pipes F The Supply Of Gaseous Fuels (V2) As Per Is 14885 Searched String: Valve Exhaust Solenoid Valve with Spring Return In/Exhaust, Stationary Valve Regulated Lead Acid Batteries (V2) as per IS 15549, PULLEY FOR EXHAUST FAN, Kerosene oil fired bukhari complete with exhaust pipes (MHA), Kitchen Chimney, Needle Valve, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Propeller Type AC Ventilating Fans Exhaust Fans (V2) as per IS 2312, General Purpose Ball Valves (V2), Sequence valve Searched String: Inlet Valve Needle Valve, Stationary Valve Regulated Lead Acid Batteries (V2) as per IS 15549, Sequence valve, Syringe Filter, General Purpose Ball Valves (V2), Angle Seat Valve, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Control Valve Pneumatic, CPVC Ball Valve, Cast Copp Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781 Searched String: Pipe Fiter Element with Sealing Ring Asbestos Cement Pressure Pipe and Joints (V2) as per IS 1592, Spiral Wound Metallic Gasket, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985		exhaust pipes (MHA), Sprinkler Pipes (Part 2) Fitting, Quick	
Mith Nuts (V2), Steel Wire Ropes for General Engineering Purpose (V2) Conforming to IS 2266, Polyethylene Pipes F. The Supply Of Gaseous Fuels (V2) As Per Is 14885 Searched String: Valve Exhaust Solenoid Valve with Spring Return In/Exhaust, Stationary Valve Regulated Lead Acid Batteries (V2) as per IS 15549, PULLEY FOR EXHAUST FAN, Kerosene oil fired bukhari complete with exhaust pipes (MHA), Kitchen Chimney, Needle Valve, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Propeller Type AC Ventilating Fans Exhaust Fans (V2) as per IS 2312, General Purpose Ball Valves (V2), Sequence valve Searched String: Inlet Valve Needle Valve, Stationary Valve Regulated Lead Acid Batteries (V2) as per IS 15549, Sequence valve, Syringe Filter, General Purpose Ball Valves (V2), Angle Seat Valve, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Control Valve Pneumatic, CPVC Ball Valve, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781 Searched String: Pipe Fiter Element with Sealing Ring Asbestos Cement Pressure Pipe and Joints (V2) as per IS 1592, Spiral Wound Metallic Gasket, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985		Searched String: Pipe Fuel wire Braided	
Solenoid Valve with Spring Return In/Exhaust, Stationary Valve Regulated Lead Acid Batteries (V2) as per IS 15549, PULLEY FOR EXHAUST FAN, Kerosene oil fired bukhari complete with exhaust pipes (MHA), Kitchen Chimney, Needle Valve, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Propeller Type AC Ventilating Fans Exhaust Fans (V2) as per IS 2312, General Purpose Ball Valves (V2), Sequence valve Searched String: Inlet Valve Needle Valve, Stationary Valve Regulated Lead Acid Batteries (V2) as per IS 15549, Sequence valve, Syringe Filter, General Purpose Ball Valves (V2), Angle Seat Valve, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Control Valve Pneumatic, CPVC Ball Valve, Cast Copp Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781 Searched String: Pipe Fiter Element with Sealing Ring Asbestos Cement Pressure Pipe and Joints (V2) as per IS 1592, Spiral Wound Metallic Gasket, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985		with Nuts (V2), Steel Wire Ropes for General Engineering Purpose (V2) Conforming to IS 2266, Polyethylene Pipes For	
Valve Regulated Lead Acid Batteries (V2) as per IS 15549, PULLEY FOR EXHAUST FAN, Kerosene oil fired bukhari complete with exhaust pipes (MHA), Kitchen Chimney, Needle Valve, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Propeller Type AC Ventilating Fans Exhaust Fans (V2) as per IS 2312, General Purpose Ball Valves (V2), Sequence valve Searched String: Inlet Valve Needle Valve, Stationary Valve Regulated Lead Acid Batteries (V2) as per IS 15549, Sequence valve, Syringe Filter, General Purpose Ball Valves (V2), Angle Seat Valve, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Control Valve Pneumatic, CPVC Ball Valve, Cast Copp Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781 Searched String: Pipe Fiter Element with Sealing Ring Asbestos Cement Pressure Pipe and Joints (V2) as per IS 1592, Spiral Wound Metallic Gasket, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985		Searched String: Valve Exhaust	
Needle Valve, Stationary Valve Regulated Lead Acid Batteries (V2) as per IS 15549, Sequence valve, Syringe Filter, General Purpose Ball Valves (V2), Angle Seat Valve, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Control Valve Pneumatic, CPVC Ball Valve, Cast Copp Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781 Searched String: Pipe Fiter Element with Sealing Ring Asbestos Cement Pressure Pipe and Joints (V2) as per IS 1592, Spiral Wound Metallic Gasket, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985		Valve Regulated Lead Acid Batteries (V2) as per IS 15549, PULLEY FOR EXHAUST FAN, Kerosene oil fired bukhari complete with exhaust pipes (MHA), Kitchen Chimney, Needle Valve, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Propeller Type AC Ventilating Fans - Exhaust Fans (V2) as per IS 2312, General Purpose Ball	
Batteries (V2) as per IS 15549, Sequence valve, Syringe Filter, General Purpose Ball Valves (V2), Angle Seat Valve, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Control Valve Pneumatic, CPVC Ball Valve, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781 Searched String: Pipe Fiter Element with Sealing Ring Asbestos Cement Pressure Pipe and Joints (V2) as per IS 1592, Spiral Wound Metallic Gasket, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985		Searched String: Inlet Valve	
Asbestos Cement Pressure Pipe and Joints (V2) as per IS 1592, Spiral Wound Metallic Gasket, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985		Batteries (V2) as per IS 15549, Sequence valve, Syringe Filter, General Purpose Ball Valves (V2), Angle Seat Valve, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Control Valve Pneumatic, CPVC Ball Valve, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water	
1592, Spiral Wound Metallic Gasket, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985		Searched String: Pipe Fiter Element with Sealing Ring	
		1592, Spiral Wound Metallic Gasket, Unplasticized PVC	
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification • Power Generator - DG Set (up to 900 KVA)	T Power Generator - DG Set (UD to 900 KVA)		
बीओक्यू शीर्षक /BOQ Title BOQ 40			

बिड विवरण/Bid Details			
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/Years of Past Experience Required for same/similar service	2 Year (s)		
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/MSE Exemption for Years of Experience and Turnover	No		
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /Startup Exemption for Years of Experience and Turnover	No		
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Experience Criteria, Past Performance, Bidder Turnover *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer		
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)		
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	1		
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	5		
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	1		
विगत प्रदर्शन /Past Performance	10 %		
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	No		
बिड का प्रकार/Type of Bid	Two Packet Bid		
प्राथमिक उत्पाद श्रेणी/Primary product category	Coupling rubber		
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	5 Days		
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No		
अनुमानित बिड मूल्य /Estimated Bid Value	15000		
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation		
मध्यस्थता खंड/Arbitration Clause	No		
सुलह खंड/Mediation Clause	No		

र्डएमडी	विवरण	/EMD	Detail
---------	-------	------	---------------

आवश्यकता/Required	No
-------------------	----

ईपीबीजी विवरण /ePBG Detail

आवश्यकता/Required	No

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता/MII Purchase Preference

एमआईआई खरीद वरीयता/MII Purchase Preference	No
--	----

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में हो / Purchase Preference to MSE OEMs available upto price within L1+X%	15
स्क्ष्म और लघु उद्यम को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MSE purchase preference	25

- 1. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
- 2. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 OM No.1 4 2021 PPD dated 18.05.2023 for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012

and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

- 3. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.
- 4. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 10% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

Coupling Rubber

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती / रिपोर्टिंग अधिकारी / Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	**********Ranchi	2	15

Gasket Set

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती / रिपोर्टिंग अधिकारी / Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	***********Ranchi	2	15

Mounting Pad

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<u>View File</u>
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती / रिपोर्टिंग अधिकारी / Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	**********Ranchi	8	15

Pump Fuel Feed Complete

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती / रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	**********Ranchi	4	15

Pipe Fuel Wire Braided

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती / रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*********Ranchi	2	15

Valve Exhaust

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती / रिपोर्टिंग अधिकारी / Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	**********Ranchi	4	15

Valve Inlet

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<u>View File</u>

BOQ Detail Document View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती / रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	**********Ranchi	4	15

Pre Filter Element With Sealing Ring

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती / रिपोर्टिंग अधिकारी / Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	**********Ranchi	2	15

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तै/Buyer Added Bid Specific Terms and Conditions

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be (Increased quantity \div Original quantity) \times Original delivery period (in days), subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the

original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Certificates

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

3. Certificates

ISO 9001: The bidder or the OEM of the offered products must have ISO 9001 certification.

4. Certificates

Material Test Certificate Should Be Sent Along with The Supply. The Material Will Be Checked by Buyer's Lab & the Results of the Lab will be the Sole Criteria for Acceptance of the Item.

5. **Certificates**

The bidder is required to upload, along with the bid, all relevant certificates such as BIS licence, type test certificate, approval certificates and other certificates as prescribed in the Product Specification given in the bid document.

6. Certificates

To be eligible for award of contract, Bidder / OEM must possess following Certificates / Test Reports on the date of bid opening (to be uploaded with bid):

Insp Cert

7. Warranty

Timely Servicing / rectification of defects during warranty period: After having been notified of the defects / service requirement during warranty period, Seller has to complete the required Service / Rectification within 10 days time limit. If the Seller fails to complete service / rectification with defined time limit, a penalty of 0.5% of Unit Price of the product shall be charged as penalty for each week of delay from the seller. Seller can deposit the penalty with the Buyer directly else the Buyer shall have a right to recover all such penalty amount from the Performance Security (PBG).Cumulative Penalty cannot exceed more than 10% of the total contract value after which the Buyer shall have the right to get the service / rectification done from alternate sources at the risk and cost of the Seller besides forfeiture of PBG. Seller shall be liable to re-imberse the cost of such service / rectification to the Buyer.

अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

- 1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
- 2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
- 3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
- 4. Creating BoQ bid for single item.

- 5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
- 6. Mandating submission of documents in physical form as a pre-requisite to gualify bidders.
- 7. Floating / creation of work contracts as Custom Bids in Services.
- 8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for attached categories, trials are allowed as per approved procurement policy of the buyer nodal Ministries)
- 9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
- 10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
- 11. Creating bid for items from irrelevant categories.
- 12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
- 13. Reference of conditions published on any external site or reference to external documents/clauses.
- 14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
- 15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
- 16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

यह बिंड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो।बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---