





# बिड दस्तावेज़ / Bid Document

 बिड विवरण∕Bid Details		
बिड बंद होने की तारीख/समय /Bid End Date/Time	09-12-2025 21:00:00	
बिड खुलने की तारीख/समय /Bid Opening Date/Time	09-12-2025 21:30:00	
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	90 (Days)	
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Defence	
विभाग का नाम/Department Name	Department Of Military Affairs	
संगठन का नाम/Organisation Name	Indian Army	
कार्यालय का नाम/Office Name	******	
कुल मात्रा/Total Quantity	18	
वस्तु श्रेणी /Item Category	Clutch rel brg , Tfr case mtg bracket , Fog light bulb 12v , Fog light bulb 24v , Relay 12v , Relay 24v , Side indicator bulb , Bush set , Bty master switch , Fuel pipe	
GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS	Clutch rel brg, Tfr case mtg bracket, Fog light bulb 12v, Fog light bulb 24v, Relay 12v, Relay 24v, Side indicator bulb, Bush set, Bty master switch, Fuel pipe	
	Pressure Relief Device/Valve (PRV/PRD) For Oil Filled Transformer (BHEL), Plug In Relay For Heavy Coil Voltage 30V, 48V, 50V, 110V, 220V, and 250V DC (BHEL-SCR), Posters, Endoscopic Linear Cutter Reload (V2), Gas Operated Relay (Buchholz relay) as per IS: 3637, Drill Rods for Tools, Plug In Relay, 24V DC (BHEL-SCR), RELAY FRAME ASSY.,MCC FRAME ASSY., D.P.LATCH FRAME ASSY (203BS43) (BHEL), LCR Meter, Relay Testing Educational Kit  Searched String: Tfr case mtg bracket  Category not available on GeM for the text string uploaded by the buyer  Searched String: Fog light bulb 12v  Tungsten Filament Lamp for Domestic and Similar General Lighting Purposes (V3) ISI Marked to IS 418, High Mast Lighting Tower for large area with LED Flood Lighting System, Truck Mounted Fog Cannon / Anti Smog Gun / Dust Suppression System, White - LED Based Solar Street Lighting System, traffic signs - bilinker light, Self Ballasted LED Lamps for General Lighting Services (V2) Conforming to IS 16102, LED Flash Light, LED Garden Light (V2), Light	

Searched String: Fog light bulb 24v Tungsten Filament Lamp for Domestic and Similar General Lighting Purposes (V3) ISI Marked to IS 418, Truck Mounted Fog Cannon / Anti Smog Gun / Dust Suppression System, LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), Advance Fire Montor (V2), traffic signs - bilinker light, Light emitting diode driver, LED Flash Light  Searched String: Relay 12v Overload Relay, Cleaning Duster (V3), Relay Module, Relay Testing Educational Kit, CONTACTOR RELAY, LED Flasher Relay, Desktop Calculator - Electronics, Voltage Monitor Relay, Insulation Tester, Time delay relay  Searched String: Relay 24v Plug in Relay, 24v DC (BHEL-SCR), Cleaning Duster (V3), Overload Relay, Relay Module, Insulation Tester, CONTACTOR RELAY, Is and String: Relay 24v Plug in Relay, 24v DC (BHEL-SCR), Cleaning Duster (V3), Overload Relay, Relay Module, Insulation Tester, CONTACTOR RELAY, Is in a Medical Waster Collection Bags (Biohazard Bags), LED Flasher Relay, Small Angle Grinders, Voltage Monitor Relay  Searched String: Side indicator builb  T Builb, Flower Builb/Seeds, LCR Meter, ECG Builb Electrode, Metal Shelving Racks (Adjustable Type) confirming to IS 1883 (V2), Phenolphthalein indicator, Universal Indicator, Wooden Shoe Rack, Phase Indicator, THICKNESS  MEASURING GAUGE  Searched String: Bush set  Bush Set for lever & Armature for DCEM Brakes (SAIL), Sofa (V3), Carbon Bush, Bush Bearing, Power Generator - DG Set (up to 900 KVA), Teeth set, LCR Meter, Dystocia Set, Desk and Bench Set for Classroom/Training Area, Blood Administration Set (V2)  Searched String: Bty master switch  Shrub Master, PCR Master Mix, Switch Mode Power Supply (SMFS) as per IS 14886; Master Stream Foam Nozzle, Layer 2 Access Switch (V2), Isolator switch, Electrical Extension Box (V4), Limit Switch, modular repe accessories, Reed Switch Searched String: Fuel pipe  Fuel Dispensing Units, Pipe Clamps (V2), Fuel Water Separator, Collapsible Fuel Storage Tanks (Defence), Fuel Containers (Version 2), Pa	बिड वि	emitting diode driver, Psychrometers, Unventilated (Dry and Wet Bulb Hygrometer) as per IS 5725
Lighting Purposes (V3) ISI Marked to IS 418. Truck Mounted Fog Cannon / Ant ISmog Gun / Dust Suppression System. LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), Advance Fire Monitor (V2), traffic signs - bilinker light, Light emitting diode driver, LED Flash Light  Searched String: Relay 12v  Overload Relay, Cleaning Duster (V3), Relay Module, Relay Testing Educational Kit, CONTACTOR RELAY, LED Flasher Relay, Desktop Calculator - Electronics, Voltage Monitor Relay, Insulation Tester, Time delay relay  Searched String: Relay 24v  Plug In Relay, 24v DC (BHEL-SCR), Cleaning Duster (V3), Overload Relay, Relay Module, Insulation Tester, CONTACTOR RELAY, Bio - Medical Waste Collection Bags (Biohazard Bags), LED Flasher Relay, Small Angle Grinders, Voltage Monitor Relay  Searched String: Side Indicator bulb  T Bulb, Flower Bulb/Seeds, LCR Meter, ECG Bulb Electrode, Metal Shehving Racks (Adjustable Type) confirming to IS 1833 (V2), Phenolphthalein indicator, Universal Indicator, Wooden Shoe Rack, Phase Indicator, Universal Indicator, Wooden Shoe Rack, Phase Indicator, Universal Indicator, Wooden Shoe Rack, Phase Indicator, THICKNESS MEASURING GAUGE  Searched String: Bush set  Bush Set for lever & Armature for DCEM Brakes (SAIL), Sofa (V3), Carbon Bush, Bush Bearing, Power Generator - DG Set (up to 900 KVA), Teeth set, LCR Meter, Dystocia Set, Desk and Bench Set for Classroom/Training Area, Blood Administration Set (V2)  Searched String: Bty master switch  Shrub Master, PCR Master Mix, Switch Mode Power Supply (SMPS) as per IS 14886, Master Stream Foam Nozzle, Laye 2 Access Switch (V2), Isolator switch, Beletrical Extension Box (V4), Limit Switch, modular electrical enclosure switch board boxes for modular type accessories, Reed Switch Searched String: Fuel pipe  Fuel Dispensing Units, Pipe Clamps (V2), Fuel Water Separator, Collapsible Fuel Storage Tanks (Defence), Fuel Containers (Version 2), Parallel Bar - Outdoor Gym Equipment, Fuel Injection Pump Assembly, Mirchobial Fuel		
Overload Relay, Cleaning Duster (V3), Relay Module, Relay Testing Educational Kit, CONTACTOR RELAY, LED Flasher Relay, Desktop Calculator - Electronics, Voltage Monitor Relay, Desktop Calculator - Electronics, Voltage Monitor Relay, Insulation Tester, Time delay relay  Searched String: Relay 24v  Plug In Relay, 24V DC (BHEL-SCR), Cleaning Duster (V3), Overload Relay, Relay Module, Insulation Tester, CONTACTOR RELAY, Bio - Medical Waste Collection Bags (Biohazard Bags), LED Flasher Relay, Small Angle Grinders, Voltage Monitor Relay  Searched String: Side indicator bulb  T Bulb, Flower Bulb/Seeds, LCR Meter, ECG Bulb Electrode, Metal Shelving Racks (Adjustable Type) confirming to IS 1883 (V2), Phenolphthalein indicator, Universal Indicator, Wooden Shoe Rack, Phase Indicator, THICKNESS MEASURING GAUGE  Searched String: Bush set  Bush Set for lever & Armature for DCEM Brakes (SAIL), Sofa (V3), Carbon Bush, Bush Bearing, Power Generator - DG Set (up to 900 KVA), Teeth set, LCR Meter, Dystocia Set, Desk and Bench Set for Classroom/Training Area, Blood Administration Set (V2)  Searched String: Bty master switch  Shrub Master, PCR Master Mix, Switch Mode Power Supply (SMPS) as per IS 14886; Master Stream Foam Nozzle, Layer 2 Access Switch (V2), Isolator switch, Electrical Extension Box (V4), Limit Switch, modular electrical enclosure switch board boxes for modular type accessories, Reed Switch  Searched String: Fuel pipe  Fuel Dispensing Units, Pipe Clamps (V2), Fuel Water Separator, Collapsible Fuel Storage Tanks (Defence), Fuel Containers (Version 2), Parallel Bar - Outdoor Gym Equipment, Fuel Injection Dump Assembly, Microbial Fuel Test Kit, Injector Diagnosis and Cleaning System Kit For Educational Purpose, Steel Pipes for Water and Sewage as per IS 3589  should be added to the added to the declar of the proper in the propose of the propose of the proper in the propose of the propo		Lighting Purposes (V3) ISI Marked to IS 418, Truck Mounted Fog Cannon / Anti Smog Gun / Dust Suppression System, LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), Advance Fire Monitor (V2), traffic signs - bilinker light, Light emitting diode driver, LED
Testing Educational Xit, CONTACTOR RELAY, LED Flasher Relay, Desktop Calculator - Electronics, Voltage Monitor Relay, Insulation Tester, Time delay relay  Searched String: Relay 24v  Plug In Relay, 24V DC (BHEL-SCR), Cleaning Duster (V3), Overload Relay, Relay Module, Insulation Tester, CONTACTOR RELAY, Bio - Medical Waster Collection Bags (Biohazard Bags), LED Flasher Relay, Small Angle Grinders, Voltage Monitor Relay  Searched String: Side indicator bulb  T Bulb, Flower Bulb/Seeds, LCR Meter, ECG Bulb Electrode, Metal Shelving Racks (Adjustable Type) confirming to IS 1883 (V2), Phenolphthalein indicator, Universal Indicator, Wooden Shoe Rack, Phase Indicator, THICKNESS MEASURING GAUGE  Searched String: Bush set  Bush Set for lever & Armature for DCEM Brakes (SAIL), Sofa (V3), Carbon Bush, Bush Bearing, Power Generator - DG Set (up to 900 KVA), Teeth set, LCR Meter, Dystocia Set, Desk and Bench Set for Classroom/Training Area, Blood Administration Set (V2)  Searched String: Bty master switch  Shrub Master, PCR Master Mix, Switch Mode Power Supply (SMPS) as per IS 14886; Master Stream Foam Nozzle, Layet 2 Access Switch (V2), Isolator switch, Electrical Extension Box (V4), Limit Switch, modular electrical enclosure switch board boxes for modular type accessories, Reed Switch  Searched String: Fuel pipe  Fuel Dispensing Units, Pipe Clamps (V2), Fuel Water Separator, Collapsible Fuel Storage Tanks (Defence), Fuel Containers (Version 2), Parallel Bar - Outdoor Gym Equipment, Fuel Injection Dump Assembly, Microbial Fuel Test Kit, Injector Diagnosis and Cleaning System Kit For Educational Purpose, Steel Pipes for Water and Sewage as per IS 3589  should a surface with Parallel Purpose, Steel Pipes for Water and Sewage as per IS 3589		Searched String: Relay 12v
Plug In Relay, 24V DC (BHEL-SCR), Cleaning Duster (V3), Overload Relay, Relay Module, Insulation Tester, CONTACTOR RELAY, Bio - Medical Waste Collection Bags (Biohazard Bags), LED Flasher Relay, Small Angle Grinders, Voltage Monitor Relay  Searched String: Side indicator bulb  T Bulb, Flower Bulb/Seeds, LCR Meter, ECG Bulb Electrode, Metal Shelving Racks (Adjustable Type) confirming to IS 1883 (V2), Phenolphthalein indicator, Universal Indicator, Wooden Shoe Rack, Phase Indicator, Universal Indicator, Wooden Shoe Rack, Phase Indicator, THICKNESS MEASURING GAUGE  Searched String: Bush set  Bush Set for lever & Armature for DCEM Brakes (SAIL), Sofa (V3), Carbon Bush, Bush Bearing, Power Generator - DG Set (up to 900 kVA), Teeth set, LCR Meter, Dystocia Set, Desk and Bench Set for Classroom/Training Area, Blood Administration Set (V2)  Searched String: Bty master switch  Shrub Master, PCR Master Mix, Switch Mode Power Supply (SMPS) as per IS 14886:, Master Stream Foam Nozzle, Layer 2 Access Switch (V2), Isolator switch, Electrical Extension Box (V4), Limit Switch, modular electrical enclosure switch board boxes for modular type accessories, Reed Switch Searched String: Fuel pipe  Fuel Dispensing Units, Pipe Clamps (V2), Fuel Water Separator, Collapsible Fuel Storage Tanks (Defence), Fuel Containers (Version 2), Parallel Bar - Outdoor Gym Equipment, Fuel Injection Pump Assembly, Microbial Fuel Test Kit, Injector Diagnosis and Cleaning System Kit For Educational Purpose, Steel Pipes for Water and Sewage as per IS 3589  situation of Relevant  Bush Retards (MT Type (Defence))		Testing Educational Kit, CONTACTOR RELAY, LED Flasher Relay, Desktop Calculator - Electronics, Voltage Monitor
Overload Relay, Relay Module, Insulation Tester, CONTACTOR RELAY, Bio - Medical Waste Collection Bags (Biohazard Bags), LED Flasher Relay, Small Angle Grinders, Voltage Monitor Relay  Searched String: Side indicator bulb  T Bulb, Flower Bulb/Seeds, LCR Meter, ECG Bulb Electrode, Metal Shelving Racks (Adjustable Type) confirming to IS 1883 (V2), Phenolphthalein indicator, Universal Indicator, Wooden Shoe Rack, Phase Indicator, THICKNESS MEASURING GAUGE  Searched String: Bush set  Bush Set for lever & Armature for DCEM Brakes (SAIL), Sofa (V3), Carbon Bush, Bush Bearing, Power Generator - DG Set (up to 900 KVA), Teeth set, LCR Meter, Dystocia Set, Desk and Bench Set for Classroom/Training Area, Blood Administration Set (V2)  Searched String: Bty master switch  Shrub Master, PCR Master Mix, Switch Mode Power Supply (SMPS) as per IS 14886:, Master Stream Foam Nozzle, Layer 2 Access Switch (V2), Isolator switch, Electrical Extension Box (V4), Limit Switch, modular electrical enclosure switch board boxes for modular type accessories, Reed Switch Searched String: Fuel pipe  Fuel Dispensing Units, Pipe Clamps (V2), Fuel Water Separator, Collapsible Fuel Storage Tanks (Defence), Fuel Containers (Version 2), Parallel Bar - Outdoor Gym Equipment, Fuel Injection Pump Assembly, Microbial Fuel Test Kit, Injector Diagnosis and Cleaning System Kit For Educational Purpose, Steel Pipes for Water and Sewage as per IS 3589  situation of the additional purpose, Steel Pipes for Water and Sewage as per IS 3589		Searched String: Relay 24v
T Bulb, Flower Bulb/Seeds, LCR Meter, ECG Bulb Electrode, Metal Shelving Racks (Adjustable Type) confirming to IS 1883 (V2), Phenolphthalein indicator, Universal Indicator, Wooden Shoe Rack, Phase Indicator, THICKNESS MEASURING GAUGE  Searched String: Bush set  Bush Set for lever & Armature for DCEM Brakes (SAIL), Sofa (V3), Carbon Bush, Bush Bearing, Power Generator - DG Set (up to 900 KVA), Teeth set, LCR Meter, Dystocia Set, Desk and Bench Set for Classroom/Training Area, Blood Administration Set (V2)  Searched String: Bty master switch  Shrub Master, PCR Master Mix, Switch Mode Power Supply (SMPS) as per IS 14886:, Master Stream Foam Nozzle, Layer 2 Access Switch (V2), Isolator switch, Electrical Extension Box (V4), Limit Switch, modular electrical enclosure switch board boxes for modular type accessories, Reed Switch  Searched String: Fuel pipe  Fuel Dispensing Units, Pipe Clamps (V2), Fuel Water Separator, Collapsible Fuel Storage Tanks (Defence), Fuel Containers (Version 2), Parallel Bar - Outdoor Gym Equipment, Fuel Injection Pump Assembly, Microbial Fuel Test Kit, Injector Diagnosis and Cleaning System Kit For Educational Purpose, Steel Pipes for Water and Sewage as per IS 3589  #\$Put Value		Overload Relay, Relay Module, Insulation Tester, CONTACTOR RELAY, Bio - Medical Waste Collection Bags (Biohazard Bags), LED Flasher Relay, Small Angle Grinders,
Metal Shelving Racks (Adjustable Type) confirming to IS 1883 (V2), Phenolphthalein indicator, Universal Indicator, Wooden Shoe Rack, Phase Indicator, THICKNESS MEASURING GAUGE  Searched String: Bush set  Bush Set for lever & Armature for DCEM Brakes (SAIL), Sofa (V3), Carbon Bush, Bush Bearing, Power Generator - DG Set (up to 900 KVA), Teeth set, LCR Meter, Dystocia Set, Desk and Bench Set for Classroom/Training Area, Blood Administration Set (V2)  Searched String: Bty master switch  Shrub Master, PCR Master Mix, Switch Mode Power Supply (SMPS) as per IS 14886:, Master Stream Foam Nozzle, Layer 2 Access Switch (V2), Isolator switch, Electrical Extension Box (V4), Limit Switch, modular electrical enclosure switch board boxes for modular type accessories, Reed Switch  Searched String: Fuel pipe  Fuel Dispensing Units, Pipe Clamps (V2), Fuel Water Separator, Collapsible Fuel Storage Tanks (Defence), Fuel Containers (Version 2), Parallel Bar - Outdoor Gym Equipment, Fuel Injection Pump Assembly, Microbial Fuel Test Kit, Injector Diagnosis and Cleaning System Kit For Educational Purpose, Steel Pipes for Water and Sewage as per IS 3589  #\$\text{NEQUIPMENT Type}\$ (Defence)		Searched String: Side indicator bulb
Bush Set for lever & Armature for DCEM Brakes (SAIL), Sofa (V3), Carbon Bush, Bush Bearing, Power Generator - DG Set (up to 900 KVA), Teeth set, LCR Meter, Dystocia Set, Desk and Bench Set for Classroom/Training Area, Blood Administration Set (V2)  Searched String: Bty master switch  Shrub Master, PCR Master Mix, Switch Mode Power Supply (SMPS) as per IS 14886:, Master Stream Foam Nozzle, Layer 2 Access Switch (V2), Isolator switch, Electrical Extension Box (V4), Limit Switch, modular electrical enclosure switch board boxes for modular type accessories, Reed Switch  Searched String: Fuel pipe  Fuel Dispensing Units, Pipe Clamps (V2), Fuel Water Separator, Collapsible Fuel Storage Tanks (Defence), Fuel Containers (Version 2), Parallel Bar - Outdoor Gym Equipment, Fuel Injection Pump Assembly, Microbial Fuel Test Kit, Injector Diagnosis and Cleaning System Kit For Educational Purpose, Steel Pipes for Water and Sewage as per IS 3589  #\$Puter and Acid MT Type (Defence)		Metal Shelving Racks (Adjustable Type) confirming to IS 1883 (V2), Phenolphthalein indicator, Universal Indicator, Wooden Shoe Rack, Phase Indicator, THICKNESS
(V3), Carbon Bush, Bush Bearing, Power Generator - DG Set (up to 900 KVA), Teeth set, LCR Meter, Dystocia Set, Desk and Bench Set for Classroom/Training Area, Blood Administration Set (V2)  Searched String: Bty master switch  Shrub Master, PCR Master Mix, Switch Mode Power Supply (SMPS) as per IS 14886:, Master Stream Foam Nozzle, Layer 2 Access Switch (V2), Isolator switch, Electrical Extension Box (V4), Limit Switch, modular electrical enclosure switch board boxes for modular type accessories, Reed Switch  Searched String: Fuel pipe  Fuel Dispensing Units, Pipe Clamps (V2), Fuel Water Separator, Collapsible Fuel Storage Tanks (Defence), Fuel Containers (Version 2), Parallel Bar - Outdoor Gym Equipment, Fuel Injection Pump Assembly, Microbial Fuel Test Kit, Injector Diagnosis and Cleaning System Kit For Educational Purpose, Steel Pipes for Water and Sewage as per IS 3589  अधिस्चना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant  • Battery Secondary Lead Acid MT Type (Defence)		Searched String: Bush set
Shrub Master, PCR Master Mix, Switch Mode Power Supply (SMPS) as per IS 14886:, Master Stream Foam Nozzle, Layer 2 Access Switch (V2), Isolator switch, Electrical Extension Box (V4), Limit Switch, modular electrical enclosure switch board boxes for modular type accessories, Reed Switch  Searched String: Fuel pipe  Fuel Dispensing Units, Pipe Clamps (V2), Fuel Water Separator, Collapsible Fuel Storage Tanks (Defence), Fuel Containers (Version 2), Parallel Bar - Outdoor Gym Equipment, Fuel Injection Pump Assembly, Microbial Fuel Test Kit, Injector Diagnosis and Cleaning System Kit For Educational Purpose, Steel Pipes for Water and Sewage as per IS 3589  31धिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant  • Battery Secondary Lead Acid MT Type (Defence)		and Bench Set for Classroom/Training Area, Blood
(SMPS) as per IS 14886:, Master Stream Foam Nozzle, Layer 2 Access Switch (V2), Isolator switch, Electrical Extension Box (V4), Limit Switch, modular electrical enclosure switch board boxes for modular type accessories, Reed Switch  Searched String: Fuel pipe  Fuel Dispensing Units, Pipe Clamps (V2), Fuel Water Separator, Collapsible Fuel Storage Tanks (Defence), Fuel Containers (Version 2), Parallel Bar - Outdoor Gym Equipment, Fuel Injection Pump Assembly, Microbial Fuel Test Kit, Injector Diagnosis and Cleaning System Kit For Educational Purpose, Steel Pipes for Water and Sewage as per IS 3589  अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant  • Battery Secondary Lead Acid MT Type (Defence)		Searched String: Bty master switch
Fuel Dispensing Units, Pipe Clamps (V2), Fuel Water Separator, Collapsible Fuel Storage Tanks (Defence), Fuel Containers (Version 2), Parallel Bar - Outdoor Gym Equipment, Fuel Injection Pump Assembly, Microbial Fuel Test Kit, Injector Diagnosis and Cleaning System Kit For Educational Purpose, Steel Pipes for Water and Sewage as per IS 3589  अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant  • Battery Secondary Lead Acid MT Type (Defence)		(SMPS) as per IS 14886:, Master Stream Foam Nozzle, Layer 2 Access Switch (V2), Isolator switch, Electrical Extension Box (V4), Limit Switch, modular electrical enclosure switch
Separator, Collapsible Fuel Storage Tanks (Defence), Fuel Containers (Version 2), Parallel Bar - Outdoor Gym Equipment, Fuel Injection Pump Assembly, Microbial Fuel Test Kit, Injector Diagnosis and Cleaning System Kit For Educational Purpose, Steel Pipes for Water and Sewage as per IS 3589  अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant  • Battery Secondary Lead Acid MT Type (Defence)		Searched String: Fuel pipe
I Ballery Secondary Lead Acid Mil Tybe (Defence)		Separator, Collapsible Fuel Storage Tanks (Defence), Fuel Containers (Version 2), Parallel Bar - Outdoor Gym Equipment, Fuel Injection Pump Assembly, Microbial Fuel Test Kit, Injector Diagnosis and Cleaning System Kit For Educational Purpose, Steel Pipes for Water and Sewage as
	अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	Battery Secondary Lead Acid MT Type (Defence)
बीओक्यू शीर्षक /BOQ Title MT SPARES	बीओक्यू शीर्षक /BOQ Title	MT SPARES

बिड विवरण/Bid Details	
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/Years of Past Experience Required for same/similar service	3 Year (s)
वर्षों के अनुभव एवं टर्नओवर से एमएसई को छूट प्राप्त है / MSE Exemption for Years Of Experience and Turnover	Yes   Complete
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / Startup Exemption for Years Of Experience and Turnover	Yes   Complete
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Experience Criteria, Past Performance, Bidder Turnover, Certificate (Requested in ATC), OEM Authorization Certificate, OEM Annual Turnover *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	7
ऑटो एक्सर्टेशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	1
विगत प्रदर्शन /Past Performance	10 %
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	No
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	Clutch rel brg
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/Arbitration Clause	No

बिड विवरण/Bid Details		
सुलह खंड/Mediation Clause	No	
ईएमडी विवरण/EMD Detail		
आवश्यकता/Required	No	
ईपीबीजी विवरण /ePBG Detail		
आवश्यकता/Required	No	
एमआईआई खरीद वरीयता/MII Purchase Preference एमआईआई खरीद वरीयता/MII Purchase Preference	No	
एमआईआई खरीद वरीयता/MII Purchase Preference एमएसई खरीद वरीयता/MSE Purchase Preference	No	
The state of the s		
एमएसई खरीद वरीयता/MSE Purchase Preference	Yes	
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में हो / Purchase Preference to MSE OEMs available upto price within L1+X%		
स्क्ष्म और लघु उद्यम को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MSE purchase preference	25	

- 1. If the bidder is a Micro or Small Enterprise as per latest orders issued by Ministry of MSME, the bidder shall be exempted from the eligibility criteria of "Experience Criteria" as defined above subject to meeting of quality and technical specifications. The bidder seeking exemption from Experience Criteria, shall upload the supporting documents to prove his eligibility for exemption.
- 2. If the bidder is a Micro or Small Enterprise (MSE) as per latest orders issued by Ministry of MSME, the bidder shall be exempted from the eligibility criteria of "Bidder Turnover" as defined above subject to meeting of quality and technical specifications. If the bidder itself is MSE OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking exemption from Turnover, shall upload the supporting documents to prove his eligibility for exemption.
- 3. If the bidder is a DPIIT registered Startup, the bidder shall be exempted from the the eligibility criteria of "Experience Criteria" as defined above subject to their meeting of quality and technical specifications. The bidder seeking exemption from Experience Criteria, shall upload the supporting documents to prove his eligibility for exemption.
- 4. If the bidder is a DPIIT registered Startup, the bidder shall be exempted from the the eligibility criteria of "Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT Registered OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking exemption from Turnover shall upload the supporting documents to prove his eligibility for exemption.

- 5. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
- 6. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 OM No.1 4 2021 PPD dated 18.05.2023 for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.
- 7. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.
- 8. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 10% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

#### **Clutch Rel Brg**

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती / रिपोर्टिंग अधिकारी / Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	**********Sri Ganganagar	1	15

#### **Tfr Case Mtg Bracket**

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<u>View File</u>
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

# परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती / रिपोर्टिंग अधिकारी / Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	**********Sri Ganganagar	2	15

# Fog Light Bulb 12v

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

# परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती / रिपोर्टिंग अधिकारी / Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	**********Sri Ganganagar	2	15

# Fog Light Bulb 24v

#### तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<u>View File</u>
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती / रिपोर्टिंग अधिकारी / Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	******	**********Sri Ganganagar	2	15

# Relay 12v

# तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती / रिपोर्टिंग अधिकारी / Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	***********Sri Ganganagar	3	15

#### Relay 24v

#### तकनीकी विशिष्टियाँ /Technical Specifications

	Specification Document	<u>View File</u>
. 1		

#### **BOQ Detail Document**

View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती / रिपोर्टिंग अधिकारी / Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	**********Sri Ganganagar	3	15

#### **Side Indicator Bulb**

#### तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती / रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	***********Sri Ganganagar	1	15

#### **Bush Set**

#### तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

# परेषिती / रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती / रिपोर्टिंग अधिकारी / Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	**********Sri Ganganagar	1	15

# **Bty Master Switch**

#### तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती / रिपोर्टिंग अधिकारी / Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	******	**********Sri Ganganagar	2	15

# **Fuel Pipe**

#### तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती / रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	**********Sri Ganganagar	1	15

# क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तै/Buyer Added Bid Specific Terms and Conditions

#### 1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be (Increased quantity  $\div$  Original quantity)  $\times$  Original delivery period (in days), subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

#### 2. Inspection

# Inspection of Stores by Inspection Authority of buyer or their authorised Inspecting officers / empanelled inspection agency or their representatives

An independent third party Professional Inspection Body can help buyer in mitigating buyer's risk with pre-dispatch/post-dispatch inspection in order to ensure that equipment, components , solutions and documentation conform to contractual requirements. If an institutional buyer like Defense , Railways and MHA etc desires to appoint / nominate their own inspection authority / empanelled inspection agency for inspection of stores to be supplied against the contract , buyer can select this clause indicating cost of inspection in term of percentage which is

0

%. As per the contractual provisions / law , the buyer has a right before payment or acceptance to inspect goods at any reasonable place as indicated in contract and time and in any reasonable manner. When the seller is required or authorized to send the goods to the buyer, the inspection may be after their arrival. Expenses of inspection should be borne by the buyer but may be recovered from the seller if the goods do not conform to contractual specification and are rejected. Initially seller may pay for inspection charges as applicable and get the same reimbursed from buyer if store complies to contractual specification etc , on production of payment receipt issued by inspection agency as applicable.

Seller/OEM shall send a notice in writing / e-mail to the Inspecting officer / inspection agency specifying the place where inspection is offered and the Inspecting officer shall on receipt of such notice notify to the seller the date and time when the stores would be inspected. The seller shall, at his own expenses, afford to the Inspecting officer , all reasonable facilities and such accommodation as may be necessary for satisfying himself that the stores are being and or have been manufactured in accordance with the technical particulars governing the supply . The decision of the purchaser/inspection authority regarding acceptance / rejection of consignment shall be final and binding on the seller.

The Seller shall provide, without any extra charge, all materials, tools, labour and assistance of every kind which the Inspecting officer may demand of him for any test, and examination, other than special or independent test, which he shall require to be made on the seller's premises and the seller shall bear and pay all costs attendant thereon.

The seller shall also provide, and deliver for test, free of charge, at such place other than his premises as the Inspecting officer may specify such material or stores as he may require for tests for which seller does not have the facilities or for special/independent tests.

In the event of rejection of stores or any part thereof by the Inspecting officer basis testing outside owing to lack of test facility at sellers premises ,the seller shall, on demand, pay to the buyer the costs incurred in the inspection and/or test. Cost of test shall be assessed at the rate charged by the Laboratory to private persons for similar work.

Inspector shall have the right to put all the stores or materials forming part of the same or any part thereof

to such tests as he may like fit and proper as per QAP/governing specification . The seller shall not be entitled to object on any ground whatsoever to the method of testing adopted by the Inspecting officer .. Unless otherwise provided for in the contract, the quantity of the stores or materials expended in test will be borne by seller .

Inspecting officer is the Final Authority to Certify Performance / accept the consignment . The Inspecting officer's decision as regards the rejection shall be final and binding on the seller.

The seller shall if so required at his own expense mark or permit the Inspecing officer to mark all the approved stores with a recognised Government or purchaser's mark.

#### 3. Certificates

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

# अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

- 1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
- 2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
- 3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
- 4. Creating BoQ bid for single item.
- 5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
- 6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
- 7. Floating / creation of work contracts as Custom Bids in Services.
- 8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for <u>attached categories</u>, trials are allowed as per approved procurement policy of the buyer nodal Ministries)
- 9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
- 10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
- 11. Creating bid for items from irrelevant categories.
- 12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
- 13. Reference of conditions published on any external site or reference to external documents/clauses.
- 14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
- 15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
- 16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to

such representations.

All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

यह बिंड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो।बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---