





बिड दस्तावेज़ / Bid Document

S- S		
बिड विवरण/Bid Details		
बिड बंद होने की तारीख/समय /Bid End Date/Time	08-12-2025 21:00:00	
बिड खुलने की तारीख/समय /Bid Opening Date/Time	08-12-2025 21:30:00	
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	30 (Days)	
मंत्रालय/राज्य का नाम/Ministry/State Name	Bihar	
विभाग का नाम/Department Name	Department Of Panchayati Raj	
संगठन का नाम/Organisation Name	Kaimur (bhabua) District Panchayats	
कार्यालय का नाम/Office Name	Gram Panchayat Khadasara Durgawati	
कुल मात्रा/Total Quantity	10	
वस्तु श्रेणी /Item Category	Parallel Bar - Outdoor Gym Equipment (Q3) , Air Walker / Stroller - Outdoor Gym Equipment (Q3) , Shoulder Builder / Arm Wheel - Outdoor Gym Equipment (Q3) , Chest Press - Outdoor Gym Equipments (Q3) , Surf Board - Outdoor Gym Equipment (Q3) , Leg Press - Outdoor Gym Equipments (Q3) , Twister - Outdoor Gym Equipment (Q3)	
बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) /Minimum Average Annual Turnover of the bidder (For 3 Years)	3 Lakh (s)	
मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)/OEM Average Turnover (Last 3 Years)	3 Lakh (s)	
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/Years of Past Experience Required for same/similar service	2 Year (s)	
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/MSE Exemption for Years of Experience and Turnover	No	
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /Startup Exemption for Years of Experience and Turnover	No	

बिड विवरण/Bid Details	
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Experience Criteria, Past Performance, Bidder Turnover, Certificate (Requested in ATC), OEM Authorization Certificate, OEM Annual Turnover, Additional Doc 1 (Requested in ATC), Additional Doc 2 (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	4
ऑटो एक्सर्टेशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	3
विगत प्रदर्शन /Past Performance	50 %
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	No
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	Parallel Bar - Outdoor Gym Equipment
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
अनुमानित बिड मूल्य /Estimated Bid Value	500000
Payment Timelines	Payments shall be made to the Seller within 45 days of issue of consignee receipt-cum-acceptance certificate (CRAC) and on-line submission of bills (This is in supersession of 10 days time as provided in clause 12 of GeM GTC)
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

आवश्यकता/Required	No

ईपीबीजी विवरण /ePBG Detail

amount (December 1)	N.
आवश्यकता/Required	No

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	No
---	----

एमआईआई खरीद वरीयता / MII Purchase Preference

एमआईआई खरीद वरीयता / MII Purchase Preference	Yes
मेक इन इंडिया विक्रेताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में है / Purchase Preference to MII sellers availabele upto price within L1+X%	20
मेक इन इंडिया खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MII purchase preference	50
सार्वजनिक खरीद (मेक-इन-इंडिया को प्राथमिकता) आदेश 2017 के अनुसार केवल क्लास 1/क्लास 2 के स्थानीय आपूर्तिकर्ताओं को ही भागीदारी की अनुमति है दिनांक 16.09.2020 (समय-समय पर संशोधित एवं लागू) / Allow participation only from Class 1/Class 2 local suppliers as per the Public procurement(Preference to Make-in-india) order 2017 date 16.09.2020(as amended and applicable time to time)	Yes, in compliance with the MII ORDER : DPIIT Order(as amended and applicable time to time)

- 1. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
- 2. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
- 3. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product

during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

- 4. Preference to Make In India products (For bids < 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.
- OM_No.1_4_2021_PPD_dated_18.05.2023 for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.
- 5. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.
- 6. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 50% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

Parallel Bar - Outdoor Gym Equipment (1 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)	
Material	Governing Specification for GI Pipes	BIS specification No IS 1161:2014, latest	
	All the GI Pipes are ISI marked	Yes	
	Vertical / Standing Pipes	80 mm Nominal Bore G.I. Pipe	
	Vertical/ Standing Pipes, Class as per IS 1239	Heavy	
	Vertical / StandingPipe (as per Clause 3 of IS 1161) , Nominal Bore & Wall Thickness	80 mm NB with 4.8 mm Thickness	
	Horizontal Pipe	40 mm Nominal Bore G.I. Pipe	

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Horizontal Pipe, Class as per IS 1239	Heavy
	Horizontal Pipe (As per Clause 3, of IS 1161) Nominal Bore & Wall Thickness	40 mm NB with 4 mm Thickness
	Grade Material as per table 2 of IS 1161	YSt 310
	Foundation Pipes with anchoring	750mm deep GI Pipe, supported with M.S. Angle 25 X 25 X 4mm
	Nominal Bore of Foundation Pipe	80 mm
	Foundation Pipe, Class as per IS 1239	Heavy
	Foundation Pipe Pipe (as per IS 1161) as per clause 3, Nominal Wall & Thickness	40 mm NB with 4 mm Thickness
	M S Foundation Plate Thickness	12.0 (millimeter)
	Bearings	Ball Bearing
	Foot Rest	C.I.
Other Requirements	Installation	Included
Certification	Certfication (Safety and Quality Requirements)	As per European Standard EN 16630
Warranty	Warranty (years)	2.0 (year)

क्र.सं./S.N o.	परेषिती / रिपोर्टिंग अधिकारी / Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vinay Kumar	821105,gram panchayat kharasara kaimur	1	15

Air Walker / Stroller - Outdoor Gym Equipment (1 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
TYPE	Туре	Double
CAPACITY	Maximum User Weight (Kg)	100.0 (kilogram)
MATERIAL	Governing Specification for GI Pipes	BIS specification No IS 1239 (Part 1)- 2004, latest
	All the GI Pipes are ISI marked	Yes
	Main Frame	100mm Nominal Bore G.I. Pipe
	Main Frame Pipe, Class as per IS 1239	Medium
	leg movement frame	32mm Nominal Bore G.I. Pipe
	Leg Movement Frame Pipe, Class as per IS 1239	Medium
	Handle Frame	25mm Nominal bore G.I. pipe
	Handle Frame Pipe, Class as per IS 1239	Medium
	Bearings	Ball Bearing
	Foot Rest	LDPE
	MS Foundation Plate Thickness	10.0 (millimeter)
	Foundation Pipes with anchoring	500mm deep GI Pipe, supported with M.S. Angle 25 X 25 X 4mm
Nominal Bore of Foundati Pipe		100mm
	Foundation Pipe, Class as per IS 1239	Medium
OTHER REQUIREMENTS	Installation	Included
CERTIFICATION	Certfication (Safety and Quality Requirements)	As per European Standard EN 16630
WARRANTY	Warranty (years)	2.0 (year)

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती / रिपोर्टिंग अधिकारी / Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vinay Kumar	821105,gram panchayat kharasara kaimur	1	15

Shoulder Builder / Arm Wheel - Outdoor Gym Equipment (1 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
TYPE	Туре	Three Wheel
MATERIAL	Governing Specification for GI Pipes	BIS specification No IS 1161:2014, latest
	All the GI Pipes are ISI marked	Yes
	Main Central Pipe construction	100mm Nominal Bore G.I. Pipe
	Main Central Pipe, Class as per IS 1239	Heavy
	Ring (Wheel)	32mm Nominal Bore G.I. Pipe
	Ring (Wheel) Pipe, Class as per IS 1239	Heavy
	Pipe of Spokes of Wheel	15mm Nominal bore G.I. pipe
	Pipe of Spoke of Wheel , Class as per IS 1239	Heavy
	Connector Pipe (between Main Central Pipe and Wheel)	32 mm Nominal bore G.I. pipe
	Connector Pipe, Class as per IS 1239	Heavy
	MS Foundation Plate Thickness	10.0 (millimeter)
	Foundation Pipes with anchoring	500mm deep GI Pipe, supported with M.S. Angle 25 X 25 X 4mm
	Nominal Bore of Foundation Pipe	80mm
	Foundation Pipe, Class as per IS 1239	Heavy
	Bearings	Ball Bearing

,	विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
ш	OTHER REQUIREMENTS	Installation	Included
	CERTIFICATION	Certfication (Safety and Quality Requirements)	No
	WARRANTY	Warranty (years)	2.0 (year)

क्र.सं./S.N o.	परेषिती / रिपोर्टिंग अधिकारी / Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vinay Kumar	821105,gram panchayat kharasara kaimur	1	15

Chest Press - Outdoor Gym Equipments (1 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
TYPE	Туре	Chest Press Double
CAPACITY	Maximum User Weight (Kg)	110.0 (kilogram)
MATERIAL Governing Specification for GI Pipes		BIS specification No IS 1239 (Part 1)- 2004, latest
	All the GI Pipes are ISI marked	No
	Main Central Pipe	150mm Nominal Bore G.I. Pipe
	Main Central Pipe, Class as per IS 1239	Heavy
	Handle Frame	32mm Nominal bore G.I. pipe
	Handle Frame Pipe, Class as per IS 1239	Heavy
	Seat Frame	32mm Nominal Bore G.I. Pipe

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Seat Frame Pipe, Class as per IS 1239	Heavy
	Connecting Links	40mm Nominal Bore G.I. Pipe
	Connecting Links Pipe, Class as per IS 1239	Medium
	Foot Rest Pipe	32mm Nominal Bore G.I. Pipe
	Foot Rest Pipe, Class as per IS 1239	Medium
	MS Foundation Plate Thickness	10.0 (millimeter)
	Foundation Pipes with anchoring	750mm deep GI Pipe, supported with M.S. Angle 25 X 25 X 4mm
	Nominal Bore of Foundation Pipe	150mm
	Foundation Pipe, Class as per IS 1239	Heavy
	Seat and Back Rest	2mm Thick G.I. Seat with uniform bending radius to avoid sharp edges
	Bearings	Tapered Roller Bearing
OTHER REQUIREMENTS	Installation	Included
CERTIFICATION	Certfication (Safety and Quality Requirements)	As per European Standard EN 16630
WARRANTY	Warranty (years)	3.0 (year)

क्र.सं./S.N o.	परेषिती / रिपोर्टिंग अधिकारी / Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vinay Kumar	821105,gram panchayat kharasara kaimur	1	15

Surf Board - Outdoor Gym Equipment (1 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
TYPE	Туре	Double
CAPACITY	Maximum User Weight (Kg)	120.0 (kilogram)
MATERIAL	Governing Specification for GI Pipes	BIS specification No IS 1239 (Part 1)- 2004, latest
	All the GI Pipes are ISI marked	Yes
	Main Central Pipe	125 mm Nominal Bore G.I. Pipe
	Main Frame Pipe, Class as per IS 1239	Heavy
	Main Central Pipe (As per Clause 3, of IS 1161) Nominal Bore & Wall Thickness	80 mm NB with 4.8 mm Thickness
	Grade Material as per table 2 of IS 1161	Not Applicable
	Movement (Paddle) Frame	50mm Nominal Bore G.I. Pipe
	Movement (Paddle) Frame Pipe, Class as per IS 1239	Heavy
	Movement (Paddle) Frame Pipe (As per as per Clause 3, of IS 1161) , Nominal Bore & Wall Thickness	32 mm NB with 4 mm Thickness
	Grade Material as per table 2 IS 1161	Not Applicable
	Connecting Links	40 mm Nominal Bore G.I. Pipe
	Connecting Links Pipe, Class as per IS 1239	Heavy
	Connecting Link Pipe (As per Clause 3, of IS 1161) Nominal Wall & Thickness	25 mm NB with 4 mm Thickness
	Grade Material (as per table 2 of IS 1161)	Not Applicable
	Handle Frame	32mm Nominal bore G.I. pipe
	Handle Frame Pipe, Class as per IS 1239	Heavy
	Handle Frame Pipe (as per IS 1161) as per clause 3, Nominal Wall & Thickness	25 mm NB with 4 mm Thickness
	Grade Material per table 2 of IS 1161	Not Applicable
	Foundation Pipes with anchoring	750mm deep GI Pipe, supported with M.S. Angle 25 X 25 X 4mm

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Nominal Bore of Foundation Pipe	125mm
	Foundation Pipe, Class as per IS 1239	Heavy
	Foundation Pipe Pipe (as per IS 1161) as per clause 3, Nominal Wall & Thickness	80 mm NB with 4.8 mm Thickness
	Grade Material (as per table 2 of IS 1161)	Not Applicable
	M S Foundation Plate Thickness	10.0 (millimeter)
	Bearings	Ball Bearing
	Foot Rest	C.I.
OTHER REQUIREMENTS	Installation	Not Included
CERTIFICATION	Certfication (Safety and Quality Requirements)	No
WARRANTY	Warranty (years)	2.0 (year)

क्र.सं./S.N o.	परेषिती / रिपोर्टिंग अधिकारी / Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vinay Kumar	821105,gram panchayat kharasara kaimur	1	15

Leg Press - Outdoor Gym Equipments (1 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)	
TYPE Type		Leg Press Double	

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
CAPACITY	Maximum User Weight (Kg)	120.0 (kilogram)
MATERIAL	Governing Specification for GI Pipes	BIS specification No IS 1161:2014, latest
	All the GI Pipes are ISI marked	Yes
	Main Central Pipe	125 mm Nominal Bore G.I. Pipe
	Main Central Pipe, Class as per IS 1239	Heavy
	Moving Frame Pipe	40mm Nominal bore G.I. pipe
	Moving Frame Pipe, Class as per IS 1239	Heavy
	Foot Rest Frame/ Foot Rest Hinging Pipe	32mm Nominal Bore G.I. Pipe
	Foot Rest Frame Pipe, Class as per IS 1239	Heavy
	Connecting Links	40mm Nominal Bore G.I. Pipe
	Connecting Links Pipe, Class as per IS 1239	Heavy
	MS Foundation Plate Thickness	12.0 (millimeter)
	Foundation Pipes with anchoring	750mm deep GI Pipe, supported with M.S. Angle 25 X 25 X 4mm
	Nominal Bore of Foundation Pipe	125mm
	Foundation Pipe, Class as per IS 1239	Heavy
	Bearings	Ball Bearing
	Seat and Back Rest	3mm thick, HDPE with uniform bending radius to avoid sharp edges
OTHER REQUIREMENTS	Installation	Included
CERTIFICATION	Certfication (Safety and Quality Requirements)	As per European Standard EN 16630
WARRANTY	Warranty (years)	2.0 (year)

क्र.सं./S.N o.	परेषिती / रिपोर्टिंग अधिकारी / Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vinay Kumar	821105,gram panchayat kharasara kaimur	1	15

Parallel Bar - Outdoor Gym Equipment (1 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Material	Governing Specification for GI Pipes	BIS specification No IS 1161:2014, latest
	All the GI Pipes are ISI marked	No
	Vertical / Standing Pipes	100 mm Nominal Bore G.I. Pipe
	Vertical/ Standing Pipes, Class as per IS 1239	Heavy
	Vertical / StandingPipe (as per Clause 3 of IS 1161) , Nominal Bore & Wall Thickness	80 mm NB with 3.2 mm Thickness
	Horizontal Pipe	25 mm Nominal Bore G.I. Pipe
	Horizontal Pipe, Class as per IS 1239	Heavy
	Horizontal Pipe (As per Clause 3, of IS 1161) Nominal Bore & Wall Thickness	40 mm NB with 2.9 mm Thickness
	Grade Material as per table 2 of IS 1161	Not Applicable
	Foundation Pipes with anchoring	500mm deep GI Pipe, supported with M.S. Angle 25 X 25 X 4mm
	Nominal Bore of Foundation Pipe	50 mm
	Foundation Pipe, Class as per IS 1239	Heavy
	Foundation Pipe Pipe (as per IS 1161) as per clause 3, Nominal Wall & Thickness	40 mm NB with 4 mm Thickness
	M S Foundation Plate Thickness	12.0 (millimeter)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)		
	Bearings	Ball Bearing		
	Foot Rest	Fibre Reinforced Plastic		
Other Requirements	Installation	Included		
Certification	Certfication (Safety and Quality Requirements)	No		
Warranty	Warranty (years)	2.0 (year)		

क्र.सं./S.N o.	परेषिती / रिपोर्टिंग अधिकारी / Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vinay Kumar	821105,gram panchayat kharasara kaimur	1	15

Shoulder Builder / Arm Wheel - Outdoor Gym Equipment (1 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)		
TYPE	Туре	Two Wheel		
MATERIAL	Governing Specification for GI Pipes	BIS specification No IS 1161:2014, latest		
	All the GI Pipes are ISI marked	Yes		
	Main Central Pipe construction	80mm Nominal Bore G.I. Pipe		
	Main Central Pipe, Class as per IS 1239	Medium		
	Ring (Wheel)	32mm Nominal Bore G.I. Pipe Not applicable for pipe as per IS 1161		
	Ring (Wheel) Pipe, Class as per IS 1239			

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)	
	Pipe of Spokes of Wheel	15mm Nominal bore G.I. pipe	
	Pipe of Spoke of Wheel , Class as per IS 1239	Heavy	
Connector Pipe (between Main Central Pipe and Wheel)		40 mm Nominal bore G.I. pipe	
	Connector Pipe, Class as per IS 1239	Medium	
	MS Foundation Plate Thickness	10.0 (millimeter)	
	Foundation Pipes with anchoring	500mm deep GI Pipe, supported with M.S. Angle 25 X 25 X 4mm	
	Nominal Bore of Foundation Pipe	125mm	
	Foundation Pipe, Class as per IS 1239	Not applicable for pipe as per IS 1161	
	Bearings	Ball Bearing	
OTHER REQUIREMENTS	Installation	Included	
CERTIFICATION	Certfication (Safety and Quality Requirements)	No	
WARRANTY	Warranty (years)	2.0 (year)	

क्र.सं./S.N o.	परेषिती / रिपोर्टिंग अधिकारी / Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vinay Kumar	821105,gram panchayat kharasara kaimur	1	15

Shoulder Builder / Arm Wheel - Outdoor Gym Equipment (1 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
TYPE	Туре	Two Wheel
MATERIAL	Governing Specification for GI Pipes	BIS specification No IS 1239 (Part 1)- 2004, latest
	All the GI Pipes are ISI marked	Yes
	Main Central Pipe construction	80mm Nominal Bore G.I. Pipe
	Main Central Pipe, Class as per IS 1239	Heavy
	Ring (Wheel)	25mm Nominal Bore G.I. Pipe
	Ring (Wheel) Pipe, Class as per IS 1239	Heavy
	Pipe of Spokes of Wheel	15mm Nominal bore G.I. pipe
	Pipe of Spoke of Wheel , Class as per IS 1239	Heavy
	Connector Pipe (between Main Central Pipe and Wheel)	40 mm Nominal bore G.I. pipe
	Connector Pipe, Class as per IS 1239	Heavy
	MS Foundation Plate Thickness	10.0 (millimeter)
	Foundation Pipes with anchoring	750mm deep GI Pipe, supported with M.S. Angle 25 X 25 X 4mm
	Nominal Bore of Foundation Pipe	100mm
	Foundation Pipe, Class as per IS 1239	Heavy
	Bearings	Ball Bearing
OTHER REQUIREMENTS	Installation	Included
CERTIFICATION	Certfication (Safety and Quality Requirements)	As per European Standard EN 16630
WARRANTY	Warranty (years)	2.0 (year)

क्र.सं./S.N o.	परेषिती / रिपोर्टिंग अधिकारी / Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vinay Kumar	821105,gram panchayat kharasara kaimur	1	15

Twister - Outdoor Gym Equipment (1 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
TYPE	Туре	Triple Twister (Three standing)
CAPACITY	Maximum User Weight (Kg)	110.0 (kilogram)
MATERIAL	Governing Specification for GI Pipes	BIS specification No IS 1239 (Part 1)- 2004, latest
	All the GI Pipes are ISI marked	No
	Main Central Pipe	100mm Nominal Bore G.I. Pipe
	Main Frame Pipe, Class as per IS 1239	Not applicable for pipe as per IS 1161
	Main Central Pipe (As per Clause 3, of IS 1161) Nominal Bore & Wall Thickness	80 mm NB with 3.2 mm Thickness
	Grade Material as per table 2 of IS 1161	Not Applicable
	Standing/ Sitting Twister Frame Pipe	32 mm Nominal Bore G.I. Pipe
	Standing/ Sitting Twister Frame Pipe, Class as per IS 1239	Not applicable for pipe as per IS 1161
	Standing/ Sitting Twister Frame Pipe (As per Clause 3, of IS 1161) Nominal Bore & Wall Thickness	32 mm NB with 2.6 mm Thickness
	Grade Material as per table 2 IS 1161	Not Applicable
	Rotating Disk Support Pipe at Bottom Pipe	100 mm Nominal Bore G.I. Pipe
	Rotating Disk Support Pipe, Class as per IS 1239	Not applicable for M.S. Plates and Pipes as per IS 1161

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)	
Rotating Disk Support Pipe (as per IS 1161) as per Clause 3, Nominal Bore & Wall Thickness Grade Material (as per table 2 of IS 1161)		100 mm NB with 3.6 mm Thickness	
		Not Applicable	
	Handle Frame Pipe	32mm Nominal bore G.I. pipe	
	Handle Frame Pipe, Class as per IS 1239	Not applicable for pipe as per IS 1161	
	Handle Frame Pipe (as per IS 1161) as per clause 3, Nominal Wall & Thickness	32 mm NB with 2.6 mm Thickness	
	Grade Material per table 2 of IS 1161	Not Applicable	
	Foundation Pipes with anchoring	750mm deep GI Pipe, supported with M.S. Angle 25 X 25 X 4mm	
	Nominal Bore of Foundation Pipe	80mm	
	Foundation Pipe, Class as per IS 1239	Not applicable for pipe as per IS 1161	
	Foundation Pipe Pipe (as per IS 1161) as per clause 3, Nominal Wall & Thickness	80 mm NB with 3.2 mm Thickness	
	Grade Material (as per table 2 of IS 1161)	Not Applicable	
	M S Foundation Plate Thickness	12.0 (millimeter)	
	Bearings	Ball Bearing	
	Foot Rest	Nylon	
OTHER REQUIREMENTS	Installation	Not Included	
CERTIFICATION	Certfication (Safety and Quality Requirements)	No	
WARRANTY	Warranty (years)	5.0 (year)	

क्र.सं./S.N o.	परेषिती / रिपोर्टिंग अधिकारी / Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vinay Kumar	821105,gram panchayat kharasara kaimur	1	15

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तै/Buyer Added Bid Specific Terms and Conditions

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be (Increased quantity \div Original quantity) \times Original delivery period (in days), subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

- 1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
- 2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
- 3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
- 4. Creating BoQ bid for single item.
- 5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
- 6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
- 7. Floating / creation of work contracts as Custom Bids in Services.
- 8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for <u>attached categories</u>, trials are allowed as per approved procurement policy of the buyer nodal Ministries)
- 9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
- 10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
- 11. Creating bid for items from irrelevant categories.
- 12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
- 13. Reference of conditions published on any external site or reference to external documents/clauses.
- 14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

- 15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
- 16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

यह बिंड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो।बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---