

**बिड दस्तावेज़ / Bid Document**

बिड विवरण / Bid Details	
बिड बंद होने की तारीख/समय / Bid End Date/Time	09-10-2025 17:00:00
बिड खुलने की तारीख/समय / Bid Opening Date/Time	09-10-2025 17:30:00
बिड पेशकश वैधता (बंद होने की तारीख से) / Bid Offer Validity (From End Date)	80 (Days)
मंत्रालय/राज्य का नाम / Ministry/State Name	Ministry Of Power
विभाग का नाम / Department Name	Bhakra Beas Management Board
संगठन का नाम / Organisation Name	Bhakra Beas Management Board
कार्यालय का नाम / Office Name	Bhakra Beas Management Board, Chandigarh
कुल मात्रा / Total Quantity	2440
वस्तु श्रेणी / Item Category	Cable Trunking and Ducting system for Electrical Installations (Wiring duct) (Q3) , Passive Networking Flexible Pipe (Q3) , PVC gitti (Q3) , modular electrical enclosure switch board boxes for modular type accessories (Q3) , Rigid Plain Conduits of Insulating Materials as per IS 9537 (Part 3) (Q3)
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / MSE Exemption for Years of Experience and Turnover	No
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / Startup Exemption for Years of Experience and Turnover	No
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	1
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	10
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	1
बिड से रिवर्स नीलामी सक्रिय किया / Bid to RA enabled	No
बिड का प्रकार / Type of Bid	Two Packet Bid

बिड विवरण/Bid Details	
प्राथमिक उत्पाद श्रेणी/Primary product category	Cable Trunking and Ducting system for Electrical Installations (Wiring duct)
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

#### ईएमडी विवरण/EMD Detail

आवश्यकता/Required	No
-------------------	----

#### ईपीबीजी विवरण /ePBG Detail

आवश्यकता/Required	No
-------------------	----

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

#### एमआईआई खरीद वरीयता/MII Purchase Preference

एमआईआई खरीद वरीयता/MII Purchase Preference	Yes
--	-----

#### एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
---	-----

1. Preference to Make In India products (For bids < 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate.The buyers

are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

2. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

### **Cable Trunking And Ducting System For Electrical Installations (Wiring Duct) ( 200 pieces )**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

#### **तकनीकी विशिष्टियाँ /Technical Specifications**

[\\* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	ISI Marked	Yes
	Type of system	Cable trunking system
CLASSIFICATION	According to material	Insulating Material Trunking Systems
	According to Mechanical Properties as per Cl. 6.2 of IS:14927 (part 1):2001	for Medium Mechanical Stresses
	According to resistance to flame propagation	Non-Flame propagating Trunking systems
	According to electricity characteristics	With electrical continuity characteristics
	According to Cover Retention of the System	Access Cover Removable without Tools
	Temperature Classification/Permanent Application temperature range as per Table 1 of IS:14927 (Part 1):2001 (in deg. C)	?5 / -5 to +60

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Protection Against Ingress of Solid Objects as per Cl. 6.6.1 of IS:14927 (Part 1):2001	IP2X
	Protection Against Ingress of Water as per Cl. 6.6.2 of IS:14927 (Part 1):2001	No Water Protection
	Protection Against Corrosive or Polluting Substances as per Cl. 6.6.3 of IS:14927 (Part 1):2001	low protection outside and inside
	Protection Against Solar Radiation as per Cl. 6.6.4 of IS:14927 (Part 1):2001	Without protection
DIMENSION	Size (in mm) / Approximate Cross section of the cable trunking and ducting system (in Sq.mm) as per Table 2 of IS:14927 (Part 1):2001	25×12/239.10
	Length (in mtrs.,)	2

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajeshwar Singh	176501,Store Sub-Division, BBMB, Sansarpur Terrace, Kangra, Himachal Pradesh Pin: 176501	200	30

**Cable Trunking And Ducting System For Electrical Installations (Wiring Duct) ( 500 pieces )**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

\* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	ISI Marked	Yes

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Type of system	Cable trunking system
CLASSIFICATION	According to material	Insulating Material Trunking Systems
	According to Mechanical Properties as per Cl. 6.2 of IS:14927 (part 1):2001	for Light Mechanical Stresses
	According to resistance to flame propagation	Non-Flame propagating Trunking systems
	According to electricity characteristics	Without electrical insulating characteristics
	According to Cover Retention of the System	Access Cover Removable with Tools
	Temperature Classification/Permanent Application temperature range as per Table 1 of IS:14927 (Part 1):2001 (in deg. C)	?5 / -5 to +60
	Protection Against Ingress of Solid Objects as per Cl. 6.6.1 of IS:14927 (Part 1):2001	IP2X
	Protection Against Ingress of Water as per Cl. 6.6.2 of IS:14927 (Part 1):2001	No Water Protection
	Protection Against Corrosive or Polluting Substances as per Cl. 6.6.3 of IS:14927 (Part 1):2001	medium protection outside and low protection inside
DIMENSION	Size (in mm) / Approximate Cross section of the cable trunking and ducting system (in Sq.mm) as per Table 2 of IS:14927 (Part 1):2001	38×25/793.00
	Length (in mtrs.,)	2

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajeshwar Singh	176501,Store Sub-Division, BBMB, Sansarpur Terrace, Kangra, Himachal Pradesh Pin: 176501	500	30

### Passive Networking Flexible Pipe ( 150 pieces )

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

### तकनीकी विशिष्टियाँ /Technical Specifications

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Technical Properties and Characterstic	<b>Material</b>	PVC
	<b>Maximum Withstand Voltage</b>	660V
	<b>Outer Surface Pattern</b>	Zig Zag
	<b>Color</b>	Grey
	<b>Shape</b>	Round
Size and Dimension	<b>Length</b>	25.0 (millimeter)
	<b>Tolerance Outside Diameter, mm</b>	0.75
	<b>Nominal Diameter, inch</b>	1
Packaging Guideline	<b>Coil/Roll</b>	25.0 (meter)
Warranty	<b>Warranty</b>	1.0 (year)

### प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajeshwar Singh	176501,Store Sub-Division, BBMB, Sansarpur Terrace, Kangra, Himachal Pradesh Pin: 176501	150	30

### PVC Gitti ( 150 pieces )

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

#### तकनीकी विशिष्टियाँ /Technical Specifications

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Construction	Diameter of open end	4.0 (millimeter)
	Size	1.5 (inch)
Generic	Pieces per pack	100
	Packing	LDPE packing

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajeshwar Singh	176501,Store Sub-Division, BBMB, Sansarpur Terrace, Kangra, Himachal Pradesh Pin: 176501	150	30

#### PVC Gitti ( 40 pieces )

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

#### तकनीकी विशिष्टियाँ /Technical Specifications

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Construction	Diameter of open end	6.0 (millimeter)
	Size	3.0 (inch)
Generic	Pieces per pack	100
	Packing	LDPE packing

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajeshwar Singh	176501,Store Sub-Division, BBMB, Sansarpur Terrace, Kangra, Himachal Pradesh Pin: 176501	40	30

**Modular Electrical Enclosure Switch Board Boxes For Modular Type Accessories ( 100 pieces )**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	<b>Switch board boxes for installation of Modular Type of electrical accessories</b>	With Frame Plate
	<b>Materiel of switch board boxes</b>	Dough Moulding Compound (DMC)
	<b>Number of modules which can be accomodated and configuration defined as below ( Ax B x C )</b>	Four Module (1 x 2 x 2 M)
	<b>Minimum size of the box ( L mm x W mm x W mm)</b>	75 mm x 75 mm x 50 mm
	<b>Matching Cover Plate</b>	With
	<b>Matching Frame Plate</b>	With
CONSTRUCTIONAL	Thickness of Material (mm)	2.5 mm or higher for DOUGH MOULDING COMPOUND (DMC)

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
-------------------	---	-------------	------------------	---------------------------------



क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajeshwar Singh	176501,Store Sub-Division, BBMB, Sansarpur Terrace, Kangra, Himachal Pradesh Pin: 176501	100	30

### Modular Electrical Enclosure Switch Board Boxes For Modular Type Accessories ( 600 pieces )

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

#### तकनीकी विशिष्टियाँ /Technical Specifications

[\\* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	Switch board boxes for installation of Modular Type of electrical accessories	Without Frame Plate
	Materiel of switch board boxes	Dough Moulding Compound (DMC)
	Number of modules which can be accomodated and configuration defined as below ( Ax B x C)	One Module (1 x 1 x 1 M)
	Minimum size of the box ( L mm x W mm x W mm)	75 mm x 75 mm x 50 mm
	Matching Cover Plate	Without
	Matching Frame Plate	Without
CONSTRUCTIONAL	Thickness of Material (mm)	2.5 mm or higher for DOUGH MOULDING COMPOUND (DMC)

#### प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajeshwar Singh	176501,Store Sub-Division, BBMB, Sansarpur Terrace, Kangra, Himachal Pradesh Pin: 176501	600	30

**Rigid Plain Conduits Of Insulating Materials As Per IS 9537 (Part 3) ( 200 pieces )**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	Classification of Conduit	Heavy Mechanical Stresses
CONSTRUCTIONAL	Nominal Size of the Conduit, (mm)	25
	Length (Metres)	3
	Socket ended conduit (at one end )	Yes
CERTIFICATION	ISI Marked	Yes

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajeshwar Singh	176501,Store Sub-Division, BBMB, Sansarpur Terrace, Kangra, Himachal Pradesh Pin: 176501	200	30

**Cable Trunking And Ducting System For Electrical Installations (Wiring Duct) ( 500 pieces )**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	ISI Marked	Yes
	Type of system	Cable trunking system
CLASSIFICATION	According to material	Insulating Material Trunking Systems

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	According to Mechanical Properties as per Cl. 6.2 of IS:14927 (part 1):2001	for Medium Mechanical Stresses
	According to resistance to flame propagation	Non-Flame propagating Trunking systems
	According to electricity characteristics	With insulating electrical characteristics
	According to Cover Retention of the System	Access Cover Removable without Tools
	Temperature Classification/Permanent Application temperature range as per Table 1 of IS:14927 (Part 1):2001 (in deg. C)	?5 / -5 to +60
	Protection Against Ingress of Solid Objects as per Cl. 6.6.1 of IS:14927 (Part 1):2001	IP4X
	Protection Against Ingress of Water as per Cl. 6.6.2 of IS:14927 (Part 1):2001	IPX4
	Protection Against Corrosive or Polluting Substances as per Cl. 6.6.3 of IS:14927 (Part 1):2001	medium protection outside and low protection inside
	Protection Against Solar Radiation as per Cl. 6.6.4 of IS:14927 (Part 1):2001	Without protection
DIMENSION	Size (in mm) / Approximate Cross section of the cable trunking and ducting system (in Sq.mm) as per Table 2 of IS:14927 (Part 1):2001	20 mm x 12 mm
	Length (in mtrs.,)	2

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
---------------	---	-------------	------------------	------------------------------

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajeshwar Singh	176501,Store Sub-Division, BBMB, Sansarpur Terrace, Kangra, Himachal Pradesh Pin: 176501	500	30

## क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

### 1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be  $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$ , subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

### 2. Scope of Supply

Scope of supply (Bid price to include all cost components) : Only supply of Goods

## अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.

12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

**All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.**

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---