

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	24-11-2025 12:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	24-11-2025 12:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	150 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Labour And Employment
विभाग का नाम/Department Name	Na
संगठन का नाम/Organisation Name	Employees State Insurance Corporation (esic)
कार्यालय का नाम/Office Name	Karnataka
कुल मात्रा/Total Quantity	4390
वस्तु श्रेणी /Item Category	ECi A-HCV 100 wells non US , VITR HIV CMBO RGT PK NON US , VITROS HBSAG ES 100wells non US , VITROS SYPHILIS TPA RGT non us , ECi HBSAG CNTROL non US , ECi A HIV 1 and 2 CONTROL , ECi A HCV CONTROL non US , VITROS SYPHILIS TPA Control , ECi A HCV CALIBRATOR non US , VITROS HBSAG ES CAL bx1vl non US , VITR HIV CMBO CALIB NON US , VITROS SYPHILIS TPA CAL NON US , SIGNAL REAGENT box per 2 packs , WASH REAGENT box per 2 bottles , MAINTENANCE PK box per 2 packs , MICRO SAMPLE CUPS BOX 4000 nos , VITROS VERSATIP BOX 1000 nos , Vitek ID GN test kit 21341 , Vitek ID GP test kit 21342 , Vitek AST P628 test kit 414534 , Vitek AST ST03 test kit 421040 , Vitek AST N235 test kit Code 413170 , Vitek AST N405 test kit Code 423864 , Vitek AST N406 test kit Code 423869 , Vitek AST N407 test kit Code 423870 , Unsensitized Tubes Code 69285 , Saline Solution Code V1204 , Vitek ID YST test kit Code 21343 , Vitek AST YS08 test kit 420739 , Vitek AST N477 test kit Code 425019 , Anti Cardiolipin IgG ELISA , Anti Cardiolipin IgM ELISA , Anti beta 2 glycoprotein I IgG ELISA , Anti beta 2 glycoprotein I IgM ELISA

बिड विवरण/Bid Details	
GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS	<p>ECi A-HCV 100 wells (non US), VITR HIV CMBO RGT PK(NONUS), VITROS HBSAG ES 100wells nonUS, VITROS SYPHILIS TPA RGT nonus, ECi HBSAG CNTROL (non US), ECi A-HIV 1+2 CONTROL, ECi A-HCV CONTROL (non US), VITROS SYPHILIS TPAControls, ECi A-HCV CALIBRATOR (non US), VITROS HBSAG ES CAL bx1vlnonUS, VITR HIV CMBO CALIB (NONUS), VITROS SYPHILIS TPA CAL NON US, SIGNAL REAGENT box/2packs, WASH REAGENT box/2bottles, MAINTENANCE PK box/2 packs, MICRO SAMPLE CUPS BOX/4000, VITROS VERSATIP BOX/1000, Vitek ID GN test kitCode: 21341, Vitek ID GP test kitCode: 21342, Vitek AST P628 test kitCode: 414534, Vitek AST ST03 test kitCode: 421040, Vitek AST N235 test kitCode: 413170, Vitek AST N405 test kitCode: 423864, Vitek AST N406 test kitCode: 423869, Vitek AST N407 test kitCode: 423870, Unsensitized Tubes Code: 69285, Saline Solution Code: V1204, Vitek ID YST test kitCode: 21343, Vitek AST YS08 test kitCode: 420739, Vitek AST N477 test kitCode: 425019, Anti Cardiolipin IgG ELISA , Anti Cardiolipin IgM ELISA , Anti-beta-2 glycoprotein I- IgG ELISA, Anti-beta-2 glycoprotein I- IgM ELISA</p>
	<p>Searched String: ECi A-HCV 100 wells (non US)</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: VITR HIV CMBO RGT PK(NONUS)</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: VITROS HBSAG ES 100wells nonUS</p> <p>Eosin Y Dissodium Salt</p> <p>Searched String: VITROS SYPHILIS TPA RGT nonus</p> <p>ELISA Test Kits (V2), ELISA Testing Kits</p> <p>Searched String: ECi HBSAG CNTROL (non US)</p> <p>Mannequin Female (non medical use), Crimping Tools, Mannequin Children (non medical use), Dry Erase Writing Boards (V3), Mannequin Male (non medical use), Gravity Feed Infusion Sets (Single Use) Conforming to IS/ISO 8536-4, Absorbent Cotton (Sterile and Non-Sterile) for Medical Use Conforming to IS 16468</p> <p>Searched String: ECi A-HIV 1+2 CONTROL</p> <p>PVC Copper Cable (Heavy Duty) - Type A PVC Compound, Category C 2 - FR - LSH as per IS 1554 (Part 1), HIV Rapid Test Kits, Point of Care Diagnostic Test Kits - HIV Rapid Test Kits, Control Cable, HIV ELISA Test Kits, Bamboo, Tent Pole as per IS 7344, binding punch machine, Printing Maplitho Paper (V3) Conforming to IS 1848 (Part 1)</p> <p>Searched String: ECi A-HCV CONTROL (non US)</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: VITROS SYPHILIS TPAControls</p>

बिड विवरण / Bid Details	ELISA Test Kits (V2), ELISA Testing Kits
<p>GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS</p>	<p>Searched String: ECi A-HCV CALIBRATOR (non US)</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: VITROS HBSAG ES CAL bx1vInonUS</p> <p>Point of Care Rapid Test Kits (V2), Poultry Feed Additives or Supplements (For Vitamins), Spray Based Surface Disinfectant</p> <p>Searched String: VITR HIV CMBO CALIB (NONUS)</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: VITROS SYPHILIS TPA CAL NON US</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: SIGNAL REAGENT box/2packs</p> <p>Haematology Analyzer Reagents, Electrical Extension Box (V4), Electrolyte Analyzer Reagents, Card Board Box for Bio - Medical Waste Collection, Audio Digital Signal Processor, Lunch Box (V2), Static and Dynamic Pass Through Boxes for Cleanroom</p> <p>Searched String: WASH REAGENT box/2bottles</p> <p>Wash Solution for Diagnostic Analyzers, Haematology Analyzer Reagents, Electrical Extension Box (V4), Electrolyte Analyzer Reagents, Card Board Box for Bio - Medical Waste Collection, Lunch Box (V2), Hydrochloric Acid as per IS 265, Static and Dynamic Pass Through Boxes for Cleanroom</p> <p>Searched String: MAINTENANCE PK box/2 packs</p> <p>Gear Box Conveyor no. SRC- 2 ,FOC-1 (SAIL), Electric Kettles and Jugs for Household and Similar Use as per IS 367 (V2), Electrical Extension Box (V4), ice packs, Isopropyl Alcohol (2 - Propanol), Card Board Box for Bio - Medical Waste Collection, General Purpose Hand Gloves (V2), Illuminated Near Vision Test Drum (V2) - RBSK, Spices and Condiments - Turmeric Whole and Ground (V2) as per IS 3576, Cotton Cloth Bag for Seed Packing - Capacity From 0.75 Kg to 12 Kg</p> <p>Searched String: MICRO SAMPLE CUPS BOX/4000</p> <p>Storage Box for Electronic Component, Sample Cup, Microwave Digestion System, Automatic Fat Analyzer (FSSAI), Centrifuge Tubes (V2), pestle or mortars - soil sample grinder, Portable UV Disinfection Box for smart phone and accessories, Box Strapping Machine</p> <p>Searched String: VITROS VERSATIP BOX/1000</p> <p>Lunch Box (V2), Split or Cotter Pin, Tea CTC (V2) (Defence), Transformer oil Sampling Bottles, Chat Masala as per IS 1314, Staple Pins/Staples(V3), Raita Masala</p> <p>Searched String: Vitek ID GN test kitCode: 21341</p> <p>Category not available on GeM for the text string uploaded by the buyer</p>

बिड विवरण/Bid Details	Searched String: Vitek ID GP test kitCode: 21342
	<p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Vitek AST P628 test kitCode: 414534</p> <p>Biochemistry Reagent Kit for Human Samples, HIV Rapid Test Kits, HIV ELISA Test Kits, HBsAg Rapid Test Kits, Point of Care Diagnostic Test Kits - HIV Rapid Test Kits, Malaria Rapid Test Kits</p> <p>Searched String: Vitek AST ST03 test kitCode: 421040</p> <p>Biochemistry Reagent Kit for Human Samples, Illuminated Near Vision Test Drum (V2) - RBSK, Box Strapping Machine</p> <p>Searched String: Vitek AST N235 test kitCode: 413170</p> <p>Biochemistry Reagent Kit for Human Samples, NAAT Based PCR Test Kit</p> <p>Searched String: Vitek AST N405 test kitCode: 423864</p> <p>Biochemistry Reagent Kit for Human Samples, NAAT Based PCR Test Kit</p> <p>Searched String: Vitek AST N406 test kitCode: 423869</p> <p>Biochemistry Reagent Kit for Human Samples, NAAT Based PCR Test Kit</p> <p>Searched String: Vitek AST N407 test kitCode: 423870</p> <p>Biochemistry Reagent Kit for Human Samples, NAAT Based PCR Test Kit</p> <p>Searched String: Unsensitized Tubes Code: 69285</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Saline Solution Code: V1204</p> <p>digital signature certificate, Saline Stand (V2), Sodium Hypochlorite Solution (V2) as per IS 11673 (Part 1), Saline Stand, Sodium Hypochlorite Solution for Bulk Supply (V2) as per IS 11673 (Part 1)</p> <p>Searched String: Vitek ID YST test kitCode: 21343</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Vitek AST YS08 test kitCode: 420739</p> <p>Biochemistry Reagent Kit for Human Samples</p> <p>Searched String: Vitek AST N477 test kitCode: 425019</p> <p>Biochemistry Reagent Kit for Human Samples, NAAT Based PCR Test Kit</p> <p>Searched String: Anti Cardiolipin IgG ELISA</p> <p>Anti-HEV ELISA Test Kits (V2), ELISA Testing Kits, Anti Hepatitis B Core Antibody ELISA Kits, Anti HEV (Hepatitis E Virus) Elisa Kits, Anti-HAV ELISA Test Kits (V2), ELISA Test Kits (V2), Anti HAV (Hepatitis A Virus) Elisa Kits, Anti - D</p>

बिड विवरण / Bid Details	Blood Grouping Reagent, Anti - SARS CoV - 2 / COVID - 19 Elisa Testing Kit, Anti-SARS-CoV-2/COVID-19 ELISA Test Kit (V2)
	<p>Searched String: Anti Cardiolipin IgM ELISA</p> <p>Anti-HEV ELISA Test Kits (V2), ELISA Testing Kits, Anti Hepatitis B Core Antibody ELISA Kits, Anti-HAV ELISA Test Kits (V2), ELISA Test Kits (V2), Anti HEV (Hepatitis E Virus) Elisa Kits, Anti HAV (Hepatitis A Virus) Elisa Kits, Anti - D Blood Grouping Reagent, Anti - SARS CoV - 2 / COVID - 19 Elisa Testing Kit, Anti-SARS-CoV-2/COVID-19 ELISA Test Kit (V2)</p> <p>Searched String: Anti-beta-2 glycoprotein I- IgG ELISA</p> <p>Anti - SARS CoV - 2 / COVID - 19 Elisa Testing Kit, Anti-SARS-CoV-2/COVID-19 ELISA Test Kit (V2), Anti HEV (Hepatitis E Virus) Elisa Kits, Anti HAV (Hepatitis A Virus) Elisa Kits, ELISA Testing Kits, ELISA Test Kits (V2)</p> <p>Searched String: Anti-beta-2 glycoprotein I- IgM ELISA</p> <p>Anti - SARS CoV - 2 / COVID - 19 Elisa Testing Kit, Anti HAV (Hepatitis A Virus) Elisa Kits, Anti-SARS-CoV-2/COVID-19 ELISA Test Kit (V2), Anti Hepatitis B Core Antibody ELISA Kits, Anti HEV (Hepatitis E Virus) Elisa Kits, ELISA Test Kits (V2)</p>
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	<ul style="list-style-type: none"> Automated Bacterial Identification and Susceptibility Testing System Immunoassay Analyzer Reagents for Human Samples ELISA Test Kits (V2)
बीओक्यू शीर्षक / BOQ Title	VITEK VITROS REAGENTS ELISA TEST KITS
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/ Years of Past Experience Required for same/similar service	3 Year (s)
वर्षों के अनुभव एवं टर्नओवर से एमएसई को छूट प्राप्त है / MSE Exemption for Years Of Experience and Turnover	Yes Complete
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / Startup Exemption for Years Of Experience and Turnover	Yes Complete
विक्रेता से मांगे गए दस्तावेज़/ Document required from seller	<p>Experience Criteria,Past Performance,Certificate (Requested in ATC),OEM Authorization Certificate</p> <p>*In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer</p>
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेजों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/ Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)

बिड विवरण/Bid Details	
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	1
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	7
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	1
विगत प्रदर्शन / Past Performance	50 %
बिड से रिवर्स नीलामी सक्रिय किया/ Bid to RA enabled	Yes
रिवर्स नीलामी योग्यता नियम/ RA Qualification Rule	H1-Highest Priced Bid Elimination
बिड का प्रकार/ Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/ Primary product category	ECi A-HCV 100 wells non US
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय / Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/ Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
मूल्यांकन पद्धति/ Evaluation Method	Item wise evaluation/
मध्यस्थता खंड/ Arbitration Clause	No
सुलह खंड/ Mediation Clause	No

ईएमडी विवरण/EMD Detail

आवश्यकता/Required	No
-------------------	----

ईपीबीजी विवरण /ePBG Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईपीबीजी प्रतिशत (%) /ePBG Percentage(%)	3.00
ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months).	14

(a) ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

लाभार्थी /Beneficiary :

Dean
ESIC MODEL HOSPITAL RAJAJINAGAR BANGALORE-10
(Esic Fund Account 1)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता / MII Purchase Preference

एमआईआई खरीद वरीयता / MII Purchase Preference	Yes
मेक इन इंडिया विक्रेताओं को खरीद में प्राथमिकता, यदि उनका मूल्य $L1+X\%$ तक की सीमा में है / Purchase Preference to MII sellers available upto price within $L1+X\%$	20
मेक इन इंडिया खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MII purchase preference	50
सार्वजनिक खरीद (मेक-इन-इंडिया को प्राथमिकता) आदेश 2017 के अनुसार केवल क्लास 1/क्लास 2 के स्थानीय आपूर्तिकर्ताओं को ही भागीदारी की अनुमति है दिनांक 16.09.2020 (समय-समय पर संशोधित एवं लागू) / Allow participation only from Class 1/Class 2 local suppliers as per the Public procurement(Preference to Make-in-india) order 2017 date 16.09.2020(as amended and applicable time to time)	Yes, in compliance with the MII ORDER : DPIIT Order(as amended and applicable time to time)

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं को खरीद में प्राथमिकता, यदि उनका मूल्य $L1+X\%$ तक की सीमा में हो / Purchase Preference to MSE OEMs available upto price within $L1+X\%$	15
सूक्ष्म और लघु उद्यम को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MSE purchase preference	25

1. If the bidder is a Micro or Small Enterprise as per latest orders issued by Ministry of MSME, the bidder shall be exempted from the eligibility criteria of "Experience Criteria" as defined above subject to meeting of quality and technical specifications. The bidder seeking exemption from Experience Criteria, shall upload the supporting documents to prove his eligibility for exemption.

2. If the bidder is a Micro or Small Enterprise (MSE) as per latest orders issued by Ministry of MSME, the bidder shall be exempted from the eligibility criteria of "Bidder Turnover" as defined above subject to meeting of quality and technical specifications. If the bidder itself is MSE OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking exemption from Turnover, shall upload the supporting documents to prove his eligibility for exemption.

3. If the bidder is a DPIIT registered Startup, the bidder shall be exempted from the the eligibility criteria of

"Experience Criteria" as defined above subject to their meeting of quality and technical specifications. The bidder seeking exemption from Experience Criteria, shall upload the supporting documents to prove his eligibility for exemption.

4. If the bidder is a DPIIT registered Startup, the bidder shall be exempted from the the eligibility criteria of "Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT Registered OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking exemption from Turnover shall upload the supporting documents to prove his eligibility for exemption.

5. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

6. Preference to Make In India products (For bids < 200 Crore): Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

7. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

8. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

9. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 50% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

10. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1

will also be allowed to participate in RA in following cases:

- If number of technically qualified bidders are only 2 or 3.
- If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
- In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
- If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
- If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

मूल्यांकन विधि(मदवार मूल्यांकन विधि) / Evaluation Method (Item Wise Evaluation Method)

Contract will be awarded schedulewise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

मूल्यांकन अनुसूचियां / Evaluation Schedules	वस्तु/श्रेणी / Item/Category	मात्रा / Quantity
Schedule 1	Eci A-hcv 100 Wells Non Us	600
Schedule 2	Vitr Hiv Cmbo Rgt Pk Non Us	600
Schedule 3	Vitros Hbsag Es 100wells Non Us	600
Schedule 4	Vitros Syphilis Tpa Rgt Non Us	600
Schedule 5	Eci Hbsag Cntrol Non Us	40
Schedule 6	Eci A Hiv 1 And 2 Control	40
Schedule 7	Eci A Hcv Control Non Us	40
Schedule 8	Vitros Syphilis Tpa Control	40
Schedule 9	Eci A Hcv Calibrator Non Us	4
Schedule 10	Vitros Hbsag Es Cal Bx1vl Non Us	4
Schedule 11	Vitr Hiv Cmbo Calib Non Us	4
Schedule 12	Vitros Syphilis Tpa Cal Non Us	4
Schedule 13	Signal Reagent Box Per 2 Packs	600
Schedule 14	Wash Reagent Box Per 2 Bottles	120
Schedule 15	Maintenance Pk Box Per 2 Packs	12
Schedule 16	Micro Sample Cups Box 4000 Nos	16
Schedule 17	Vitros Versatip Box 1000 Nos	600
Schedule 18	Vitek Id Gn Test Kit 21341	120
Schedule 19	Vitek Id Gp Test Kit 21342	30
Schedule 20	Vitek Ast P628 Test Kit 414534	26
Schedule 21	Vitek Ast St03 Test Kit 421040	4
Schedule 22	Vitek Ast N235 Test Kit Code 413170	20
Schedule 23	Vitek Ast N405 Test Kit Code 423864	50
Schedule 24	Vitek Ast N406 Test Kit Code 423869	50
Schedule 25	Vitek Ast N407 Test Kit Code 423870	50
Schedule 26	Unsensitized Tubes Code 69285	12

Schedule 27	Saline Solution Code V1204	60
Schedule 28	Vitek Id Yst Test Kit Code 21343	4
Schedule 29	Vitek Ast Ys08 Test Kit 420739	4
Schedule 30	Vitek Ast N477 Test Kit Code 425019	4
Schedule 31	Anti Cardiolipin Igg Elisa	8
Schedule 32	Anti Cardiolipin Igm Elisa	8
Schedule 33	Anti Beta 2 Glycoprotein I Igg Elisa	8
Schedule 34	Anti Beta 2 Glycoprotein I Igm Elisa	8

ECi A-HCV 100 Wells Non US

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dr Vinutha L	560010,ESIC MC & PGIMSR & Model Hospital, 2nd Block, Rajajinagar	600	365

VITR HIV CMBO RGT PK NON US

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dr Vinutha L	560010,ESIC MC & PGIMSR & Model Hospital, 2nd Block, Rajajinagar	600	365

VITROS HBSAG ES 100wells Non US

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dr Vinutha L	560010,ESIC MC & PGIMSR & Model Hospital, 2nd Block, Rajajinagar	600	365

VITROS SYPHILIS TPA RGT Non Us

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dr Vinutha L	560010,ESIC MC & PGIMSR & Model Hospital, 2nd Block, Rajajinagar	600	365

ECi HBSAG CNTROL Non US

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dr Vinutha L	560010,ESIC MC & PGIMSR & Model Hospital, 2nd Block, Rajajinagar	40	365

ECi A HIV 1 And 2 CONTROL

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dr Vinutha L	560010,ESIC MC & PGIMSR & Model Hospital, 2nd Block, Rajajinagar	40	365

ECi A HCV CONTROL Non US

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dr Vinutha L	560010,ESIC MC & PGIMSR & Model Hospital, 2nd Block, Rajajinagar	40	365

VITROS SYPHILIS TPA Control

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
-------------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dr Vinutha L	560010,ESIC MC & PGIMSR & Model Hospital, 2nd Block, Rajajinagar	40	365

ECi A HCV CALIBRATOR Non US

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications**Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dr Vinutha L	560010,ESIC MC & PGIMSR & Model Hospital, 2nd Block, Rajajinagar	4	365

VITROS HBSAG ES CAL Bx1vl Non US

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dr Vinutha L	560010,ESIC MC & PGIMSR & Model Hospital, 2nd Block, Rajajinagar	4	365

VITR HIV CMBO CALIB NON US

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dr Vinutha L	560010,ESIC MC & PGIMSR & Model Hospital, 2nd Block, Rajajinagar	4	365

VITROS SYPHILIS TPA CAL NON US

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dr Vinutha L	560010,ESIC MC & PGIMSR & Model Hospital, 2nd Block, Rajajinagar	4	365

SIGNAL REAGENT Box Per 2 Packs

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dr Vinutha L	560010,ESIC MC & PGIMSR & Model Hospital, 2nd Block, Rajajinagar	600	365

WASH REAGENT Box Per 2 Bottles

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dr Vinutha L	560010,ESIC MC & PGIMSR & Model Hospital, 2nd Block, Rajajinagar	120	365

MAINTENANCE PK Box Per 2 Packs

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dr Vinutha L	560010,ESIC MC & PGIMSR & Model Hospital, 2nd Block, Rajajinagar	12	365

MICRO SAMPLE CUPS BOX 4000 Nos

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local

Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)**तकनीकी विशिष्टियाँ /Technical Specifications**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dr Vinutha L	560010,ESIC MC & PGIMSR & Model Hospital, 2nd Block, Rajajinagar	16	365

VITROS VERSATIP BOX 1000 Nos

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dr Vinutha L	560010,ESIC MC & PGIMSR & Model Hospital, 2nd Block, Rajajinagar	600	365

Vitek ID GN Test Kit 21341

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषेती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषेती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dr Vinutha L	560010,ESIC MC & PGIMSR & Model Hospital, 2nd Block, Rajajinagar	120	365

Vitek ID GP Test Kit 21342

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषेती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषेती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dr Vinutha L	560010,ESIC MC & PGIMSR & Model Hospital, 2nd Block, Rajajinagar	30	365

Vitek AST P628 Test Kit 414534

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dr Vinutha L	560010,ESIC MC & PGIMSR & Model Hospital, 2nd Block, Rajajinagar	26	365

Vitek AST ST03 Test Kit 421040

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dr Vinutha L	560010,ESIC MC & PGIMSR & Model Hospital, 2nd Block, Rajajinagar	4	365

Vitek AST N235 Test Kit Code 413170

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dr Vinutha L	560010,ESIC MC & PGIMSR & Model Hospital, 2nd Block, Rajajinagar	20	365

Vitek AST N405 Test Kit Code 423864

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषदी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषदी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dr Vinutha L	560010,ESIC MC & PGIMSR & Model Hospital, 2nd Block, Rajajinagar	50	365

Vitek AST N406 Test Kit Code 423869

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषदी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषदी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dr Vinutha L	560010,ESIC MC & PGIMSR & Model Hospital, 2nd Block, Rajajinagar	50	365

Vitek AST N407 Test Kit Code 423870

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dr Vinutha L	560010,ESIC MC & PGIMSR & Model Hospital, 2nd Block, Rajajinagar	50	365

Unsensitized Tubes Code 69285

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dr Vinutha L	560010,ESIC MC & PGIMSR & Model Hospital, 2nd Block, Rajajinagar	12	365

Saline Solution Code V1204

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dr Vinutha L	560010,ESIC MC & PGIMSR & Model Hospital, 2nd Block, Rajajinagar	60	365

Vitek ID YST Test Kit Code 21343

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dr Vinutha L	560010,ESIC MC & PGIMSR & Model Hospital, 2nd Block, Rajajinagar	4	365

Vitek AST YS08 Test Kit 420739

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dr Vinutha L	560010,ESIC MC & PGIMSR & Model Hospital, 2nd Block, Rajajinagar	4	365

Vitek AST N477 Test Kit Code 425019

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dr Vinutha L	560010,ESIC MC & PGIMSR & Model Hospital, 2nd Block, Rajajinagar	4	365

Anti Cardiolipin IgG ELISA

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dr Vinutha L	560010,ESIC MC & PGIMSR & Model Hospital, 2nd Block, Rajajinagar	8	365

Anti Cardiolipin IgM ELISA

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dr Vinutha L	560010,ESIC MC & PGIMSR & Model Hospital, 2nd Block, Rajajinagar	8	365

Anti Beta 2 Glycoprotein I IgG ELISA

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dr Vinutha L	560010,ESIC MC & PGIMSR & Model Hospital, 2nd Block, Rajajinagar	8	365

Anti Beta 2 Glycoprotein I IgM ELISA

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dr Vinutha L	560010,ESIC MC & PGIMSR & Model Hospital, 2nd Block, Rajajinagar	8	365

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original

delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. **Scope of Supply**

Scope of supply (Bid price to include all cost components) : Only supply of Goods

3. **OEM**

IMPORTED PRODUCTS: In case of imported products, OEM or Authorized Seller of OEM should have a registered office in India to provide after sales service support in India. The certificate to this effect should be submitted.

4. **Service & Support**

Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.

5. **Certificates**

ISO 9001: The bidder or the OEM of the offered products must have ISO 9001 certification.

6. **Certificates**

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

7. **Certificates**

Material Test Certificate Should Be Sent Along with The Supply. The Material Will Be Checked by Buyer's Lab & the Results of the Lab will be the Sole Criteria for Acceptance of the Item.

8. **Buyer Added Bid Specific ATC**

Buyer Added text based ATC clauses

1. Man power for unloading the stocks at consignee location is to be arranged by the supplier itself.
2. If any goods rejected due to poor quality or mismatch of specifications. It is supplier responsibility to make arrangements for taking back the rejected goods at their own cost
3. Delivery Schedule: Monday to Friday: 9.30 to 16.00 Hours; Saturday: 9.30 to 13.00 hours. (Excluding Sundays and General holidays).
4. Purchase order shall be placed for every 03 months. The same will be communicated to the successful bidder.
5. The successful bidder can do the part supply and upload the invoice for the respective quantity.

अस्वीकरण/**Disclaimer**

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and

resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्यवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---

