

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	13-09-2025 09:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	13-09-2025 09:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	180 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Defence
विभाग का नाम/Department Name	Department Of Military Affairs
संगठन का नाम/Organisation Name	Indian Army
कार्यालय का नाम/Office Name	*****
कुल मात्रा/Total Quantity	2118
	Wire SS round hard 0.7mm coil of 500 gm , Wire SS round hard 0.6mm coil of 500 gm , Wire SS round hard 1.0 mm coil of 500 gm , Orthodontic temporary anchorage implant , Arch wire SS preformed ideal arch fromv Upper 0.17 inch x 0.025 inch pkt of 10 , Arch wife SS preformed ideal arch from L 0.017 inch x 0.025 inch pkt of 10 , Face bow complete 0.045 SS medium outer bow with laser welded outer and inner bows , Headgear high and medium pull complete with orthopaedic force modules 500gm each , Lingual button bendable Curved base pkt of 102 , Niti tension spring 6mm with eyelets pkt of 10 , Niti 0.016 wire upper and lower set of 10 each small , Orthodontic elastomeric base formers set of upper and lower , Screws expansion small glenross , Wire Australian light 0.10 inch supreme st length pkt of 10 , Wire ligature SS soft 0.010 inch spool of half lb , Orthopedic face mask Petit type , SS Orthopedic expansion screw Hyrax type for 12 to 14 mm exp , Orthodontic silver solder -Spool of 8-10 mts , Flux for orthodontic solder-Bottle of 15 Gm , Extra oral Face Mask elastics 8 ounce by 14 ounce Pkt of 1000 , ORTHODONTIC WIRE 22 GAUGE , ORTHODONTIC WIRE 23 GAUGE , PREFORMED SS SHORTY LIGATURE WIRES PKT OF 500 0.010 INCH , LINGUAL SHEATH PKT OF 10 , ELASTOMERIC MODULES PKT OF 100 , ORTHODONTIC ELASTICS YELLOW PKT OF 1000 , ORTHODONTIC ELASTICS PINK PKT OF 1000 , ORTHODONTIC ELASTICS BLUE PKT OF 1000 , PREFORMED MOLAR BANDS WITH ROTH 018 inch SLOT UPPER RT TRIPLE TUBE SIZE 34 to 40 WITH INCREMENTS OF 0.5 KIT OF 200 , PREFORMED MOLAR BANDS WITH ROTH 018 inch SLOT UPPER LT TRIPLE TUBE SIZE 34 to 40 WITH INCREMENTS OF 0.5 KIT OF 200 , PREFORMED MOLAR BANDS WITH ROTH 018 inch SLOT LOWER RT DOUBLE TUBE SIZE 34 to 40 WITH INCREMENTS OF 0.5 KIT OF 200 , PREFORMtD MOLAR

वस्तु श्रेणी /Item Category	बिड विवरण /Bid Details
	BANDS WITH ROTH 018 inch SLOT LOWER LT DOUBLE TUBE SIZE 34 to 40 WITH INCREMENTS OF 0.5 KIT OF 200 , VARIABLE CRIMPABLE HOOKS VCH 3 L andR FOR 0.016X0.022 ARCHWIRE PKT OF 2 DENTOS , ORTHODONTIC WIRE 20 GAUGE , CERAMIC BRACKETS 0.018 ROTH KIT , SELF LIGATING BRACKET KIT SMARTCLIP 3M UNITEK , 0.014 PREFORMED NITI AW UPPER PKT OF 10 , 0.014 PREFORMED NITI AW LOWER PKT OF 10 , 0.016 PREFORMED NITI AW UPPER PKT OF 10 , 0.016 PREFORMED NITI AW LOWER PKT OF 10 , 0.016X0.022 NITI AW UPPER PKT OF 10 , 0.016X0.022 NITI AW LOWER PKT OF 10 , 0.016X0.016 SS AW UPPER PKT OF 10 , 0.016X0.022 SS AW UPPER PKT OF 10 , 0.016X0.022 SS AW LOWER PKT OF 10 , 0.019X0.025 SS AW UPPER PKT OF 10 , 0.019X0.025 SS AW LOWER PKT OF 10 , 0.021X0.025 SS AW UPPER PKT OF 10 , 0.021X0.025 SS AW LOWER PKT OF 10 , 0.017X0.025 TMA AW LOWER PKT OF 10 , 0.017X0.025 TMA AW UPPER PKT OF 10 , ORTHODONTIC ELASTICS RED PKT OF 1000 , FORSUS FRD 29 MM , TRANSBOND ORTHODONTIC BONDING KIT - SYRINGE KIT 3 M UNITEK , 0.017 X 0.025 TMA Straight wire Pkt of 10 , 0.016 X 0.022 TMA Straight wire Pkt of 10 14 inch Length , 0.017 X 0.025 SS Straight wire Pkt of 10 14 Inch Length , 0.016X0.022 SS Straight wire Pkt of 10 14 Inch Length , 0.032 TMA Straight wire Round Pkt of 10 , Extraoral elastic clear pkt of 500 , Hyrax expesion screw Fan shape , Elastomeric separators pkt of 500 , Night Guard Sheets Pkt of 10 Sheets Durasoft 1.8mm , 0.016 X 0.022 TMA preformed upper , 0.016 X 0.022 TMA preformed lower , Spring open coil NiTi , Advansync2 , MARPE expander kit , Blue bite corrector , IPR kit , Mandibular hyrax screw , 0.012 Preformed Niti for upper arch Pkt of 10 , 0.012 Preformed Niti for Lower arch Pkt of 10 , 0.016 x 0.022 SS staright length archwires , 0.017 x 0.025 SS staright length archwires , 0.019 x 0.025 SS staright length archwires , 0.017 x 0.025 TMA staright length archwires , Infra zygomatic Crest screws , MARPE Screws , Orthodontic bone screw , Soft flowable composite for Orthodontic implant head coverage , Headgear safty relese module pkt of 10 ,
	Orthodontic bite registration wax Wire, SS round hard 0.7mm coil of 500 gm, Wire, SS round hard 0.6mm coil of 500 gm, Wire, SS round hard 1.0 mm coil of 500 gm, Orthodontic temporary anchorage implant, Arch wire SS preformed ideal arch from 'Upper' 0.17"x0.025" pkt of 10, Arch wire SS preformed ideal arch from 'L' 0.017"x0.025" pkt of 10, Face bow complete 0.045 SS medium outer bow with laser welded outer and inner bows, Headgear high and medium pull complete with Orthopaedic force modules (500gm each), Lingual button bondable (Curved base) pkt of 10, Niti tension spring 6mm with eyelets pkt of 10, Niti 0.016 'wire upper & lower set of 10 each (Small), Orthodontic elastomeric base formers set of upper and lower, Screws expansion small (glenross), Wire Australian light 0.10" supreme st length, pkt of 10, Wire ligature SS soft 0.010" spool of 1/2 lb, Orthopedic face mask-Petit type, SS Orthopedic expansion screw Hyrax type for 12-14 mm exp, Orthodontic silver solder -Spool of 8-10 mts, Flux for orthodontic solder-Bottle of 15 Gm, Extra oral Face Mask elastics 8 ounce/14 ounce Pkt of 1000, ORTHODONTIC WIRE 22 GAUGE, PREFORMED SS SHORTY LIGATURE WIRES (PKT OF 500) 0.010 INCH, LINGUAL SHEATH (PKT OF 10), ELASTOMERIC MODULES PKT OF 100, ORTHODONTIC ELASTICS (YELLOW) PKT OF 1000, ORTHODONTIC ELASTICS (PINK) PKT OF 1000, ORTHODONTIC ELASTICS (BLUE) PKT OF 1000, PREFORMED MOLAR BANDS WITH ROTH 018" SLOT UPPER RT TRIPLE

बिड विवरण / Bid Details	TUBE - SIZE 34-40 WITH INCREMENTS OF 0.5 (KIT OF 200), PREFORMED MOLAR BANDS WITH ROTH 018" SLOT UPPER
GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS	LT TRIPLE TUBE - SIZE 34-40 WITH INCREMENTS OF 0.5(KIT OF 200), PREFORMED MOLAR BANDS WITH ROTH 018" SLOT LOWER RT DOUBLE TUBE - SIZE 34-40 WITH INCREMENTS OF 0.5(KIT OF 200), PREFORMED MOLAR BANDS WITH ROTH 018" SLOT LOWER LT DOUBLE TUBE - SIZE 34-40 WITH INCREMENTS OF 0.5(KIT OF 200), VARIABLE CRIMPABLE HOOKS VCH-3 (L&R) FOR 0.016X0.022 ARCHWIRE - PKT OF 2 (DENTOS), ORTHODONTIC WIRE 20 GAUGE, CERAMIC BRACKETS 0.018 ROTH KIT, SELF LIGATING BRACKET KIT (SMARTCLIP -3M UNITEK, 0.014 PREFORMED NITI AW UPPER PKT OF 10, 0.014 PREFORMED NITI AW LOWER PKT OF 10, 0.016 PREFORMED NITI AW UPPER PKT OF 10, 0.016 PREFORMED NITI AW LOWER PKT OF 10, 0.016X0.022 NITI AW UPPER PKT OF 10, 0.016X0.022 NITI AW LOWER PKT OF 10, 0.016X0.016 SS AW UPPER PKT OF 10, 0.016X0.022 SS AW UPPER PKT OF 10, 0.016X0.022 SS AW LOWER PKT OF 10, 0.019X0.025 SS AW UPPER PKT OF 10, 0.019X0.025 SS AW LOWER PKT OF 10, 0.021X0.025 SS AW UPPER PKT OF 10, 0.021X0.025 SS AW LOWER PKT OF 10, 0.017X0.025 TMA AW LOWER PKT OF 10, 0.017X0.025 TMA AW UPPER PKT OF 10, ORTHODONTIC ELASTICS (RED) PKT OF 1000, FORSUS FRD 29 MM, TRANSBOND ORTHODONTIC BONDING KIT - SYRINGE KIT (3 M UNITEK), 0.017 X 0.025 TMA Straight wire Pkt of 10, 0.016 X 0.022 TMA Straight wire Pkt of 10 (14 inch Length), 0.017 X 0.025 SS Straight wire Pkt of 10 (14 inch Length), 0.016 X 0.022 SS Straight wire Pkt of 10 (14 inch Length), 0.032 TMA Straight wire (Round) Pkt of 10, Extraoral elastic clear (pkt of 500), Hyrax expansion screw Fan shape, Elastomeric separators (pkt of 500), Night Guard Sheets Pkt of 10 Sheets (Durasoft 1.8mm), 0.016 X 0.022 TMA preformed upper, 0.016 X 0.022 TMA preformed lower, Spring open coil NiTi, Advansync2, MARPE expander kit, Blue bite corrector, IPR kit, Mandibular hyrax screw, 0.012 Preformed Niti for upper arch (Pkt of 10), 0.012 Preformed Niti for Lower arch (Pkt of 10), 0.016 x 0.022 SS straight length arch wires, 0.017 x 0.025 SS straight length arch wires, 0.019 x 0.025 SS straight length arch wires, 0.017 x 0.025 TMA straight length arch wires, Infra zygomatic Crest screws, MARPE Screws, Orthodontic bone screw, Soft flowable composite for Orthodontic implant head coverage, Headgear safety release module pkt of 10, Orthodontic bite registration waX, ORTHODONTIC WIRE 23 GAUGE
	Searched String: Wire, SS round hard 0.7mm coil of 500 gm Sofa Set (Steel Tube) Searched String: Wire, SS round hard 0.6mm coil of 500 gm Sofa Set (Steel Tube), Maida as per IS 1009 Searched String: Wire, SS round hard 1.0 mm coil of 500 gm Sofa Set (Steel Tube) Searched String: Orthodontic temporary anchorage implant Category not available on GeM for the text string uploaded by the buyer

बिड विवरण / Bid Details	Searched String: Arch wire SS preformed ideal arch from Upper 0.17"x0.025" pkt of 10
	Category not available on GeM for the text string uploaded by the buyer Searched String: Arch wire SS preformed ideal arch from 'L' 0.017"x0.025" pkt of 10 Category not available on GeM for the text string uploaded by the buyer Searched String: Face bow complete 0.045 SS medium outer bow with laser welded outer and inner bows Category not available on GeM for the text string uploaded by the buyer Searched String: Headgear high and medium pull complete with Orthopaedic force modules (500gm each) Category not available on GeM for the text string uploaded by the buyer Searched String: Lingual button bondable (Curved base) pkt of 10 Category not available on GeM for the text string uploaded by the buyer Searched String: Niti tension spring 6mm with eyelets pkt of 10 Digital Pull - off Adhesion Tester (V2), Pressure Sensitive Adhesive Plasticized PVC Tapes with Nonthermosetting Adhesive as per IS 7809 (Part 3 / Section 1), Modular Toilet, Prefab Hut / House of Size 6.10 M x 19.52 M (as per GeM Drawing), Prefab Hut / House of Size 6.10 M X 7.32 M (as per GeM Drawing), Prefab Shelters With PUF Panel of Size 7.620 M X 10.661 (As Per GeM Drawing), Non Sparking Combination Spanners (V2), Non Sparking Double Ended Ring Spanner (V2), Non Sparking Double Open Ended Spanner (V2) Searched String: Niti 0.016 'wire upper & lower set of 10 each (Small) Category not available on GeM for the text string uploaded by the buyer Searched String: Orthodontic elastomeric base formers set of upper and lower Tracksuit, Dental Impression Trays - RBSK Searched String: Screws expansion small (glenross) FRP Urinal Cabin, Laboratory Vials (V2) Searched String: Wire Australian light 0.10" supreme st length, pkt of 10 Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721 Searched String: Wire ligature SS soft 0.010" spool of 1/2 lb

विड विवरण / Bid Details	Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Welding Electrode - Copper Coated Solid Wire for Co2 Gas Shielded Arc Welding (BEML) as per C4002 BEML Welding Electrode, Sweeping Broom (V3) Searched String: Orthopedic face mask-Petit type Anatomical Face Mask, Reusable / Washable Cloth Face Mask, Surgical Face Mask (V4), BiPAP Full Face Mask (V2), NavRakshak Antimicrobial Face Mask, Mask Face, Extreme Cold Weather (Defence), Face Masks-Handicraft, Respiratory Filter - Full Face Masks, Wooden Flush Door Shutters (Cellular and Hollow Core Type) Particle Board and Hardboard Face Panels, Fashion and Apparel Searched String: SS Orthopedic expansion screw Hyrax type for 12-14 mm exp Plain Washer as per IS 2016 Searched String: Orthodontic silver solder -Spool of 8-10 mts Category not available on GeM for the text string uploaded by the buyer Searched String: Flux for orthodontic solder-Bottle of 15 Gm Flux for submerged arc welding of structural steel (BEML) - as per C4202 BEML Welding Electrode, Fume extraction unit for filtration of soldering fumes, Mild Steel Sheet Searched String: Extra oral Face Mask elastics 8 ounce/14 ounce Pkt of 1000 Category not available on GeM for the text string uploaded by the buyer Searched String: ORTHODONTIC WIRE 22 GAUGE Standard Wire Gauge, Blood Lancets, Steel Wire Ropes for General Engineering Purpose (V2) Conforming to IS 2266, Stitching Wire for Book Binding, Galvanized Iron Core Box (V2), Tapered Bearings as per IS 12102, PTFE Wire Searched String: PREFORMED SS SHORTY LIGATURE WIRES (PKT OF 500) 0.010 INCH Category not available on GeM for the text string uploaded by the buyer Searched String: LINGUAL SHEATH (PKT OF 10) Aerobic Drum Compost Plant of 10 TPD capacity with Sieving Trommel, Online UPS (V2), Antimicrobial Susceptibility Testing Discs, Sofa Sets - Handcrafted, Prefab Toilet Block with PUF Panel of Size 6.120 M X 5.441 M (10 Men) (as per GeM Drawing), Line Interactive UPS with AVR (V2), Prefab Shelters With PUF Panel of Size 7.620 M X 10.661 (As Per GeM Drawing), Stable Bleaching Powder (V2) for Household and Industrial use conforming to IS 1065 (Part 1), Power Generator - DG Set (up to 900 KVA), Stable Bleaching Powder (V2) for Treatment of Water Intended for Drinking conforming to IS 1065 (Part 2) Searched String: ELASTOMERIC MODULES PKT OF 100
-------------------------	---

विड विवरण / Bid Details	Conveyor Belting Of Elastomeric And Steel Cord Construction-IS:15143, Online UPS (V2), Set of Used Light Weight Jute Sacking Bags for Packing 50 Kg Food Grain (1 Set = 100 Bags), Antimicrobial Susceptibility Testing Discs, Classroom Stools, Moulds for Use in Tests of Cement, Concrete and Pozzolana Conforming to IS 10086, Power Generator - DG Set (up to 900 KVA), Reverse Osmosis based Water Treatment System above 50 LPH Capacity (V2), Register (V2), General Purpose Hand Gloves (V2) Searched String: ORTHODONTIC ELASTICS (YELLOW) PKT OF 1000 Category not available on GeM for the text string uploaded by the buyer Searched String: ORTHODONTIC ELASTICS (PINK) PKT OF 1000 Category not available on GeM for the text string uploaded by the buyer Searched String: ORTHODONTIC ELASTICS (BLUE) PKT OF 1000 Category not available on GeM for the text string uploaded by the buyer Searched String: PREFORMED MOLAR BANDS WITH ROTH 018" SLOT UPPER RT TRIPLE TUBE - SIZE 34-40 WITH INCREMENTS OF 0.5 (KIT OF 200) Category not available on GeM for the text string uploaded by the buyer Searched String: PREFORMED MOLAR BANDS WITH ROTH 018" SLOT UPPER LT TRIPLE TUBE - SIZE 34-40 WITH INCREMENTS OF 0.5(KIT OF 200) Category not available on GeM for the text string uploaded by the buyer Searched String: PREFORMED MOLAR BANDS WITH ROTH 018" SLOT LOWER RT DOUBLE TUBE - SIZE 34-40 WITH INCREMENTS OF 0.5(KIT OF 200) Category not available on GeM for the text string uploaded by the buyer Searched String: PREFORMED MOLAR BANDS WITH ROTH 018" SLOT LOWER LT DOUBLE TUBE - SIZE 34-40 WITH INCREMENTS OF 0.5(KIT OF 200) Category not available on GeM for the text string uploaded by the buyer Searched String: VARIABLE CRIMPABLE HOOKS VCH-3 (L&R) FOR 0.016X0.022 ARCHWIRE - PKT OF 2 (DENTOS) Category not available on GeM for the text string uploaded by the buyer Searched String: ORTHODONTIC WIRE 20 GAUGE Standard Wire Gauge, Swing (Preschool Kit), Ferro Silica Calcium Cored Wire as per IS 2022, Stitching Wire for Book Binding, Freight Containers - High Security Cable Seal as per IS 17381:2021, Tapered Bearings as per IS 12102, High
-------------------------	---

बिड विवरण / Bid Details	Strength Deformed Steel Bars and Wires for Concrete Reinforcement (V2) ISI marked to IS 1786
	Searched String: CERAMIC BRACKETS 0.018 ROTH KIT Tool Kit for Ceramics Product - ODOP UP Gov. (Bulandshahar), Fiber optic tool kit, Plotter Printers (V2), Coil Tubular heater, DC Electronic Load, Pressure Sensor, Plastic Moulded Table - Preschool Kit Searched String: SELF LIGATING BRACKET KIT (SMARTCLIP -3M UNITEK) Category not available on GeM for the text string uploaded by the buyer Searched String: 0.014 PREFORMED NITI AW UPPER PKT OF 10 Category not available on GeM for the text string uploaded by the buyer Searched String: 0.014 PREFORMED NITI AW LOWER PKT OF 10 Laboratory Glassware - Burettes (V2) as per IS 1997 Searched String: 0.016 PREFORMED NITI AW UPPER PKT OF 10 Category not available on GeM for the text string uploaded by the buyer Searched String: 0.016 PREFORMED NITI AW LOWER PKT OF 10 Laboratory Glassware - Burettes (V2) as per IS 1997 Searched String: 0.016X0.022 NITI AW UPPER PKT OF 10 Online UPS (V2), Dental Impression Trays - RBSK, Line Interactive UPS with AVR (V2), Automatic Fire Ball for Fire - Extinguishing, Laboratory Glassware - Burettes (V2) as per IS 1997, Prefab Hut / House of Size 6.10 M x 19.52 M (as per GeM Drawing), Swing Check Type Reflux Valves for Water Works Purposes (Single Door Pattern) (V2) as per IS 5312 (Part1), Plaster of Paris Bandage (V2), Prefab Hut / House of Size 6.10 M X 7.32 M (as per GeM Drawing), Taekwondo Mats Searched String: 0.016X0.022 NITI AW LOWER PKT OF 10 Online UPS (V2), Dental Impression Trays - RBSK, Line Interactive UPS with AVR (V2), Automatic Fire Ball for Fire - Extinguishing, Laboratory Glassware - Burettes (V2) as per IS 1997, Prefab Hut / House of Size 6.10 M x 19.52 M (as per GeM Drawing), Swing Check Type Reflux Valves for Water Works Purposes (Single Door Pattern) (V2) as per IS 5312 (Part1), Plaster of Paris Bandage (V2), Prefab Hut / House of Size 6.10 M X 7.32 M (as per GeM Drawing), Taekwondo Mats Searched String: 0.016X0.016 SS AW UPPER PKT OF 10 Online UPS (V2), Dental Impression Trays - RBSK, Line Interactive UPS with AVR (V2), Sofa Set (Steel Tube), Automatic Fire Ball for Fire - Extinguishing, Laboratory Glassware - Burettes (V2) as per IS 1997, Prefab Hut / House

बिड विवरण / Bid Details	of Size 6.10 M x 19.52 M (as per GeM Drawing), tray mess compartmented ss army pattern, Swing Check Type Reflux Valves for Water Works Purposes (Single Door Pattern) (V2) as per IS 5312 (Part1), Plaster of Paris Bandage (V2) Searched String: 0.016X0.022 SS AW UPPER PKT OF 10 Online UPS (V2), Dental Impression Trays - RBSK, Line Interactive UPS with AVR (V2), Sofa Set (Steel Tube), Automatic Fire Ball for Fire - Extinguishing, Laboratory Glassware - Burettes (V2) as per IS 1997, Prefab Hut / House of Size 6.10 M x 19.52 M (as per GeM Drawing), tray mess compartmented ss army pattern, Swing Check Type Reflux Valves for Water Works Purposes (Single Door Pattern) (V2) as per IS 5312 (Part1), Plaster of Paris Bandage (V2) Searched String: 0.016X0.022 SS AW LOWER PKT OF 10 Online UPS (V2), Dental Impression Trays - RBSK, Line Interactive UPS with AVR (V2), Sofa Set (Steel Tube), Automatic Fire Ball for Fire - Extinguishing, Laboratory Glassware - Burettes (V2) as per IS 1997, Prefab Hut / House of Size 6.10 M x 19.52 M (as per GeM Drawing), tray mess compartmented ss army pattern, Swing Check Type Reflux Valves for Water Works Purposes (Single Door Pattern) (V2) as per IS 5312 (Part1), Plaster of Paris Bandage (V2) Searched String: 0.019X0.025 SS AW UPPER PKT OF 10 Antimicrobial Susceptibility Testing Discs, Online UPS (V2), Dental Impression Trays - RBSK, Line Interactive UPS with AVR (V2), Sofa Set (Steel Tube), Automatic Fire Ball for Fire - Extinguishing, Laboratory Glassware - Burettes (V2) as per IS 1997, Prefab Hut / House of Size 6.10 M x 19.52 M (as per GeM Drawing), tray mess compartmented ss army pattern, Swing Check Type Reflux Valves for Water Works Purposes (Single Door Pattern) (V2) as per IS 5312 (Part1) Searched String: 0.019X0.025 SS AW LOWER PKT OF 10 Antimicrobial Susceptibility Testing Discs, Online UPS (V2), Dental Impression Trays - RBSK, Line Interactive UPS with AVR (V2), Sofa Set (Steel Tube), Automatic Fire Ball for Fire - Extinguishing, Laboratory Glassware - Burettes (V2) as per IS 1997, Prefab Hut / House of Size 6.10 M x 19.52 M (as per GeM Drawing), tray mess compartmented ss army pattern, Swing Check Type Reflux Valves for Water Works Purposes (Single Door Pattern) (V2) as per IS 5312 (Part1) Searched String: 0.021X0.025 SS AW UPPER PKT OF 10 Antimicrobial Susceptibility Testing Discs, Online UPS (V2), Dental Impression Trays - RBSK, Line Interactive UPS with AVR (V2), Sofa Set (Steel Tube), Automatic Fire Ball for Fire - Extinguishing, Laboratory Glassware - Burettes (V2) as per IS 1997, Prefab Hut / House of Size 6.10 M x 19.52 M (as per GeM Drawing), tray mess compartmented ss army pattern, Swing Check Type Reflux Valves for Water Works Purposes (Single Door Pattern) (V2) as per IS 5312 (Part1) Searched String: 0.021X0.025 SS AW LOWER PKT OF 10 Antimicrobial Susceptibility Testing Discs, Online UPS (V2), Dental Impression Trays - RBSK, Line Interactive UPS with AVR (V2), Sofa Set (Steel Tube), Automatic Fire Ball for Fire - Extinguishing, Laboratory Glassware - Burettes (V2) as per IS 1997, Prefab Hut / House of Size 6.10 M x 19.52 M (as per
GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS	

बिड विवरण / Bid Details	GeM Drawing), tray mess compartmented ss army pattern, Swing Check Type Reflux Valves for Water Works Purposes (Single Door Pattern) (V2) as per IS 5312 (Part1)
	Searched String: 0.017X0.025 TMA AW LOWER PKT OF 10 Antimicrobial Susceptibility Testing Discs, Online UPS (V2), Dental Impression Trays - RBSK, Line Interactive UPS with AVR (V2), Automatic Fire Ball for Fire - Extinguishing, Laboratory Glassware - Burettes (V2) as per IS 1997, Prefab Hut / House of Size 6.10 M x 19.52 M (as per GeM Drawing), Swing Check Type Reflux Valves for Water Works Purposes (Single Door Pattern) (V2) as per IS 5312 (Part1), Plaster of Paris Bandage (V2), Prefab Hut / House of Size 6.10 M X 7.32 M (as per GeM Drawing) Searched String: 0.017X0.025 TMA AW UPPER PKT OF 10 Antimicrobial Susceptibility Testing Discs, Online UPS (V2), Dental Impression Trays - RBSK, Line Interactive UPS with AVR (V2), Automatic Fire Ball for Fire - Extinguishing, Laboratory Glassware - Burettes (V2) as per IS 1997, Prefab Hut / House of Size 6.10 M x 19.52 M (as per GeM Drawing), Swing Check Type Reflux Valves for Water Works Purposes (Single Door Pattern) (V2) as per IS 5312 (Part1), Plaster of Paris Bandage (V2), Prefab Hut / House of Size 6.10 M X 7.32 M (as per GeM Drawing) Searched String: ORTHODONTIC ELASTICS (RED) PKT OF 1000 Computer Paper (V3) Conforming to IS 12766 (In Packet) Searched String: FORSUS FRD 29 MM Compostable Nursery Bags, Laboratory Condenser, Combination Wrench, pona ss (cqa specification), Plastic Button (Thermosetting) as per IS 1461 Searched String: TRANSBOND ORTHODONTIC BONDING KIT - SYRINGE KIT (3 M UNITEK) Cable Joint Kit (V2), Composite kit with etchant and bonding agent, Cable Termination Kit (V2), Dental Lab Micromotor (V2), Composite Finishing and Polishing Kit Searched String: 0.017 X 0.025 TMA Straight wire Pkt of 10 Online UPS (V2), Guidewires (V2), Line Interactive UPS with AVR (V2), Weld Mesh Febric as per IS 4948, Automatic Fire Ball for Fire - Extinguishing, Laboratory Glassware - Burettes (V2) as per IS 1997, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Taekwondo Mats, Swing Check Type Reflux Valves for Water Works Purposes (Single Door Pattern) (V2) as per IS 5312 (Part1), Pins, Paper, Straight as per IS 5653 Searched String: 0.016 X 0.022 TMA Straight wire Pkt of 10 (14 inch Length) Guidewires (V2), Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721 Searched String: 0.017 X 0.025 SS Straight wire Pkt of 10 (14 inch Length)

विड विवरण / Bid Details	Guidewires (V2), Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721
	Searched String: 0.016 X 0.022 SS Straight wire Pkt of 10 (14 inch Length) Guidewires (V2), Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721 Searched String: 0.032 TMA Straight wire (Round) Pkt of 10 Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721 Searched String: Extraoral elastic clear (pkt of 500) Category not available on GeM for the text string uploaded by the buyer Searched String: Hyrax expansion screw Fan shape Laboratory Glass Adapters, Centrifuge Tubes (V2), Laboratory Vials (V2), Screw Cap Vial Searched String: Elastomeric separators (pkt of 500) Conveyor Belting Of Elastomeric And Steel Cord Construction-IS:15143, Air Compressor of Capacity 5000 Nm3/Hr (IOCL), Sofa Sets - Handcrafted, Labels Stickers (V2), Welding Cable (V2) as per IS 9857, Plain Copier Paper (V3) ISI Marked to IS 14490, Power Generator - DG Set (up to 900 KVA), Automated HPLC System for Separation of complex mixtures, Shaker Incubator, Electronic Weighing Scales Searched String: Night Guard Sheets Pkt of 10 Sheets (Durasoft 1.8mm) Mild Steel Sheet, Staplers (V2), Outline Map, Corrugated Boxes, Handloom Cotton Bed Sheets (V2) as per IS 745, Computer Paper (V3) Conforming to IS 12766 (In Packet), Phenolic Laminated Sheets As per IS 2036, Plain Copier Paper (V3) ISI Marked to IS 14490, Sticky Notes (V2), Sports Abdominal Guard Searched String: 0.016 X 0.022 TMA preformed upper Sterile Hypodermic Needles for Single use (V2), taps or valves of nonferrous metals, Multimedia Projector (MMP), Taekwondo Mats, Scalp Vein Infusion Set, Minifuge, tray mess compartmented ss army pattern, Pillow Covers Khadi, Equipment Camouflage Nets (Jute), Guidewires (V2) Searched String: 0.016 X 0.022 TMA preformed lower Sterile Hypodermic Needles for Single use (V2), taps or valves of nonferrous metals, Antimicrobial Uniform for Sanitary Workers - Male Lower, Multimedia Projector (MMP), Scalp Vein Infusion Set, Minifuge, tray mess compartmented ss army pattern, Laboratory Glassware - Burettes (V2) as per IS 1997, Taekwondo Mats, Pillow Covers Khadi Searched String: Spring open coil NiTi Fasteners - Single Coil Rectangular Section Spring Lock Washers as per IS 3063

बिड विवरण/Bid Details	Searched String: Advansync2
	Laminar air flow cabinets or stations, Waste Containers and Accessories - Domestic (V2), Electrical Box Extension (V3), Sofas (V2), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), BOD Incubator, Refined Wheat Flour (Maida) (V2) (Defence), Television (TV) (V2), water baths, Server Searched String: MARPE expander kit Piston Ring Expander, personal safety kit reflective luminous garments, Facial Kit, Waxing Kit, Networking Trainer Educational Kit, Ration Kit, Sewing Kit, SDR Kit, Rheumatoid Factor Test Kit - RA Test Kit (V2), Resuscitation Kit Searched String: Blue bite corrector Bromophenol Blue, Steel Shelving Cabinets (Adjustable Type) confirming to IS 3312 (V4), Bromothymol Blue, Prussian Blue, Bio - Medical Waste Collection Bags (Biohazard Bags), Hydroxynaphthol Blue, Servo Control Drive - Servo Motor Operated LVC as per IS 9815 (Part 1), Bite-registration materials for Dental Use, Curtains (V2), Blue Pottery - ODOP Searched String: IPR kit Facial Kit, personal safety kit reflective luminous garments, Waxing Kit, Legal Tech, Ration Kit, Networking Trainer Educational Kit, Sewing Kit, SDR Kit, Resuscitation Kit, Gardening Kit Searched String: Mandibular hyrax screw Screw Compressor, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Compression Screw, Self Drilling Screw, Screw Cap Vial, Laboratory Vials (V2), Bone Screw (V2), Screw Drivers as per IS 844, Pedicle Screw (V2), Karabiners Screw Type MK - 2 (Defence) Searched String: 0.012 Preformed Niti for upper arch (Pkt of 10) Automatic Fire Ball for Fire - Extinguishing, Alphabet Block Set / Number Block Set (Preschool Kit), Laboratory Glassware - Burettes (V2) as per IS 1997, Swing Check Type Reflux Valves for Water Works Purposes (Single Door Pattern) (V2) as per IS 5312 (Part1) Searched String: 0.012 Preformed Niti for Lower arch (Pkt of 10) Automatic Fire Ball for Fire - Extinguishing, Laboratory Glassware - Burettes (V2) as per IS 1997, Swing Check Type Reflux Valves for Water Works Purposes (Single Door Pattern) (V2) as per IS 5312 (Part1) Searched String: 0.016 x 0.022 SS straight length arch wires taps or valves of nonferrous metals, tray mess compartmented ss army pattern, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Pins, Paper, Straight as per IS 5653, Guidewires (V2), Mechanically

बिड विवरण / Bid Details	Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014
	Searched String: 0.017 x 0.025 SS straight length arch wires Guidewires (V2), tray mess compartmented ss army pattern, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Pins, Paper, Straight as per IS 5653, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014 Searched String: 0.019 x 0.025 SS straight length arch wires Guidewires (V2), tray mess compartmented ss army pattern, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Pins, Paper, Straight as per IS 5653, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014 Searched String: 0.017 x 0.025 TMA straight length arch wires Guidewires (V2), tray mess compartmented ss army pattern, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Pins, Paper, Straight as per IS 5653, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014 Searched String: Infra zygomatic Crest screws Category not available on GeM for the text string uploaded by the buyer Searched String: MARPE Screws Wood screws, Tapping screws, Hexagonal Head Screws (V2) ISI marked to IS 1363 (Part 2), Hexagonal Head Screws ISI marked to IS 1364 (Part 2), Slotted Countersunk Flat Head Screws- IS 1365, Bone Screw (V2), Cross Recessed Countersunk Head Screws - IS 7485, Assembly Tools For Screws And Nuts - Hexagon Socket Screw Keys - IS 3082, Laboratory Glassware Bottles (Screw - Neck Bottles) as per IS 1388 (Part 1), Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings) Searched String: Orthodontic bone screw Bone Screw (V2), Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Orthodontic Pliers, Screw Compressor, Compression Screw, Locking Compression Plates (V2), Bone Punch, Screw Drivers as per IS 844, Self Drilling Screw, Non-Locking Bone Plate Searched String: Soft flowable composite for Orthodontic implant head coverage Category not available on GeM for the text string uploaded by the buyer Searched String: Headgear safety release module pkt of 10

बिड विवरण / Bid Details	Automatic Fire Ball for Fire - Extinguishing, Handmade Saree, Safety Glass as per IS 2553, General purpose safety pins
	Searched String: Orthodontic bite registration waX Bite-registration materials for Dental Use Searched String: ORTHODONTIC WIRE 23 GAUGE Standard Wire Gauge, Thimbles For Wire Ropes-IS:2315, Stitching Wire for Book Binding, Steel Wire Suspension Ropes For Lift, Elevators And Hoists-IS:2365, Tapered Bearings as per IS 12102
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	- DENTAL ENDOMOTOR - Dental Mandrel
बीओक्यू शीर्षक / BOQ Title	Dept of Dental Surgery 13 Jul
बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) / Minimum Average Annual Turnover of the bidder (For 3 Years)	20 Lakh (s)
मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का) / OEM Average Turnover (Last 3 Years)	75 Lakh (s)
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष / Years of Past Experience Required for same/similar service	2 Year (s)
वर्षों के अनुभव एवं टर्नओवर से एमएसई को छूट प्राप्त है / MSE Exemption for Years Of Experience and Turnover	Yes Complete
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / Startup Exemption for Years Of Experience and Turnover	Yes Complete
विक्रेता से मांगे गए दस्तावेज़ / Document required from seller	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Additional Doc 1 (Requested in ATC),Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/ Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय-सीमा बढ़ाने के लिए आवश्यक न्यूनतम सहभागी विक्रेताओं की संख्या। / Minimum number of bids required to disable automatic bid extension	1

बिड विवरण/Bid Details	
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	7
विगत प्रदर्शन / Past Performance	50 %
बिड से रिवर्स नीलामी सक्रिय किया/ Bid to RA enabled	Yes
रिवर्स नीलामी योग्यता नियम/ RA Qualification Rule	H1-Highest Priced Bid Elimination
बिड का प्रकार/ Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/ Primary product category	Orthodontic temporary anchorage implant
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय / Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/ Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
अनुमानित बिड मूल्य / Estimated Bid Value	4351410
मूल्यांकन पद्धति/ Evaluation Method	Item wise evaluation/
मध्यस्थता खंड/ Arbitration Clause	No
सुलह खंड/ Mediation Clause	No

ईएमडी विवरण/EMD Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
Schedule 1 ईएमडी राशि/EMD Amount (In INR)	1440
Schedule 2 ईएमडी राशि/EMD Amount (In INR)	1440
Schedule 3 ईएमडी राशि/EMD Amount (In INR)	1800
Schedule 4 ईएमडी राशि/EMD Amount (In INR)	1200
Schedule 5 ईएमडी राशि/EMD Amount (In INR)	96
Schedule 6 ईएमडी राशि/EMD Amount (In INR)	96
Schedule 7 ईएमडी राशि/EMD Amount (In INR)	450
Schedule 8 ईएमडी राशि/EMD Amount (In INR)	1200
Schedule 9 ईएमडी राशि/EMD Amount (In INR)	84
Schedule 10 ईएमडी राशि/EMD Amount (In INR)	270
Schedule 11 ईएमडी राशि/EMD Amount (In INR)	158

Schedule 12 ईएमडी राशि/EMD Amount (In INR)	84
Schedule 13 ईएमडी राशि/EMD Amount (In INR)	4050
Schedule 14 ईएमडी राशि/EMD Amount (In INR)	420
Schedule 15 ईएमडी राशि/EMD Amount (In INR)	660
Schedule 16 ईएमडी राशि/EMD Amount (In INR)	720
Schedule 17 ईएमडी राशि/EMD Amount (In INR)	870
Schedule 18 ईएमडी राशि/EMD Amount (In INR)	1260
Schedule 19 ईएमडी राशि/EMD Amount (In INR)	84
Schedule 20 ईएमडी राशि/EMD Amount (In INR)	108
Schedule 21 ईएमडी राशि/EMD Amount (In INR)	1800
Schedule 22 ईएमडी राशि/EMD Amount (In INR)	1800
Schedule 23 ईएमडी राशि/EMD Amount (In INR)	840
Schedule 24 ईएमडी राशि/EMD Amount (In INR)	210
Schedule 25 ईएमडी राशि/EMD Amount (In INR)	72
Schedule 26 ईएमडी राशि/EMD Amount (In INR)	120
Schedule 27 ईएमडी राशि/EMD Amount (In INR)	120
Schedule 28 ईएमडी राशि/EMD Amount (In INR)	120
Schedule 29 ईएमडी राशि/EMD Amount (In INR)	3060
Schedule 30 ईएमडी राशि/EMD Amount (In INR)	3060
Schedule 31 ईएमडी राशि/EMD Amount (In INR)	3060
Schedule 32 ईएमडी राशि/EMD Amount (In INR)	3060
Schedule 33 ईएमडी राशि/EMD Amount (In INR)	1500
Schedule 34 ईएमडी राशि/EMD Amount (In INR)	1080
Schedule 35 ईएमडी राशि/EMD Amount (In INR)	1500
Schedule 36 ईएमडी राशि/EMD Amount (In INR)	3900
Schedule 37 ईएमडी राशि/EMD Amount (In INR)	132
Schedule 38 ईएमडी राशि/EMD Amount (In INR)	184
Schedule 39 ईएमडी राशि/EMD Amount (In INR)	184
Schedule 40 ईएमडी राशि/EMD Amount (In INR)	184

Schedule 41 ईएमडी राशि/EMD Amount (In INR)	235
Schedule 42 ईएमडी राशि/EMD Amount (In INR)	235
Schedule 43 ईएमडी राशि/EMD Amount (In INR)	210
Schedule 44 ईएमडी राशि/EMD Amount (In INR)	180
Schedule 45 ईएमडी राशि/EMD Amount (In INR)	180
Schedule 46 ईएमडी राशि/EMD Amount (In INR)	180
Schedule 47 ईएमडी राशि/EMD Amount (In INR)	180
Schedule 48 ईएमडी राशि/EMD Amount (In INR)	180
Schedule 49 ईएमडी राशि/EMD Amount (In INR)	180
Schedule 50 ईएमडी राशि/EMD Amount (In INR)	972
Schedule 51 ईएमडी राशि/EMD Amount (In INR)	972
Schedule 52 ईएमडी राशि/EMD Amount (In INR)	144
Schedule 53 ईएमडी राशि/EMD Amount (In INR)	5400
Schedule 54 ईएमडी राशि/EMD Amount (In INR)	8280
Schedule 55 ईएमडी राशि/EMD Amount (In INR)	468
Schedule 56 ईएमडी राशि/EMD Amount (In INR)	792
Schedule 57 ईएमडी राशि/EMD Amount (In INR)	144
Schedule 58 ईएमडी राशि/EMD Amount (In INR)	144
Schedule 59 ईएमडी राशि/EMD Amount (In INR)	612
Schedule 60 ईएमडी राशि/EMD Amount (In INR)	42
Schedule 61 ईएमडी राशि/EMD Amount (In INR)	174
Schedule 62 ईएमडी राशि/EMD Amount (In INR)	672
Schedule 63 ईएमडी राशि/EMD Amount (In INR)	2208
Schedule 64 ईएमडी राशि/EMD Amount (In INR)	864
Schedule 65 ईएमडी राशि/EMD Amount (In INR)	864
Schedule 66 ईएमडी राशि/EMD Amount (In INR)	266
Schedule 67 ईएमडी राशि/EMD Amount (In INR)	6900
Schedule 68 ईएमडी राशि/EMD Amount (In INR)	3600
Schedule 69 ईएमडी राशि/EMD Amount (In INR)	362

Schedule 70 ईएमडी राशि/EMD Amount (In INR)	1800
Schedule 71 ईएमडी राशि/EMD Amount (In INR)	360
Schedule 72 ईएमडी राशि/EMD Amount (In INR)	105
Schedule 73 ईएमडी राशि/EMD Amount (In INR)	105
Schedule 74 ईएमडी राशि/EMD Amount (In INR)	135
Schedule 75 ईएमडी राशि/EMD Amount (In INR)	135
Schedule 76 ईएमडी राशि/EMD Amount (In INR)	135
Schedule 77 ईएमडी राशि/EMD Amount (In INR)	864
Schedule 78 ईएमडी राशि/EMD Amount (In INR)	300
Schedule 79 ईएमडी राशि/EMD Amount (In INR)	1800
Schedule 80 ईएमडी राशि/EMD Amount (In INR)	540
Schedule 81 ईएमडी राशि/EMD Amount (In INR)	396
Schedule 82 ईएमडी राशि/EMD Amount (In INR)	360
Schedule 83 ईएमडी राशि/EMD Amount (In INR)	144

ईपीबीजी विवरण /ePBG Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईपीबीजी प्रतिशत (%) /ePBG Percentage(%)	3.00
ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months).	6

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज़ प्रस्तुत करने हैं। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b). The EMD Amount will be applicable for each schedule/group selected during Bid creation.

(c).ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

लाभार्थी /Beneficiary :

Director and Commandant
Armed Forces Medical College, Pune
(Director And Commandant, Afmc Pune)

विभाजन/Splitting

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता/MII Purchase Preference

एमआईआई खरीद वरीयता/MII Purchase Preference	Yes
--	-----

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
---	-----

1. If the bidder is a Micro or Small Enterprise as per latest orders issued by Ministry of MSME, the bidder shall be exempted from the eligibility criteria of "Experience Criteria" as defined above subject to meeting of quality and technical specifications. The bidder seeking exemption from Experience Criteria, shall upload the supporting documents to prove his eligibility for exemption.
2. If the bidder is a Micro or Small Enterprise (MSE) as per latest orders issued by Ministry of MSME, the bidder shall be exempted from the eligibility criteria of "Bidder Turnover" as defined above subject to meeting of quality and technical specifications. If the bidder itself is MSE OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking exemption from Turnover, shall upload the supporting documents to prove his eligibility for exemption.
3. If the bidder is a DPIIT registered Startup, the bidder shall be exempted from the the eligibility criteria of "Experience Criteria" as defined above subject to their meeting of quality and technical specifications. The bidder seeking exemption from Experience Criteria, shall upload the supporting documents to prove his eligibility for exemption.
4. If the bidder is a DPIIT registered Startup, the bidder shall be exempted from the the eligibility criteria of "Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT Registered OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking exemption from Turnover shall upload the supporting documents to prove his eligibility for exemption.
5. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
6. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
7. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
8. Preference to Make In India products (For bids < 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the

Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

9. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

10. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

11. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 50% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

12. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:

- If number of technically qualified bidders are only 2 or 3.
- If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
- In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
- If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
- If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

मूल्यांकन विधि(मदवार मूल्यांकन विधि) / **Evaluation Method** (Item Wise Evaluation Method)

Contract will be awarded schedulewise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

मूल्यांकन अनुसूचियां / Evaluation Schedules	अनुमानित मूल्य / Estimated Value	वस्तु/श्रेणी / Item/Category	मात्रा / Quantity
---	--	-------------------------------------	-----------------------------

Schedule 1	72000	Wire Ss Round Hard 0.7mm Coil Of 500 Gm	24
Schedule 2	72000	Wire Ss Round Hard 0.6mm Coil Of 500 Gm	24
Schedule 3	90000	Wire Ss Round Hard 1.0 Mm Coil Of 500 Gm	30
Schedule 4	60000	Orthodontic Temporary Anchorage Implant	24
Schedule 5	48000	Arch Wire Ss Preformed Ideal Arch Fromv Upper 0.17 Inch X 0.025 Inch Pkt Of 10	24
Schedule 6	48000	Arch Wife Ss Preformed Ideal Arch From L 0.017 Inch X 0.025 Inch Pkt Of 10	24
Schedule 7	22500	Face Bow Complete 0.045 Ss Medium Outer Bow With Laser Welded Outer And Inner Bows	30
Schedule 8	60000	Headgear High And Medium Pull Complete With Orthopaedic Force Modules 500gm Each	24
Schedule 9	4200	Lingual Button Bendable Curved Base Pkt Of 102	12
Schedule 10	13500	Niti Tension Spring 6mm With Eyelets Pkt Of 10	30
Schedule 11	7920	Niti 0.016 Wire Upper And Lower Set Of 10 Each Small	36
Schedule 12	4200	Orthodontic Elastomeric Base Formers Set Of Upper And Lower	12
Schedule 13	202500	Screws Expansion Small Glenross	150
Schedule 14	21000	Wire Australian Light 0.10 Inch Supreme St Length Pkt Of 10	6
Schedule 15	33000	Wire Ligature Ss Soft 0.010 Inch Spool Of Half Lb	6
Schedule 16	36000	Orthopedic Face Mask Petit Type	30
Schedule 17	43500	Ss Orthopedic Expansion Screw Hyrax Type For 12 To 14 Mm Exp	30
Schedule 18	63000	Orthodontic Silver Solder -spool Of 8-10 Mts	18
Schedule 19	4200	Flux For Orthodontic Solder-bottle Of 15 Gm	12
Schedule 20	5400	Extra Oral Face Mask Elastics 8 Ounce By 14 Ounce Pkt Of 1000	6
Schedule 21	90000	Orthodontic Wire 22 Gauge	30
Schedule 22	90000	Orthodontic Wire 23 Gauge	30
Schedule 23	42000	Preformed Ss Shorty Ligature Wires Pkt Of 500 0.010 Inch	12
Schedule 24	10500	Lingual Sheath Pkt Of 10	30
Schedule 25	3600	Elastomeric Modules Pkt Of 100	24
Schedule 26	6000	Orthodontic Elastics Yellow Pkt Of 1000	30
Schedule 27	6000	Orthodontic Elastics Pink Pkt Of 1000	30
Schedule 28	6000	Orthodontic Elastics Blue Pkt Of 1000	30
Schedule 29	153000	Preformed Molar Bands With Roth 018 Inch Slot Upper Rt Triple Tube Size 34 To 40 With Increments Of 0.5 Kit Of 200	18
Schedule 30	153000	Preformed Molar Bands With Roth 018 Inch Slot Upper Lt Triple Tube Size 34 To 40 With Increments Of 0.5 Kit Of 200	18

Schedule 31	153000	Preformed Molar Bands With Roth 018 Inch Slot Lower Rt Double Tube Size 34 To 40 With Increments Of 0.5 Kit Of 200	18
Schedule 32	153000	Preformtd Molar Bands With Roth 018 Inch Slot Lower Lt Double Tube Size 34 To 40 With Increments Of 0.5 Kit Of 200	18
Schedule 33	75000	Variable Crimpable Hooks Vch 3 L Andr For 0.016x0.022 Archwire Pkt Of 2 Dentos	30
Schedule 34	54000	Orthodontic Wire 20 Gauge	18
Schedule 35	75000	Ceramic Brackets 0.018 Roth Kit	30
Schedule 36	195000	Self Ligating Bracket Kit Smartclip 3m Unitek	30
Schedule 37	6600	0.014 Preformed Niti Aw Upper Pkt Of 10	30
Schedule 38	9240	0.014 Preformed Niti Aw Lower Pkt Of 10	42
Schedule 39	9240	0.016 Preformed Niti Aw Upper Pkt Of 10	42
Schedule 40	9240	0.016 Preformed Niti Aw Lower Pkt Of 10	42
Schedule 41	11760	0.016x0.022 Niti Aw Upper Pkt Of 10	42
Schedule 42	11760	0.016x0.022 Niti Aw Lower Pkt Of 10	42
Schedule 43	10500	0.016x0.016 Ss Aw Upper Pkt Of 10	42
Schedule 44	9000	0.016x0.022 Ss Aw Upper Pkt Of 10	36
Schedule 45	9000	0.016x0.022 Ss Aw Lower Pkt Of 10	36
Schedule 46	9000	0.019x0.025 Ss Aw Upper Pkt Of 10	36
Schedule 47	9000	0.019x0.025 Ss Aw Lower Pkt Of 10	36
Schedule 48	9000	0.021x0.025 Ss Aw Upper Pkt Of 10	36
Schedule 49	9000	0.021x0.025 Ss Aw Lower Pkt Of 10	36
Schedule 50	48600	0.017x0.025 Tma Aw Lower Pkt Of 10	36
Schedule 51	48600	0.017x0.025 Tma Aw Upper Pkt Of 10	36
Schedule 52	7200	Orthodontic Elastics Red Pkt Of 1000	36
Schedule 53	270000	Forsus Frd 29 Mm	36
Schedule 54	414000	Transbond Orthodontic Bonding Kit - Syringe Kit 3 M Unitek	36
Schedule 55	23400	0.017 X 0.025 Tma Straight Wire Pkt Of 10	18
Schedule 56	39600	0.016 X 0.022 Tma Straight Wire Pkt Of 10 14 Inch Length	18
Schedule 57	7200	0.017 X 0.025 Ss Straight Wire Pkt Of 10 14 Inch Length	18
Schedule 58	7200	0.016x0.022 Ss Straight Wire Pkt Of 10 14 Inch Length	18
Schedule 59	30600	0.032 Tma Straight Wire Round Pkt Of 10	18
Schedule 60	2100	Extraoral Elastic Clear Pkt Of 500	6
Schedule 61	8700	Hyrax Expesion Screw Fan Shape	6
Schedule 62	33600	Elastomeric Separators Pkt Of 500	24
Schedule 63	110400	Night Guard Sheets Pkt Of 10 Sheets Durasoft 1.8mm	24

Schedule 64	43200	0.016 X 0.022 Tma Preformed Upper	24
Schedule 65	43200	0.016 X 0.022 Tma Preformed Lower	24
Schedule 66	13320	Spring Open Coil Niti	24
Schedule 67	345000	Advansync2	30
Schedule 68	180000	Marpe Expander Kit	12
Schedule 69	18120	Blue Bite Corrector	24
Schedule 70	90000	lpr Kit	6
Schedule 71	18000	Mandibular Hyrax Screw	12
Schedule 72	5280	0.012 Preformed Niti For Upper Arch Pkt Of 10	24
Schedule 73	5280	0.012 Preformed Niti For Lower Arch Pkt Of 10	24
Schedule 74	6750	0.016 X 0.022 Ss Staright Length Archwires	18
Schedule 75	6750	0.017 X 0.025 Ss Staright Length Archwires	18
Schedule 76	6750	0.019 X 0.025 Ss Staright Length Archwires	18
Schedule 77	43200	0.017 X 0.025 Tma Staright Length Archwires	18
Schedule 78	15000	Infra Zygomatic Crest Screws	6
Schedule 79	90000	Marpe Screws	6
Schedule 80	27000	Orthodontic Bone Screw	18
Schedule 81	19800	Soft Flowable Composite For Orthodontic Implant Head Coverage	18
Schedule 82	18000	Headgear Safty Release Module Pkt Of 10	6
Schedule 83	7200	Orthodontic Bite Registration Wax	12

Wire SS Round Hard 0.7mm Coil Of 500 Gm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Pune	24	45

Wire SS Round Hard 0.6mm Coil Of 500 Gm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Pune	24	45

Wire SS Round Hard 1.0 Mm Coil Of 500 Gm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Pune	30	45

Orthodontic Temporary Anchorage Implant

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Pune	24	45

Arch Wire SS Preformed Ideal Arch Fromv Upper 0.17 Inch X 0.025 Inch Pkt Of 10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Pune	24	45

Arch Wife SS Preformed Ideal Arch From L 0.017 Inch X 0.025 Inch Pkt Of 10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Pune	24	45

Face Bow Complete 0.045 SS Medium Outer Bow With Laser Welded Outer And Inner Bows

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Pune	30	45

Headgear High And Medium Pull Complete With Orthopaedic Force Modules 500gm Each

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Pune	24	45

Lingual Button Bendable Curved Base Pkt Of 102

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Pune	12	45

Niti Tension Spring 6mm With Eyelets Pkt Of 10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Pune	30	45

Niti 0.016 Wire Upper And Lower Set Of 10 Each Small

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Pune	36	45

Orthodontic Elastomeric Base Formers Set Of Upper And Lower

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Pune	12	45

Screws Expansion Small Glenross

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Pune	150	45

Wire Australian Light 0.10 Inch Supreme St Length Pkt Of 10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Pune	6	45

Wire Ligature SS Soft 0.010 Inch Spool Of Half Lb

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Pune	6	45

Orthopedic Face Mask Petit Type

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Pune	30	45

SS Orthopedic Expansion Screw Hyrax Type For 12 To 14 Mm Exp

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Pune	30	45

Orthodontic Silver Solder -Spool Of 8-10 Mts

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Pune	18	45

Flux For Orthodontic Solder-Bottle Of 15 Gm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Pune	12	45

Extra Oral Face Mask Elastics 8 Ounce By 14 Ounce Pkt Of 1000

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Pune	6	45

ORTHODONTIC WIRE 22 GAUGE

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Pune	30	45

ORTHODONTIC WIRE 23 GAUGE

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Pune	30	45

PREFORMED SS SHORTY LIGATURE WIRES PKT OF 500 0.010 INCH

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Pune	12	45

LINGUAL SHEATH PKT OF 10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Pune	30	45

ELASTOMERIC MODULES PKT OF 100

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Pune	24	45

ORTHODONTIC ELASTICS YELLOW PKT OF 1000

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Pune	30	45

ORTHODONTIC ELASTICS PINK PKT OF 1000

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Pune	30	45

ORTHODONTIC ELASTICS BLUE PKT OF 1000

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Pune	30	45

PREFORMED MOLAR BANDS WITH ROTH 018 Inch SLOT UPPER RT TRIPLE TUBE SIZE 34 To 40 WITH INCREMENTS OF 0.5 KIT OF 200

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Pune	18	45

PREFORMED MOLAR BANDS WITH ROTH 018 Inch SLOT UPPER LT TRIPLE TUBE SIZE 34 To 40 WITH INCREMENTS OF 0.5 KIT OF 200

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Pune	18	45

PREFORMED MOLAR BANDS WITH ROTH 018 Inch SLOT LOWER RT DOUBLE TUBE SIZE 34 To 40 WITH INCREMENTS OF 0.5 KIT OF 200

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Pune	18	45

PREFORMtD MOLAR BANDS WITH ROTH 018 Inch SLOT LOWER LT DOUBLE TUBE SIZE 34 To 40 WITH INCREMENTS OF 0.5 KIT OF 200

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Pune	18	45

VARIABLE CRIMPABLE HOOKS VCH 3 L AndR FOR 0.016X0.022 ARCHWIRE PKT OF 2 DENTOS

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Pune	30	45

ORTHODONTIC WIRE 20 GAUGE

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Pune	18	45

CERAMIC BRACKETS 0.018 ROTH KIT

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Pune	30	45

SELF LIGATING BRACKET KIT SMARTCLIP 3M UNITEK

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Pune	30	45

0.014 PREFORMED NITI AW UPPER PKT OF 10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Pune	30	45

0.014 PREFORMED NITI AW LOWER PKT OF 10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Pune	42	45

0.016 PREFORMED NITI AW UPPER PKT OF 10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Pune	42	45

0.016 PREFORMED NITI AW LOWER PKT OF 10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Pune	42	45

0.016X0.022 NITI AW UPPER PKT OF 10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Pune	42	45

0.016X0.022 NITI AW LOWER PKT OF 10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Pune	42	45

0.016X0.016 SS AW UPPER PKT OF 10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Pune	42	45

0.016X0.022 SS AW UPPER PKT OF 10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Pune	36	45

0.016X0.022 SS AW LOWER PKT OF 10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Pune	36	45

0.019X0.025 SS AW UPPER PKT OF 10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Pune	36	45

0.019X0.025 SS AW LOWER PKT OF 10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Pune	36	45

0.021X0.025 SS AW UPPER PKT OF 10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Pune	36	45

0.021X0.025 SS AW LOWER PKT OF 10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Pune	36	45

0.017X0.025 TMA AW LOWER PKT OF 10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Pune	36	45

0.017X0.025 TMA AW UPPER PKT OF 10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Pune	36	45

ORTHODONTIC ELASTICS RED PKT OF 1000

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Pune	36	45

FORSUS FRD 29 MM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Pune	36	45

TRANSBOND ORTHODONTIC BONDING KIT - SYRINGE KIT 3 M UNITEK

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Pune	36	45

0.017 X 0.025 TMA Straight Wire Pkt Of 10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Pune	18	45

0.016 X 0.022 TMA Straight Wire Pkt Of 10 14 Inch Length

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Pune	18	45

0.017 X 0.025 SS Straight Wire Pkt Of 10 14 Inch Length

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Pune	18	45

0.016X0.022 SS Straight Wire Pkt Of 10 14 Inch Length

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Pune	18	45

0.032 TMA Straight Wire Round Pkt Of 10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Pune	18	45

Extraoral Elastic Clear Pkt Of 500

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Pune	6	45

Hyrax Expesion Screw Fan Shape

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Pune	6	45

Elastomeric Separators Pkt Of 500

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Pune	24	45

Night Guard Sheets Pkt Of 10 Sheets Durasoft 1.8mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Pune	24	45

0.016 X 0.022 TMA Preformed Upper

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Pune	24	45

0.016 X 0.022 TMA Preformed Lower

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Pune	24	45

Spring Open Coil NiTi

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Pune	24	45

Advansync2

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Pune	30	45

MARPE Expander Kit

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Pune	12	45

Blue Bite Corrector

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Pune	24	45

IPR Kit

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Pune	6	45

Mandibular Hyrax Screw

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Pune	12	45

0.012 Preformed Niti For Upper Arch Pkt Of 10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Pune	24	45

0.012 Preformed Niti For Lower Arch Pkt Of 10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Pune	24	45

0.016 X 0.022 SS Staright Length Archwires

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Pune	18	45

0.017 X 0.025 SS Staright Length Archwires

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Pune	18	45

0.019 X 0.025 SS Staright Length Archwires

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Pune	18	45

0.017 X 0.025 TMA Staright Length Archwires

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Pune	18	45

Infra Zygomat Crest Screws

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Pune	6	45

MARPE Screws

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Pune	6	45

Orthodontic Bone Screw

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Pune	18	45

Soft Flowable Composite For Orthodontic Implant Head Coverage

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Pune	18	45

Headgear Safty Release Module Pkt Of 10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Pune	6	45

Orthodontic Bite Registration Wax

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Pune	12	45

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Generic

Data Sheet of the product(s) offered in the bid, are to be uploaded along with the bid documents. Buyers can match and verify the Data Sheet with the product specifications offered. In case of any unexplained mismatch of technical parameters, the bid is liable for rejection.

2. Generic

Experience Criteria: The Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for 2 years before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the primary product having highest value should meet this criterion.

3. Generic

Manufacturer Authorization:Wherever Authorised Distributors/service providers are submitting the bid, Authorisation Form /Certificate with OEM/Original Service Provider details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid

4. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 50 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 50% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

5. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

1. The supplier must possess a valid drug license, as applicable for the sale and distribution of pharmaceutical products. A copy of the valid drug license shall be submitted to the Buyer at the time of order confirmation.
2. Bidder to give undertaking for replacement of unconsumed stocks three months before the date of expiry, free of cost at the time of bidding.
3. The Purchaser/ buyer reserves the right to place repeat orders for the same goods/services under the same terms, conditions, and prices, upto a ceiling of 50% of the originally contracted quantity as specified in the original purchase order within six months of this order.
4. Bidders may please note that GeM is capturing and showing the IP Common IP Addresses used by the Buyer and the Bidder(s) /Seller(s). The received bids having matching/common IP address with either Bidder(s)/Seller(s) will be considered as multiple BIDs from same bidder as per clause 29 of GeM terms and conditions, shall be outrightly rejected & shall not be considered for further evaluation
5. If the contractor fails to deliver the stores/service or any installment thereof within the DP or at any time repudiates the contract before expiry of such period, the CFA, without prejudice to the right of

the purchaser to any other remedy for breach of contract, may recover from the contractor a sum equivalent to 0.5% of the prices of any stores which the contractor has failed to deliver within the period agreed for delivery in the contract, for each week.

6. The responsibility for extension of DP lies with the contractor who has to apply for DP extension, one week before the expiry of DP.

6. Ration Item ATCs

Demurrage charges In case the rejected items are not lifted by the firm within 48 hrs, the demurrage charges at the rate of 0.5% of total contract value will be charged per day. In case the items are not lifted within a month, the same will be destroyed by the station board of officers and no claim will be admitted. Demurrage charges. In case the rejected items are not lifted by the firm within 48 hrs, the demurrage charges at the rate of 0.5% of total contract value will be charged per day. In case the items are not lifted within a month, the same will be destroyed by the station board of officers and no claim will be admitted.

7. Certificates

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

8. Forms of EMD and PBG

Successful Bidder can submit the Performance Security in the form of Account Payee Demand Draft also (besides PBG which is allowed as per GeM GTC). DD should be made in favour of

Director & Commandant
payable at

Director & Commandant, AFMC, Pune

. After award of contract, Successful Bidder can upload scanned copy of the DD in place of PBG and has to ensure delivery of hard copy to the original DD to the Buyer within 15 days of award of contract.

9. Forms of EMD and PBG

Bidders can also submit the EMD with Account Payee Demand Draft in favour of

Director & Commandant
payable at

Director & Commandant, AFMC, Pune

. Bidder has to upload scanned copy / proof of the DD along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.

5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---