

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	30-10-2025 18:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	30-10-2025 18:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	150 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Defence
विभाग का नाम/Department Name	Department Of Defence
संगठन का नाम/Organisation Name	Mod Sectt Establishment
कार्यालय का नाम/Office Name	*****
कुल मात्रा/Total Quantity	1679
वस्तु श्रेणी /Item Category	Sch 1 , Sch 2 , Sch 3 , Sch 4 , Sch 5 , Sch 6 , Sch 7 , Sch 8 , Sch 9 , Sch 10 , Sch 11 , Sch 12 , Sch 13 , Sch 14 , Sch 15 , Sch 16 , Sch 17 , Sch 18 , Sch 19 , Sch 20 , Sch 21 , Sch 22 , Sch 23 , Sch 24 , Sch 25 , Sch 26 , Sch 27 , Sch 28 , Sch 29 , Sch 30 , Sch 31 , Sch 32 , Sch 33 , Sch 34 , Sch 35 , Sch 36 , Sch 37 , Sch 38
GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS	LED STREET LIGHT 120 WATT, LED STREET LIGHT 60 WATT, LED BULB 15 WATT, BATTERN INTEGRETED LED LIGHT CHANNEL TYPE 1X36 WATT, LED 22 WATT TUBE LIGHT , LED MIRROR LIGHT 11 WATT, LED STAR BULB 15 WATT, LT ARMoured CABLE XLPE INSULATED WITH ALUMINUM , XLPE INSULATED WITH ALUMINUM CONDUCTOR 6 SQMM X 2 CORE , CABLE PVC COPPER CONDUCTOR TWIN CORE 4 SQMM, CABLE PVC ALUMINIUM CONDUCTOR TWIN CORE 6SQMM, PVC FLEXIBLE COPPER CONDUCTOR 24/.20MM 3CORE 0.75 SQMM, PVC FLEXIBLE TWIN TWISTED COPPER CONDUCTOR, MCCB FP 630 AMP, 50KA , MCCB TP 250A, 25KA, MCCB TP 315/320A, 35KA, MCCB TP 125A,16KA, MCCB FP 100A, 10KA, MCCB TP 63A, 16KA, MCCB FP 63A,16KA , MCB SP 240V 40 AMP (C-SERIES), MCB TP 415V 40 AMP (C-SERIES), STREET LIGHT TIMER SWITCH SUITABLE FOR 12 KW , OFFLOAD CHANGE OVER SWITCH IN SHEET METAL ENCLOUSRE, ONLOAD CHANGE OVER SWITCH IN SHEET METAL ENCLOUSRE , OFFLOAD CHANGE OVER SWITCH IN SHEET METAL , ONLOAD CHANGE OVER SWITCH IN SHEET METAL , ML-4 POWER CONTRACTOR 3 POLE 220 V, POWER CONTRACTOR 4 POLE 25 AMP 18 AF, MNX 12 POWER CONTRACTOR 3 POLE 415 V AC CONTROL, MNX - 18 CONTRACTOR 3 POLE 18 AMP 220 V, MODULAR SOCKET 16 AMP 3/3 PIN, MODULAR SWITCH 1 WAY 20 AMP, MODULAR SWITCH 1 WAY 10 AMP , PLUG TOP 3 PIN 16 AMP, SLUICE VALVE PN1.6 ,150MM ISI MARKED, LEAD PIG , LEAD WOOL

बिड विवरण/Bid Details	Searched String: LED STREET LIGHT 120 WATT
	<p>Inverter Based LED Street Light (V2), LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), LED Luminaire (for Road and Street Lights) as per IS 10322, IS 16107, IS 16108, IS 16103, IS 10322, White - LED Based Solar Street Lighting System, LED Luminaire (for Flood Light) as per IS 10322, IS 16107, LED Flash Light, LED Luminaire for High Bay Lighting, High Mast Lighting Octagonal Tower with Solar Based LED Street Light, LED Luminaire for Floodlight (V2) Conforming to IS 10322 (Part 5/Section 5), LED Bulkhead Light</p> <p>Searched String: LED STREET LIGHT 60 WATT</p> <p>Inverter Based LED Street Light (V2), LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), LED Luminaire (for Road and Street Lights) as per IS 10322, IS 16107, IS 16108, IS 16103, IS 10322, White - LED Based Solar Street Lighting System, LED Luminaire (for Flood Light) as per IS 10322, IS 16107, LED Flash Light, LED Luminaire for Floodlight (V2) Conforming to IS 10322 (Part 5/Section 5), High Mast Lighting Octagonal Tower with Solar Based LED Street Light, Hand Held Search Light, LED Bulkhead Light</p> <p>Searched String: LED BULB 15 WATT</p> <p>T Bulb, LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), LED Bulb with Battery as per IS 16102, synthetic web equipment improved version, Self Ballasted LED Lamps for General Lighting Service as per IS 16102, LED Luminaire for Floodlight (V2) Conforming to IS 10322 (Part 5/Section 5), Hand Held Search Light, LED Luminaire (Recessed Luminaire) (V3) Conforming to IS 10322 (Part 5/Section 2), Led Flood Light, LED Batten</p> <p>Searched String: BATTERN INTEGRETED LED LIGHT CHANNEL TYPE 1X36 WATT</p> <p>Hand Held Search Light, LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), LED Tube Light (Retrofit Type), Self Ballasted LED Lamps for General Lighting Services (V2) Conforming to IS 16102, Television (TV) (V2), Self Ballasted LED Lamps for General Lighting Service as per IS 16102</p> <p>Searched String: LED 22 WATT TUBE LIGHT</p> <p>LED Tube Light (Retrofit Type), LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), LED Batten, LED Flash Light, LED Luminaire (for Road and Street Lights) as per IS 10322, IS 16107, IS 16108, IS 16103, IS 10322, LED Bulkhead Light, Led Flood Light, LED Luminaire (for Flood Light) as per IS 10322, IS 16107, LED Garden Light (V2), LED Luminaire for Floodlight (V2) Conforming to IS 10322 (Part 5/Section 5)</p> <p>Searched String: LED MIRROR LIGHT 11 WATT</p> <p>LED Flash Light, LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), LED Bulkhead Light, Hand Lamp, Led Flood Light, LED Luminaire (for Road and Street Lights) as per IS 10322, IS 16107, IS 16108, IS 16103, IS 10322, LED Garden Light (V2), Hand</p>

बिड विवरण / Bid Details	Held Search Light, Track Light, LED Luminaire (for Flood Light) as per IS 10322, IS 16107
	<p>Searched String: LED STAR BULB 15 WATT</p> <p>T Bulb, LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), LED Bulb with Battery as per IS 16102, synthetic web equipment improved version, Self Ballasted LED Lamps for General Lighting Service as per IS 16102, LED Luminaire for Floodlight (V2) Conforming to IS 10322 (Part 5/Section 5), Self Ballasted LED Lamps for General Lighting Services (V2) Conforming to IS 16102, Hand Held Search Light, Led Flood Light, LED Batten</p> <p>Searched String: LT ARMOURED CABLE XLPE INSULATED WITH ALUMINUM</p> <p>XLPE Cable, Working Voltage from 66 kV up to and including 220 kV (V2) ISI Marked to IS 7098 (Part 3), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, PVC Insulated Unsheathed Cable with Flexible Conductor as per IS 694, PVC Insulated Cables, Unsheathed with Rigid Conductor (V2) as per IS 694, PVC Flat Cable, Copper Conductor with PVC Insulation and Sheath as per IS 694, Battery Chargers (for Transreceivers) (V2), PVC Insulated (Heavy Duty) Electric Cables, Aluminium Conductor as per IS 1554 (Part 1), Xlpe Cables, Category C2 - FR - LSH, for Working Voltages From 3.3 KV up to and Including 33 KV as per IS 7098 (Part 2), XLPE Cables, Category C1 - FR, for Working Voltages from 3.3 KV up to and Including 33 KV as per IS 7098 (Part 2)</p> <p>Searched String: XLPE INSULATED WITH ALUMINUM CONDUCTOR 6 SQMM X 2 CORE</p> <p>PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, PVC Flat Cable, Copper Conductor with PVC Insulation and Sheath as per IS 694, PVC Insulated (Heavy Duty) Electric Cables, Aluminium Conductor as per IS 1554 (Part 1), PVC Insulated Cables, Unsheathed with Rigid Conductor (V2) as per IS 694, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, PVC Copper Cable Single and Multi Core Circular Sheathed Cable with Flexible Conductor as per IS 694</p> <p>Searched String: CABLE PVC COPPER CONDUCTOR TWIN CORE 4 SQMM</p> <p>PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, PVC Insulated Unsheathed Cable with Flexible Conductor as per IS 694, PVC Copper Cable 1 Core and Multi Core Circular Sheathed Cable with Rigid Conductor as per IS 694, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, PVC Copper Cable Multi Core Circular Sheathed Cables with Flexible Conductor as per IS 694, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, PVC Copper Cable Single and Multi Core Circular Sheathed Cable with Flexible Conductor as per IS 694, PVC Copper Cable Single and Multi Core Circular Sheathed Cord with Flexible Conductor as per IS 694, PVC</p>

विड विवरण / Bid Details	Aluminium Cable 1 Core and Multi Core Circular Sheathed Cable with Rigid Conductor as per IS 694, PVC Flat Cable, Copper Conductor with PVC Insulation and Sheath as per IS 694
	<p>Searched String: CABLE PVC ALUMINIUM CONDUCTOR TWIN CORE 6SQMM</p> <p>PVC Aluminium Cable 1 Core and Multi Core Circular Sheathed Cable with Rigid Conductor as per IS 694, PVC Insulated Unsheathed Cable with Flexible Conductor as per IS 694, PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694, PVC Copper Cable 1 Core and Multi Core Circular Sheathed Cable with Rigid Conductor as per IS 694, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, PVC Flat Cable, Aluminium Conductor with PVC Insulation and Sheath as per IS 694, PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, PVC Copper Cable Single and Multi Core Circular Sheathed Cable with Flexible Conductor as per IS 694, PVC Copper Cable Single and Multi Core Circular Sheathed Cord with Flexible Conductor as per IS 694</p> <p>Searched String: PVC FLEXIBLE COPPER CONDUCTOR 24/.20MM 3CORE 0.75 SQMM</p> <p>PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, PVC Copper Cable Single and Multi Core Circular Sheathed Cord with Flexible Conductor as per IS 694, PVC Copper Cable Single and Multi Core Circular Sheathed Cable with Flexible Conductor as per IS 694, PVC Insulated Cables, Unsheathed with Rigid Conductor (V2) as per IS 694, PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694, PVC Insulated Unsheathed Cable with Flexible Conductor as per IS 694, PVC Copper Cable (Heavy Duty), Type C PVC Compound, Category C1 - FR as per IS 1554 (Part 1), PVC Copper Cable Multi Core Circular Sheathed Cables with Flexible Conductor as per IS 694</p> <p>Searched String: PVC FLEXIBLE TWIN TWISTED COPPER CONDUCTOR</p> <p>PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, PVC Insulated Unsheathed Cable with Flexible Conductor as per IS 694, Assembly Of Tubular Lug & Flexible Copper Conductor (BHEL), PVC Copper Cable Multi Core Circular Sheathed Cables with Flexible Conductor as per IS 694, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, PVC Copper Cable Single and Multi Core Circular Sheathed Cord with Flexible Conductor as per IS 694, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, PVC Copper Cable Single and Multi Core Circular Sheathed Cable with Flexible Conductor</p>

बिड विवरण / Bid Details	as per IS 694, PVC Copper Cable 1 Core and Multi Core Circular Sheathed Cable with Rigid Conductor as per IS 694, PVC Flat Cable, Copper Conductor with PVC Insulation and Sheath as per IS 694
<p>GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS</p>	<p>Searched String: MCCB FP 630 AMP, 50KA</p> <p>Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, Band Saw Machine, Automatic Fully Mechanised Organic Waste Machine for Compost</p> <p>Searched String: MCCB TP 250A, 25KA</p> <p>Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, Control Cable, Glucose Monitors or Meters - Glucometer, Battery Charger, Heavy Duty, modular electrical switches and accessories, Black Polyethylene Cover, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Laboratory Glassware - Burettes (V2) as per IS 1997, Metal Oxide Surge Arresters Without Gaps For A.C. Systems (V2) Conforming to IS 15086 (Part 4), Circuit Breakers for DC Operation</p> <p>Searched String: MCCB TP 315/320A, 35KA</p> <p>Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, Metal Oxide Surge Arresters Without Gaps For A.C. Systems (V2) Conforming to IS 15086 (Part 4)</p> <p>Searched String: MCCB TP 125A,16KA</p> <p>Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, Connector Mounting Hardware - Multi Plug, modular electrical switches and accessories, Answer Book/Booklets For Examinations (V3), Stud with Nuts, Circuit Breakers for DC Operation, Automotive Vehicles - Tubes for Pneumatic Tyres (V2) as per IS 13098, Metal Oxide Surge Arresters Without Gaps For A.C. Systems (V2) Conforming to IS 15086 (Part 4), Plain Washer as per IS 2016</p> <p>Searched String: MCCB FP 100A, 10KA</p> <p>Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, Online UPS (V2), Motor Protection Circuit Breaker (MPCB), Cat 6 Patch cord, Exercise Bike, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Automotive Vehicles - Tubes for Pneumatic Tyres (V2) as per IS 13098, Respirable Dust Sampler as per IS 5182, crepe bandage</p> <p>Searched String: MCCB TP 63A, 16KA</p> <p>Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, Connector Mounting Hardware - Multi Plug, modular electrical switches and accessories, Answer Book/Booklets For Examinations (V3), Stud with Nuts, Circuit Breakers for DC Operation, Automotive Vehicles - Tubes for Pneumatic Tyres (V2) as per IS 13098, Silico Manganese as per IS 1470, Metal Oxide Surge Arresters Without Gaps For A.C. Systems (V2) Conforming to IS 15086 (Part 4), Plain Washer as per IS 2016</p> <p>Searched String: MCCB FP 63A,16KA</p> <p>Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947,</p>

बिड विवरण/Bid Details	<p>Connector Mounting Hardware - Multi Plug, modular electrical switches and accessories, Answer Book/Booklets For Examinations (V3), Stud with Nuts, Circuit Breakers for DC Operation, Automotive Vehicles - Tubes for Pneumatic Tyres (V2) as per IS 13098, Silico Manganese as per IS 1470, Metal Oxide Surge Arresters Without Gaps For A.C. Systems (V2) Conforming to IS 15086 (Part 4), Plain Washer as per IS 2016</p> <p>Searched String: MCB SP 240V 40 AMP (C-SERIES)</p> <p>MCB - Miniature Circuit - Breakers for A.C. Operation as per IS / IEC 60898 (Part 1), White LED Based Solar Street Lighting System for Model (I, II, III And IV), PVC Copper Cable (Heavy Duty), Type C PVC Compound, Category 01 as per IS 1554 (Part 1)</p> <p>Searched String: MCB TP 415V 40 AMP (C-SERIES)</p> <p>MCB - Miniature Circuit - Breakers for A.C. Operation as per IS / IEC 60898 (Part 1), White LED Based Solar Street Lighting System for Model (I, II, III And IV), PVC Copper Cable (Heavy Duty), Type C PVC Compound, Category 01 as per IS 1554 (Part 1)</p> <p>Searched String: STREET LIGHT TIMER SWITCH SUITABLE FOR 12 KW</p> <p>Astronomical Timer for Street Light Control (Timer Controls) as per IS 9000, Slamps (Algorithm based Street Light Automatic Switch)</p> <p>Searched String: OFFLOAD CHANGE OVER SWITCH IN SHEET METAL ENCLOSURE</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: ONLOAD CHANGE OVER SWITCH IN SHEET METAL ENCLOSURE</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: OFFLOAD CHANGE OVER SWITCH IN SHEET METAL</p> <p>Tapered Bearings as per IS 12102, Spherical Roller Bearing as per IS 6455</p> <p>Searched String: ONLOAD CHANGE OVER SWITCH IN SHEET METAL</p> <p>Tapered Bearings as per IS 12102, Spherical Roller Bearing as per IS 6455</p> <p>Searched String: ML-4 POWER CONTRACTOR 3 POLE 220 V</p> <p>Power Factor Meter - Digital, Switch Mode Power Supply (SMPS) as per IS 14886:</p> <p>Searched String: POWER CONTRACTOR 4 POLE 25 AMP 18 AF</p> <p>Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947</p> <p>Searched String: MNX 12 POWER CONTRACTOR 3 POLE</p>
-----------------------	---

बिड विवरण/Bid Details	415 V AC CONTROL
	<p>Solar Lamps (Solar Based Home Systems - Solar Power Packs - AC Models)</p> <p>Searched String: MNX - 18 CONTRACTOR 3 POLE 18 AMP 220 V</p> <p>Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, Absorbent Cotton Gauze, Cotton Bandage Cloth (V2), Line Operated Three Phase AC Motors ISI Marked to IS 12615</p> <p>Searched String: MODULAR SOCKET 16 AMP 3/3 PIN</p> <p>Tactical 3 Point Sling Universal marked to IS 16725, Tactical 3 Point Sling Universal as per IS 16725, Ceric Ammonium Nitrate, Plug and Socket Distribution Board, Tactical 3 Points Sling Universal (V2) as per IS 16725, Laboratory Glass Adapters, Fabric Pin Up Notice Boards, Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Electrical Extension Box (V4), modular electrical switches and accessories</p> <p>Searched String: MODULAR SWITCH 1 WAY 20 AMP</p> <p>Plug and Socket Distribution Board, Modular Piano Type Domestic Electrical Switches as per IS 3854, Electrical Extension Box (V4), modular electrical switches and accessories, Piano Type Non Modular Electrical Switch Socket Combination as per IS 3854 and IS 1293, Non - Modular Piano Type Domestic Electrical Switches as per IS 3854, Circuit Breakers with Integral Overcurrent Protection (RCBO) as per IS 12640 (Part 2) IEC 61009 - 1</p> <p>Searched String: MODULAR SWITCH 1 WAY 10 AMP</p> <p>Plug and Socket Distribution Board, Electrical Extension Box (V4), modular electrical switches and accessories, Piano Type Non Modular Electrical Switch Socket Combination as per IS 3854 and IS 1293, Modular Piano Type Domestic Electrical Switches as per IS 3854, Non - Modular Piano Type Domestic Electrical Switches as per IS 3854, Port Fast Ethernet PoE Switch with 2 Gigabit Uplink, Circuit Breakers with Integral Overcurrent Protection (RCBO) as per IS 12640 (Part 2) IEC 61009 - 1, Dusk to Dawn Controller - Sensitive Switch</p> <p>Searched String: PLUG TOP 3 PIN 16 AMP</p> <p>Plug and Socket Distribution Board, Electrical Extension Box (V4), modular electrical switches and accessories, Electrical Plug, Electrical Plugs (V2) ISI Marked to IS 1293</p> <p>Searched String: SLUICE VALVE PN1.6 ,150MM ISI MARKED</p> <p>Pouch for Ammunition and Grenades Made of Disruptive Pattern Nylon 6 6 ISI Marked to IS 16726, Electric Ceiling Fan with BLDC Motor (V3) ISI Marked to IS 374, Hydrants (Landing Valve) as per IS 5290, Tower Bolts (Ferrous Metals) as per IS 204, modular electrical switches and accessories, Welder Gloves or Gauntlets as per IS 2573, Portable Toilet, Steel Tubes, Tubulars ISI marked to IS 1239 (part-1)V2, High Strength Deformed Steel Bars and Wires for Concrete Reinforcement (V2) ISI marked to IS 1786, Sluice Valve For Water Works Purposes (50 To 1200 Mm Size) (V2) As Per Is 14846</p>

बिड विवरण/Bid Details	<p>Searched String: LEAD PIG</p> <p>Pig Lead (V2) as per IS 27, Stationary Valve Regulated Lead Acid Batteries As Per IS 15549, Pipeline pig, Refined Secondary Lead (V2) as per IS 3717, Stationary Valve Regulated Lead Acid Batteries (V2) as per IS 15549, Lead nitrate, Lead(II) Acetate, Lead Diaphragm (BHEL), Spill Containment Pallets, Lead (II) Oxide (LithARGE) LR</p> <p>Searched String: LEAD WOOL</p> <p>Steel Wool, Stationary Valve Regulated Lead Acid Batteries As Per IS 15549, absorbent cotton wool, Socks, Men's Wool (Defence), Stationary Valve Regulated Lead Acid Batteries (V2) as per IS 15549, Absorbent Cotton Wool (V2), Lead nitrate, Notesheet (Azure Laid) (V2), Wool Cotton Drawer, White (MHA), Lead Acid starter Batteries</p>
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	<ul style="list-style-type: none"> • PVC Insulated (Heavy Duty) Electric Cables (V2) ISI Marked to IS 1554 (Part 2)
बीओक्यू शीर्षक / BOQ Title	MISC Item
बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) / Minimum Average Annual Turnover of the bidder (For 3 Years)	12 Lakh (s)
मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)/ OEM Average Turnover (Last 3 Years)	50 Lakh (s)
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/ Years of Past Experience Required for same/similar service	3 Year (s)
टर्नओवर के लिए एमएसई को छूट प्राप्त है / MSE Exemption for Turnover	Yes Complete
टर्नओवर के लिए स्टार्टअप को छूट प्राप्त है / Startup Exemption for Turnover	Yes Complete
विक्रेता से मांगे गए दस्तावेज़/ Document required from seller	<p>Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Compliance of BoQ specification and supporting document</p> <p>*In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer</p>
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/ Do you want to show documents uploaded by bidders to all bidders participated in bid?	No
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	3

बिड विवरण/Bid Details	
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	2
विगत प्रदर्शन / Past Performance	30 %
बिड से रिवर्स नीलामी सक्रिय किया/ Bid to RA enabled	Yes
रिवर्स नीलामी योग्यता नियम/ RA Qualification Rule	H1-Highest Priced Bid Elimination
बिड का प्रकार/ Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/ Primary product category	Sch 35
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय / Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/ Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
मूल्यांकन पद्धति/ Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/ Arbitration Clause	No
सुलह खंड/ Mediation Clause	No

ईएमडी विवरण/EMD Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईएमडी राशि/EMD Amount	48000

ईपीबीजी विवरण /ePBG Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईपीबीजी प्रतिशत (%) /ePBG Percentage(%)	5.00
ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months).	6

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित कैटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज प्रस्तुत करने है। एमएसई कैटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b). ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

लाभार्थी /Beneficiary :

CWE (AF) Gwalior

CWE AIR FORCE GWALIOR, Department of Defence, MoD Sectt Establishment, Ministry of Defence

(Col Anumapa Agrawal)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई के लिए आरक्षित / Reserved for Make In India products

एमआईआई के लिए आरक्षित / Reserved for Make In India products	Yes
---	-----

एमएसई के लिए आरक्षित / Reserved for MSE

एमएसई के लिए आरक्षित / Reserved for MSE	Yes
---	-----

1. If the bidder is a Micro or Small Enterprise (MSE) as per latest orders issued by Ministry of MSME, the bidder shall be exempted from the eligibility criteria of "Bidder Turnover" as defined above subject to meeting of quality and technical specifications. If the bidder itself is MSE OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking exemption from Turnover, shall upload the supporting documents to prove his eligibility for exemption.
2. If the bidder is a DPIIT registered Startup, the bidder shall be exempted from the the eligibility criteria of "Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT Registered OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking exemption from Turnover shall upload the supporting documents to prove his eligibility for exemption.
3. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
4. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
5. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
6. Bid reserved for Make In India products: : Procurement under this bid is reserved for purchase from Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. However, eligible micro and small enterprises will be allowed to participate. The minimum local content to qualify as a class 1 local supplier is denoted in the bid document. All bidders must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which the bid is liable to be rejected. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost

auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020 . In case Buyer has selected Purchase preference to Micro and Small Enterprises clause in the bid, the same will get precedence over this clause.

7. Procurement under this bid is reserved for purchase from Micro and Small Enterprises having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal. If the bidder wants to avail themselves of the reservation benefit, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible to participate in this bid. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service, and Buyer will decide eligibility based on documentary evidence submitted, while evaluating the bid. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

8. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

9. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 30% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

10. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:

- i. If number of technically qualified bidders are only 2 or 3.
- ii. If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
- iii. In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
- iv. If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
- v. If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

Sch 1

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	3	45

Sch 2

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	7	45

Sch 3

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	57	45

Sch 4

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	233	45

Sch 5

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	68	45

Sch 6

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	1	45

Sch 7

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	233	45

Sch 8

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	100	45

Sch 9

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	100	45

Sch 10

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	100	45

Sch 11

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	180	45

Sch 12

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	200	45

Sch 13

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	90	45

Sch 14

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	1	45

Sch 15

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	1	45

Sch 16

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	2	45

Sch 17

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	2	45

Sch 18

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	3	45

Sch 19

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	2	45

Sch 20

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	22	45

Sch 21

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	63	45

Sch 22

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	54	45

Sch 23

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	23	45

Sch 24

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	1	45

Sch 25

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	3	45

Sch 26

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	1	45

Sch 27

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	1	45

Sch 28

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	2	45

Sch 29

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	1	45

Sch 30

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	1	45

Sch 31

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	3	45

Sch 32

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	14	45

Sch 33

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	49	45

Sch 34

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	49	45

Sch 35

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	5	45

Sch 36

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	1	45

Sch 37

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	1	45

Sch 38

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	2	45

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Scope of Supply

Scope of supply (Bid price to include all cost components) : Only supply of Goods

3. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

NOTE :-

- (a) BIDDER MUST UPLOAD A SEPARATE SHEET HAVING DETAILS (LIKE NAME OF ITEM, MAKE, BRAND, MODEL NAME OR NUMBER, CAT PART NUMBER IF ANY, GST %, MRP ETC), WHICH (EXACTLY SAME) HAVE TO BE SUPPLIED TO CONSIGNEE AT THE TIME OF PHYSICAL DELIVERY OF ITEMS.**
- (b) CURRENT / LATEST PRICE LIST SHEET OF PRODUCT CONCERNED ONLY, ISSUED BY OEM (MENTIONING PRODUCT NAME, MANUFACTURE/MAKE/BRAND WITH CAT PART NUMBER IF ANY) TO BE ENCLOSED.**
- (c) OEM AUTHORIZATION LETTER FOR ALL MAJOR ITEMS OFFERED BY BIDDER MUST BE UPLOADED.**
- (d) A DECLARATION TO BE UPLOADED BY BIDDER THAT ANY OFFICE OF GOVT OF INDIA HAS NOT BANNED/BLACKLISTED/DE-REGISTERED/DEBARRED HIM AND NOT SUSPENDED HIM DURING BID PARTICIPATION PERIOD. HE IS ALSO NOT BANKRUPT FROM ANY BANK/FINANCIAL INSTITUTION, NOT UNDER RECEIVERSHIP/LIQUIDATION /BANKRUPTCY ETC. ANY EVENT OF TIME, IF SUCH INFO IS NOTICED BY BIDDER, THE BIDDER HAS TO COMMUNICATE TO THIS OFFICE IMMEDIATELY IN WRITING, AND IS LIABLE NOT TO BE GIVEN CONTRACT OR IMMEDIATE TERMINATION OF CONTRACT IF ANY MAY ALSO BE TAKEN. THE BIDDER MAY ALSO NOT CLAIM PAYMENTS, EVEN IF CONTRACT ORDER HAVE BEEN GIVEN TO HIM OR ITEMS/SERVICES HAVE ALSO BEEN SUPPLIED BY HIM. THE UNDERTAKING CERTIFICATE ON STAMP PAPER OF RS.100/- MUST BE UPLOADED AGREED TO ALL TERMS AND CONDITIONS BY THE BIDDER OF THE CONTRACT IS REQUIRED .**
- (e) FOR PAST PERFORMANCE CONFIRMATION (IF DEMANDED BY BUYER), COPIES OF RELEVANT CRAC/CONTRACTS/SUPPLY ORDER PERTAINING TO ANY CENTRAL/STATE GOVT/PSU TO BE ENCLOSED, HAVING SUPPLIED MENTIONED% OF QUANTITY OF BID OR IN CATEGORY OF PRIMARY PRODUCT.**
- (f) IF APPLIED FOR TO GET BENEFITS IN CATEGORY OF “MSME”, VALID LATEST MSME CERTIFICATE TO BE ENCLOSED BY OEM, HAVING CORRECT NAME/CATEGORY/GROUP OF THE ITEM DEMANDED IN THE CERTIFICATE IN NIC COLUMN CONCERNED.**
- (g) IF APPLIED FOR TO GET BENEFITS IN CATEGORY OF “MAKE IN INDIA CLASS-1 LOCAL SUPPLIER”, VALID LATEST DOCUMENT FROM OEM TO BE ENCLOSED.**
- (h) IF GEM PROCUREMENT PORTAL IS GIVING OPTION IN FILTERS TO OPT FOR BIS PRODUCTS/ISI MARKED/APPROVED PRODUCTS, THEN SAME MAY BE OPTED BY BUYER. IT IS BIDDER RESPONSIBILITY TO REGISTER/ADD/UPLOAD THEIR PRODUCTS IN APPROPRIATE FILTERS/OPTIONS IN GEM PROCUREMENT PORTAL. IF ANY ITEM IS GENERALLY NOT MADE BY ANY MANUFACTURER AS PER REQUIREMENT/SPECIFICATIONS GIVEN IN BID, THE BIDDER MAY PARTICIPATE IN BID, AND MAY SUBMIT BID AS PER NORMS APPROVED BY GOVT OF INDIA. THEN THE BID MAY BE ACCEPTED BASED ON SUPPORTING DOCUMENTS SUBMITTED BY BIDDER IN GEM ONLINE WHILE BIDDING IN RESPECT OF SUCH ITEMS.**
- (j) BIDS TO BE QUOTED FOR THE MAJOR MANUFACTURER/MAKE/BRAND ONLY WHICH HAS BEEN APPROVED BY MILITARY ENGINEER SERVICES E-IN-C's BRANCH, HQ CHIEF ENGINEER OF ANY COMMAND LEVEL/EQUIVALENT OFFICES. PRODUCT APPROVAL LETTER TO BE UPLOADED.**
- (k) IF ANY PRODUCTS ARE NOT AVAILABLE IN BRANDS APPROVED BY ABOVE SAID OFFICES, THEN PRODUCTS CONFIRMING TO INDIAN STANDARDS/BEST QUALITY/ ISI MARKED TO BE QUOTED & SUPPLIED.**
- (l) ALL DOCS UPLOADED BY BIDDER MUST BE DULY SIGNED BY BIDDER WITH SEAL OF THE FIRM.**
- (m) THIS ATC SHEET MUST BE ALSO UPLOADED, DULY SIGNED BY BIDDER WITH S**

EAL OF FIRM.

(n) SAMPLE MUST BE APPROVED BEFORE BULK SUPPLY.

(o) TEST CERTIFICATE BEARING WITH MFG DATE AND EXPIRY DATE MUST WITH BULK SUPPLY.

(p) OEM PROVIDER ADDRESS, CONTRACT NUMBER, E-MAIL ID, SHOULD BE PROVIDED FOR VERIFICATION.

अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---