

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	30-10-2025 18:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	30-10-2025 18:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	150 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Defence
विभाग का नाम/Department Name	Department Of Defence
संगठन का नाम/Organisation Name	Mod Sectt Establishment
कार्यालय का नाम/Office Name	*****
कुल मात्रा/Total Quantity	3261
वस्तु श्रेणी /Item Category	SCH1 , SCH2 , SCH3 , SCH4 , SCH5 , SCH6 , SCH7 , SCH8 , SCH9 , SCH10 , SCH11 , SCH12 , SCH13 , SCH14 , SCH15 , SCH16 , SCH17 , SCH18 , SCH19 , SCH20 , SCH21 , SCH22 , SCH23 , SCH24 , SCH25 , SCH26 , SCH27 , SCH28 , SCH29 , SCH30 , SCH31 , SCH32 , SCH33 , SCH34 , SCH35 , SCH36 , SCH37 , SCH38 , SCH39 , SCH40
GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS	LIGHT LED TYPE SLEEK 10W, LED STREET LIGHT FITTING , STEP TYPE FAN REGULATOR MODULER TYPE MEDIUM , MCCB 250 AMP 25 KA 4 POLE , LED STREET LIGHT FITTING 72W, MCCB 100AMP 16 KA 4 POLE, MCCB 160 AMP 25 KA 4 POLE, SOCKET OUT LET 2 IN 1, 6 PIN 16 AMP, HIGH EFFICIENCY LIGHT LED, PVC TAPE INSULATION 15MM X 25MTR, FR PVC INSULATED UNSHEATHED FLEXIBLE WIRE COPPER CONDUCTOR, MCB SINGLE POLE C SERIES, BELL ELECT DING DONG AC, MCB SINGLE POLE C SERIES, LED FLOOD LIGHT 50WATT, GATE VALVE 40MM GM, U/G CABLE ARMOURED 25 SQMM 4 CORE, U/G CABLE ARMOURED 35 SQMM 3.5 CORE, U/G CABLE ARMOURED 50 SQMM, 3.5 CORE, SOCKET PIANO MODULAR TYPE 16 AMP 230 VOLT, SOCKET OUT LET MODULAR UNIVRSAL 6/16 AMP , PVC TAPE INSULATION 20MM X 25MTR, GATE VALVE 50MM GM, UG CABLE ARMOURED 16 SQMM 4 CORE, BRASS CP PILLER COCK 15MM FANCY TYPE, BASIN MIXTURE CENTRE HOLE, BRASS CP HAND SHOWER ROSE WITH PVC TUBE 1.5MTR, PVC CONNECTION 15X450MM , BIB COCK PTMT 15MM , GLASS SHELF 500X125MM, FLOOR SPRING FOR ALMN DOOR, GLASS PANE FROSTED 4X3X3 MM, BRASS SPINDLE FOR CP BIB COCK, GREEN PLY 09MM THICK, PTMT ANGLE STOP COCK 15MM, BRASS CP SHOWER ROSE 15X75MM DIA, BRONZE ANGLE COCK WITH FLANGE 15MM FANCY TYPE, BRASS CP BIB COCK 15MM , BRASS CP CONCEALED STOP COCK 15MM, PUTTY OIL FOR GLASS PANE

बिड विवरण/Bid Details	Searched String: LIGHT LED TYPE SLEEK 10W
	<p>LED Tube Light (Retrofit Type), LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), LED Flash Light, LED Luminaire (for Flood Light) as per IS 10322, IS 16107, LED Bulkhead Light, Muffle Furnace, Led Flood Light, Hand Held Search Light, LED Garden Light (V2), LED Luminaire (for Road and Street Lights) as per IS 10322, IS 16107, IS 16108, IS 16103, IS 10322</p> <p>Searched String: LED STREET LIGHT FITTING</p> <p>Inverter Based LED Street Light (V2), LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), LED Luminaire (for Road and Street Lights) as per IS 10322, IS 16107, IS 16108, IS 16103, IS 10322, White - LED Based Solar Street Lighting System, LED Luminaire (for Flood Light) as per IS 10322, IS 16107, High Mast Lighting Octagonal Tower with Solar Based LED Street Light, Hand Held Search Light, LED Flash Light, Television (TV) (V2), LED Bulkhead Light</p> <p>Searched String: STEP TYPE FAN REGULATOR MODULER TYPE MEDIUM</p> <p>Piano Type Modular Domestic Fan Regulator as per IS 11037, Air Circulator Type Electric Fan as per IS 2997, Piano Type Non Modular Domestic Fan Regulator as per IS 11037, Voltage regulator for domestic fans, Electric Pedestal Type Fan and Regulator as per IS 1169, The Multilayered Cross Laminated Sheets / Tarpaulins / Covers / Agricultural Films as per IS 14611, Electric Ceiling Type Fan (V3) ISI Marked to IS 374, Propeller Type AC Ventilating Fans - Exhaust Fans (V2) as per IS 2312, Fixed Type Medium Expansion Foam Generator (PNG), Automatic Line Voltage Correctors (Step Type) for Domestic Use - IS - 8448</p> <p>Searched String: MCCB 250 AMP 25 KA 4 POLE</p> <p>Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, Earth Leakage Circuit Breaker (ELCB)</p> <p>Searched String: LED STREET LIGHT FITTING 72W</p> <p>Inverter Based LED Street Light (V2), LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), LED Luminaire (for Road and Street Lights) as per IS 10322, IS 16107, IS 16108, IS 16103, IS 10322, White - LED Based Solar Street Lighting System, LED Luminaire (for Flood Light) as per IS 10322, IS 16107, High Mast Lighting Octagonal Tower with Solar Based LED Street Light, Hand Held Search Light, LED Flash Light, Television (TV) (V2), LED Bulkhead Light</p> <p>Searched String: MCCB 100AMP 16 KA 4 POLE</p> <p>Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, Earth Leakage Circuit Breaker (ELCB)</p> <p>Searched String: MCCB 160 AMP 25 KA 4 POLE</p> <p>Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, Earth Leakage Circuit Breaker (ELCB)</p> <p>Searched String: SOCKET OUT LET 2 IN 1, 6 PIN 16 AMP</p> <p>Electrical Extension Box (V4), modular electrical switches</p>

बिड विवरण/Bid Details	and accessories
	<p>Searched String: HIGH EFFICIENCY LIGHT LED</p> <p>LED Flash Light, LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), LED Bulkhead Light, High Mast Lighting Tower for large area with LED Flood Lighting System, Led Flood Light, LED Luminaire (for Road and Street Lights) as per IS 10322, IS 16107, IS 16108, IS 16103, IS 10322, LED Garden Light (V2), LED Luminaire (for Flood Light) as per IS 10322, IS 16107, Track Light, LED Luminaire for High Bay Lighting</p> <p>Searched String: PVC TAPE INSULATION 15MM X 25MTR</p> <p>Parallel Bar - Outdoor Gym Equipment, Plasticized PVC Tapes with Non-Thermosetting Adhesive for electrical purpose (V2) ISI marked to IS 7809 (Part 3/ Sec1), PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), Permeable Nonwoven Surgical Adhesive Tape, Head Circumference Measuring Tape -(RBSK), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Elastic Surgical Adhesive Tapes (V2), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, Cast Iron Bench, PVC Insulated (Heavy Duty) Electric Cables, Aluminium Conductor as per IS 1554 (Part 1)</p> <p>Searched String: FR PVC INSULATED UNSHEATHED FLEXIBLE WIRE COPPER CONDUCTOR</p> <p>PVC Insulated Unsheathed Cable with Flexible Conductor as per IS 694, PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, PVC Insulated Cables, Unsheathed with Rigid Conductor (V2) as per IS 694, Battery Chargers (for Transreceivers) (V2), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, PVC Copper Cable Multi Core Circular Sheathed Cables with Flexible Conductor as per IS 694, PVC Copper Cable Single and Multi Core Circular Sheathed Cable with Flexible Conductor as per IS 694, PVC Copper Cable Single and Multi Core Circular Sheathed Cord with Flexible Conductor as per IS 694, PVC Flat Cable, Copper Conductor with PVC Insulation and Sheath as per IS 694, PVC Copper Cable 1 Core and Multi Core Circular Sheathed Cable with Rigid Conductor as per IS 694</p> <p>Searched String: MCB SINGLE POLE C SERIES</p> <p>Registered Barcode Stickers (Single) of 'RD' Series, Open Jaw Wrenches (Spanners) as per IS 2028, Octagonal Pole with Single Arm or Double Arm Brackets (V2), Metal Oxide Gap-less (ZnO) Type Surge Arrestor (BHEL), Switch Fuse Unit, Towel Rail / Ring / Rack / Hooks for Bathroom, Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, Precision Height Gauge, Solar Power Plant (Roof Top) for ONGRID System, Single Phase, Xlpe Cables, Category C2 - FR - LSH, for Working Voltages From 3.3 KV up to and Including 33 KV as per IS 7098 (Part 2)</p> <p>Searched String: BELL ELECT DING DONG AC</p> <p>AC EV Charging Station, call bell, Fixed Capacitors (Fixed Capacitor for Single Phase AC Electric Fan) as per IS</p>

बिड विवरण/Bid Details	1709:1984, Electric Bells and Accessories as per IS 2268, AC Static Transformer Operated Watthour and Var - Hour Smart Meters (V2) as per IS 16444 (Part 2), modular electrical switches and accessories, Superoxidized Solution (Electrolyzed Water), modular electrical enclosure switch board boxes for modular type accessories, Electric Solenoid Operated Actuators-IS:8935, Electronic Fitness Band
	<p>Searched String: MCB SINGLE POLE C SERIES</p> <p>Registered Barcode Stickers (Single) of 'RD' Series, Open Jaw Wrenches (Spanners) as per IS 2028, Octagonal Pole with Single Arm or Double Arm Brackets (V2), Metal Oxide Gap-less (ZnO) Type Surge Arrestor (BHEL), Switch Fuse Unit, Towel Rail / Ring / Rack / Hooks for Bathroom, Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, Precision Height Gauge, Solar Power Plant (Roof Top) for ONGRID System, Single Phase, Xlpe Cables, Category C2 - FR - LSH, for Working Voltages From 3.3 KV up to and Including 33 KV as per IS 7098 (Part 2)</p> <p>Searched String: LED FLOOD LIGHT 50WATT</p> <p>Led Flood Light, LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), LED Luminaire for Floodlight (V2) Conforming to IS 10322 (Part 5/Section 5), High Mast Lighting Tower for large area with LED Flood Lighting System, LED Luminaire for Flood Light, Flame Proof, LED Luminaire (for Road and Street Lights) as per IS 10322, IS 16107, IS 16108, IS 16103, IS 10322, LED Luminaire for Flood Light, Flame Proof (V2), LED Luminaire (for Flood Light) as per IS 10322, IS 16107, Hand Held Search Light, LED Flash Light</p> <p>Searched String: GATE VALVE 40MM GM</p> <p>Knife Edge Gate Valve, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Gun Metal Gate Valves - BHEL, Check Valve (V2) as per IS 778, CS Gate Valve As Per API 602, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Foot Operated Pedal Bin or Bucket for Bio - Medical Waste Collection, High Pressure Mud Gate valves as per API 6A(ONGC), Industrial Bellows-Seal Wedge Gate Valves-IS:11733, Portable Toilet</p> <p>Searched String: U/G CABLE ARMoured 25 SQMM 4 CORE</p> <p>XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), PVC Copper Cable (Heavy Duty), Type C PVC Compound, Category 01 as per IS 1554 (Part 1), PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, ADSS Optical Fiber Cable (Defence), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, PVC Aluminium Cable (Heavy Duty), Working Voltages up to and Including 1100 Volts as per IS 1554 (Part 1), PVC Copper Cable (Heavy Duty), Type C PVC Compound, Category C1 - FR as per IS 1554 (Part 1), PVC Insulated (Heavy Duty) Electric Cables, Aluminium Conductor as per IS 1554 (Part 1), PVC Copper Cable Single and Multi Core Circular Sheathed Cable with Flexible Conductor as per IS 694</p>

बिड विवरण / Bid Details	Searched String: U/G CABLE ARMOURED 35 SQMM 3.5 CORE
<p>GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS</p>	<p>XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), PVC Copper Cable (Heavy Duty), Type C PVC Compound, Category 01 as per IS 1554 (Part 1), PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, ADSS Optical Fiber Cable (Defence), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Aerial Bunched Cables as per IS 14255, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, Telecommunication Cable - Fully filled (Petroleum Jelly or Absorbent Thixotropic Gel), Xlpe Cables, Category C2 - FR - LSH, for Working Voltages From 3.3 KV up to and Including 33 KV as per IS 7098 (Part 2), PVC Aluminium Cable (Heavy Duty), Working Voltages up to and Including 1100 Volts as per IS 1554 (Part 1)</p>
	<p>Searched String: U/G CABLE ARMOURED 50 SQMM, 3.5 CORE</p> <p>XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), PVC Copper Cable (Heavy Duty), Type C PVC Compound, Category 01 as per IS 1554 (Part 1), PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, ADSS Optical Fiber Cable (Defence), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Telecommunication Cable - Fully filled (Petroleum Jelly or Absorbent Thixotropic Gel), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, Xlpe Cables, Category C2 - FR - LSH, for Working Voltages From 3.3 KV up to and Including 33 KV as per IS 7098 (Part 2), PVC Aluminium Cable (Heavy Duty), Working Voltages up to and Including 1100 Volts as per IS 1554 (Part 1), Cable Joint Kit (V2)</p>
	<p>Searched String: SOCKET PIANO MODULAR TYPE 16 AMP 230 VOLT</p> <p>Piano Type Modular Domestic Electrical sockets - IS 1293, Piano Type Non Modular Electrical Switch Socket Combination as per IS 3854 and IS 1293, Piano Type Non Modular Domestic Electrical sockets - IS 1293, Piano Type Modular Domestic Fan Regulator as per IS 11037, Piano Type Non Modular Domestic Fan Regulator as per IS 11037, modular electrical switches and accessories</p>
	<p>Searched String: SOCKET OUT LET MODULAR UNIVRSAL 6/16 AMP</p> <p>modular electrical switches and accessories</p> <p>Searched String: PVC TAPE INSULATION 20MM X 25MTR</p> <p>Parallel Bar - Outdoor Gym Equipment, Plasticized PVC Tapes with Non-Thermosetting Adhesive for electrical purpose (V2) ISI marked to IS 7809 (Part 3/ Sec1), PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), Permeable Nonwoven Surgical Adhesive Tape, Head Circumference Measuring Tape -(RBSK), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Elastic Surgical</p>

बिड विवरण/Bid Details	<p>Adhesive Tapes (V2), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, Cast Iron Bench, PVC Insulated (Heavy Duty) Electric Cables, Aluminium Conductor as per IS 1554 (Part 1)</p> <p>Searched String: GATE VALVE 50MM GM</p> <p>Knife Edge Gate Valve, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Gun Metal Gate Valves - BHEL, Check Valve (V2) as per IS 778, CS Gate Valve As Per API 602, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, High Pressure Mud Gate valves as per API 6A(ONGC), Portable Toilet, Industrial Bellows-Seal Wedge Gate Valves-IS:11733, Water Fittings - Copper Alloy Float Valves (Horizontal Plunger Type) as per IS: 1703</p> <p>Searched String: UG CABLE ARMOURED 16 SQMM 4 CORE</p> <p>XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), PVC Copper Cable (Heavy Duty), Type C PVC Compound, Category 01 as per IS 1554 (Part 1), PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, PVC Copper Cable Single and Multi Core Circular Sheathed Cable with Flexible Conductor as per IS 694, PVC Insulated (Heavy Duty) Electric Cables, Aluminium Conductor as per IS 1554 (Part 1), PVC Aluminium Cable (Heavy Duty), Working Voltages up to and Including 1100 Volts as per IS 1554 (Part 1), Xlpe Cables, Category C2 - FR - LSH, for Working Voltages From 3.3 KV up to and Including 33 KV as per IS 7098 (Part 2), Multicore Cable as per IS 694, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694</p> <p>Searched String: BRASS CP PILLER COCK 15MM FANCY TYPE</p> <p>Plug Cock for Water Supply Purpose as per IS 3004, Globe Valve as per IS 778</p> <p>Searched String: BASIN MIXTURE CENTRE HOLE</p> <p>Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931</p> <p>Searched String: BRASS CP HAND SHOWER ROSE WITH PVC TUBE 1.5MTR</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: PVC CONNECTION 15X450MM</p> <p>Connection Pipe with Nuts (V2), Cleaning Duster (V3), RCB Connection Box for Telecommunication, Electrical connection Lugs or thimbles, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Pigtaills for Fiber Cable Connection, Customised Envelopes, PVC Channel, PVC gitti, Bio - Medical Waste Collection Bags (Biohazard Bags)</p> <p>Searched String: BIB COCK PTMT 15MM</p> <p>PTMT Tap Fitting, Cast Copper Alloy Screw Down Bib Taps</p>
-----------------------	---

बिड विवरण / Bid Details	and Stop Valves for Water Services as per IS 781, Plastics Bib Taps Pillar Taps Angle Valves and Stop Valves as per IS 9763:2000 (Latest), Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, Plug Cock for Water Supply Purpose as per IS 3004
	<p>Searched String: GLASS SHELF 500X125MM</p> <p>Stainless Steel Shelf Rack, Cleaning Duster (V3), Grinding Wheel With Shelf Life, Shelf stable prepared soups or stews, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Glass Fuse, TLC plate, Silica gel 60, Connector Glass, Customised Envelopes, Glass Beads</p> <p>Searched String: FLOOR SPRING FOR ALMN DOOR</p> <p>Floor Cleaner (V2), Metal Storage Cabinet, Electro Forged Floor Grills, Spring Rider, Therapy Floor Mat for Exercise - RBSK, Wooden Shelf / Case / Rack / Credenza / Modular Storage (V2), Spring Bars For Watch Cases and Straps Conforming to IS 10865, Seesaw for Playground (V2), Spring Testing Machine (V2), File/Folder (V3)</p> <p>Searched String: GLASS PANE FROSTED 4X3X3 MM</p> <p>XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Work Benches, Customised Envelopes, Fabric Pin Up Notice Boards, Dry Erase Writing Boards (V3), Wooden Lab Stools, Pin Up Notice Board (V2), Plastic Limit Set, Dak Pad (V2), Foam Mattress (V3)</p> <p>Searched String: BRASS SPINDLE FOR CP BIB COCK</p> <p>Commercial CPVC Pipe Fittings, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Plug Cock for Water Supply Purpose as per IS 3004</p> <p>Searched String: GREEN PLY 09MM THICK</p> <p>Fabric Pin Up Notice Boards, Modular Extendable Conference Table (V2), Dry Erase Writing Boards (V3), Corrugated Boxes, Ring Binder - File Folder, hospital biohazard bags or bio medical waste collection bags, Bone Screw (V2), Ultrasonic Thickness Gauge, Kabaddi Mat (V2), Microscopes Slide Coverslips as per IS 3099</p> <p>Searched String: PTMT ANGLE STOP COCK 15MM</p> <p>PTMT Tap Fitting, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Three way Stop Cocks or Manifolds, Plastics Bib Taps Pillar Taps Angle Valves and Stop Valves as per IS 9763:2000 (Latest), Parallel Bar - Outdoor Gym Equipment, Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, Medical Centrifuge, Picket Steel as per DGS&D Drawing, Plug Cock for Water Supply Purpose as per IS 3004, Triceps bar</p> <p>Searched String: BRASS CP SHOWER ROSE 15X75MM DIA</p> <p>Commercial CPVC Pipe Fittings</p> <p>Searched String: BRONZE ANGLE COCK WITH FLANGE 15MM FANCY TYPE</p> <p>Globe Valve as per IS 778</p> <p>Searched String: BRASS CP BIB COCK 15MM</p>

बिड विवरण / Bid Details	<p>PTMT Tap Fitting, Commercial CPVC Pipe Fittings, Plastics Bib Taps Pillar Taps Angle Valves and Stop Valves as per IS 9763:2000 (Latest), Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, Pad Lock Various (As Per Defence Specification), Oxygen Flow Meter, Metal Alloy Casting Water Tap with Aerator (V2), Plug Cock for Water Supply Purpose as per IS 3004</p> <p>Searched String: BRASS CP CONCEALED STOP COCK 15MM</p> <p>PTMT Tap Fitting, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, Plug Cock for Water Supply Purpose as per IS 3004</p> <p>Searched String: PUTTY OIL FOR GLASS PANE</p> <p>Putty for use on Window Frames as per IS 419, Internal Combustion Engine Crankcase Oils for Automotive Application (Diesel and gasoline) as per IS: 13656, Hypodermic Syringes for General Purposes as per IS 3236, Safety Glass For Architectural, Building And General Uses (V2) ISI Marked to IS 2553 (Part 1), Phototherapy Machine for (SNCU), Safety Glass for Road Transport Marked to IS 2553 (Part 2), DARK GLASS FOR WELDER'S SCREEN, Glass Ionomer Cement for Dentistry, Frying oil testing machine, Glass Rods and Tubing for Laboratory Glassware confirming to IS 7374 (V2)</p>
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	<ul style="list-style-type: none"> • Metal Putty
बीओक्यू शीर्षक / BOQ Title	Misc Bid
बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) / Minimum Average Annual Turnover of the bidder (For 3 Years)	8 Lakh (s)
मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का) / OEM Average Turnover (Last 3 Years)	40 Lakh (s)
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष / Years of Past Experience Required for same/similar service	3 Year (s)
टर्नओवर के लिए एमएसई को छूट प्राप्त है / MSE Exemption for Turnover	Yes Complete
टर्नओवर के लिए स्टार्टअप को छूट प्राप्त है / Startup Exemption for Turnover	Yes Complete
विक्रेता से मांगे गए दस्तावेज़ / Document required from seller	<p>Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Compliance of BoQ specification and supporting document</p> <p>*In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer</p>

बिड विवरण/Bid Details	
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेजों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	No
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	3
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	2
विगत प्रदर्शन /Past Performance	30 %
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	Yes
रिवर्स नीलामी योग्यता नियम/RA Qualification Rule	H1-Highest Priced Bid Elimination
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	SCH13
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईएमडी राशि/EMD Amount	32000

ईपीबीजी विवरण /ePBG Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईपीबीजी प्रतिशत (%) /ePBG Percentage(%)	5.00

ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months).

6

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज प्रस्तुत करने है। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b). ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

लाभार्थी /Beneficiary :

CWE (AF) Gwalior

CWE AIR FORCE GWALIOR, Department of Defence, MoD Sectt Establishment, Ministry of Defence

(Col Anumapa Agrawal)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई के लिए आरक्षित / Reserved for Make In India products

एमआईआई के लिए आरक्षित / Reserved for Make In India products

Yes

एमएसई के लिए आरक्षित / Reserved for MSE

एमएसई के लिए आरक्षित / Reserved for MSE

Yes

1. If the bidder is a Micro or Small Enterprise (MSE) as per latest orders issued by Ministry of MSME, the bidder shall be exempted from the eligibility criteria of "Bidder Turnover" as defined above subject to meeting of quality and technical specifications. If the bidder itself is MSE OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking exemption from Turnover, shall upload the supporting documents to prove his eligibility for exemption.
2. If the bidder is a DPIIT registered Startup, the bidder shall be exempted from the the eligibility criteria of "Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT Registered OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking exemption from Turnover shall upload the supporting documents to prove his eligibility for exemption.
3. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
4. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
5. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a

certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

6. Bid reserved for Make In India products: : Procurement under this bid is reserved for purchase from Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. However, eligible micro and small enterprises will be allowed to participate. The minimum local content to qualify as a class 1 local supplier is denoted in the bid document. All bidders must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which the bid is liable to be rejected. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020 . In case Buyer has selected Purchase preference to Micro and Small Enterprises clause in the bid, the same will get precedence over this clause.

7. Procurement under this bid is reserved for purchase from Micro and Small Enterprises having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal. If the bidder wants to avail themselves of the reservation benefit, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible to participate in this bid. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service, and Buyer will decide eligibility based on documentary evidence submitted, while evaluating the bid. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

8. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

9. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 30% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

10. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:

- i. If number of technically qualified bidders are only 2 or 3.
- ii. If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
- iii. In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
- iv. If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
- v. If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

SCH1

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	275	45

SCH2

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	5	45

SCH3

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषदी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषदी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	150	45

SCH4

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषदी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषदी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	1	45

SCH5

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषदी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	5	45

SCH6

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	1	45

SCH7

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	1	45

SCH8

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	250	45

SCH9

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	200	45

SCH10

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	284	45

SCH11

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	450	45

SCH12

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	60	45

SCH13

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	50	45

SCH14

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	40	45

SCH15

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	5	45

SCH16

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	5	45

SCH17

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	200	45

SCH18

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	100	45

SCH19

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	100	45

SCH20

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	40	45

SCH21

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	60	45

SCH22

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	130	45

SCH23

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	3	45

SCH24

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	200	45

SCH25

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	25	45

SCH26

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	15	45

SCH27

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	12	45

SCH28

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	80	45

SCH29

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	60	45

SCH30

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	15	45

SCH31

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	7	45

SCH32

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	12	45

SCH33

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	55	45

SCH34

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	130	45

SCH35

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	60	45

SCH36

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	20	45

SCH37

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	50	45

SCH38

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	40	45

SCH39

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	15	45

SCH40

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gwalior	50	45

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Scope of Supply

Scope of supply (Bid price to include all cost components) : Only supply of Goods

3. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

NOTE :-

- (a) BIDDER MUST UPLOAD A SEPARATE SHEET HAVING DETAILS (LIKE NAME OF ITEM, MAKE, BRAND, MODEL NAME OR NUMBER, CAT PART NUMBER IF ANY, GST %, MRP ETC), WHICH (EXACTLY SAME) HAVE TO BE SUPPLIED TO CONSIGNEE AT THE TIME OF PHYSICAL DELIVERY OF ITEMS.**
- (b) CURRENT / LATEST PRICE LIST SHEET OF PRODUCT CONCERNED ONLY, ISSUED BY OEM (MENTIONING PRODUCT NAME, MANUFACTURE/MAKE/BRAND WITH CAT PART NUMBER IF ANY) TO BE ENCLOSED.**
- (c) OEM AUTHORIZATION LETTER FOR ALL MAJOR ITEMS OFFERED BY BIDDER MUST BE UPLOADED.**
- (d) A DECLARATION TO BE UPLOADED BY BIDDER THAT ANY OFFICE OF GOVT OF INDIA HAS NOT BANNED/BLACKLISTED/DE-REGISTERED/DEBARRED HIM AND NOT SUSPENDED HIM DURING BID PARTICIPATION PERIOD. HE IS ALSO NOT BANKRUPT FROM ANY BANK/FINANCIAL INSTITUTION, NOT UNDER RECEIVERSHIP/LIQUIDATION /BANKRUPTCY ETC. ANY EVENT OF TIME, IF SUCH INFO IS NOTICED BY BIDDER, THE BIDDER HAS TO COMMUNICATE TO THIS OFFICE IMMEDIATELY IN WRITING, AND IS LIABLE NOT TO BE GIVEN CONTRACT OR IMMEDIATE TERMINATION OF CONTRACT IF ANY MAY ALSO BE TAKEN. THE BIDDER MAY ALSO NOT CLAIM PAYMENTS, EVEN IF CONTRACT ORDER HAVE BEEN GIVEN TO HIM OR ITEMS/SERVICES HAVE ALSO BEEN SUPPLIED BY HIM. THE UNDERTAKING CERTIFICATE ON STAMP PAPER OF RS.100/- MUST BE UPLOADED AGREED TO ALL TERMS AND CONDITIONS BY THE BIDDER OF THE CONTRACT IS REQUIRED .**
- (e) FOR PAST PERFORMANCE CONFIRMATION (IF DEMANDED BY BUYER), COPIES OF RELEVANT CRAC/CONTRACTS/SUPPLY ORDER PERTAINING TO ANY CENTRAL/STATE GOVT/PSU TO BE ENCLOSED, HAVING SUPPLIED MENTIONED% OF QUANTITY OF BID OR IN CATEGORY OF PRIMARY PRODUCT.**
- (f) IF APPLIED FOR TO GET BENEFITS IN CATEGORY OF “MSME”, VALID LATEST MSME CERTIFICATE TO BE ENCLOSED BY OEM, HAVING CORRECT NAME/CATEGORY/GROUP OF THE ITEM DEMANDED IN THE CERTIFICATE IN NIC COLUMN CONCERNED.**
- (g) IF APPLIED FOR TO GET BENEFITS IN CATEGORY OF “MAKE IN INDIA CLASS-1 LOCAL SUPPLIER”, VALID LATEST DOCUMENT FROM OEM TO BE ENCLOSED.**
- (h) IF GEM PROCUREMENT PORTAL IS GIVING OPTION IN FILTERS TO OPT FOR BIS PRODUCTS/ISI MARKED/APPROVED PRODUCTS, THEN SAME MAY BE OPTED BY BUYER. IT IS BIDDER RESPONSIBILITY TO REGISTER/ADD/UPLOAD THEIR PRODUCTS IN APPROPRIATE FILTERS/OPTIONS IN GEM PROCUREMENT PORTAL. IF ANY ITEM IS GENERALLY NOT MADE BY ANY MANUFACTURER AS PER REQUIREMENT/SPECIFICATIONS GIVEN IN BID, THE BIDDER MAY PARTICIPATE IN BID, AND MAY SUBMIT BID AS PER NORMS APPROVED BY GOVT OF INDIA. THEN THE BID MAY BE ACCEPTED BASED ON SUPPORTING DOCUMENTS SUBMITTED BY BIDDER IN GEM ONLINE WHILE BIDDING IN RESPECT OF SUCH ITEMS.**
- (j) BIDS TO BE QUOTED FOR THE MAJOR MANUFACTURER/MAKE/BRAND ONLY WHICH HAS BEEN APPROVED BY MILITARY ENGINEER SERVICES E-IN-C's BRANCH, HQ CHIEF ENGINEER OF ANY COMMAND LEVEL/EQUIVALENT OFFICES. PRODUCT APPROVAL LETTER TO BE UPLOADED.**
- (k) IF ANY PRODUCTS ARE NOT AVAILABLE IN BRANDS APPROVED BY ABOVE SAID OFFICES, THEN PRODUCTS CONFIRMING TO INDIAN STANDARDS/BEST QUALITY/ ISI MARKED TO BE QUOTED & SUPPLIED.**
- (l) ALL DOCS UPLOADED BY BIDDER MUST BE DULY SIGNED BY BIDDER WITH SEAL OF THE FIRM.**
- (m) THIS ATC SHEET MUST BE ALSO UPLOADED, DULY SIGNED BY BIDDER WITH SE**

AL OF FIRM.

(n) SAMPLE MUST BE APPROVED BEFORE BULK SUPPLY.

(o) TEST CERTIFICATE BEARING WITH MFG DATE AND EXPIRY DATE MUST WITH BULK SUPPLY.

(p) OEM PROVIDER ADDRESS, CONTRACT NUMBER, E-MAIL ID, SHOULD BE PROVIDED FOR VERIFICATION.

अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---