

बिड दस्तावेज़ / Bid Document

बिड विवरण / Bid Details	
बिड बंद होने की तारीख/समय / Bid End Date/Time	16-12-2025 11:00:00
बिड खुलने की तारीख/समय / Bid Opening Date/Time	16-12-2025 11:30:00
बिड पेशकश वैधता (बंद होने की तारीख से) / Bid Offer Validity (From End Date)	180 (Days)
मंत्रालय/राज्य का नाम / Ministry/State Name	Ministry Of Defence
विभाग का नाम / Department Name	Department Of Military Affairs
संगठन का नाम / Organisation Name	Indian Navy
कार्यालय का नाम / Office Name	*****
कुल मात्रा / Total Quantity	3245

बिड विवरण/Bid Details

वस्तु श्रेणी /Item Category

EY6020D GLZ1177004P1 , EY6020D LT3 SA00M , EY6020D M22 A , EY6020D ZB2BG2 , EY6020D ZB2BV06 , EY6020D 5803753 , ES6400B 534A0035H02 , ES6400B 534A0035H15 , ES6400B 534A0772H03 , ES6400B 534B0768H01 , ES6400B 534C0187H02 , ES6400B 5430206 , ES6400B 5765858 , ES6400B 5765866 , ES6400B 5803768 , ES6400B 5803769 2 , ES6400B 5803770 , ES6400B 5803771 , ES6400B 5803772 , ES6400B 5803773 , ES6400B 5936601 , ES6400B 6028616 , ES6400B 6041435 , ES6400B 6459831 , ES6400B 6459834 , ES6400B 6459835 , ES6400B 6459836 , ES6400B 6459837 , ES6400B 6459840 , ES6400B 6459841 , ES6400B 6459842 , ES6400B 6466490 , ES6400B 6466491 , ES6400B 6466492 , ES6400B 6466494 , ES6400B M44802003002001 , EY6020D 029L64512 , EY6020D 029L64523 , EY6020D 029L64541 , EY6020D 2 5 4 0A GV2M08 , EY6020D 302237 14 , EY6020D 311100 04 , EY6020D 329L64493 , EY6020D 333Q0000910 , EY6020D 36131 07 , EY6020D 361310 04 , EY6020D 361500 01 , EY6020D 372107 02 , EY6020D 374011 01 , EY6020D 534A0032H02 , EY6020D 2534A0038H02 , EY6020D 534A0038H06 , EY6020D 534A0173H01 , EY6020D 534A0219H01 , EY6020D 534A0312H01 , EY6020D 534A0561H01 , EY6020D 534A0564G04 , EY6020D 534A0568H05 , EY6020D 534A0570H01 , EY6020D 534B0004H28 , EY6020D 534B0004H29 , EY6020D 534B0004H30 , EY6020D 534B0523H01 , EY6020D 534B0909H02 , EY6020D 534B0909H04 , EY6020D 534C0194H61 , EY6020D 534C0478H12 , EY6020D 534C1072H01 , EY6020D 53AD0555H01 , EY6020D 534M0602G02 , EY6020D 5803750 , EY6020D 5803752 , EY6020D 5803754 , EY6020D 5803755 , EY6020D 5803757 , EY6020D 6AV6 641 0CA01 0AX0 , EY6020D 768 041 6 , EY6020D 80 5X64X2 WS 500 , EY6020D 980A0012A62 , EY6020D 980A0012A78 , EY6020D 980A0012B02 , EY6020D 980A0012B72 , EY6020D 980A0012B73 , EY6020D 980A0012B76 , EY6020D 980A0012B91 , EY6020D 980A0012H10 , EY6020D 980A0012H49 , EY6020D 980A0012K60 , EY6020D GLG4643027 , EY6020D GLZ4642210 D28N , EY6020D GLZ4644019 HELK35 , EY6020D GLZ4644019 P2 HBLK 6 , EY6020D GLZ4644019 P3 HBLK6 , EY6020D GLZ4644019 P3 HEK6 , EY6020D GLZ4700085 , EY6020D GLZ4793091 , EY6020D GLZ4794110B2 , EY6020D GLZ4795006 , EY6020D GLZ4795036 , EY6020D GLZ4795051 , EY6020D GLZ4795086 , EY6020D GLZ4795088 , EY6020D GLZ4795097 , EY6020D GLZ4795114 TX2 0 7 01 , EY6020D GLZ4795133 , EY6020D GLZ4795135 , EY6020D GV2ME04 , EY6020D GV3P40 , EY6020D HDLK10 , EY6020D JCI27024 1 , EY6020D KLV250 28B , EY6020D LADN040 , EY6020D LC1FG185 7 , EY6020D RHN412BAA 76 24V , EY6050D RT7 , EY6020D S282 C10A , EY6020D S282 C2A , EY6020D S282 C4A , EY6020D TV500 10 5

बिड विवरण/Bid Details	
GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS	VALVE 4 3 WAY, MOTOR PROTECTOR, ATTACHMENT ADAPTOR, SELECTOR SWITCH KEY , PILOT LAMP , MCB 2 POLE C CURVE 10 AMP , LOCK NUT , LOCK NUT , LOCK NUT , O RING KIT , GLYD RING , BLEED VALVES, FLEXIBLE HOSE , CO2 CYLINDER INTERCONNECTION PILOT HOSES, TERMINAL BLOCK 283 901, TERMINAL BLOCK 281 901, TERMINAL BLOCK 280 519, TERMINAL BLOCK 2002 3201, MULTIPIN CONNECTOR MS3102R22 14S , MULTIPIN CONNECTOR MS3106F22 14P, TEFLON TAPE, VENT VALVE , INSULATION TAPE , CO2 CYLINDER HEAD VALVES, MAIN CONTROL PANEL , MIMIC PANEL , JUNCTION BOX TYPE 1, JUNCTION BOX TYPE 2, POD DCV 25MM , MANNUAL LEVER BOX ASSEMBLY , ZONAL VALVE CABINET, PUSH BUTTON EPBS, PILOT RELEASE CABINET, TIME DELAY UNIT , SS 304 TUBING , CAPACITY CONTROL SOLENOID VALVES TAG NO SV1 & SV2, POTENTIOMETER SHAFT , FOUR POINT CONTACT BALL BEARING , ORIFICE PLUG, MOTOR STARTER , PISTON SET , SHAFT SEAL END BEARING, THRUST BEARING KIT , SEAL LIP, SHUT OFF VALVE, SHUT OFF VALVE , SCHRADER CONNECTION, GASKET FOR CAPACITOR COVERS, GLAND SET, SPRING COMPRESSION , PIN SPRING, PIN SPRING, VALVE CHECK, SPRING COMPRESSION , PLATE CLOSURE, SPACER INBOARD BEARING, GEAR SET 64 33 XJF151N, SHIM , RING RETAINING, BEARING CYLINDRICAL ROLLER, BEARING CYLINDRICAL ROLLER, BEARING CYLINDRICAL ROLLER, PLUG ECONOMIZER, LOCKNUT, LOCKNUT, PLUG 1 8 27 NPTF w 062 ORIFICE , BEARING ANGULARY CONTACT BALL, BUSHING INLET , SEAL GAS, RETAINER CHECK VALVE, KIT FOR SHAFT PACKING , TEMP CONVERTER, MCB 2 POLE C CURVE 6 AMP, MCB 2 POLE C CURVE 02 AMP, MCB 3 POLE C CURVE 02 AMP, MCB 2 POLE C CURVE 04 AMP , SIEMATIC HMI KP 400 COMFORT PANEL, OIL FILTER CARTRIDGE, FLAT GASKET, O RING , O RING , O RING , O RING , O RING , O RING , O RING 2 261, O RING , O RING , RING SEALING 906, PURGING VALVE SHRADER VALVE, FLEXIBLE METAL HOSE, SHUT OFF VALVE, SHUTOFF VALVE, PURGING VALVE , CHARGING VALVE, SHOCK DAMPER, CONDENSERS OF CHILLED UNITS AC, FLEX METAL HOSE 1 07, LEVEL SWITCH KLIMAF ON RECEIVER, OIL HEATER, THERM INJECTION VALVE , OIL TEMPERATURE RELAY , OIL TEMPERATURE RELAY , DISCHARGE TEMPERATURE SWITCH 017 5135, TX2 R22 5 8 X12MM, GAUGE OIL PRESSURE , FEELER POKED , MOTOR PROTECTION 0 4 0 63A , MOTOR PROTECTOR, STOP VALVE , PLC BASED CONTROL PANEL, IMPELLER, SWITCH, AIR CONTACTOR, RELAY, FREEZE PROTECTION THERMOSTAT, FUSE SWITCH, FUSE SWITCH, FUSE SWITCH, CONVERTER
	Searched String: VALVE 4 3 WAY Two Way Valve, Desk and Bench Set for Classroom/Training Area, Two way UPVC Outlet Valve, Three way Stop Cocks or Manifolds, Three Way Stopcocks, Multifunction Machine MFM (V2), Methyl 4 Hydroxybenoate (Methylparaben), Metanil Yellow, Desk and Chair Set for Classroom/Training Area, Sulphanilic Acid Searched String: MOTOR PROTECTOR Body Protector, ICU Bed, OVERVOLTAGE PROTECTOR, Mattress protector cum bed sheets for hospitals, Screen Protector, vortex mixers, Transducer Protector, Low Voltage

बिड विवरण / Bid Details	Surge Protective Devices (Surge Protector Panel) as per IS 8794, IS 12987, AEK Surge Protector, Induction Motor as per IS 12615, IS 325
	Searched String: ATTACHMENT ADAPTOR DC ADAPTOR FOR CDSC (OFB), Hand Held Brush Cutter (V2), Adaptor sleeve along with locknut and washer, Arthroscopic Shaver System with Drill Attachment, Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Network Attached Storage (V2), Universal Pipette Tips (V2), Basketball Ring, single texture white rubberized waterproof nylon fabric rain capes with attached hood, High Visibility Reflective Vest Searched String: SELECTOR SWITCH KEY Selector Column - BHEL, Key Chain, Ammeter - Analog (Panel Meter) as per IS 1248, Allen Key, Layer 2 Access Switch (V2), Fido2 Security Key, Voltmeter - Analog (Panel Meter) as per IS 1248, Lock Stopper key, Electrical Extension Box (V4), Parallel Key (BHEL) Searched String: PILOT LAMP Cold Start Pilot Kit, Self Ballasted LED Lamps for General Lighting Services (V2) Conforming to IS 16102, Solar Lamp (Solar Study Lamp), Indicator lights or Lamps, Self Ballasted LED Lamps for General Lighting Service as per IS 16102, Pedestral lamp, Wall lamp, Slit Lamp, Hand Lamp, LED Based Indicating Lamp for Panel Cut Outs Searched String: MCB 2 POLE C CURVE 10 AMP XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Switch Fuse Unit, Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, Circuit Breakers for DC Operation Searched String: LOCK NUT Lock Nut (BHEL), Padlock (General Use), Lock Nuts-IS:6731, Prevailing Torque Type Hexagon Nuts (With Non-Metallic Insert), Style 1 - IS 7002, Locking Compression Plates (V2), Lock Washer, Weight Lock, Connection Pipe with Nuts (V2), Pedestal Safety Lock, Pad Lock Various (As Per Defence Specification) Searched String: LOCK NUT Lock Nut (BHEL), Padlock (General Use), Lock Nuts-IS:6731, Prevailing Torque Type Hexagon Nuts (With Non-Metallic Insert), Style 1 - IS 7002, Locking Compression Plates (V2), Lock Washer, Weight Lock, Connection Pipe with Nuts (V2), Pedestal Safety Lock, Pad Lock Various (As Per Defence Specification) Searched String: LOCK NUT Lock Nut (BHEL), Padlock (General Use), Lock Nuts-IS:6731, Prevailing Torque Type Hexagon Nuts (With Non-Metallic Insert), Style 1 - IS 7002, Locking Compression Plates (V2), Lock Washer, Weight Lock, Connection Pipe with Nuts (V2), Pedestal Safety Lock, Pad Lock Various (As Per Defence Specification) Searched String: O RING KIT

बिड विवरण / Bid Details	O-Ring Kit, Nitrile Coated/Nitrile Hand Gloves (V2), O-Ring Extraction tool, NBR O - Ring for Self Closing Valves of LPG Cylinders, Anti - Streptolysin O (ASO) Kits, Disposable Surgical Rubber Gloves (V2), Fluid Power Systems O-Rings Conforming to IS 17891, Wilfit Spares, General Purpose O-Rings-IS:9975, personal safety kit reflective luminous garments
	Searched String: GLYD RING Backing Ring, Towel Rail / Ring for Bathroom, Wiro Ring, Networking Trainer Educational Kit, Tennikoit Ring, Basketball Ring, Ring Binder - File Folder, Piston Ring Compressor, Electrical connection Lugs or thimbles, Tissue Embedding Ring Searched String: BLEED VALVES Proportional Valves - BHEL, Stationary Valve Regulated Lead Acid Batteries (V2) as per IS 15549, API 6D Ball Valves, Industrial Globe Valves-IS:11733, Plug Valves-IS:10459, Stationary Valve Regulated Lead Acid Batteries As Per IS 15549, Water Fittings - Copper Alloy Float Valves (Horizontal Plunger Type) as per IS: 1703, Swing Check Type Reflux Valves for Water Works Purposes (Single Door Pattern) (V2) as per IS 5312 (Part1), Flush Valves and Fitting for Water Closets and Urinals, Diaphragm type valves for general purpose - IS 11791 Searched String: FLEXIBLE HOSE Cryogenic Flexible Hose, PVC Insulated Unsheathed Cable with Flexible Conductor as per IS 694, Black Flexible Rubber Hose Pipe, Hose assembly, PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, Hose connector, surgical isolation or surgical masks, Coolant Hose, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, Hydraulic Hose Searched String: CO2 CYLINDER INTERCONNECTION PILOT HOSES High Pressure Portable Pump for large fire fighting as per IS 12717, Fire Hoses with Delivery Coupling, Fire Hose (Type - 3) with Instantaneous Male / Female Coupling (PNG), Fire Hose Cabinet, Fire Hose (Type - 2) with Instantaneous Male / Female Coupling (PNG), Solenoid Valve (V2), Modular Toilet Searched String: TERMINAL BLOCK 283 901 Terminal Block Assembly - BHEL, TERMINAL BLOCKS(BHEL), Moulded CT Terminal Block - BHEL Searched String: TERMINAL BLOCK 281 901 Terminal Block Assembly - BHEL, TERMINAL BLOCKS(BHEL), Moulded CT Terminal Block - BHEL Searched String: TERMINAL BLOCK 280 519 Terminal Block Assembly - BHEL, TERMINAL BLOCKS(BHEL), Moulded CT Terminal Block - BHEL Searched String: TERMINAL BLOCK 2002 3201 Terminal Block Assembly - BHEL, TERMINAL BLOCKS(BHEL),

बिड विवरण / Bid Details	Moulded CT Terminal Block - BHEL, Retractable Fall Arrester Block as per EN 360:2002 (PNG)
	Searched String: MULTIPIN CONNECTOR MS3102R22 14S Parallel Bar - Outdoor Gym Equipment, Smooth Bore Circuits - Anesthesia Breathing Circuits (V2), Circular Socket or Connector, M.S Stopper for Traffic Control (Portable Barrier), Connector Mounting Hardware - Multi Plug, Bone Screw (V2), Aortic Cannula (V2), Dough Kneader (V1), Field Mountable (FM45) Connector for Telecommunication, Stainless Steel Bain Marie Searched String: MULTIPIN CONNECTOR MS3106F22 14P Tyre Killer (MHA), Smooth Bore Circuits - Anesthesia Breathing Circuits (V2), Aortic Cannula (V2), Substation Clamps / Connectors, Pigtail Drainage Catheter (V2), Disconnectors (Isolators) for working voltage up to and including 1 KV, Hose connector, Industrial Cooling Fan (Man Coolers) as per IS 6272, Capacitor as per IS 2993, IS 2993, IS 13340, Pressure Calibrator Searched String: TEFLON TAPE Teflon hose, Elastic Surgical Adhesive Tapes (V2), Unsintered PTFE Teflon tape for Thread Sealing Applications Conforming to IS 14643 (V2), Unsintered PTFE Teflon tape for Thread Sealing Applications Conforming to IS 14643, Teflon Beaker with Lid, Permeable Nonwoven Surgical Adhesive Tape, Tape Cartridge / Tape Media, Packaging Tape, Measuring Tape, Automotive Vehicles - Retro - Reflective Sheets and Tapes (Traffic Safety) as per IS 14221 Searched String: VENT VALVE Vent Catheter, Stationary Valve Regulated Lead Acid Batteries (V2) as per IS 15549, Vent Catheter (V2), Antegrade Root Cardioplegia Cannula (V2), Needle Valve, Stationary Valve Regulated Lead Acid Batteries As Per IS 15549, Sequence valve, General Purpose Ball Valves (V2), Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Angle Seat Valve Searched String: INSULATION TAPE Glass Mica Tape-IS :7809, PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, HT Tape, synthetic web equipment improved version, Polyimide Tapes, Environmental Chamber, Insulation Tester, Acoustical insulation, Tape Cartridge / Tape Media, Caution / Crime Scene Tape (V2) Searched String: CO2 CYLINDER HEAD VALVES Gasket Cylinder Head, Stationary Valve Regulated Lead Acid Batteries As Per IS 15549, Cylinder heads, NBR O - Ring for Self Closing Valves of LPG Cylinders, Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, Safety Cap for Self Closing Valves of LPG Cylinders (V2), General Purpose Ball Valves (V2), Nylon string used in Safety cap for self closing valves of LPG cylinders, Portable Toilet, SS clip used in Safety Cap for self closing valves of LPG cylinders Searched String: MAIN CONTROL PANEL

बिड विवरण / Bid Details	Control Lubrication Systems, Power Generator - DG Set (up to 900 KVA), Power Control Center Panel (PCC Panel) as per IS 11717, Traffic Police Booths, PUF Panel, magnetic stirrers, Insulated Panel, Interactive Panels with CPU, Hand Sanitizer Panel, Sanitary Napkins Incinerator Machine with Smoke Control Unit
	Searched String: MIMIC PANEL PUF Panel, Power Generator - DG Set (up to 900 KVA), Insulated Panel, Hand Lamp, Hand Sanitizer Panel, Interactive Panels with CPU, Panel Air Conditioner, Prefab Shelters with PUF Panel of Size 7.620 M X 5.441 M (as per GeM Drawing), Infrared Heating Panel (Defence), Wooden Podium Searched String: JUNCTION BOX TYPE 1 Junction Box -BHEL, Muffle Furnace, Telephone Junction Box, Water Quality Meters / Analyzers, Junction Box for Lighting, Junction Boxes (Flameproof), Mobile Storage Compactors, Thermocouple Standards Platinum / Platinum Rhodium, Electrical Extension Box (V4), Pilling Tester - Box Type (Textile) Searched String: JUNCTION BOX TYPE 2 Junction Box -BHEL, Telephone Junction Box, modular electrical enclosure switch board boxes for modular type accessories, Junction Box for Lighting, Television (TV) (V2), Junction Boxes (Flameproof), Thermocouple Standards Platinum / Platinum Rhodium, Mobile Storage Compactors, Pilling Tester - Box Type (Textile), Back Extension (Version 2) Searched String: POD DCV 25MM Speed Post Proof of Delivery (POD) Cards, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Blanket (Indian Navy), Customised Envelopes, Boot Ankle - Indian Navy, Sports Short Polyester - Indian Coast Guards, Dry Erase Writing Boards (V3), Overall CE (Indian Navy Specification), Spring File, T - Shirt (Indian Coast Guards) Searched String: MANNUAL LEVER BOX ASSEMBLY File/Folder (V3), Lever Arch File Searched String: ZONAL VALVE CABINET Harberium Cabinet, Steel Almirah / Cabinets conforming to IS 3312 (V4), Cabinet Dryer, Colour Matching Cabinet (Textile), Biosafety Cabinet, Laminar air flow cabinets or stations, Mortuary Cabinet, LCR Meter, Metal Storage Cabinet, Steel Filing Cabinets for General Office Purpose (V2) as per IS 3313 Searched String: PUSH BUTTON EPBS Emergency Push Button Switch, telephone instrument single push button, Flameproof Control Station-IS:5, IS:1248, Lawn Mowers, telephone instrument single push button one plus one and one plus, Mobile Storage Compactors, Button Cotton Unbreakable, Flushing Cistern, Fitness Push Up Bar, Button Bits for DTH Hammer

बिड विवरण/Bid Details	Searched String: PILOT RELEASE CABINET
	Release Base Paper, Steel Almirah / Cabinets conforming to IS 3312 (V4), Cold Start Pilot Kit, Rust Release penetrate spray, Harberium Cabinet, Laminar air flow cabinets or stations, Cabinet Dryer, Biosafety Cabinet, Steel Filing Cabinets for General Office Purpose (V2) as per IS 3313, Mortuary Cabinet Searched String: TIME DELAY UNIT Time delay relay, Online UPS (V2), Time Switch, Real Time PCR Machine, Sofa (V3), Real Time PCR System, Executive Table (V3), Real time micro PCR, Metal Storage Cabinet, Disease Specific Real Time PCR Kits Searched String: SS 304 TUBING spoon ss and chamcha ss, Autoclave (Horizontal), Thermos SS (Defence), Laundrometer (Wash Fastness Tester with Standard Accessories), pona ss (cqa specification), Stainless Steel Bain Marie, PLASTIC TUBING PUN, Sweeping SS Handle Broom Stick, Blood Collection Tube, Flexible Tubing for Medical Purpose (V2) Searched String: CAPACITY CONTROL SOLENOID VALVES TAG NO SV1 & SV2 Portable Toilet, Solenoid Valve (V2) Searched String: POTENTIOMETER SHAFT Potentiometer, Oil seal, Solid State Potentiometer, Gear Shaft and Pinion Shaft for Increaser, Municipal solid waste Twin shaft shredder, Flexible Shaft Grinder, Municipal solid waste single shaft shredder, Shaft and Shaft Assembly as per Drawing (RCF), Worm Gear Box, Shaft as per Drawing Searched String: FOUR POINT CONTACT BALL BEARING Ball Point Metal Markers (V2), Ball Bearings as per IS 6455, Single Row Deep Groove Ball Bearing (Without Flange Outer Ring) as per IS 6455, Ball Point Pens (V2) as per IS 3705, Cylindrical Roller Bearing as per IS 6455, Ball Point Pens as per IS 3705, Mounted Bearings, Orthopedic Instruments - Bone Reduction Forceps and Clamps Searched String: ORIFICE PLUG Electrical Plug, Lawn Mowers, Plug Gauge, Fiber Optic Patch Cord, Rubber Plug, Connector Mounting Hardware - Multi Plug, Electrical Plugs (V2) ISI Marked to IS 1293, Thread Plug Gauge, Mobile Containers For Solid Waste Conforming to IS 12402, Plug Socket(BHEL) Searched String: MOTOR STARTER Starter Motor Assembly, ICU Bed, Starter Motors for IC Engines, Submersible Pump Starters (Motor starter controls), vortex mixers, DOL starter, Induction Motor as per IS 12615, IS 325, Lead Acid Storage Batteries For Motor Vehicles with Light Weight and High Cranking Performance (V2) Conforming to IS 14257, E - Cart for Garbage (V2), Star Delta Starter (V2) Searched String: PISTON SET Piston Ring Set-IS:6621, IS:8422, Sofa (V3), Piston Pin, LCR

बिड विवरण / Bid Details	Meter, Piston Ring Compressor, Power Generator - DG Set (up to 900 KVA), Axial Piston Pumps, Axial piston motor, Desk and Bench Set for Classroom/Training Area, Piston Ring Expander
	Searched String: SHAFT SEAL END BEARING Hydraulic Rod Ends Bearing, Oil seal, Endoscopic Powered Stapler, LCR Meter Searched String: THRUST BEARING KIT Thrust Bearing (BHEL), Ball Bearings as per IS 6455, Bearing Fitting Tool Kits, BEARING ISOLATOR, Spherical Roller Bearing as per IS 6455, Bearing (BHEL), Cloth Dryer Stand, Bearing house, LCR Meter, Fan Bearing Searched String: SEAL LIP Lipstick as per IS 9875, dust pans, Puf Seal, Oil seal, Bolt / Bullet Seal, Heat Seal Sterilization Roll With Chemical Indicator, Plastic Grip Seal, Spiral Wound Metallic Gasket, D Seal (Rubber), Standardized Self Locking Single Use Plastic Seals (Pull Tight Seal) Searched String: SHUT OFF VALVE PHPA for Water Shut off (Low Temperature) (ONGC), Speed Post Envelope (Large), Hydrolyzed Polyacrylamide (PHPA) for Water Shut off (High Temperature) (ONGC), Liquid Offtake Valve, Stationary Valve Regulated Lead Acid Batteries (V2) as per IS 15549, Cut - off Wheel, Take Off Board, Stationary Valve Regulated Lead Acid Batteries As Per IS 15549, Needle Valve, Pole Umbrella (V2) Searched String: SHUT OFF VALVE PHPA for Water Shut off (Low Temperature) (ONGC), Speed Post Envelope (Large), Hydrolyzed Polyacrylamide (PHPA) for Water Shut off (High Temperature) (ONGC), Liquid Offtake Valve, Stationary Valve Regulated Lead Acid Batteries (V2) as per IS 15549, Cut - off Wheel, Take Off Board, Stationary Valve Regulated Lead Acid Batteries As Per IS 15549, Needle Valve, Pole Umbrella (V2) Searched String: SCHRADER CONNECTION Connection Pipe with Nuts (V2), RCB Connection Box for Telecommunication, Pigtaills for Fiber Cable Connection, Electrical connection Lugs or thimbles, Laboratory Water Tap, HEAT SHRINKABLE PVC SLEEVE FOR HIGH VOLTAGE BUSBARS AND CONNECTIONS(BHEL), Servo Control Drive - Servo Motor Operated LVC as per IS 9815 (Part 1) [DFB/DFM], Syringe Filter, KAPLAN TURBINE TEST RIG, Pre - Connected / Customized Heart Lung Tubing Pack (V2) Searched String: GASKET FOR CAPACITOR COVERS Capacitor Banks For Use On 11 KV System (PSPCL)), File/Folder (V3), Fixed Capacitors (Fixed Capacitor for Single Phase AC Electric Fan) as per IS 1709:1984, Cover for Diaries (V2), Answer Book/Booklets For Examinations (V3), Plastic Seats and Covers for Water - Closets as per IS 2548, PVC Coated Nylon Fabric for Awning and Gun Covers, Multilayered Cross Laminated Sheets/Tarpaulins/Covers/ Agricultural Films conforming to 14611, Welding Rod for Manual Metal Arc Welding of Carbon and Carbon

बिड विवरण/Bid Details	Manganese Steel as per IS 814, Capacitors for Electric Fan Motors as per IS 1709 (V2)
	Searched String: GLAND SET Gland Packaging, Sofa (V3), Cable Gland -BHEL, PTFE / Graphite yarn reinforced with Synthetic fibre Gland rope, Graphite gland packing ropes, Power Generator - DG Set (up to 900 KVA), Flameproof Cable Gland (BHEL) (EM), Flamproof Cable Gland-IS:12943, Desk and Bench Set for Classroom/Training Area, Weatherproof Double Compression Cable Gland-BHEL Searched String: SPRING COMPRESSION Compression Springs, Spring File, Compression Screw, Spring Testing Machine (V2), Locking Compression Plates (V2), Compression cable lugs, File/Folder (V3), Compression Testing Machine, Medical Training kit with Human mannequins for medical education or training, Pneumatic Compression Therapy Searched String: PIN SPRING pin cushions, Fabric Pin Up Notice Boards, Dowel Pin, Knowles Pin, Spring File, Steinmann Pin, LCR Meter, Piston Pin, Pin Up Notice Board (V2), Lapel Pin Searched String: PIN SPRING pin cushions, Fabric Pin Up Notice Boards, Dowel Pin, Knowles Pin, Spring File, Steinmann Pin, LCR Meter, Piston Pin, Pin Up Notice Board (V2), Lapel Pin Searched String: VALVE CHECK Cartridge Check Valve, Stationary Valve Regulated Lead Acid Batteries (V2) as per IS 15549, Check Valve(API 594), Check Valve as per IS 778, Swing Type Check Valve, Stationary Valve Regulated Lead Acid Batteries As Per IS 15549, Check Valve (V2) as per IS 778, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Industrial Check Valves-IS:11733, General Purpose Ball Valves (V2) Searched String: SPRING COMPRESSION Compression Springs, Spring File, Compression Screw, Spring Testing Machine (V2), Locking Compression Plates (V2), Compression cable lugs, File/Folder (V3), Compression Testing Machine, Medical Training kit with Human mannequins for medical education or training, Pneumatic Compression Therapy Searched String: PLATE CLOSURE Sternal Closure Implant, Rubberized Weight Plates, Splice Closure for Optical Fiber Cables (V2) (Suitable For Non-Ribbon Fibre Splicing) As Per TEC Specification, Sutures (V2), Splice Closure for Optical Fiber Cables, Locking Compression Plates (V2), Plastic Caps for General purpose, Mounting plate, Stationary Lead Acid Batteries (with Tubular Positive Plates) in Monobloc Containers as per IS 13369, Pressure Plate Searched String: SPACER INBOARD BEARING LT Spacer, Ball Bearings as per IS 6455, HYDRAULIC

बिड विवरण / Bid Details	SLEEPER SPACER, BEARING ISOLATOR, Spherical Roller Bearing as per IS 6455, Bearing (BHEL), Wilfit Spares, Bearing house, Cloth Dryer Stand, Fan Bearing Searched String: GEAR SET 64 33 XJF151N Veterinary Teat Instrument Set-IS:3318, Submersible Pump Set Three Phase as per IS 8034, IS 9283, Spherical roller bearing set, Cylindrical Roller Bearing as per IS 6455, Wilfit Spares, Books (V2), Medical Tuning Fork Sets, LCR Meter Searched String: SHIM Stainless steel shim(NHPC) Searched String: RING RETAINING Retaining Compound, Towel Rail / Ring for Bathroom, Orthopedic Instruments- Self Retaining Retractors, Orthopedic Instruments- Self Retaining Retractors with Blades, Networking Trainer Educational Kit, Backing Ring, Ring Binder - File Folder, Wiro Ring, Electrical connection Lugs or thimbles, Tennikoit Ring Searched String: BEARING CYLINDRICAL ROLLER Cylindrical Roller bearing set, Ball Bearings as per IS 6455, Cylindrical Roller Bearing as per IS 6455, Spherical Roller Bearing as per IS 6455, Roller Bearing (BHEL), Tapered roller bearing, Cloth Dryer Stand, Spherical roller bearing set, Autoclave (Horizontal), Ring Type Needle Bearings - IS 4215 Searched String: BEARING CYLINDRICAL ROLLER Cylindrical Roller bearing set, Ball Bearings as per IS 6455, Cylindrical Roller Bearing as per IS 6455, Spherical Roller Bearing as per IS 6455, Roller Bearing (BHEL), Tapered roller bearing, Cloth Dryer Stand, Spherical roller bearing set, Autoclave (Horizontal), Ring Type Needle Bearings - IS 4215 Searched String: BEARING CYLINDRICAL ROLLER Cylindrical Roller bearing set, Ball Bearings as per IS 6455, Cylindrical Roller Bearing as per IS 6455, Spherical Roller Bearing as per IS 6455, Roller Bearing (BHEL), Tapered roller bearing, Cloth Dryer Stand, Spherical roller bearing set, Autoclave (Horizontal), Ring Type Needle Bearings - IS 4215 Searched String: PLUG ECONOMIZER Electrical Plug, Lawn Mowers, Plug Gauge, Fiber Optic Patch Cord, Rubber Plug, Electrical Plugs (V2) ISI Marked to IS 1293, Thread Plug Gauge, Connector Mounting Hardware - Multi Plug, Plug Socket(BHEL), Ear - Protectors as per IS 9162 Searched String: LOCKNUT Lock Nut (BHEL), Adaptor sleeve along with locknut and washer Searched String: LOCKNUT Lock Nut (BHEL), Adaptor sleeve along with locknut and washer Searched String: PLUG 1 8 27 NPTF w 062 ORIFICE
GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS	

बिड विवरण/Bid Details	SEWAGE TREATMENT PLANT
	Searched String: BEARING ANGULARY CONTACT BALL Single Row Deep Groove Ball Bearing (Without Flange Outer Ring) as per IS 6455, Ball Bearings as per IS 6455, Cylindrical Roller Bearing as per IS 6455, Mounted Bearings Searched String: BUSHING INLET Carbon Bush, Syringe Filter, Commercial CPVC Pipe Fittings, CPVC Industrial Pipe Fittings, Schedule 80, Bush Bearing, LCR Meter, Wilfit Spares Searched String: SEAL GAS Puf Seal, Commercial Idli Steamer, Oil seal, Freight Containers - High Security Cable Seal as per IS 17381:2021, Bolt / Bullet Seal, Plastic Grip Seal, D Seal (Rubber), Heat Seal Sterilization Roll With Chemical Indicator, Standardized Self Locking Single Use Plastic Seals (Pull Tight Seal), Single Burner Gas Range (for Deep Fryer) Searched String: RETAINER CHECK VALVE Cartridge Check Valve, Stationary Valve Regulated Lead Acid Batteries (V2) as per IS 15549, Check Valve(API 594), Check Valve as per IS 778, Swing Type Check Valve, Stationary Valve Regulated Lead Acid Batteries As Per IS 15549, Check Valve (V2) as per IS 778, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Industrial Check Valves-IS:11733, General Purpose Ball Valves (V2) Searched String: KIT FOR SHAFT PACKING Gear Shaft and Pinion Shaft for Increaser, personal safety kit reflective luminous garments, Shaft Insulator Heater-IS:302, IS:4159, Lumbo Sacral Belt Kit (Size - Large) with Packing Box (Alimco), Networking Trainer Educational Kit, Corrugated Fibreboard Cartons (Specification for packing Jelly Crystals) - DEFENCE, Corrugated Fibreboard Cartons for packing GHEE TINS - DEFENCE, Medical Training kit with Human mannequins for medical education or training, Corrugated Fibreboard Cartons (Specification For Packing Sago) - Defence, Activity Based Educational Kits for Physics Searched String: TEMP CONVERTER Rust Converter, Fiber Media converter, Cartridge Check Valve, USB to Rs 485 Converter (Isolated), Cables, Converters and Adapters, Thermowells, Retro - Fit Emission Control Equipment for Diesel Generators, Malt Based Foods with Cocoa (TEMP) (Defence), Screening Machine with Conveyor for processing Municipal Waste, Multiparameter pH or mV or ISE or Temp Meter Searched String: MCB 2 POLE C CURVE 6 AMP Electrical Extension Box (V4), modular electrical switches and accessories, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Circuit Breakers for DC Operation, Switch Fuse Unit, Bamboo, Tent Pole as per IS 7344 Searched String: MCB 2 POLE C CURVE 02 AMP PVC Insulated Unsheathed Cable with Flexible Conductor as

बिड विवरण / Bid Details	per IS 694, Switch Fuse Unit, Circuit Breakers for DC Operation, Benchtop Thermocouple Calibration Furnace (High Temperature Thermocouple Calibration Furnace)/Portable Calibration Furnace Searched String: MCB 3 POLE C CURVE 02 AMP Switch Fuse Unit, Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, Bamboo, Tent Pole as per IS 7344 Searched String: MCB 2 POLE C CURVE 04 AMP Switch Fuse Unit, Circuit Breakers for DC Operation Searched String: SIEMATIC HMI KP 400 COMFORT PANEL Category not available on GeM for the text string uploaded by the buyer Searched String: OIL FILTER CARTRIDGE Filter Cartridge, Oil Filter Cartridges, Wound Filter Cartridge, Toner Cartridges / Ink Cartridges / Consumables for Printers, Polypropylene Cartridge Filter, Laboratory Filter Papers, Filter cartridges PP wound, Syringe Filter, Cartridge Filter for Lean Amine Filtration (MRPL), 15w - 40 Diesel Engine Oil Searched String: FLAT GASKET Shielding Gasket, PVC Flat Cable, Copper Conductor with PVC Insulation and Sheath as per IS 694, Gasket (BHEL), Fibre Cement Flat Sheet as per IS 14862, Grooved gasket, PVC Flat Cable, Aluminium Conductor with PVC Insulation and Sheath as per IS 694, Metal Jacketed Gasket, Flat Gym Bench (V2), Rubberized cork gasket, Heat Seal Sterilization Roll With Chemical Indicator Searched String: O RING O-Ring Kit, Nitrile Coated/Nitrile Hand Gloves (V2), O-Ring Extraction tool, NBR O - Ring for Self Closing Valves of LPG Cylinders, Fluid Power Systems O-Rings Conforming to IS 17891, Disposable Surgical Rubber Gloves (V2), General Purpose O-Rings-IS:9975, Wilfit Spares, Towel Rail / Ring for Bathroom, Ped-O-Cycle Searched String: O RING O-Ring Kit, Nitrile Coated/Nitrile Hand Gloves (V2), O-Ring Extraction tool, NBR O - Ring for Self Closing Valves of LPG Cylinders, Fluid Power Systems O-Rings Conforming to IS 17891, Disposable Surgical Rubber Gloves (V2), General Purpose O-Rings-IS:9975, Wilfit Spares, Towel Rail / Ring for Bathroom, Ped-O-Cycle Searched String: O RING O-Ring Kit, Nitrile Coated/Nitrile Hand Gloves (V2), O-Ring Extraction tool, NBR O - Ring for Self Closing Valves of LPG Cylinders, Fluid Power Systems O-Rings Conforming to IS 17891, Disposable Surgical Rubber Gloves (V2), General Purpose O-Rings-IS:9975, Wilfit Spares, Towel Rail / Ring for Bathroom, Ped-O-Cycle Searched String: O RING O-Ring Kit, Nitrile Coated/Nitrile Hand Gloves (V2), O-Ring Extraction tool, NBR O - Ring for Self Closing Valves of LPG
-------------------------	---

बिड विवरण / Bid Details	Cylinders, Fluid Power Systems O-Rings Conforming to IS 17891, Disposable Surgical Rubber Gloves (V2), General Purpose O-Rings-IS:9975, Wilfit Spares, Towel Rail / Ring for Bathroom, Ped-O-Cycle
	Searched String: O RING O-Ring Kit, Nitrile Coated/Nitrile Hand Gloves (V2), O-Ring Extraction tool, NBR O - Ring for Self Closing Valves of LPG Cylinders, Fluid Power Systems O-Rings Conforming to IS 17891, Disposable Surgical Rubber Gloves (V2), General Purpose O-Rings-IS:9975, Wilfit Spares, Towel Rail / Ring for Bathroom, Ped-O-Cycle Searched String: O RING O-Ring Kit, Nitrile Coated/Nitrile Hand Gloves (V2), O-Ring Extraction tool, NBR O - Ring for Self Closing Valves of LPG Cylinders, Fluid Power Systems O-Rings Conforming to IS 17891, Disposable Surgical Rubber Gloves (V2), General Purpose O-Rings-IS:9975, Wilfit Spares, Towel Rail / Ring for Bathroom, Ped-O-Cycle Searched String: O RING 2 261 O-Ring Kit, Towel Rail / Ring for Bathroom, O-Ring Extraction tool, NBR O - Ring for Self Closing Valves of LPG Cylinders, Safranin O (Basic red 2), File/Folder (V3), Auramine O For Microscopy, Wilfit Spares, Orthotolidine, Ring Binder - File Folder Searched String: O RING O-Ring Kit, Nitrile Coated/Nitrile Hand Gloves (V2), O-Ring Extraction tool, NBR O - Ring for Self Closing Valves of LPG Cylinders, Fluid Power Systems O-Rings Conforming to IS 17891, Disposable Surgical Rubber Gloves (V2), General Purpose O-Rings-IS:9975, Wilfit Spares, Towel Rail / Ring for Bathroom, Ped-O-Cycle Searched String: O RING O-Ring Kit, Nitrile Coated/Nitrile Hand Gloves (V2), O-Ring Extraction tool, NBR O - Ring for Self Closing Valves of LPG Cylinders, Fluid Power Systems O-Rings Conforming to IS 17891, Disposable Surgical Rubber Gloves (V2), General Purpose O-Rings-IS:9975, Wilfit Spares, Towel Rail / Ring for Bathroom, Ped-O-Cycle Searched String: RING SEALING 906 U-Sealing Rings (Nimonic) (BHEL), Towel Rail / Ring for Bathroom, Cable Sealing Kit, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Gasket sealing Compound, Networking Trainer Educational Kit, Vessel Sealing System, Ring Binder - File Folder, Polythene sealing machine, Oil seal Searched String: PURGING VALVE SHRADER VALVE Needle Valve, Stationary Valve Regulated Lead Acid Batteries (V2) as per IS 15549, Sequence valve, General Purpose Ball Valves (V2), Stationary Valve Regulated Lead Acid Batteries As Per IS 15549, Angle Seat Valve, Sluice Valve For Water Works Purposes (50 To 1200 Mm Size) (V2) As Per Is 14846, Cartridge Check Valve, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Control Valve

बिड विवरण / Bid Details	Pneumatic
	Searched String: FLEXIBLE METAL HOSE Cryogenic Flexible Hose, Modular Metal Drawer File Cabinet Pedestal, Black Flexible Rubber Hose Pipe, Hose assembly, Metal Storage Cabinet, Hose connector, Metal Shelving Racks (Adjustable Type) confirming to IS 1883 (V2), Coolant Hose, Modular Table / Meeting Table / Centre Table (V2), Hydraulic Hose Searched String: SHUT OFF VALVE PHPA for Water Shut off (Low Temperature) (ONGC), Speed Post Envelope (Large), Hydrolyzed Polyacrylamide (PHPA) for Water Shut off (High Temperature) (ONGC), Liquid Offtake Valve, Stationary Valve Regulated Lead Acid Batteries (V2) as per IS 15549, Cut - off Wheel, Take Off Board, Stationary Valve Regulated Lead Acid Batteries As Per IS 15549, Needle Valve, Pole Umbrella (V2) Searched String: SHUTOFF VALVE Needle Valve, Stationary Valve Regulated Lead Acid Batteries (V2) as per IS 15549, Sequence valve, General Purpose Ball Valves (V2), Stationary Valve Regulated Lead Acid Batteries As Per IS 15549, Angle Seat Valve, Sluice Valve For Water Works Purposes (50 To 1200 Mm Size) (V2) As Per Is 14846, Cartridge Check Valve, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Control Valve Pneumatic Searched String: PURGING VALVE Needle Valve, Stationary Valve Regulated Lead Acid Batteries (V2) as per IS 15549, Sequence valve, General Purpose Ball Valves (V2), Stationary Valve Regulated Lead Acid Batteries As Per IS 15549, Angle Seat Valve, Sluice Valve For Water Works Purposes (50 To 1200 Mm Size) (V2) As Per Is 14846, Cartridge Check Valve, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Control Valve Pneumatic Searched String: CHARGING VALVE Charging Station, Stationary Valve Regulated Lead Acid Batteries (V2) as per IS 15549, AC Charging Station, DC Electric Vehicle Charging Station, Combined Charging Station, Stationary Valve Regulated Lead Acid Batteries As Per IS 15549, DC charging Station, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, General Purpose Ball Valves (V2), DC EV Charging Station Searched String: SHOCK DAMPER Damper Bars (BHEL), Shock Baton (MHA), Extracorporeal Shock Wave Lithotripsy Machine, Spring post, Moisteners (V2), Basketball Ring Searched String: CONDENSERS OF CHILLED UNITS AC Shunt Power Capacitors of the Self - Healing Type for AC Systems as per IS 13340 (Part 1), Medical Cold Storage Chilling Units - Cold Box, Acrylic Jersey - Children of Anganwadi Centres, Installation and Commissioning of Air Conditioners at Extra Cost (Excluding Accessories), Towel Hand Cotton Turkish (IAF), Methyl acetate, Phototherapy

विड विवरण / Bid Details	Machine for (SNCU), Package No 4 - Atal Tinkering Lab of Niti Aayog Power Supply and Accessories and Safety Equipment, Computer Paper (V3) Conforming to IS 12766 (In Packet), Womaniya Office Accessories
	Searched String: FLEX METAL HOSE 1 07 Cryogenic Flexible Hose, Fire Hose Cabinet, Black Flexible Rubber Hose Pipe, PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, Elastomer Insulated, Textile Braided Cables - IS 9968 (Part 1), Rollerball Pen (V3), Elastomer Insulated, Unkinkable Flexible Cords (Workshop Type) - IS 9968 (Part 1), PVC Insulated Unsheathed Cable with Flexible Conductor as per IS 694, Elastomer Insulated, Unkinkable Flexible Cords (Domestic Type) - IS 9968 (Part 1), Portable Sealed Rechargeable Single Cells - Nickel - Metal Hydride (Rechargeable Batteries) as per IS 16048, 16046 Searched String: LEVEL SWITCH KLIMAF ON RECEIVER Level Alarm/Switch (BHEL), Industrial Switch, Multi Level Float Switch, Float Operated Guided Level Switch, Rotary Switch, Cable Float Switch (NHPC), Laboratory Glass Adapters Searched String: OIL HEATER Wick Type Kerosene Oil Heater, Convection Heaters - Room Heater, Blower, Oil Purifier Heater (NTPC), Electric Water Heater - Geyser (V2) as per IS 2082:2018 (Latest), Cartridge Heater, 15w - 40 Diesel Engine Oil, Bobbin Heater, Internal Combustion Engine Crankcase Oils for Automotive Application (Diesel and gasoline) as per IS: 13656, Heater Elements, Induction Heater Searched String: THERM INJECTION VALVE Thermostatic expansion valve, Stationary Valve Regulated Lead Acid Batteries (V2) as per IS 15549, Needle Valve, Welding Electrode - Covered Arc Welding Electrode - Basic Type (BEML), Sequence valve, Stationary Valve Regulated Lead Acid Batteries As Per IS 15549, General Purpose Ball Valves (V2), Sanitary Napkins Vending Machines, Angle Seat Valve, Intravenous Cannulas as per IS 10555 - 5 Searched String: OIL TEMPERATURE RELAY Low Temperature Gloves- (Oil PSU), Ultra low temperature laboratory deep freezer, Overload Relay, Transformer Oil BDV Test Kit, Relay Module, Low temperature Gloves, CONTACTOR RELAY, Frying oil Monitor or Cooking Oil Tester, Gas Operated Relay (Buchholz Relay)- BHEL, 15w - 40 Diesel Engine Oil Searched String: OIL TEMPERATURE RELAY Low Temperature Gloves- (Oil PSU), Ultra low temperature laboratory deep freezer, Overload Relay, Transformer Oil BDV Test Kit, Relay Module, Low temperature Gloves, CONTACTOR RELAY, Frying oil Monitor or Cooking Oil Tester, Gas Operated Relay (Buchholz Relay)- BHEL, 15w - 40 Diesel Engine Oil Searched String: DISCHARGE TEMPERATURE SWITCH 017 5135

बिड विवरण / Bid Details	Category not available on GeM for the text string uploaded by the buyer
	Searched String: TX2 R22 5 8 X12MM Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Static Protective Relays, Laminar air flow cabinets or stations, File/Folder (V3), Fabric Pin Up Notice Boards, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, Desk and Bench Set for Classroom/Training Area, Endotracheal Tubes (V2) Searched String: GAUGE OIL PRESSURE Pressure Gauge - BHEL, Portable Fire Extinguishers (V2) ISI Marked to IS 15683, Magnetic Oil Gauge, Wilfit Spares, Tyre Air Pressure Gauge, blood pressure recording units, GAUGE PRESSURE (OFB-DEFENCE), Filter cum Pressure Regulator, Pressure and Vacuum Gauges as per IS:3624, Autoclave (Horizontal) Searched String: FEELER POCKED Feeler Gauges - Engineering Metrology - as per IS 3179 Searched String: MOTOR PROTECTION 0 4 0 63A Toluidine, Squirrel Cage Induction Motor, Foot Mounted as per IS:325, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Online UPS (V2), Reciprocating Air Compressors - Electric Motor Driven, Sieve Shaker, Laboratory Glassware - Burettes (V2) as per IS 1997, Telecommunication Cable - Fully filled (Petroleum Jelly or Absorbent Thixotropic Gel), Plotter Printers (V2) Searched String: MOTOR PROTECTOR Body Protector, ICU Bed, OVERVOLTAGE PROTECTOR, Mattress protector cum bed sheets for hospitals, Screen Protector, vortex mixers, Transducer Protector, Low Voltage Surge Protective Devices (Surge Protector Panel) as per IS 8794, IS 12987, AEK Surge Protector, Induction Motor as per IS 12615, IS 325 Searched String: STOP VALVE Globe Valve as per IS 778, Stationary Valve Regulated Lead Acid Batteries (V2) as per IS 15549, Stop Watch, Plastics Bib Taps Pillar Taps Angle Valves and Stop Valves as per IS 9763:2000 (Latest), Bus Stop Shelter, Stationary Valve Regulated Lead Acid Batteries As Per IS 15549, Flush Valves and Fitting for Water Closets and Urinals, Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Needle Valve Searched String: PLC BASED CONTROL PANEL PLC based fire alarm system, Power Generator - DG Set (up to 900 KVA), Control Lubrication Systems, Automatic Fully Mechanised Organic Waste Machine for Compost Non

बिड विवरण / Bid Details	Heating Type, PLC Based Automatic Bacteriological Treatment Plant, Submersible Pump Starters (Motor starter controls), Programmable Logic Controller (PLC), Screening Machine with Conveyor for processing Municipal Waste, Power Control Center Panel (PCC Panel) as per IS 11717, LED Based Indicating Lamp for Panel Cut Outs
	Searched String: IMPELLER Cast Iron Impeller Searched String: SWITCH Isolator switch, Limit Switch, Argon Plasma Coagulator with ESU, Reed Switch, Layer 2 Access Switch (V2), Rotary Switch, Electrical Extension Box (V4), Time Switch, modular electrical enclosure switch board boxes for modular type accessories, Industrial Switch Searched String: AIR CONTACTOR Vacuum Contactor, Laminar air flow cabinets or stations, CONTACTOR RELAY, Auxiliary Contactor (BHEL), Hot air oven, Power Contactors as per IS 13947 - 4 - 1, Air Break Contactors, Air Curtain, DC Motor Armature Reversing Contactor-BHEL, Air Nozzle Searched String: RELAY Overload Relay, Relay Testing Educational Kit, Relay Module, CONTACTOR RELAY, Gas Operated Relay (Buchholz Relay)- BHEL, Time delay relay, LED Flasher Relay, Digital Motor Protection Relays, Voltage Monitor Relay, Single phasing preventer Relay (SPPR) Searched String: FREEZE PROTECTION THERMOSTAT Thermostat, Laboratory Incubators, Thermostat(BHEL), AFFF Compound Freeze Protected To Minus 20 degree C (Defence), Thermostate(BHEL), Protective Eye Goggles (MHA), Radiation Protection Gloves, DRY CHEMICAL POWDER (MONO-AMMONIUM PHOSPHATE BASE WITH MAP 90 % (TYPE -'B')), Motor Protection Circuit Breaker (MPCB), Fire Resisting Record Protection Cabinets (FRRC) as per IS 14203 Searched String: FUSE SWITCH Switch Fuse Unit, Fuse holder -Blade fuse (BHEL), Fuse Fittings, Layer 2 Access Switch (V2), Glass Fuse, Electrical Extension Box (V4), Carriers and bases in rewirable type electric fuses conforming to IS 2086, modular electrical enclosure switch board boxes for modular type accessories, Cylindrical Fuses, HRC Fuse as per IS 13703 Searched String: FUSE SWITCH Switch Fuse Unit, Fuse holder -Blade fuse (BHEL), Fuse Fittings, Layer 2 Access Switch (V2), Glass Fuse, Electrical Extension Box (V4), Carriers and bases in rewirable type electric fuses conforming to IS 2086, modular electrical enclosure switch board boxes for modular type accessories, Cylindrical Fuses, HRC Fuse as per IS 13703 Searched String: FUSE SWITCH Switch Fuse Unit, Fuse holder -Blade fuse (BHEL), Fuse

	बिड विवरण / Bid Details
	Fittings, Layer 2 Access Switch (V2), Glass Fuse, Electrical Extension Box (V4), Carriers and bases in rewirable type electric fuses conforming to IS 2086, modular electrical enclosure switch board boxes for modular type accessories, Cylindrical Fuses, HRC Fuse as per IS 13703 Searched String: CONVERTER Rust Converter, Fiber Media converter, Cartridge Check Valve, USB to Rs 485 Converter (Isolated), Cables, Converters and Adapters, synthetic web equipment improved version, Commercial CPVC Pipe Fittings, Screening Machine with Conveyor for processing Municipal Waste, Water-Proof Multi Purpose Rain Poncho with Convertibility as Bivouac (MHA)
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	
बीओक्यू शीर्षक /BOQ Title	25BYMC001
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/Years of Past Experience Required for same/similar service	3 Year (s)
वर्षों के अनुभव एवं टर्नओवर से एमएसई को छूट प्राप्त है / MSE Exemption for Years Of Experience and Turnover	Yes Complete
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / Startup Exemption for Years Of Experience and Turnover	Yes Complete
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Additional Doc 1 (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेजों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेन् है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	1
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	3
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	1
विगत प्रदर्शन /Past Performance	40 %
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	No

बिड विवरण/Bid Details	
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	EY6020D GLZ1177004P1
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

आवश्यकता/Required	No
-------------------	----

ईपीबीजी विवरण /ePBG Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईपीबीजी प्रतिशत (%) /ePBG Percentage(%)	5.00
ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months).	14

(a). ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

लाभार्थी /Beneficiary :

Lt Cdr
Cpro, Material Organisation, Mumbai, Department of Military Affairs, Indian Navy, Ministry of Defence
(Lalit Khattri)

UIN Number NCTGC2415P

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता / MII Purchase Preference

एमआईआई खरीद वरीयता / MII Purchase Preference	Yes
--	-----

मेक इन इंडिया विक्रेताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में है / Purchase Preference to MII sellers available upto price within L1+X%	20
मेक इन इंडिया खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MII purchase preference	50
सार्वजनिक खरीद (मेक-इन-इंडिया को प्राथमिकता) आदेश 2017 के अनुसार केवल क्लास 1/क्लास 2 के स्थानीय आपूर्तिकर्ताओं को ही भागीदारी की अनुमति है दिनांक 16.09.2020 (समय-समय पर संशोधित एवं लागू) / Allow participation only from Class 1/Class 2 local suppliers as per the Public procurement(Preference to Make-in-india) order 2017 date 16.09.2020(as amended and applicable time to time)	Yes, in compliance with the MII ORDER : DPIIT Order(as amended and applicable time to time)

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में हो / Purchase Preference to MSE OEMs available upto price within L1+X%	15
सूक्ष्म और लघु उद्यम को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MSE purchase preference	25

1. If the bidder is a Micro or Small Enterprise as per latest orders issued by Ministry of MSME, the bidder shall be exempted from the eligibility criteria of "Experience Criteria" as defined above subject to meeting of quality and technical specifications. The bidder seeking exemption from Experience Criteria, shall upload the supporting documents to prove his eligibility for exemption.
2. If the bidder is a Micro or Small Enterprise (MSE) as per latest orders issued by Ministry of MSME, the bidder shall be exempted from the eligibility criteria of "Bidder Turnover" as defined above subject to meeting of quality and technical specifications. If the bidder itself is MSE OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking exemption from Turnover, shall upload the supporting documents to prove his eligibility for exemption.
3. If the bidder is a DPIIT registered Startup, the bidder shall be exempted from the the eligibility criteria of "Experience Criteria" as defined above subject to their meeting of quality and technical specifications. The bidder seeking exemption from Experience Criteria, shall upload the supporting documents to prove his eligibility for exemption.
4. If the bidder is a DPIIT registered Startup, the bidder shall be exempted from the the eligibility criteria of "Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT Registered OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking exemption from Turnover shall upload the supporting documents to prove his eligibility for exemption.
5. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity

during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

6. Preference to Make In India products (For bids < 200 Crore): Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

7. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

8. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

9. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 40% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

EY6020D GLZ1177004P1

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषदी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषदी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai - City	12	365

EY6020D LT3 SA00M

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषदी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषदी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai - City	12	365

EY6020D M22 A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai - City	28	365

EY6020D ZB2BG2

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai - City	32	365

EY6020D ZB2BV06

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषदी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषदी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai - City	2	365

EY6020D 5803753

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषदी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषदी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai - City	3	365

ES6400B 534A0035H02

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषदी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai - City	15	365

ES6400B 534A0035H15

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai - City	61	365

ES6400B 534A0772H03

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai - City	49	365

ES6400B 534B0768H01

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai - City	1	365

ES6400B 534C0187H02

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai - City	10	365

ES6400B 5430206

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai - City	8	365

ES6400B 5765858

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai - City	132	365

ES6400B 5765866

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai - City	132	365

ES6400B 5803768

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai - City	94	365

ES6400B 5803769 2

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai - City	100	365

ES6400B 5803770

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai - City	70	365

ES6400B 5803771

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai - City	90	365

ES6400B 5803772

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai - City	53	365

ES6400B 5803773

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai - City	55	365

ES6400B 5936601

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai - City	50	365

ES6400B 6028616

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai - City	1	365

ES6400B 6041435

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai - City	300	365

ES6400B 6459831

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai - City	132	365

ES6400B 6459834

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai - City	3	365

ES6400B 6459835

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai - City	3	365

ES6400B 6459836

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai - City	29	365

ES6400B 6459837

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai - City	9	365

ES6400B 6459840

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai - City	1	365

ES6400B 6459841

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai - City	10	365

ES6400B 6459842

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai - City	10	365

ES6400B 6466490

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai - City	42	365

ES6400B 6466491

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai - City	1	365

ES6400B 6466492

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai - City	10	365

ES6400B 6466494

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai - City	48	365

ES6400B M44802003002001

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai - City	2	365

EY6020D 029L64512

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai - City	2	365

EY6020D 029L64523

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai - City	3	365

EY6020D 029L64541

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai - City	3	365

EY6020D 2 5 4 0A GV2M08

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai - City	1	365

EY6020D 302237 14

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai - City	14	365

EY6020D 311100 04

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai - City	1	365

EY6020D 329L64493

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai - City	2	365

EY6020D 333Q0000910

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai - City	2	365

EY6020D 36131 07

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai - City	3	365

EY6020D 361310 04

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai - City	2	365

EY6020D 361500 01

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai - City	28	365

EY6020D 372107 02

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai - City	15	365

EY6020D 374011 01

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai - City	1	365

EY6020D 534A0032H02

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai - City	20	365

EY6020D 2534A0038H02

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai - City	25	365

EY6020D 534A0038H06

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai - City	63	365

EY6020D 534A0173H01

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai - City	29	365

EY6020D 534A0219H01

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai - City	39	365

EY6020D 534A0312H01

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai - City	35	365

EY6020D 534A0561H01

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai - City	1	365

EY6020D 534A0564G04

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai - City	13	365

EY6020D 534A0568H05

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai - City	42	365

EY6020D 534A0570H01

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai - City	2	365

EY6020D 534B0004H28

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai - City	13	365

EY6020D 534B0004H29

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai - City	12	365

EY6020D 534B0004H30

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai - City	10	365

EY6020D 534B0523H01

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai - City	35	365

EY6020D 534B0909H02

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai - City	26	365

EY6020D 534B0909H04

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai - City	25	365

EY6020D 534C0194H61

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai - City	43	365

EY6020D 534C0478H12

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai - City	38	365

EY6020D 534C1072H01

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai - City	19	365

EY6020D 534C1072H01

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai - City	7	365

EY6020D 53AD0555H01

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai - City	67	365

EY6020D 534M0602G02

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai - City	51	365

EY6020D 5803750

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai - City	4	365

EY6020D 5803752

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai - City	3	365

EY6020D 5803754

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai - City	3	365

EY6020D 5803755

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai - City	3	365

EY6020D 5803757

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai - City	3	365

EY6020D 6AV6 641 0CA01 0AX0

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai - City	1	365

EY6020D 768 041 6

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai - City	116	365

EY6020D 80 5X64X2 WS 500

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai - City	29	365

EY6020D 980A0012A62

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai - City	33	365

EY6020D 980A0012A78

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai - City	2	365

EY6020D 980A0012B02

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai - City	21	365

EY6020D 980A0012B72

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai - City	60	365

EY6020D 980A0012B73

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai - City	16	365

EY6020D 980A0012B76

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai - City	27	365

EY6020D 980A0012B91

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai - City	63	365

EY6020D 980A0012H10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai - City	24	365

EY6020D 980A0012H49

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai - City	30	365

EY6020D 980A0012K60

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai - City	31	365

EY6020D GLG4643027

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai - City	9	365

EY6020D GLZ4642210 D28N

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai - City	2	365

EY6020D GLZ4644019 HELK35

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai - City	10	365

EY6020D GLZ4644019 P2 HBLK 6

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai - City	37	365

EY6020D GLZ4644019 P3 HBLK6

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai - City	18	365

EY6020D GLZ4644019 P3 HEK6

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai - City	44	365

EY6020D GLZ4700085

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai - City	49	365

EY6020D GLZ4793091

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai - City	4	365

EY6020D GLZ4794110B2

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai - City	3	365

EY6020D GLZ4795006

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai - City	3	365

EY6020D GLZ4795036

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai - City	8	365

EY6020D GLZ4795051

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai - City	21	365

EY6020D GLZ4795086

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai - City	7	365

EY6020D GLZ4795088

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai - City	4	365

EY6020D GLZ4795097

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai - City	5	365

EY6020D GLZ4795114 TX2 0 7 01

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai - City	2	365

EY6020D GLZ4795133

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai - City	31	365

EY6020D GLZ4795135

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai - City	13	365

EY6020D GV2ME04

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai - City	5	365

EY6020D GV3P40

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai - City	10	365

EY6020D HDLK10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai - City	3	365

EY6020D JCI27024 1

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai - City	5	365

EY6020D KLV250 28B

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai - City	1	365

EY6020D LADN040

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai - City	23	365

EY6020D LC1FG185 7

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai - City	2	365

EY6020D RHN412BAA 76 24V

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai - City	10	365

EY6050D RT7

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai - City	5	365

EY6020D S282 C10A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai - City	44	365

EY6020D S282 C2A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai - City	35	365

EY6020D S282 C4A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai - City	60	365

EY6020D TV500 10 5

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai - City	1	365

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Generic

Bidder financial standing: The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.

2. Generic

Bidders shall quote only those products (Part of Service delivery) in the bid which are not obsolete in the market and has at least 2 years residual market life i.e. the offered product shall not be declared end-of-life by the OEM before this period.

3. Generic

Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

4. Generic

Bidder shall submit the following documents along with their bid for Vendor Code Creation:

- a. Copy of PAN Card.
- b. Copy of GSTIN.
- c. Copy of Cancelled Cheque.
- d. Copy of EFT Mandate duly certified by Bank.

5. **Generic**

Data Sheet of the product(s) offered in the bid, are to be uploaded along with the bid documents. Buyers can match and verify the Data Sheet with the product specifications offered. In case of any unexplained mismatch of technical parameters, the bid is liable for rejection.

6. **Generic**

End User Certificate: Wherever Bidders are insisting for End User Certificate from the Buyer, same shall be provided in Buyer's standard format only.

7. **Generic**

For hazardous chemical/item, all precautionary measure as per regulation from the point of transportation/ handling/ storage/ safety/ health/ environment to be undertaken/ specified before dispatch. During dispatch, proper symbol for the hazard/ MSDS/ Batch No./ date of manufacturing/ Gross Weight/ Net Weight/ shelf Life etc are to be written/ printed/ pasted on the body of the packing.

8. **Generic**

Installation, Commissioning, Testing, Configuration, Training (if any - which ever is applicable as per scope of supply) is to be carried out by OEM / OEM Certified resource or OEM authorised Reseller.

9. **Generic**

IT equipment shall be IPv6 ready from day one.

10. **Generic**

Malicious Code Certificate:

The seller should upload following certificate in the bid:-

(a) This is to certify that the Hardware and the Software being offered, as part of the contract, does not contain Embedded Malicious code that would activate procedures to :-

- (i) Inhibit the desires and designed function of the equipment.
- (ii) Cause physical damage to the user or equipment during the exploitation.
- (iii) Tap information resident or transient in the equipment/network.

(b) The firm will be considered to be in breach of the procurement contract, in case physical damage, loss of information or infringements related to copyright and Intellectual Property Right (IPRs) are caused due to activation of any such malicious code in embedded software.

11. **Generic**

Manufacturer Authorization:Wherever Authorised Distributors/service providers are submitting the bid, Authorisation Form /Certificate with OEM/Original Service Provider details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid

12. **Generic**

Non return of Hard Disk: As per Buyer organization's Security Policy,Faulty Hard Disk of Servers/Desktop Computers/ Laptops etc. will not be returned back to the OEM/supplier against warranty replacement.

13. **Generic**

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 50 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 50% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

14. **Generic**

Products supplied shall be nontoxic and harmless to health. In the case of toxic materials, Material Safety Data Sheet may be furnished along with the material.

15. **Generic**

Shelf Life: The Product/Spare parts to be supplied as part of the services must have minimum

07 YEAR

Shelf Life. On the date of supply, minimum

10 YEAR

usable shelf life should be available / balance.

16. **Generic**

Supplier shall ensure that the Invoice is raised in the name of Consignee with GSTIN of Consignee only.

17. **Generic**

The seller is required to print logo as per buyer's requirement.

18. **Generic**

While generating invoice in GeM portal, the seller must upload scanned copy of GST invoice and the screenshot of GST portal confirming payment of GST.

19. **OEM**

IMPORTED PRODUCTS: In case of imported products, OEM or Authorized Seller of OEM should have a registered office in India to provide after sales service support in India. The certificate to this effect should be submitted.

20. **Inspection**

Nominated Inspection Agency: On behalf of the Buyer organization, any one of the following Inspection Agency would be conducting inspection of stores before acceptance:

Pre-dispatch Inspection at Seller Premises (applicable only if pre-dispatch inspection clause has been selected in ATC):

DQA (WP)

Post Receipt Inspection at consignee site before acceptance of stores:

DQA (WP)

21. **Certificates**

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

22. **Certificates**

ISO 9001: The bidder or the OEM of the offered products must have ISO 9001 certification.

23. **Certificates**

Material Test Certificate Should Be Sent Along with The Supply. The Material Will Be Checked by Buyer's Lab & the Results of the Lab will be the Sole Criteria for Acceptance of the Item.

24. **Certificates**

The bidder is required to upload, along with the bid, all relevant certificates such as BIS licence, type test certificate, approval certificates and other certificates as prescribed in the Product Specification given in the bid document.

25. **Warranty**

Warranty period of the supplied products shall be 1 years from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.

26. **Ration Item ATCs**

Demurrage charges In case the rejected items are not lifted by the firm within 48 hrs, the demurrage charges at the rate of 0.5% of total contract value will be charged per day. In case the items are not lifted within a month, the same will be destroyed by the station board of officers and no claim will be admitted. Demurrage charges. In case the rejected items are not lifted by the firm within 48 hrs, the demurrage charges at the rate of 0.5% of total contract value will be charged per day. In case the items are not lifted within a month, the same will be destroyed by the station board of officers and no claim will be admitted.

27. **Buyer Added Bid Specific ATC**

Buyer Added text based ATC clauses

25BYMC001

ENDORSEMENT - BID ACCEPTED ONLY FROM M/S JOHNSON CONTROLS INDIA PVT Ltd AS PER APPROVED E
ENDORSEMENT BY CFA/MS.

NSEL : EPBG THROUGH NESL IS PREFERABLE. UIN IS NCTgc2407p.

PSPP : 05 LOTS

FIRM TO UPLOAD ALL DOCUMENTS POST DELIVERY OF ITEMS REQUIRED FOR GENERATION OF CRAC BY
CONSIGNEE WITHIN VALID DP/EDS.

PBG NOT SUBMITTED AS PER CONTRACT TERMS WILL BE LIABLE FOR PENAL ACTION AS PER DPM 2025.

अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---