

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	11-12-2025 10:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	11-12-2025 10:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	180 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Odisha
विभाग का नाम/Department Name	Energy Department Odisha
संगठन का नाम/Organisation Name	Odisha Power Generation Corporation Limited
कार्यालय का नाम/Office Name	Opgc Banharpali
कुल मात्रा/Total Quantity	8
वस्तु श्रेणी /Item Category	Pneumatic Tyres for Commercial Vehicles - Diagonal and Radial Ply Marked to IS 15636 (Q2)
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/Years of Past Experience Required for same/similar service	1 Year (s)
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/MSE Exemption for Years of Experience and Turnover	No
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /Startup Exemption for Years of Experience and Turnover	No
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Experience Criteria,Past Performance,Certificate (Requested in ATC),Additional Doc 1 (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेजों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेन् है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या / Minimum number of bids required to disable automatic bid extension	1

बिड विवरण/Bid Details	
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	5
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	3
विगत प्रदर्शन / Past Performance	10 %
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	No
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	Pneumatic Tyres for Commercial Vehicles - Diagonal and Radial Ply Marked to IS 15636
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
अनुमानित बिड मूल्य /Estimated Bid Value	29559.08
Payment Timelines	Payments shall be made to the Seller within 45 days of issue of consignee receipt-cum-acceptance certificate (CRAC) and on-line submission of bills (This is in supersession of 10 days time as provided in clause 12 of GeM GTC)
मूल्यांकन पद्धति/Evaluation Method	Group wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

आवश्यकता/Required	No
-------------------	----

ईपीबीजी विवरण /ePBG Detail

आवश्यकता/Required	No
-------------------	----

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	No
---	----

एमआईआई खरीद वरीयता/MII Purchase Preference

एमआईआई खरीद वरीयता/MII Purchase Preference	No
--	----

1. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

2. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

3. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 10% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

Evaluation Method (Group Wise Evaluation Method)

Contract will be awarded schedulewise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

Evaluation Schedules	Estimated Value	Item/Category	Consignee/Reporting Officer	Consignee Address	Quantity
TYRE 1	19160	Pneumatic Tyres For Commercial Vehicles - Diagonal And Radial Ply Marked To Is 15636	Ashis Mohapatra	BANHARPA LI 768234	4
TYRE 2 and 3	10399.08	Pneumatic Tyres For Commercial Vehicles - Diagonal And Radial Ply Marked To Is 15636	Ashis Mohapatra	BANHARPA LI 768234	2
		Pneumatic Tyres For Commercial Vehicles - Diagonal And Radial Ply Marked To Is 15636	Ashis Mohapatra	BANHARPA LI 768234	2

Pneumatic Tyres For Commercial Vehicles - Diagonal And Radial Ply Marked To IS 15636 (4 pieces)**तकनीकी विशिष्टियाँ /Technical Specifications**

[* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Category of use	Normal-use Tyres, Special-use Tyre, Snow Tyre

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Tyre Type	Tubeless Tyre, Tyre with Tube, Tube-Type Tyre (without Tube)
	Structure	Diagonal (bias-ply), Radial
	Nominal Rim Diameter Code 'd' and Value of 'd' (In mm) as per Table 1 (Clause 3.17) of IS 15636	10 (254 mm), 12 (305 mm), 13 (330 mm), 14 (356mm), 15 (381mm), 16 (406 mm), 17.5 (445 mm), 18 (457 mm), 19 (483 mm), 19.5 (495mm), 20 (508 mm), 21 (533 mm), 22 (559 mm), 22.5 (572 mm), 24 (610 mm), 24.5 (622 mm)
	Suitable For	Truck, Bus and Trailer Tyres in Highway Service, Light Truck Tyres, Mining and Logging Tyres for use in Intermittent Highway Service, Ultra-Light Truck Tyres, Light Truck and Truck Tyres For Military Applications, Special Purpose Tyres for Military Applications (Sand-cum-Highway), Truck Tyres For Military Applications, Low Platform Trailer Tyres (Free-Rolling sizes)
	Tyre-size designation	7.00-20, 7.50-20, 8.25-20, 9.00-20, 10.00-20, 11.00-20, 12.00-20, 11.00-22, 10-22.5, 11-22.5, 12-22.5, 11.00-24, 12.00-24, 11-24.5, 295/95D20, 6.00-16, 6.40-15, 6.50-16, 6.70-15, 7.00-15, 7.50-15, 7.00-16, 7.50-16, 8.25-16, 9.00-16, 4.50-10, 5.00-10, 14.00-20, 4.00-10 ULT, 4.50-10 ULT, 5.00-10 ULT, 4.50-12 ULT, 5.00-12 ULT, F78 - 15 LT, 8.25R20, 9.00 R20, 10.00R20, 11.00R20, 12.00R20, 14.00R20, 11.00R22, 10R22.5, 11R22.5, 12R22.5, 12.00R24, 11R24.5, 295/90R20, 7.00R15LT, 7.50R15LT, 7.00R16LT, 7.50R16LT, 8.25R16LT, 175/65R14LT, 195/65R16LT, 205/65R16LT, 215/65R16LT, 235/65R16LT, 175/70R14LT, 215/70R15LT, 255/70R15LT, 215/75R15LT, 225/75R15LT, 235/75R15LT, 205/75R16LT, 215/75R16LT, 225/75R16LT, 145/80R12LT, 215/80R14LT, 195/80R15LT, 205/80R16LT, 185/85R16LT, 235/85R16LT, 145R12 LT, 155R12 LT, 215R14 LT, 195R15 LT, 205R16LT, 385/55R22.5, 295/60R22.5, 315/60R22.5, 385/65R22.5, 245/70R17.5, 245/70R19.5, 265/70R19.5, 285/70R19.5, 255/70R22.5, 275/70R22.5, 315/70R22.5, 215/75R17.5, 225/75R17.5, 235/75R17.5, 275/80R22.5, 295/80R22.5, 315/80R22.5, 325/95R24, 13R22.5, 145/80D12LT, 155/80D12LT, 165/80D12LT, 165/80D13LT, 165/80D14LT, 175/80D14LT, 185/80D14LT, 195/80D15LT, 215/80D14LT, 165D12LT, 165D13LT, 165D14LT, 175D14LT, 185D14LT, 205D14LT, 7. 00 - 15 MS, 6. 00 - 16 MS, 7. 00 - 16 MS, 9. 00 - 16 CC, 9. 00- 16/5 CC, 10. 50 - 16 CC, 8. 25 - 19 CC, 7. 50 - 20 CC, 8. 25 - 20 CC, 9 .00 - 20 CC, 10. 00 - 20 CC, 11. 00 - 20 CC, 12. 00 - 20 CC, 14. 00 - 20 CC, 7.50-16 SCH, 8.25-20 SCH, 9.00-13 SCH, 11.00-20 SCH, 12.00-20 SCH, 13.00-18 SCH, 14.00-20 SCH, 15.00-21 SCH, 1300x530-533SCH, 355/90-20 SCH, 325D20 CC, 365/85D20 CC, 355/90-20 CC, 11.00-20 Sand, 365/90-20 Sand, 8.25-15, 16.00R20

Additional Specification Parameters - Pneumatic Tyres For Commercial Vehicles - Diagonal And Radial Ply Marked To IS 15636 (4 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Tube & tyre Mahindra camper 235/75 R15	Tube & tyre Mahindra bolero camper. Tyre size- 235/75 R15 Tyre Type: Radial Make- M/S MRF/ CEAT/ APPOLLO/ JK TYRE/ BRIDGESTONE/ BKT

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ashis Mohapatra	768234,BANHARPALI	4	40

Pneumatic Tyres For Commercial Vehicles - Diagonal And Radial Ply Marked To IS 15636 (2 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Category of use	Normal-use Tyres, Special-use Tyre, Snow Tyre
	Tyre Type	Tubeless Tyre, Tyre with Tube, Tube-Type Tyre (without Tube)
	Structure	Diagonal (bias-ply), Radial
	Nominal Rim Diameter Code 'd' and Value of 'd' (In mm) as per Table 1 (Clause 3.17) of IS 15636	10 (254 mm), 12 (305 mm), 13 (330 mm), 14 (356mm), 15 (381mm), 16 (406 mm), 17.5 (445 mm), 18 (457 mm), 19 (483 mm), 19.5 (495mm), 20 (508 mm), 21 (533 mm), 22 (559 mm), 22.5 (572 mm), 24 (610 mm), 24.5 (622 mm)
	Suitable For	Truck, Bus and Trailer Tyres in Highway Service, Light Truck Tyres, Mining and Logging Tyres for use in Intermittent Highway Service, Ultra-Light Truck Tyres, Light Truck and Truck Tyres For Military Applications, Special Purpose Tyres for Military Applications (Sand-cum-Highway), Truck Tyres For Military Applications, Low Platform Trailer Tyres (Free-Rolling sizes)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Tyre-size designation	7.00-20, 7.50-20, 8.25-20, 9.00-20, 10.00-20, 11.00-20, 12.00-20, 11.00-22, 10-22.5, 11-22.5, 12-22.5, 11.00-24, 12.00-24, 11-24.5, 295/95D20, 6.00-16, 6.40-15, 6.50-16, 6.70-15, 7.00-15, 7.50-15, 7.00-16, 7.50-16, 8.25-16, 9.00-16, 4.50-10, 5.00-10, 14.00-20, 4.00-10 ULT, 4.50-10 ULT, 5.00-10 ULT, 4.50-12 ULT, 5.00-12 ULT, F78 - 15 LT, 8.25R20, 9.00 R20, 10.00R20, 11.00R20, 12.00R20, 14.00R20, 11.00R22, 10R22.5, 11R22.5, 12R22.5, 12.00R24, 11R24.5, 295/90R20, 7.00R15LT, 7.50R15LT, 7.00R16LT, 7.50R16LT, 8.25R16LT, 175/65R14LT, 195/65R16LT, 205/65R16LT, 215/65R16LT, 235/65R16LT, 175/70R14LT, 215/70R15LT, 255/70R15LT, 215/75R15LT, 225/75R15LT, 235/75R15LT, 205/75R16LT, 215/75R16LT, 225/75R16LT, 145/80R12LT, 215/80R14LT, 195/80R15LT, 205/80R16LT, 185/85R16LT, 235/85R16LT, 145R12 LT, 155R12 LT, 215R14 LT, 195R15 LT, 205R16LT, 385/55R22.5, 295/60R22.5, 315/60R22.5, 385/65R22.5, 245/70R17.5, 245/70R19.5, 265/70R19.5, 285/70R19.5, 255/70R22.5, 275/70R22.5, 315/70R22.5, 215/75R17.5, 225/75R17.5, 235/75R17.5, 275/80R22.5, 295/80R22.5, 315/80R22.5, 325/95R24, 13R22.5, 145/80D12LT, 155/80D12LT, 165/80D12LT, 165/80D13LT, 165/80D14LT, 175/80D14LT, 185/80D14LT, 195/80D15LT, 215/80D14LT, 165D12LT, 165D13LT, 165D14LT, 175D14LT, 185D14LT, 205D14LT, 7. 00 - 15 MS, 6. 00 - 16 MS, 7. 00 - 16 MS, 9. 00 - 16 CC, 9. 00- 16/5 CC, 10. 50 - 16 CC, 8. 25 - 19 CC, 7. 50 - 20 CC, 8. 25 - 20 CC, 9 .00 - 20 CC, 10. 00 - 20 CC, 11. 00 - 20 CC, 12. 00 - 20 CC, 14. 00 - 20 CC, 7.50-16 SCH, 8.25-20 SCH, 9.00-13 SCH, 11.00-20 SCH, 12.00-20 SCH, 13.00-18 SCH, 14.00-20 SCH, 15.00-21 SCH, 1300x530-533SCH, 355/90-20 SCH, 325D20 CC, 365/85D20 CC, 355/90-20 CC, 11.00-20 Sand, 365/90-20 Sand, 8.25-15, 16.00R20

Additional Specification Parameters - Pneumatic Tyres For Commercial Vehicles - Diagonal And Radial Ply Marked To IS 15636 (2 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Front Tyre & tube -145R12LT Tyre & tube for TATA ace	Tyre & tube for TATA ace Tyre size- 145 R12 LT 8PR Tyre Type: Radial Make- M/S MRF/ CEAT/ APPOLLO/ JK TYRE/ BRIDGESTONE/ BKT

* Bidders offering must also comply with the additional specification parameters mentioned above.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ashis Mohapatra	768234,BANHARPALI	2	40

Pneumatic Tyres For Commercial Vehicles - Diagonal And Radial Ply Marked To IS 15636 (2 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Category of use	Normal-use Tyres, Special-use Tyre, Snow Tyre
	Tyre Type	Tubeless Tyre, Tyre with Tube, Tube-Type Tyre (without Tube)
	Structure	Diagonal (bias-ply), Radial
	Nominal Rim Diameter Code 'd' and Value of 'd' (In mm) as per Table 1 (Clause 3.17) of IS 15636	10 (254 mm), 12 (305 mm), 13 (330 mm), 14 (356mm), 15 (381mm), 16 (406 mm), 17.5 (445 mm), 18 (457 mm), 19 (483 mm), 19.5 (495mm), 20 (508 mm), 21 (533 mm), 22 (559 mm), 22.5 (572 mm), 24 (610 mm), 24.5 (622 mm)
	Suitable For	Truck, Bus and Trailer Tyres in Highway Service, Light Truck Tyres, Mining and Logging Tyres for use in Intermittent Highway Service, Ultra-Light Truck Tyres, Light Truck and Truck Tyres For Military Applications, Special Purpose Tyres for Military Applications (Sand-cum-Highway), Truck Tyres For Military Applications, Low Platform Trailer Tyres (Free-Rolling sizes)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Tyre-size designation	7.00-20, 7.50-20, 8.25-20, 9.00-20, 10.00-20, 11.00-20, 12.00-20, 11.00-22, 10-22.5, 11-22.5, 12-22.5, 11.00-24, 12.00-24, 11-24.5, 295/95D20, 6.00-16, 6.40-15, 6.50-16, 6.70-15, 7.00-15, 7.50-15, 7.00-16, 7.50-16, 8.25-16, 9.00-16, 4.50-10, 5.00-10, 14.00-20, 4.00-10 ULT, 4.50-10 ULT, 5.00-10 ULT, 4.50-12 ULT, 5.00-12 ULT, F78 - 15 LT, 8.25R20, 9.00 R20, 10.00R20, 11.00R20, 12.00R20, 14.00R20, 11.00R22, 10R22.5, 11R22.5, 12R22.5, 12.00R24, 11R24.5, 295/90R20, 7.00R15LT, 7.50R15LT, 7.00R16LT, 7.50R16LT, 8.25R16LT, 175/65R14LT, 195/65R16LT, 205/65R16LT, 215/65R16LT, 235/65R16LT, 175/70R14LT, 215/70R15LT, 255/70R15LT, 215/75R15LT, 225/75R15LT, 235/75R15LT, 205/75R16LT, 215/75R16LT, 225/75R16LT, 145/80R12LT, 215/80R14LT, 195/80R15LT, 205/80R16LT, 185/85R16LT, 235/85R16LT, 145R12 LT, 155R12 LT, 215R14 LT, 195R15 LT, 205R16LT, 385/55R22.5, 295/60R22.5, 315/60R22.5, 385/65R22.5, 245/70R17.5, 245/70R19.5, 265/70R19.5, 285/70R19.5, 255/70R22.5, 275/70R22.5, 315/70R22.5, 215/75R17.5, 225/75R17.5, 235/75R17.5, 275/80R22.5, 295/80R22.5, 315/80R22.5, 325/95R24, 13R22.5, 145/80D12LT, 155/80D12LT, 165/80D12LT, 165/80D13LT, 165/80D14LT, 175/80D14LT, 185/80D14LT, 195/80D15LT, 215/80D14LT, 165D12LT, 165D13LT, 165D14LT, 175D14LT, 185D14LT, 205D14LT, 7. 00 - 15 MS, 6. 00 - 16 MS, 7. 00 - 16 MS, 9. 00 - 16 CC, 9. 00- 16/5 CC, 10. 50 - 16 CC, 8. 25 - 19 CC, 7. 50 - 20 CC, 8. 25 - 20 CC, 9 .00 - 20 CC, 10. 00 - 20 CC, 11. 00 - 20 CC, 12. 00 - 20 CC, 14. 00 - 20 CC, 7.50-16 SCH, 8.25-20 SCH, 9.00-13 SCH, 11.00-20 SCH, 12.00-20 SCH, 13.00-18 SCH, 14.00-20 SCH, 15.00-21 SCH, 1300x530-533SCH, 355/90-20 SCH, 325D20 CC, 365/85D20 CC, 355/90-20 CC, 11.00-20 Sand, 365/90-20 Sand, 8.25-15, 16.00R20

Additional Specification Parameters - Pneumatic Tyres For Commercial Vehicles - Diagonal And Radial Ply Marked To IS 15636 (2 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Rear tyre & tube -145R12LT Tyre & tube for TATA ace	Tyre & tube for TATA ace Tyre size- 145 R12 LT 8PR Tyre Type: Radial Make- M/S MRF/ CEAT/ APPOLLO/ JK TYRE/ BRIDGESTONE/ BKT

* Bidders offering must also comply with the additional specification parameters mentioned above.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ashis Mohapatra	768234,BANHARPALI	2	40

Special terms and conditions-Version:1 effective from 09-06-2025 for category Pneumatic Tyres for Commercial Vehicles - Diagonal and Radial Ply Marked to IS 15636

1. Note to Buyers:

The Central Ministries/ Departments and other government buyers, as applicable, shall note that this category is covered under Scheme - I (ISI Mark Scheme) of BIS (Bureau of Indian Standards).

Compulsory use of Standard Mark - Goods or articles shall conform to the corresponding Indian Standard and shall bear the Standard Mark under a license from the Bureau as per Scheme-1 of Schedule-II of the Bureau of Indian Standards (Conformity Assessment) Regulations, 2018:

Buyer shall verify and confirm compliance with the applicable BIS order during the procurement and fulfillment process.

Note to Sellers:

Sellers shall offer and supply products conforming to the corresponding Indian Standard and bear the Standard Mark under a license from the Bureau as per Scheme-1.

Non-compliance shall result in action as per GeM IM policy.

Buyers and sellers may refer to the relevant S.O at <https://www.bis.gov.in/product-certification/products-under-compulsory-certification/scheme-i-mark-scheme/>

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

please give detail specification upload in additional document section

.

अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent

Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**

- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---