

बिड दस्तावेज़ / Bid Document

बिड विवरण / Bid Details	
बिड बंद होने की तारीख/समय / Bid End Date/Time	17-11-2025 11:00:00
बिड खुलने की तारीख/समय / Bid Opening Date/Time	17-11-2025 11:30:00
बिड पेशकश वैधता (बंद होने की तारीख से) / Bid Offer Validity (From End Date)	90 (Days)
मंत्रालय/राज्य का नाम / Ministry/State Name	Ministry Of Defence
विभाग का नाम / Department Name	Department Of Military Affairs
संगठन का नाम / Organisation Name	Indian Army
कार्यालय का नाम / Office Name	*****
कुल मात्रा / Total Quantity	60624
वस्तु श्रेणी / Item Category	WELD MESH PANEL - AS PER SPECIFICATION , OMEGA CLAMP WITH PROFILE COVER PLATE , MUSHROOM HEAD BOLT WITH SECURITY NUT AND WASHER M8X60MM , IP BINDER FOR PANEL CONNECTION , MUSHROOM HEAD BOLT WITH SECURITY NUT AND WASHER M8X35MM , FENCE POST - AS PER SPECIFICATION , STRAINING Y ARM , MUSHROOM HEAD BOLT WITH SECURITY NUT AND WASHER M8X120MM , INTERMEDIATE Y ARM , ANCHOR ROD , HOG RINGS , EYE BOLTS , PUNCHED TAPE CONCERTINA COIL - AS PER SPECIFICATION , RAZOR TAPE WIRE - RBT WIRE AS PER SPECIFICATION , CEMENT , AGGREGATE , SAND , INSTALLATION CHARGES
GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS	WELD MESH PANEL - AS PER SPECS, OMEGA CLAMP WITH PROFILE COVER PLATE, MUSHROOM HEAD BOLT WITH SECURITY NUT AND WASHER M8X60MM, I P BINDER FOR PANEL CONNECTION, MUSHROOM HEAD BOLT WITH SECURITY NUT AND WASHER M8X35MM, FENCE POST - AS PER SPECS, STRAINING Y ARM, MUSHROOM HEAD BOLT WITH SECURITY NUT AND WASHER M8X120MM, INTERMEDIATE Y ARM, ANCHOR ROD, HOG RINGS, EYE BOLTS, PUNCHED TAPE CONCERTINA COIL- AS PER SPECS, RAZOR TAPE WIRE RBT WIRE AS PER SPECS, CEMENT, AGGREGATE, SAND, INSTALLATION CHARGES
	Searched String: WELD MESH PANEL - AS PER SPECS Weld Mesh Panel for Perimeter Security Fence as per IS 4948, Mosquito Nets as per IS 9886, Weld Mesh Febric as per IS 4948, Wire Mesh Fabric or Cloth (V2) as per IS 1568, Portable Single Operated Rectifier Type DC Arc Welding Set Suitable for Manual Arc Welding Process as per IS 4559, Aluminium Composite Panel (V2) as per IS 17682, Power Control Center Panel (PCC Panel) as per IS 11717, Steel

बिड विवरण / Bid Details	Pipes for Water and Sewage as per IS 3589, Voltmeter - Analog (Panel Meter) as per IS 1248, Welding Rod for Manual Metal Arc Welding of Carbon and Carbon Manganese Steel as per IS 814
	<p>Searched String: OMEGA CLAMP WITH PROFILE COVER PLATE</p> <p>modular electrical enclosure switch board boxes for modular type accessories, Laboratory Desiccator (V2)</p> <p>Searched String: MUSHROOM HEAD BOLT WITH SECURITY NUT AND WASHER M8X60MM</p> <p>Hexagon Head Bolts as per IS 1363</p> <p>Searched String: I P BINDER FOR PANEL CONNECTION</p> <p>Blocking Bollard (MHA), White LED Based Solar Street Lighting System for Model (I, II, III And IV), Drop Arm Barrier (Boom Barrier) (MHA), Interactive Panel Solution for Institutions</p> <p>Searched String: MUSHROOM HEAD BOLT WITH SECURITY NUT AND WASHER M8X35MM</p> <p>Hexagon Head Bolts as per IS 1363</p> <p>Searched String: FENCE POST - AS PER SPECS</p> <p>post fence metal angle, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Reinforced Concrete Fence Posts (V2) as per IS 4996, Weld Mesh Panel for Perimeter Security Fence as per IS 4948, Football Goal Post Net as per IS 3345, Post Mortem Rubber Gloves as per IS 4149, Stand Post Monitor (Fire Monitor) as per IS 8442, Microscopes - Pathological and Research as per IS 4381, IS 5204, IS 4381, IS 5204, Field Hockey Goal Post Net as per IS 3345, Cotton Towelling and Towels (V2) as per IS 7056</p> <p>Searched String: STRAINING Y ARM</p> <p>Y Strainer, Eosin Y Dissodium Salt, Y-Type Dirt Catcher (BHEL), Shoulder Builder / Arm Wheel - Outdoor Gym Equipment, Inner Arm Assembly (BHEL), Sofas (V2), Outer Arm - II (BHEL), C Arm Fluoroscope X - Ray Machine (V2), Outer Arm - I (BHEL), Silk Saree</p> <p>Searched String: MUSHROOM HEAD BOLT WITH SECURITY NUT AND WASHER M8X120MM</p> <p>Hexagon Head Bolts as per IS 1363</p> <p>Searched String: INTERMEDIATE Y ARM</p> <p>Y Strainer, Eosin Y Dissodium Salt, Tapping spout intermediate tube, Shoulder Builder / Arm Wheel - Outdoor Gym Equipment, Y-Type Dirt Catcher (BHEL), High Build Intermediate Epoxy Paint (BHEL), C Arm Fluoroscope X - Ray Machine (V2), Inner Arm Assembly (BHEL), Outer Arm - II (BHEL), C Arm Fluoroscope X - Ray Machine</p> <p>Searched String: ANCHOR ROD</p> <p>Grapnel Anchor, Muffle Furnace, Maddox rod, PVC Copper Cable 1 Core and Multi Core Circular Sheathed Cable with Rigid Conductor as per IS 694, Tungsten Rod, Vertical Anchor for wire rope barrier, Disposable Syringes as per IS</p>

<p>GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS</p>	<p>10258, Tie rod assembly, Lat Pull Down (Version 2), Connecting Rod Assembly</p>
	<p>Searched String: HOG RINGS</p> <p>Rings-Handicraft, Boxing Rings, Treadmill (V2), Roman Rings, Towel Rail / Ring for Bathroom, Toe Rings-Handicraft, Multi Station Gym (V2), Nose Rings & Pins-Handicraft, Networking Trainer Educational Kit, U-Sealing Rings (Nimonic) (BHEL)</p> <p>Searched String: EYE BOLTS</p> <p>Eye Bolts with Collars - IS 4190, Eye Drapes, Eye Pad, Protective Eye Goggles (MHA), Eye Blinder, Square Head Bolts, Hexagon Head Bolts as per IS 1363, Lifting Eye (BHEL), Tower Bolts (Ferrous Metals) as per IS 204, Prednisolone Eye Drops</p> <p>Searched String: PUNCHED TAPE CONCERTINA COIL- AS PER SPECS</p> <p>Punched Tape Concertina Coils - PTCC (V2), Punched Tape, Reflective Tape as per IS 14221, Automotive Vehicles - Retro - Reflective Sheets and Tapes (Traffic Safety) as per IS 14221, Taflon Tape as per IS 14635, Elastic Tape- as per IS: 9686, Elecric Bells and Accessories as per IS 2268, Fasteners - Single Coil Rectangular Section Spring Lock Washers as per IS 3063, Pressure Sensitive Adhesive Tape with Plastic Base as per IS 13262 (Rev), Tapered Bearings as per IS 12102</p> <p>Searched String: RAZOR TAPE WIRE RBT WIRE AS PER SPECS</p> <p>Stainless Steel Wire Medical Purpose as per IS 6528, Spherical Roller Bearing as per IS 6455, Fuse Wire as per IS 9926, Colour Tape (BHEL), Wire rope as per IS 4521/API Spec 9A (ONGC), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Cable and Wire Locator (MHA), Tapered Bearings as per IS 12102, Wire Mesh Fabric or Cloth (V2) as per IS 1568, Enamelled Round Copper Wire as per IS 13730 (Part 0 / Sec 1)</p> <p>Searched String: CEMENT</p> <p>Cement Capsule, Disposable Surgical Rubber Gloves (V2), Solvent Cement, Portland - Pozzolana Cement (Fly Ash Based) for Bulk Buying as per IS 1489 (Part 1), Zinc Phosphate Cement(Dental Cement)-IS:6035, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Zinc polycarboxylate cement, Portland Pozzolana Cement (Fly Ash Based) (V3) Conforming to IS 1489 (Part 1), Bone Cement (V2), Glass Ionomer Cement for Dentistry</p> <p>Searched String: AGGREGATE</p> <p>Aggregate Impact Tester, MTA (Mineral trioxide aggregate), Coarse Aggregate (V2) Conforming to IS 383, Stone Aggregate Products from Deeg - ODOP, Fine Aggregate (V2) Conforming to IS 383</p> <p>Searched String: SAND</p> <p>Filter Sand, Sand Paper (Defense), Sand Art, Sand Pouring Cylinder, High Silica Sand for use in Foundries as per IS 1987, Sand Bags (V2) as per IS 9685, River Bed Sand, Fine</p>

बिड विवरण/Bid Details	Aggregate (V2) Conforming to IS 383, Standards Sand for testing cement - IS 650, Stone Aggregate Products from Deeg - ODOP
	<p>Searched String: INSTALLATION CHARGES</p> <p>Installation and Commissioning of Air Conditioners at Extra Cost (Excluding Accessories), Lead Acid Traction Battery as per IS 5154, Basketball backstop, Laboratory Desiccator (V2), General Purpose Battery Chargers, Whistle (V2), DC Electric Vehicle Charging Station, AFFF (3 % CONCENTRATION) FOR ONSHORE INSTALLATIONS, Pipe Clamps (V2), Battery Charger, Heavy Duty</p>
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	<ul style="list-style-type: none"> Weld Mesh Panel for Perimeter Security Fence as per IS 4948
बीओक्यू शीर्षक / BOQ Title	INSTALLATION OF ANTI CUTTING FENCE 2130 METERS
बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) / Minimum Average Annual Turnover of the bidder (For 3 Years)	89 Lakh (s)
मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)/ OEM Average Turnover (Last 3 Years)	89 Lakh (s)
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/ Years of Past Experience Required for same/similar service	3 Year (s)
वर्षों के अनुभव एवं टर्नओवर से एमएसई को छूट प्राप्त है / MSE Exemption for Years Of Experience and Turnover	Yes Complete
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / Startup Exemption for Years Of Experience and Turnover	Yes Complete
विक्रेता से मांगे गए दस्तावेज़/ Document required from seller	<p>Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Additional Doc 1 (Requested in ATC),Compliance of BoQ specification and supporting document</p> <p>*In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer</p>
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेन् है/ Do you want to show documents uploaded by bidders to all bidders participated in bid?	No
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	2

बिड विवरण/Bid Details	
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	3
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	1
विगत प्रदर्शन / Past Performance	80 %
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	Yes
रिवर्स नीलामी योग्यता नियम/RA Qualification Rule	50% Lowest Priced Technically Qualified Bidders
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	WELD MESH PANEL - AS PER SPECIFICATION
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईएमडी राशि/EMD Amount	356800

ईपीबीजी विवरण /ePBG Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईपीबीजी प्रतिशत (%) /ePBG Percentage(%)	3.00
ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months).	62

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित कैटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज प्रस्तुत करने हैं। एमएसई कैटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b). ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

लाभार्थी /Beneficiary :

GOC

HQ 111 AREA, Department of Military Affairs, Indian Army, Ministry of Defence

(Goc, 111 Area)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता / MII Purchase Preference

एमआईआई खरीद वरीयता / MII Purchase Preference	Yes
मेक इन इंडिया विक्रेताओं को खरीद में प्राथमिकता, यदि उनका मूल्य $L1+X\%$ तक की सीमा में है / Purchase Preference to MII sellers available upto price within $L1+X\%$	20
मेक इन इंडिया खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MII purchase preference	50
सार्वजनिक खरीद (मेक-इन-इंडिया को प्राथमिकता) आदेश 2017 के अनुसार केवल क्लास 1/क्लास 2 के स्थानीय आपूर्तिकर्ताओं को ही भागीदारी की अनुमति है दिनांक 16.09.2020 (समय-समय पर संशोधित एवं लागू) / Allow participation only from Class 1/Class 2 local suppliers as per the Public procurement (Preference to Make-in-india) order 2017 date 16.09.2020 (as amended and applicable time to time)	Yes, in compliance with the MII ORDER : DPIIT Order (as amended and applicable time to time)

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं को खरीद में प्राथमिकता, यदि उनका मूल्य $L1+X\%$ तक की सीमा में हो / Purchase Preference to MSE OEMs available upto price within $L1+X\%$	15
सूक्ष्म और लघु उद्यम को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MSE purchase preference	25

1. If the bidder is a Micro or Small Enterprise as per latest orders issued by Ministry of MSME, the bidder shall be exempted from the eligibility criteria of "Experience Criteria" as defined above subject to meeting of quality and technical specifications. The bidder seeking exemption from Experience Criteria, shall upload the supporting documents to prove his eligibility for exemption.
2. If the bidder is a Micro or Small Enterprise (MSE) as per latest orders issued by Ministry of MSME, the bidder shall be exempted from the eligibility criteria of "Bidder Turnover" as defined above subject to meeting of quality

and technical specifications. If the bidder itself is MSE OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking exemption from Turnover, shall upload the supporting documents to prove his eligibility for exemption.

3. If the bidder is a DPIIT registered Startup, the bidder shall be exempted from the the eligibility criteria of "Experience Criteria" as defined above subject to their meeting of quality and technical specifications. The bidder seeking exemption from Experience Criteria, shall upload the supporting documents to prove his eligibility for exemption.

4. If the bidder is a DPIIT registered Startup, the bidder shall be exempted from the the eligibility criteria of "Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT Registered OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking exemption from Turnover shall upload the supporting documents to prove his eligibility for exemption.

5. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

6. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

7. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

8. Preference to Make In India products (For bids < 200 Crore): Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

9. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is

validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

10. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

11. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 80% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

12. Reverse Auction would be conducted amongst first 50% of the technically qualified bidders arranged in the order of prices from lowest to highest. Number of sellers eligible for participating in RA would be rounded off to next higher integer value if number of technically qualified bidders is odd (e.g. if 7 bids are technically qualified, then RA will be conducted amongst L-1 to L-4). In case number of technically qualified bidders are 2 or 3, RA will be between all without any elimination. If Buyer has chosen to split the bid amongst N sellers, then minimum N sellers would be taken to RA round. In case Primary products of only one OEM are left in contention for participation in RA based on lowest 50% bidders qualifying for RA, the number of sellers qualifying for RA would be increased to get at least products of one more OEM (directly participated or through its reseller) if available. Further, if bid(s) of any seller(s) eligible for MSE preference is / are coming within price band of 15% of Non MSE L-1 or if bid of any seller(s) eligible for Make in India preference is / are coming within price band of 20% of non MII L-1, then such MSE / Make in India seller shall also be allowed to participate in the RA process.

WELD MESH PANEL - AS PER SPECIFICATION

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SILIGURI GRP	1704	60

OMEGA CLAMP WITH PROFILE COVER PLATE

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SILIGURI GRP	4260	60

MUSHROOM HEAD BOLT WITH SECURITY NUT AND WASHER M8X60MM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SILIGURI GRP	8520	60

IP BINDER FOR PANEL CONNECTION

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SILIGURI GRP	3408	60

MUSHROOM HEAD BOLT WITH SECURITY NUT AND WASHER M8X35MM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SILIGURI GRP	3408	60

FENCE POST - AS PER SPECIFICATION

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
-------------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SILIGURI GRP	852	60

STRAINING Y ARM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications**Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SILIGURI GRP	73	60

MUSHROOM HEAD BOLT WITH SECURITY NUT AND WASHER M8X120MM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications**Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SILIGURI GRP	1704	60

INTERMEDIATE Y ARM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SILIGURI GRP	779	60

ANCHOR ROD

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषीती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषीती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SILIGURI GRP	1704	60

HOG RINGS

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषीती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषीती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SILIGURI GRP	17040	60

EYE BOLTS

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SILIGURI GRP	438	60

PUNCHED TAPE CONCERTINA COIL - AS PER SPECIFICATION

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SILIGURI GRP	213	60

RAZOR TAPE WIRE - RBT WIRE AS PER SPECIFICATION

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SILIGURI GRP	12780	60

CEMENT

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SILIGURI GRP	1227	60

AGGREGATE

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SILIGURI GRP	128	60

SAND

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SILIGURI GRP	256	60

INSTALLATION CHARGES

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SILIGURI GRP	2130	60

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Inspection

Nominated Inspection Agency: On behalf of the Buyer organization, any one of the following Inspection Agency would be conducting inspection of stores before acceptance:
Pre-dispatch Inspection at Seller Premises (applicable only if pre-dispatch inspection clause has been selected in ATC):

NO

Post Receipt Inspection at consignee site before acceptance of stores:
BD OF OFFRS

2. Sample Clause

After award of contract – Successful Bidder shall have to get advance sample approved from buyer before bulk manufacturing / starting bulk supplies. Successful Bidder shall submit

1
samples for Buyer's approval, within 5 days of award of contract. Buyer shall, as per contract specifications framework, either approve the advance sample or will provide complete list of modification required in the sample within 10 days of receipt of advance sample. Seller shall be required to ensure supply as per approved sample with modifications as communicated by Buyer. If there is delay from buyer side in approval of advance sample – the delivery period shall be refixed without LD for the period of delay in sample approval. In case, the sample is found to have major deviations / not conforming to the Contract specifications, the buyer at its discretion may call for fresh samples for approval before allowing bulk supplies or may terminate the contract after notifying the deviations to the seller. Unless otherwise provided in the contract, all samples required for test shall be supplied by the contractor free of cost. Where under the contract, the contractor is required to submit an advance sample, any expenses incurred by the contractor on or in connection with the production of stores in bulk, before the sample has been approved unconditionally shall be borne by the Seller and he shall not claim any compensation in the event of such sample being found unacceptable by the Buyer / Consignee.

3. Turnover

Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

4. Forms of EMD and PBG

Bidders can also submit the EMD with Account Payee Demand Draft in favour of

GOC 111 AREA
payable at
SBI

Bidder has to upload scanned copy / proof of the DD along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

5. **Forms of EMD and PBG**

Bidders can also submit the EMD with Fixed Deposit Receipt made out or pledged in the name of A/C

GOC 111 AREA

. The bank should certify on it that the deposit can be withdrawn only on the demand or with the sanction of the pledgee. For release of EMD, the FDR will be released in the favour of the bidder by the Buyer after making endorsement on the back of the FDR duly signed and stamped along with covering letter. Bidder has to upload scanned copy/ proof of the FDR along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date/ Bid Opening date

6. **Generic**

Bidder financial standing: The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.

7. **Generic**

Bidders shall quote only those products (Part of Service delivery) in the bid which are not obsolete in the market and has at least 1 years residual market life i.e. the offered product shall not be declared end-of-life by the OEM before this period.

8. **Certificates**

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

9. **Generic**

Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

10. **Generic**

Bidder shall submit the following documents along with their bid for Vendor Code Creation:

- a. Copy of PAN Card.
- b. Copy of GSTIN.
- c. Copy of Cancelled Cheque.
- d. Copy of EFT Mandate duly certified by Bank.

11. **Warranty**

Warranty period of the supplied products shall be 5 years from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.

12. **Generic**

Data Sheet of the product(s) offered in the bid, are to be uploaded along with the bid documents. Buyers can match and verify the Data Sheet with the product specifications offered. In case of any unexplained mismatch of technical parameters, the bid is liable for rejection.

13. Ration Item ATCs

Demurrage charges In case the rejected items are not lifted by the firm within 48 hrs, the demurrage charges at the rate of 0.5% of total contract value will be charged per day. In case the items are not lifted within a month, the same will be destroyed by the station board of officers and no claim will be admitted. Demurrage charges. In case the rejected items are not lifted by the firm within 48 hrs, the demurrage charges at the rate of 0.5% of total contract value will be charged per day. In case the items are not lifted within a month, the same will be destroyed by the station board of officers and no claim will be admitted.

14. Generic

Experience Criteria: The Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for 3 years before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the primary product having highest value should meet this criterion.

15. Certificates

ISO 9001: The bidder or the OEM of the offered products must have ISO 9001 certification.

16. Certificates

Material Test Certificate Should Be Sent Along with The Supply. The Material Will Be Checked by Buyer's Lab & the Results of the Lab will be the Sole Criteria for Acceptance of the Item.

17. Generic

Manufacturer Authorization: Wherever Authorised Distributors/service providers are submitting the bid, Authorisation Form /Certificate with OEM/Original Service Provider details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid

18. Financial Criteria

NET WORTH: Net Worth of the OEM should be positive as per the last audited financial statement.

19. Generic

NON DISCLOSURE DECLARATION CERTIFICATE (On Bidder Letter Head) to be uploaded with bid:

1. I M/s.

THE FIRM NAME

hereby declare that I shall not disclose the contract or any provision, specification, plan, design, pattern, sample or information thereof to any third party during and after expiry of Contract.

2. If defying the norms as per the Contract a legal action may be taken against me as per the existing Rules.

20. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 50 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 50% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

21. **Forms of EMD and PBG**

Successful Bidder can submit the Performance Security in the form of Account Payee Demand Draft also (besides PBG which is allowed as per GeM GTC). DD should be made in favour of

GOC 111 AREA
payable at
SBI

. After award of contract, Successful Bidder can upload scanned copy of the DD in place of PBG and has to ensure delivery of hard copy to the original DD to the Buyer within 15 days of award of contract.

22. **Forms of EMD and PBG**

Successful Bidder can submit the Performance Security in the form of Fixed Deposit Receipt also (besides PBG which is allowed as per GeM GTC). FDR should be made out or pledged in the name of

GOC 111 AREA

A/C (Name of the Seller). The bank should certify on it that the deposit can be withdrawn only on the demand or with the sanction of the pledgee. For release of Security Deposit, the FDR will be released in favour of bidder by the Buyer after making endorsement on the back of the FDR duly signed and stamped along with covering letter. Successful Bidder has to upload scanned copy of the FDR document in place of PBG and has to ensure delivery of hard copy of Original FDR to the Buyer within 15 days of award of contract.

23. **Buyer Added Bid Specific ATC**

Buyer Added text based ATC clauses

SL. NO	BRIEF SPECIFICATION	A/U	QTY/KM
			2.13 KM

1.	<p>Weld Mesh Panel:</p> <p>Weld Mesh Panel should be produced by electrical resistance welded galvanized wires and subsequently polyester powder coated as per below specification: Weld mesh panel for fence will meet the standards of EN 10223-7 with the following key specifications apart from the other points in the governing specification: (Note: At present, no Indian standards available for weld mesh panels for fencing applications)</p> <ul style="list-style-type: none"> ● Panel size: 2667 mm X 1105 mm (W x H). ● Mesh Size: 76.2 mm X 12.7 mm (W X H). ● V-Shape- 2 nos. per panel of depth 38 mm and width 105 mm and 100 degree angle as per drawing ● Overlap: 75 mm overlap in horizontal direction and 167 mm overlap in vertical directions ● Weld Shear strength: The average weld shear strength of 4 welds taken at random not be less than 50 % of the breaking strength of the smallest wire (In this case the vertical wire) ● Mesh Wire: Galvanized MS wire ➢ Galvanizing of wire: 45 GSM as per IS 4826 (Measurement as per IS 6745) ➢ Specification for wire Diameter: IS 280 -2006 ➢ Horizontal wire: minimum dia 4.0 mm & Vertical wire: minimum dia 4.0 mm ➢ Tensile Strength of wire: Minimum 550 N/sq.mm ➢ Grade of wire: - Grade 1 to 4 as per IS 7887 ➢ Uniformity of Coating: As per IS 2629 ➢ Adhesion test for coating: As per IS 6745 / IS 2629 ● Powder Coating: The panels are Polyester powder coated after welding with a polyester powder coating thickness of minimum 60-80 Microns. ➢ Colour: RAL 6005 ➢ Coating Standard: EN 10245-1/ IS 13871 ➢ Powder coating make& grade:- Jotun Facade 1407 with AMMA 2603 Qualicoat class 1 ➢ Other coating requirement: <p>*The OEM shall have a facility for Surface Preparation (Blast clean SA 2.5) and Surface treatment for degreasing and Hot Phosphating for better longevity of the coating. The OEM shall have a valid applicator certificate from M./s Jotun for Polyester Powder coating.</p> <p>*Powder coating should withstand 720 Hours of salt spray test</p>	NOS	1704
2.	<p>Fence Post:</p> <ul style="list-style-type: none"> • Type: Circular Hollow section (CHS) • Material: MS Pipe, Medium class, Nominal Bore 65 mm • Mechanical Properties: As per Grade YST 210 as per IS 1161:2014 • Chemical Properties: As per IS 10748 complying to supply condition of YST 210 as welded heat treated or cold treated. • Outer Diameter: minimum 76.1 mm • Thickness: minimum 3.60 mm • Length: 2800 mm (2150 mm above ground level and 650 mm under) • Galvanized Coating: Hot dip galvanized with minimum 360 GSM coating on both inside & outside of pipe as per IS 2629/IS 4759/ASTM A123 / IS 4736 	NOS	852

	> Uniformity of Coating: As per IS 2629 > Adhesion test for coating: As per IS 6745 / IS 2629		
3.	<p><u>Omega Clamp with Profile cover plate:</u></p> <p>This is used to fix the mesh on the poles by using suitable fasteners. The profile cover plate provides the necessary holding strength and as such the shape of the cover plate as given in the drawing is to be strictly followed.</p> <ul style="list-style-type: none"> • Material: (180mm x 35 mm of shape as per drawing) Galvanised flat 35 mm width and 3 mm thick using Galvanised strip as per IS 277 or IS 513 CR1 grade "0". • For profile plate (180mm x 50.20 mm of shape as per drawing) Galvanised flat 3.00 mm thick using Galvanised strip as per IS 277 or IS 513 CR1 grade "0". • Coating: Hot dip galvanized to minimum 360 GSM as per IS 2629/IS 4759/ASTM A123 / IS 4736 > Uniformity of Coating: As per IS 2629 > Adhesion test for coating: As per IS 6745 / IS 2629 • Powder coating make:- Axalta Plascoat PPA 571 ES > Other coating requirement: * The OEM shall have a facility for Surface Preparation (Blast clean SA 2.5) and Surface treatment for degreasing and Hot Phosphating for better longevity of the coating. The OEM shall have a valid applicator certificate from Axalta for Thermoplastic Powder coating. * Powder coating should withstand 1440 Hours of salt spray test as specified by EN 10245-1/ IS 13871 and with ASTM B117 • Weight / Clamp: 0.6 Kg 	NOS	4260
4.	<p><u>Mushroom Head Bolts with security nuts and washers for fixing omega clamp:</u></p> <ul style="list-style-type: none"> • Each clamp shall be supplied with two sets mushroom head bolt, square necked bolts with security nuts and washers. • Material: SS 304 • Tensile Strength : Shall be Min 700 N/sq.mm • Size: M8 X 60 mm as per IS 8535-1987 • Washer specifications: Material: SS 304, OD-15.89mm. ID- 8.38, thickness : 2.04 mm • Weight of bolt & Nut with washer: 0.6 Kg 	NOS	8520

5.	<p><u>IP Binder (Flat clamps) for panel connection:</u></p> <ul style="list-style-type: none"> Material: Flat as per IS 277 <ul style="list-style-type: none"> Size: 25 mm wide x 3 mm thick, 160mm long, with 2-slots (9 x 20 mm) – as per IS 1730 Coating: Galvanized with minimum 360 GSM coating as per IS 2629/IS 4759/ASTM A123 / IS 4736 Powder Coating: The Galvanized binders are subsequently The rmoplastic Powder coated after fabrication with a thickness of m inimum 250 microns thickness. > Colour : RL 6005 > Powder coating make:- Axalta Plascoat PPA 571 ES > Other coating requirement: <ul style="list-style-type: none"> * The OEM shall have a facility for Surface Preparation (Blast cl ean SA 2.5) and Surface treatment for degreasing and Hot Pho sphating for better longevity of the coating. The OEM shall hav e a valid applicator certificate from Axalta for Thermoplastic P owder coating. * Powder coating should withstand 1440 Hours of salt spray test as specified by EN 10245-1/ IS 13871 and with ASTM B117 	NOS	3408
6.	<p><u>Mushroom Head Bolts with security nuts and washers for fixing IP binder:</u></p> <ul style="list-style-type: none"> Material : SS 304 as per IS 8535-1987 Tensile Strength : Shall be Min 700 N/sq.mm Size: M8X35 <ul style="list-style-type: none"> Washer specifications: Material: SS 304, OD-15.89mm. ID- 8.38, thickness : 2.04 mm 	NOS	3408
7.	<p><u>Straining Y Arm:- Straining Y-Arm for supporting top PTCC:</u></p> <ul style="list-style-type: none"> Type: Angle Size: 50x50x6mm as per IS 2062 (Grade 235) <ul style="list-style-type: none"> Sleeve cap : Of MS plate , top plate of cap 76 mm dia and 5 mm thick which is welded to 3 mm thick 63 mm OD and 100 lo ng pipe having two sets of 14 mm dia holes to fix the mushroo m bolts. (as per attached drawings). Material: MS Welding to fabricate Y arm: 5 mm thick weld of size as per drawing <ul style="list-style-type: none"> Coating: Hot dip galvanised to min 360 GSM as per IS 2629/IS 4759/ASTM A123 / IS 4736. <ul style="list-style-type: none"> > Uniformity of Coating: As per IS 2629 > Adhesion test for coating: As per IS 6745 / IS 2629 Length of one Arm is 510 mm, One straining Y arm will be installed every 30 meters. Weight / Y arm: 5.00 Kgs • Qty / KM: 34 Nos 	NOS	73

8.	Fitting accessory for Y arms: <ul style="list-style-type: none"> • Mushroom Head Bolts with breakable head security nuts: Each Y arm shall be supplied with two sets mushroom headed bolts with security nuts and washers. • Material : SS 304 • Tensile Strength : Shall be Min 700 N/sq.mm • Size: M8 X 120 mm • Weight : bolt , Nut and washer: 0.035 Kg 	NOS	1704
9.	Eye Bolt for Straining Y arm: <ul style="list-style-type: none"> • Each Straining Y arm shall be supplied with 6 sets of Eye bolts with security nuts and washers. • Material: SS 304 • Tensile Strength : Shall be Min 700 N/sq.mm • Size: M8 X 100 mm • Weight : Eye bolt , Nut and washer: 0.1 Kg 	NOS	438
10.	Intermediate Y Arm-: Intermediate Y-Arm for supporting top P TCC: <ul style="list-style-type: none"> • Type: Angle • Material: MS • Size: 50x50x6 mm as per IS 2062 (Grade 235) • Welding to fabricate Y arm: 5 mm thick weld of size as per drawing • Sleeve cap : Of 2 mm thick MS plate, 83 mm OD, 79 mm ID and 45 long pipe having two sets of 12 mm dia holes to fix the mushroom bolts (as per attached drawings). • Coating: Hot dip galvanized to min 360 GSM as per IS 2629/IS 4759/ASTM A123 / IS 4736. <ul style="list-style-type: none"> > Uniformity of Coating: As per IS 2629 > Adhesion test for coating: As per IS 6745 / IS 2629 • Length of 1 Arm is 510 mm • Refer drawing no. as attached herewith. <ul style="list-style-type: none"> • 1 intermediate Y arm will be installed at every post except the posts with Straining Y arms. • Weight / Y arm: 4.70 Kgs 	NOS	779

11.	<u>PTCC G.I: 850 mm diameter/56 Loops/3.5mm Core wire:</u> <ul style="list-style-type: none"> • Coil Diameter: 850mm • Steel Tape : Hot Dipped Galvanized • Blade Thickness: 0.45 mm • Tensile Strength of Blade : Min 600 N/sq mm • Core wire :Hot Dipped Galvanized- 240 GSM. • Core Wire Diameter: 3.5 MM • Tensile Strength of wire: 1400-1500 N/sq.mm • Blade Profile: Tear Blade (TBBT) • Blade Length: 30 mm • Centre to Centre Distance Between blades: 50mm • Type of Clip: G.I • Number of loops / coil: 56 Nos. • Weight per coil: 20.01 Kg • Stretch of each coils -: 10 meters 	NOS	213
12.	<u>Razor Tape: 3.5mm Core wire G.I & Blade Tape G.I:</u> <ul style="list-style-type: none"> • Steel Tape : Hot Dipped Galvanized, Thickness: 0.45 mm, • Tensile strength of Blade : Min 600 N/sq mm • Core wire Material : Hot Dipped Galvanized • Core Wire Diameter: 3.5 mm • Tensile Strength of wire: 1400-1500 N/sq.mm • Blade Profile: Tear Blade (TBBT) • Blade Length: 30 mm • Centre to Centre Distance Between blades: 50mm • Quantity-: 1000 meters x 06 horizontal rows = 6000 meters. 	METERS	12780
13.	<u>G.I Anchor Rod</u> <ul style="list-style-type: none"> • Diameter- 100 mm • Length – 300 mm 	NOS	1704
14.	<u>Hog Rings</u> <ul style="list-style-type: none"> • For fixing Concertina Coil with Razor Tape and to connect razor tapes. 	NOS	17040
15.	<u>Cement</u> Cement of 43 grade OPC confirming to IS 8112/1989 in sealed bags each weighting 50 Kgs. Make Ultra Tech, JK Lakshmi, Ambuja ACC or equivalent	BAGS	1227

16.	<u>Aggregate</u> Confirming to IS-383-1970 (free adherent coating, hard, durable, clean and shall not contained clay and impurities such iron pyrites, alkalies, salt, coal, mica, shale or similar laminates or other materials exceeding the specified limits in IS code aggregate for concrete.	CUM	128
17.	<u>Sand</u> 10-20mm graded confirming to IS 383-1970	CUM	256
18.	<u>Installation</u>	METERS	2130

24. **Service & Support**

Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.

25. **Service & Support**

Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.

26. **Service & Support**

Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.

अस्वीकरण/**Disclaimer**

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export

experience.

11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---