







बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	17-11-2025 09:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	17-11-2025 09:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	30 (Days)
मंत्रालय ⁄ राज्य का नाम / Ministry / State Name	Ministry Of Defence
विभाग का नाम/Department Name	Department Of Military Affairs
संगठन का नाम/Organisation Name	Indian Army
कार्यालय का नाम/Office Name	******
कुल मात्रा/Total Quantity	3316

बिड विवरण/Bid Details

XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1) (Q2), Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947 (Q3), PVC Insulated Cables for Submersible Pumps - as per IS 694 (Q2), Electrical connection Lugs or thimbles (Q3), M - Seal as per IS 9197 (Q3), SS wire cloth 0.36 mm in nominal dia of wire average width of aperture 1.40 mm, 1.2x15 mtr roll, approx weight of each roll 25 Kg , Plywood Commercial 2400X1200X12MM Thick, Sensor Based Auto Dim Type Street Light 120w, Sensor Based Auto Dim Type Street Light 90w, PVC Internal Flush Kit with Float valve and Handle for Low Level Flushing Cisterm, Sofa cushion 22 inch x 21 inchx4 inch of 32 density with cover, Sensor Based Auto Dim Type Street Light 70w, Sensor Based Auto Dim Type Street Light 60w, Plywood Commercial 2400X1200X18MM Thick, Plywood one side teakface 2400X1200X6MM Thick, Plywood Commercial 2400X1200X9MM Thick, Plywood one side teakface 2400X1200X12MM Thick, Kerb Stone LED light Red and White, Brass Spindle for Bib Cock 15 mm, Plywood Commercial 2400X1200X4MM Thick, Plywood one side teakface 2400X1200X9MM Thick, Plywood One side teakface 2400X1200X4NMM Thick, Brass Spindle for Pillar Cock , GI Pipe 15 mm Medium Grade 6Mtr long , Glass Shelf Assembly made of 5.5mm thick glass sheet, 450 x 125 mm Size with chromium plated railing, LT Line spacer 4 wire, GI Pipe 20 mm Medium Grade 6 Mtr long, Ready Mix Cement 25kg bag , Synthetic enamel Paint Olive Green 1 litre pack, Door Seal 1.2Mtr Long Aluminium, Copper sulphate crystal , Tarpentine oil 1 Litre Pack , Hard Rubber Shoe PVC Suitable for Gi Charpoy 32 mm bore dia, PVC SWR Bend suitable for 110 mm Pipe , Brass Spindle for Concealed Stop Cock 15 mm , PVC Flush Bend Pipe 600mm for High Level, Varnish 1 Litre Pack, Brass half round spindle for Bib Cock , PVC Flush Bend Pipe for Low Level Flushing Cistern , Teflone Tape 7 meter long , GI Pipe 50mm dia, medium grade 6 mtr , Fully automatic Star Delta Starter for 25 HP motor, 3 Ph, 415 V , SS floor door stopper 140 mm long, Synthetic Enamel Paint White in 1 liter pack, Synthetic Enamel Paint Red Oxide in 1 liter pack, Fully automatic Star Delta starter for 12.5 HP motor, 3 Ph, 415V, GI Pipe 40mm dia, medium grade 6 Mtr , Mortice lock vertical type 200mm size. 6 lever for aluminium door, Synthetic Enamel Paint Black in 1 Litre Pack, LT Line spacer 3 wire , GI Pipe 25mm dia, medium grade 6 Mtr , HT Fuse Wire 20Amp, HT Fuse Wire 15Amp, HT FUse Wire 25Amp, PVC Flushing Cistern Washer, Epoxy coated aluminium rod for 15 mm ball valve. , LT Line spacer 2 wire , Grease for general purpose in 1 Itr pack, White Cement 1kg Pack, Nut Bolt Window 20mm, Fevicol Marine 1 Kg pack, Nails wire 100mm, Nails wire 20MM, Nails wire 25MM, Nails wire 50MM, Nails wire 30MM, Nails wire 75MM, Stainless Screw 25 mm 100 Nos screw in each packet , Stainless Screw 20 mm 100 Nos screw in each packet, Stainless Screw 30 mm 100 Nos screw in each packet

वस्तु श्रेणी /Item Category

बिड विवरण/Bid Details

GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS SS wire cloth 0.36 mm in nominal dia of wire average width of aperture, Plywood Commercial 2400X1200X12MM Thick, Sensor Based Auto Dim Type Street Light 120w, Sensor Based Auto Dim Type Street Light 90w, PVC Internal Flush Kitfor Low Level Flushing Cisterm, Sofa cushion 22"x 21"x4" of 32 density with cover, Sensor Based Auto Dim Type Street Light 70w, Sensor Based Auto Dim Type Street Light 60w, Plywood Commercial 2400X1200X18MM Thick, Plywood one side teakface 2400X1200X6MM Thick, Plywood Commercial 2400X1200X9MM Thick, Plywood one side teakface 2400X1200X12MM Thick, Kerb Stone LED light (Red&White), Brass Spindle for Bib Cock 15 mm, Plywood Commercial 2400X1200X4MM Thick, Plywood one side teakface 2400X1200X9MM Thick, Plywood One side teakface 2400X1200X4NMM Thick, Brass Spindle for Pillar Cock, GI Pipe 15 mm Medium Grade 6Mtr long, Glass Shelf Assembly made of 5.5mm thick glass sheet, LT Line spacer 4 wire, GI Pipe 20 mm Medium Grade 6 Mtr long, Ready Mix Cement 25kg bag, Synthetic enamel Paint Olive Green 1 litre pack, Door Seal 1.2Mtr Long Aluminium, Copper sulphate crystal, Tarpentine oil 1 Litre Pack, Hard Rubber Shoe PVC Suitable for Gi Charpoy 32 mm bore dia, PVC(SWR) Bend suitable for 110 mm Pipe, Brass Spindle for Concealed Stop Cock 15 mm, PVC Flush Bend Pipe 600mm for High Level, Varnish 1 Litre Pack, Brass half round spindle for Bib Cock, PVC Flush Bend Pipe for Low Level Flushing Cistern, Teflone Tape 7 meter long, GI Pipe 50mm dia, medium grade 6 mtr, Fully automatic Star Delta Starter for 25 HP motor, 3 Ph, 415 V, SS floor door stopper 140 mm long, Synthetic Enamel Paint White in 1 liter pack, Synthetic Enamel Paint Red Oxide in 1 liter pack, Fully automatic Star Delta starter for 12.5 HP motor, 3 Ph, 415V, GI Pipe 40mm dia, medium grade 6 Mtr, Mortice lock vertical type 200mm size. 6 lever for aluminium door, Synthetic Enamel Paint Black in 1 Litre Pack, LT Line spacer 3 wire, GI Pipe 25mm dia, medium grade 6 Mtr, HT Fuse Wire 20Amp, HT Fuse Wire 15Amp, HT FUse Wire 25Amp, PVC Flushing Cistern Washer, Epoxy coated aluminium rod for 15 mm ball valve., LT Line spacer 2 wire, Grease for general purpose in 1 ltr pack, White Cement 1kg Pack, Nut Bolt Window 20mm, Fevicol Marine 1 Kg pack, Nails wire 100mm, Nails wire 20MM, Nails wire 25MM, Nails wire 50MM, Nails wire 30MM, Nails wire 75MM, Stainless Screw 25 mm 100 Nos screw in each packet, Stainless Screw 20 mm 100 Nos screw in each packet, Stainless Screw 30 mm 100 Nos screw in each packet

Searched String: SS wire cloth 0.36 mm in nominal dia of wire average width of aperture

High Strength Deformed Steel Bars and Wires for Concrete Reinforcement (V2) ISI marked to IS 1786

Searched String: Plywood Commercial 2400X1200X12MM Thick

Fabric Pin Up Notice Boards, Chequered Plywood for Bus Body Building Parts as per IS 3513 (Latest), Commercial CPVC Pipe Fittings, Ring Binder - File Folder, Ultrasonic Thickness Gauge, Kabaddi Mat (V2), Foot Rest, Commercial PPR Pipes Fittings as per IS 15801, Vertical Blinds (V2), absorbent cotton wool

बिड विवास Details Searched String: Sensor Based Auto Dim Type Street

Slamps (Algorithm based Street Light Automatic Switch), White LED Based Solar Street Lighting System for Model (I, II, III And IV), Inverter Based LED Street Light (V2)

Searched String: Sensor Based Auto Dim Type Street Light 90w

Slamps (Algorithm based Street Light Automatic Switch), Inverter Based LED Street Light (V2)

Searched String: PVC Internal Flush Kitfor Low Level Flushing Cisterm

Category not available on GeM for the text string uploaded by the buyer

Searched String: Sofa cushion 22"x 21"x4" of 32 density with cover

Pin Up Notice Board (V2), Solid Cushion Tyres (V2), Prelaminated MDF Board, Prefab Hut / House of Size 6.10 M X 7.32 M (as per GeM Drawing), P.F. Huts with PUF Panel (MHA)

Searched String: Sensor Based Auto Dim Type Street Light 70w

Slamps (Algorithm based Street Light Automatic Switch), White LED Based Solar Street Lighting System for Model (I, II, III And IV)

Searched String: Sensor Based Auto Dim Type Street Light 60w

Slamps (Algorithm based Street Light Automatic Switch), Inverter Based LED Street Light (V2), White LED Based Solar Street Lighting System for Model (I, II, III And IV)

Searched String: Plywood Commercial 2400X1200X18MM Thick

Fabric Pin Up Notice Boards, Commercial CPVC Pipe Fittings, Chequered Plywood for Bus Body Building Parts as per IS 3513 (Latest), Ring Binder - File Folder, Ultrasonic Thickness Gauge, Kabaddi Mat (V2), Foot Rest, Commercial PPR Pipes Fittings as per IS 15801, Vertical Blinds (V2), Microscopes Slide Coverslips as per IS 3099

Searched String: Plywood one side teakface 2400X1200X6MM Thick

Chequered Plywood for Bus Body Building Parts as per IS 3513 (Latest), Double sided tape

Searched String: Plywood Commercial 2400X1200X9MM Thick

Fabric Pin Up Notice Boards, Commercial CPVC Pipe Fittings, Chequered Plywood for Bus Body Building Parts as per IS 3513 (Latest), Ring Binder - File Folder, Ultrasonic Thickness Gauge, Kabaddi Mat (V2), Foot Rest, Commercial Idli Steamer, Commercial PPR Pipes Fittings as per IS 15801, Vertical Blinds (V2)

Searched String: Plywood one side teakface

2400X1200X12MM Thick बिड विवरण/Bid Details

Chequered Plywood for Bus Body Building Parts as per IS 3513 (Latest), Double sided tape

Searched String: Kerb Stone LED light (Red&White)

White LED (W - LED) Based Solar Home Lighting Systems (V2), White - LED Based Solar Street Lighting System, LED Luminaire (for Flood Light) as per IS 10322, IS 16107, Emergency Light Unit (V2), LED Surface Ceiling Light as per IS 10322, White LED Based Solar Street Lighting System for Model (I, II, III And IV), Field Search Light (MHA)

Searched String: Brass Spindle for Bib Cock 15 mm

Commercial CPVC Pipe Fittings, Mild Steel Sheet, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Staplers (V2), Plug Cock for Water Supply Purpose as per IS 3004, Collagen Membrane Barrier for Orthopedic & Dental Surgeries, Chlorinated Polyvinyl Chloride (CPVC) Pipes for Potable Hot and Cold Water Distribution Supplies (V2) as per IS 15778

Searched String: Plywood Commercial 2400X1200X4MM Thick

Fabric Pin Up Notice Boards, Chequered Plywood for Bus Body Building Parts as per IS 3513 (Latest), Commercial CPVC Pipe Fittings, Ring Binder - File Folder, Ultrasonic Thickness Gauge, Kabaddi Mat (V2), Foot Rest, Commercial PPR Pipes Fittings as per IS 15801, Vertical Blinds (V2), Microscopes Slide Coverslips as per IS 3099

Searched String: Plywood one side teakface 2400X1200X9MM Thick

Chequered Plywood for Bus Body Building Parts as per IS 3513 (Latest), Double sided tape

Searched String: Plywood One side teakface 2400X1200X4NMM Thick

Chequered Plywood for Bus Body Building Parts as per IS 3513 (Latest), Coated Paper and Board (Art and Chromo) (V3) Conforming to IS 4658

Searched String: Brass Spindle for Pillar Cock

PTMT Tap Fitting, Brass Wire For General Engineering Purpose-IS:4413, Plug Cock for Water Supply Purpose as per IS 3004, Belt Clasp (Brass) for Gram Prahari (UP), Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Towel Rail / Ring for Bathroom, Naval Brass Rods And Sections For Machining Purposes - IS 291, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Plastics Bib Taps Pillar Taps Angle Valves and Stop Valves as per IS 9763:2000 (Latest), ODOP Tool Kit for Metal Udhyog Brass of Mirzapur District, Uttar Pradesh, India

Searched String: GI Pipe 15 mm Medium Grade 6Mtr long

Steel Tubes, Tubulars as per IS 1239, Chlorinated Polyvinyl

Chloride (CPVC) Pipes for Potable Hot and Cold Water विद्याप/Bid Details Distribution Supplies (V2) as per IS 15778

Searched String: Glass Shelf Assembly made of 5.5mm thick glass sheet

Glass Distillation Assembly, Safety Glass as per IS 2553, galvanized steel sheets as per IS 277, Wild - Life Cages, Linoleum Sheet & Tiles (V2) Conforming to IS 653, Fire Hose Cabinet

Searched String: LT Line spacer 4 wire

LT Spacer, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Drill Rods (CMPDI), Winding Wires for Submersible Motors (HR PVC Insulated Wires) Conforming to IS 8783 (Part 4/Sec 1), PVC Copper Cable (Heavy Duty), Type C PVC Compound, Category 01 as per IS 1554 (Part 1), Earthwire Fitting and Accessories for 66 kV Overhead Power Lines (PSPCL), Endotracheal Tubes (V2), Tape Drive (V2), Automatic Line Voltage Correctors (Step Type) for Domestic Use - IS - 8448, Power Factor Meter - Digital

Searched String: GI Pipe 20 mm Medium Grade 6 Mtr long

Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Steel Tubes, Tubulars as per IS 1239, Commercial UPVC Fittings, Polyethylene Pipes For The Supply Of Gaseous Fuels (V2) As Per Is 14885, Polypropylene - Random Copolymer Pipes for Hot and Cold Water Supplies (Version 2) as per IS 15801 (Latest)

Searched String: Ready Mix Cement 25kg bag

PCR Master Mix, Readymade Bituminous Pothhole Patching Mix as per IS 217 Cutback Bitumen, IS 14982 Anti - Stripping Agent, Portland Slag Cement for Bulk Buying as per IS 455, HDPE/PP Woven Sacks for packaging 50kg/25kg Sugar (V3) ISI marked to IS 14968, Glass Ionomer Cement for Dentistry, PAINT READY MIXED AIR DRYING WHITE, Cotton Cloth Bag for Seed Packing - Capacity From 0.75 Kg to 12 Kg, Ready Mixed Paint, Brushing, Acid Resisting, Ready to Eat Mixed Vegetable (V3) (Defence), Ready Mixed Paint, Air Drying, Red Oxide Zinc Chrome, Priming (V2) as per IS 2074

Searched String: Synthetic enamel Paint Olive Green 1 litre pack

Enamel, Synthetic, Exterior (A) Undercoating (B) Finishing (V4) Confirming to IS 2932

Searched String: Door Seal 1.2Mtr Long Aluminium

PVC Aluminium Cable 1 Core and Multi Core Circular Sheathed Cable with Rigid Conductor as per IS 694, Cotton Long Cloth - IS 187, Aerial Bunched Cables as per IS 14255, Self Watering Tree guard, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), M - Seal as per IS 9197, Ulra Violet (UV) Cabinet for Sterilization, synthetic web equipment improved version, Swing Check Type Reflux (Non - Return) Valves for Water Works Purposes (Single Door Pattern) as per IS 5312, Polythene sealing machine

Searched String: Copper sulphate crystal

Copper Sulphate (V2) as per IS 261, Ammonium Sulphate, विड विवास Bid Details Cadmium Sulphate, PVC Insulated Unsheathed Cable with

Flexible Conductor as per IS 694, Mercuric Sulphate, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Stannous Sulphate, PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, Potassium Sulphate, Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931

Searched String: Tarpentine oil 1 Litre Pack

Paraffin Oil, Nitrile Coated/Nitrile Hand Gloves (V2), General Purpose Machinery Oil as per IS 493 (Part - 1), Cottonseed Oil (V2) as per IS 543, Disaster Relief Kit - Packet 1 (UP Gov.), TERA Package 1 - Robotics Demo Kits (ASoSE), Triazophos 40%EC as per IS:14937, TERA Package 1 - Robotics and Automation Modular Skilling Kits, TERA Package 1 - Robotics and Electro - Mechanical Components (ASoSE), TERA Package 1 - Robotics and Automation High end Engineering (ASoSE)

Searched String: Hard Rubber Shoe PVC Suitable for Gi Charpoy 32 mm bore dia

Category not available on GeM for the text string uploaded by the buyer

Searched String: PVC(SWR) Bend suitable for 110 mm Pipe

Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Polyethylene Pipes for Water Supply, PVC Insulated (Heavy Duty) Electric Cables, Suitable for use in Mines as per IS 1554 (Part 2), Pipe Fitting For Structured-Wall Plastics Pipes For Non-Pressure Drainge And Sewerage-IS:16098

Searched String: Brass Spindle for Concealed Stop Cock 15 mm

Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Plug Cock for Water Supply Purpose as per IS 3004

Searched String: PVC Flush Bend Pipe 600mm for High Level

Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Polyethylene Pipes for Water Supply

Searched String: Varnish 1 Litre Pack

Flat Brushes for Paints and Varnishes for Heavy Duty as per IS 384 (Part 1), Nitrile Coated/Nitrile Hand Gloves (V2), Disaster Relief Kit - Packet 1 (UP Gov.), Triazophos 40%EC as per IS:14937, TERA Package 1 - Robotics Demo Kits (ASoSE), TERA Package 1 - Robotics and Automation Modular Skilling Kits, Pretilachlor Emulsifiable Concentrate Conforming to IS 15160, TERA Package 1 - Robotics and Electro - Mechanical Components (ASoSE), TERA Package 1 - Robotics and Automation High end Engineering (ASoSE), Copper Oxychloride 50% WP

Searched String: Brass half round spindle for Bib Cock

Rectangular/Trapezoidal Brass Bar - Half Hard-Half Round

GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS बिड विवास Profiles (BHEL), Cast Copper Alloy Screw Down Bib विवास विवास Bid Details Taps and Stop Valves for Water Services as per IS 781,

Brass Wire For General Engineering Purpose-IS:4413, T - Shirt White Half Sleeves Round / Full Neck for Ministerial Staff of CAPFS (MHA) QRs, Plug Cock for Water Supply Purpose as per IS 3004

Searched String: PVC Flush Bend Pipe for Low Level Flushing Cistern

Category not available on GeM for the text string uploaded by the buyer

Searched String: Teflone Tape 7 meter long

Long Fluted Machine Reamers with Morse Taper Shank - IS 5445, Elastic Surgical Adhesive Tapes (V2), Twist Drill Morse Taper Shank - Long Series - IS 8305, elastic zinc oxide adhesive bandage, Twist Drills, Morse Taper Shank, Long Series- IS 8305, Permeable Nonwoven Surgical Adhesive Tape, Twist Drills - Extra Long Morse Taper Shank - IS 7822, Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Transparent Tape (V2), Taflon Tape as per IS 14635

Searched String: GI Pipe 50mm dia, medium grade 6 mtr

Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Steel Tubes, Tubulars as per IS 1239

Searched String: Fully automatic Star Delta Starter for 25 HP motor, 3 Ph, 415 V

Category not available on GeM for the text string uploaded by the buyer

Searched String: SS floor door stopper 140 mm long

Floor Drain Traps, Plastic Grip Seal, Metal Storage Cabinet, Wooden Shelf / Case / Rack / Credenza / Modular Storage (V2)

Searched String: Synthetic Enamel Paint White in 1 liter pack

Enamel, Synthetic, Exterior (A) Undercoating (B) Finishing (V4) Confirming to IS 2932, Washable Distemper-IS:428, Isopropyl Alcohol (2 - Propanol)

Searched String: Synthetic Enamel Paint Red Oxide in 1 liter pack

Ready Mixed Paint, Air Drying, Red Oxide Zinc Chrome, Priming (V2) as per IS 2074, Enamel, Synthetic, Exterior (A) Undercoating (B) Finishing (V4) Confirming to IS 2932, Isopropyl Alcohol (2 - Propanol)

Searched String: Fully automatic Star Delta starter for 12.5 HP motor, 3 Ph, 415V

Reverse Osmosis based Point of Use Water Treatment System for Drinking Purposes (V3) as per IS 16240, Star Delta Starter (V2)

Searched String: GI Pipe 40mm dia, medium grade 6 Mtr

Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Steel Tubes, Tubulars as per IS 1239

Searched String: Mortice lock vertical type 200mm size. 6 विवर्ग/Bid Details विवर्ग/Bid Details

Swing Check Type Reflux Valves for Water Works Purposes (Single Door Pattern) (V2) as per IS 5312 (Part1), Swing Check Type Reflux (Non - Return) Valves for Water Works Purposes (Single Door Pattern) as per IS 5312

Searched String: Synthetic Enamel Paint Black in 1 Litre Pack

Enamel, Synthetic, Exterior (A) Undercoating (B) Finishing (V4) Confirming to IS 2932

Searched String: LT Line spacer 3 wire

LT Spacer, Line Interactive UPS with AVR (V2), Drill Rods (CMPDI), Polyester Enamelled Round Copper Wire, Class 155 (V2) as per IS 13730 (Part 3), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Polyester Enamelled Round Copper Wire, Class 155 as per IS 13730 (Part 3), Endotracheal Tubes (V2), Earthwire Fitting and Accessories for 66 kV Overhead Power Lines (PSPCL), Tapered Bearings as per IS 12102, Tape Drive (V2)

Searched String: GI Pipe 25mm dia, medium grade 6 Mtr

Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Steel Tubes, Tubulars as per IS 1239

Searched String: HT Fuse Wire 20Amp

HT Motor Protection Fuse (BHEL), Fuse Wire as per IS 9926, Tapered Bearings as per IS 12102, synthetic web equipment improved version, High Strength Deformed Steel Bars and Wires for Concrete Reinforcement (V2) ISI marked to IS 1786, Glass Fuse, HT Tape, PTFE Wire

Searched String: HT Fuse Wire 15Amp

HT Motor Protection Fuse (BHEL), Fuse Wire as per IS 9926, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, HT Tape, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Tapered Bearings as per IS 12102, Control Cable, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1)

Searched String: HT FUse Wire 25Amp

HT Motor Protection Fuse (BHEL), Tapered Bearings as per IS 12102, Fuse Wire as per IS 9926, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), synthetic web equipment improved version, PVC Copper Cable (Heavy Duty), Type C PVC Compound, Category 01 as per IS 1554 (Part 1), HT Tape, Spherical Roller Bearing as per IS 6455, Aerial Bunched Cables as per IS 14255, Control Cable

Searched String: PVC Flushing Cistern Washer

Flushing Cistern

Searched String: Epoxy coated aluminium rod for 15 mm ball valve.

Mild Steel Sheet, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Commercial CPVC Pipe Fittings, General Purpose Ball Valves (V2), Copper Alloy Gate Valve for Waterworks Purpose as

per IS 778

Searched String: LT Line spacer 2 wire

LT Spacer, Line Interactive UPS with AVR (V2), Drill Rods (CMPDI), Earthwire Fitting and Accessories for 66 kV Overhead Power Lines (PSPCL), Enamelled Round Copper Wire as per IS 13730 (Part 0 / Sec 1), Tape Drive (V2), Endotracheal Tubes (V2), thermal gloves, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014

Searched String: Grease for general purpose in 1 ltr pack

General Purpose Grease For Defence Applications (V2)
Conforming to IS 507, Swing Check Type Reflux Valves for
Water Works Purposes (Single Door Pattern) (V2) as per IS
5312 (Part1), V-Belts - Endless V-Belt For Industrial Purposes
- General Purpose-IS:2494, General purpose safety pins,
Aluminium Paint for General Purposes in Dual Container as
per IS 2339, Bio Culture for wastewater treatment, Lithium
Base Grease for Industrial Purposes as per IS 7623, Ready
Mixed Paint, Finishing, Interior For General Purposes - IS
3537, Resin Treated Compressed Wood Laminates
(COMPREGS) for Electrical Purposes Marked to IS 3513 (Part
1), General Purpose Grease as per IS 507

Searched String: White Cement 1kg Pack

White Cement Based Polymeric Putty as per IS 17545, Nitrile Coated/Nitrile Hand Gloves (V2), Inks (V2), synthetic web equipment improved version, Absorbent Cotton Gauze Conforming to IS 758, Whistle (V2), Cotton Cloth Bag for Seed Packing - Capacity From 0.75 Kg to 12 Kg, Piano Type Non Modular Electrical Switch Socket Combination as per IS 3854 and IS 1293, Cotton Bandage Cloth Conforming to IS 863, Recycled T - Shirt

Searched String: Nut Bolt Window 20mm

Span Bolt and Nut, Customised Envelopes, Coach Bolt, Nut and Washer (BHEL), Hexagon Head Bolts as per IS 1363, Galvanised Foundation Bolt including Nuts and Washers (BHEL), Connection Pipe with Nuts (V2), Hardwares (Hex Bolt & Spring Channel Nut, Anchor Fastener, Washer, Spring Washer) - BHEL, Correspondence Envelopes (V3) Conforming to IS 13892, Hexagon Head Bolts, Screws and Nuts of Product Grade 'C' (V2) as per IS 1363, Stud with Nuts

Searched String: Fevicol Marine 1 Kg pack

(HDPE) / (PP) Woven Sacks for Packaging 10 kg, 15 kg, 20 kg, 25 kg and 30 kg Foodgrains ISI marked to IS 16208, Nitrile Coated/Nitrile Hand Gloves (V2), Cotton Cloth Bag for Seed Packing - Capacity From 0.75 Kg to 12 Kg, synthetic web equipment improved version, Set of Used Light Weight Jute Sacking Bags for Packing 50 Kg Food Grain (1 Set = 100 Bags), 20 Kg Capacity Cotton Cloth Bags for Seed Packing, Thiram Water Dispersible Powder for Slurry Seed Treatment(V2) Conforming to IS 4766, Disaster Relief Kit - Packet 1 (UP Gov.), Automatic Fire Ball for Fire -

बिड विवरण/Bid Details

Searched String: Nails wire 100mm

wire nails, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Steel Countersunk Head Wire Nails Conforming To IS 723, Panels Pins and Lost Head Nails Conforming To IS 6738, Customised Envelopes, Coiled Nails, Wire Guide, Molybdenum Wire, Dry Erase Writing Boards (V3), PTFE Wire

Searched String: Nails wire 20MM

wire nails, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Steel Countersunk Head Wire Nails Conforming To IS 723, Panels Pins and Lost Head Nails Conforming To IS 6738, Customised Envelopes, Coiled Nails, Wire Guide, Cleaning Duster (V3), Molybdenum Wire, PTFE Wire

Searched String: Nails wire 25MM

wire nails, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Steel Countersunk Head Wire Nails Conforming To IS 723, Panels Pins and Lost Head Nails Conforming To IS 6738, Customised Envelopes, Coiled Nails, Wire Guide, Molybdenum Wire, Dry Erase Writing Boards (V3), PTFE Wire

Searched String: Nails wire 50MM

wire nails, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Steel Countersunk Head Wire Nails Conforming To IS 723, Panels Pins and Lost Head Nails Conforming To IS 6738, Customised Envelopes, Coiled Nails, Wire Guide, Nitrile Coated/Nitrile Hand Gloves (V2), Molybdenum Wire, PTFE Wire

Searched String: Nails wire 30MM

wire nails, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Steel Countersunk Head Wire Nails Conforming To IS 723, Panels Pins and Lost Head Nails Conforming To IS 6738, Customised Envelopes, Coiled Nails, Wire Guide, Molybdenum Wire, Dry Erase Writing Boards (V3), PTFE Wire

Searched String: Nails wire 75MM

wire nails, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Steel Countersunk Head Wire Nails Conforming To IS 723, Panels Pins and Lost Head Nails Conforming To IS 6738, Customised Envelopes, Coiled Nails, Wire Guide, Molybdenum Wire, Dry Erase Writing Boards (V3), PTFE Wire

Searched String: Stainless Screw 25 mm 100 Nos screw in each packet

Category not available on GeM for the text string uploaded by the buyer

Searched String: Stainless Screw 20 mm 100 Nos screw in each packet

Category not available on GeM for the text string uploaded by the buyer

बिड वि	Searched String: Stainless Screw 30 mm 100 Nos screw in reached Details
	Category not available on GeM for the text string uploaded by the buyer
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	Inverter Based LED Street Light (V2) Plywood for General Purposes Marked to IS 303 (V3) Prelaminated MDF Board
बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) /Minimum Average Annual Turnover of the bidder (For 3 Years)	14 Lakh (s)
मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)/OEM Average Turnover (Last 3 Years)	30 Lakh (s)
उर्व्ही/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/Years of Past Experience Required for same/similar service	1 Year (s)
वर्षों के अनुभव के लिए एमएसई को छूट प्राप्त है / MSE Exemption for Years Of Experience	Yes Complete
वर्षों के अनुभव के लिए स्टार्टअप को छूट प्राप्त है / Startup Exemption for Years Of Experience	Yes Complete
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Experience Criteria, Past Performance, Bidder Turnover, Certificate (Requested in ATC), OEM Authorization Certificate, OEM Annual Turnover, Additional Doc 1 (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेन् है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	No
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	3
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	1
विगत प्रदर्शन /Past Performance	10 %
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	Yes
रिवर्स नीलामी योग्यता नियम/RA Qualification Rule	50% Lowest Priced Technically Qualified Bidders

बिड विवरण/Bid Details	
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1)
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
वित्तीय दस्तावेज की आवश्यकता है / Financial Document Required	Yes
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

एडवाईजरी बैंक/Advisory Bank	State Bank of India
ईएमडी राशि/EMD Amount	87000

ईपीबीजी विवरण /ePBG Detail

आवश्यकता/Required No		आवश्यकता/Required	No	
----------------------	--	-------------------	----	--

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज़ प्रस्तुत करने है। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b).ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance securityshould be in favour of Beneficiary, wherever it is applicable.

लाभार्थी /Beneficiary :

CWE

Cwe Jhansi, Department of Military Affairs, Indian Army, Ministry of Defence (Cwe Jhansi)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता / MII Purchase Preference

एमआईआई खरीद वरीयता / MII Purchase Preference	Yes
मेक इन इंडिया विक्रेताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में है / Purchase Preference to MII sellers availabele upto price within L1+X%	20
मेक इन इंडिया खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MII purchase preference	50
सार्वजनिक खरीद (मेक-इन-इंडिया को प्राथमिकता) आदेश 2017 के अनुसार केवल क्लास 1/क्लास 2 के स्थानीय आपूर्तिकर्ताओं को ही भागीदारी की अनुमित है दिनांक 16.09.2020 (समय-समय पर संशोधित एवं लागू) / Allow participation only from Class 1/Class 2 local suppliers as per the Public procurement(Preference to Make-in-india) order 2017 date 16.09.2020(as amended and applicable time to time)	Yes, in compliance with the MII ORDER : DPIIT Order(as amended and applicable time to time)

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
स्क्ष्म और लघु उद्यम मूल उपकरण निर्माताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में हो / Purchase Preference to MSE OEMs available upto price within L1+X%	15
स्क्ष्म और लघु उद्यम को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MSE purchase preference	25

- 1. If the bidder is a Micro or Small Enterprise as per latest orders issued by Ministry of MSME, the bidder shall be exempted from the eligibility criteria of "Experience Criteria" as defined above subject to meeting of quality and technical specifications. The bidder seeking exemption from Experience Criteria, shall upload the supporting documents to prove his eligibility for exemption.
- 2. If the bidder is a DPIIT registered Startup, the bidder shall be exempted from the the eligibility criteria of "Experience Criteria" as defined above subject to their meeting of quality and technical specifications. The bidder seeking exemption from Experience Criteria, shall upload the supporting documents to prove his eligibility for exemption.
- 3. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
- 4. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

- 5. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
- 6. Preference to Make In India products (For bids < 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.
- OM No.1 4 2021 PPD dated 18.05.2023 for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.
- 7. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 OM No.1 4 2021 PPD dated 18.05.2023 for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.
- 8. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.
- 9. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 10% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.
- 10. Reverse Auction would be conducted amongst first 50% of the technically qualified bidders arranged in the order of prices from lowest to highest. Number of sellers eligible for participating in RA would be rounded off to next higher integer value if number of technically qualified bidders is odd (e.g. if 7 bids are technically qualified, then RA will be conducted amongst L-1 to L-4). In case number of technically qualified bidders are 2 or 3, RA will be between all without any elimination. If Buyer has chosen to split the bid amongst N sellers, then minimum N sellers would be taken to RA round. In case Primary products of only one OEM are left in contention for participation in RA based on lowest 50% bidders qualifying for RA, the number of sellers qualifying for RA would be increased to get at least products of one more OEM (directly participated or through its reseller) if available. Further, if bid(s) of any seller(s) eligible for MSE preference is / are coming within price band of 20% of non

MII L-1, then such MSE / Make in India seller shall also be allowed to participate in the RA process.

XLPE Cable For Working Voltages Up To And Including 1.1 KV As Per IS 7098 (Part 1) (350 meter)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)	
STANDARDS	Conformity of the specification for XLPE cable	as per IS:7098 (Part 1): 1988 latest	
	Cables suitable for use in mines	Yes	
	Cables suitable for use in low temperature applications	No	
improved fire performace category Nominal Area of Conductor (in Sq mm)		C2 - FR-LSH	
		10	
		2	
CONSTRUCTION	Material of conductor	Aluminium	
	Type of inner sheath	Vulcanized rubber	
ARMOURING Type of cable		Armoured cable	
	Material of armouring	Aluminium round wire	
Type of armouring		Single strip	
CERTIFICATION	Availability of Optional Test Reports	Cold bend test for outer sheath, Cold impact test for outer sheath, Resistance test for Armour, Not applicable	

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती / रिपोर्टिंग अधिकारी / Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*********Jhansi	350	30

Molded Case Circuit Breakers (MCCB) As Per IS / IEC 60947 (11 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)	
GENERIC	ISI marked	NO	
	Rated Current (in Ampere)	100A	
	No of poles/Protected poles(PP)	4 Pole	
	Rated Short circuit capacity (in KA)	35 KA	
	Breaking current (in KA)	25 KA	
	Rated Voltage	240/415 Volt 50 Hz AC	

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती / रिपोर्टिंग अधिकारी / Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	**********Jhansi	11	30

XLPE Cable For Working Voltages Up To And Including 1.1 KV As Per IS 7098 (Part 1) (230 meter)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)	
	Conformity of the specification for XLPE cable	as per IS:7098 (Part 1): 1988 latest	
	Cables suitable for use in mines	No	
	Cables suitable for use in low temperature applications	Yes	

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	Classification of cables for improved fire performace category	01
	Nominal Area of Conductor (in Sq mm)	25
	Number of core (in Nos)	4
CONSTRUCTION	Material of conductor	Aluminium
	Type of inner sheath	Thermoplastic
ARMOURING	Type of cable	Armoured cable
	Material of armouring	Aluminium round wire
	Type of armouring	Single wire
CERTIFICATION	Availability of Optional Test Reports	Cold bend test for outer sheath, Cold impact test for outer sheath, Resistance test for Armour, Not applicable

क्र.सं./S.N o.	परेषिती / रिपोर्टिंग अधिकारी / Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	**********Jhansi	230	30

Molded Case Circuit Breakers (MCCB) As Per IS / IEC 60947 (10 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	ISI marked	NO
	Rated Current (in Ampere)	125A
	No of poles/Protected poles(PP)	4 Pole
	Rated Short circuit capacity (in KA)	35 KA
	Breaking current (in KA)	25 KA

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)	
	Rated Voltage	240 Volt 50 Hz AC	

क्र.सं./S.N o.	परेषिती / रिपोर्टिंग अधिकारी / Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	**********Jhansi	10	30

PVC Insulated Cables For Submersible Pumps - As Per IS 694 (115 meter)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	Cable Type	Flat Cables With PVC Insulation And Sheathed With Multistrand Flexible Copper Conductor For Submersible Pumps
CONSTRUCTION	Size of Cable (Sqmm)	10
	Number of cores	3

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती / रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*********Jhansi	115	30

Molded Case Circuit Breakers (MCCB) As Per IS / IEC 60947 (4 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	ISI marked	YES
	Rated Current (in Ampere)	200A
	No of poles/Protected poles(PP)	4 Pole
	Rated Short circuit capacity (in KA)	35 KA
	Breaking current (in KA)	36 KA
	Rated Voltage	240 Volt 50 Hz AC

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती / रिपोर्टिंग अधिकारी / Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	**********Jhansi	4	30

PVC Insulated Cables For Submersible Pumps - As Per IS 694 (120 meter)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	Cable Type	Flat Cables With PVC Insulation And Sheathed With Multistrand Flexible Copper Conductor For Submersible Pumps
CONSTRUCTION	Size of Cable (Sqmm)	6
	Number of cores	3

क्र.सं./S.N o.	परेषिती / रिपोर्टिंग अधिकारी / Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	**********Jhansi	120	30

Molded Case Circuit Breakers (MCCB) As Per IS / IEC 60947 (4 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	ISI marked	NO
	Rated Current (in Ampere)	250A
	No of poles/Protected poles(PP)	4 Pole
	Rated Short circuit capacity (in KA)	35 KA
	Breaking current (in KA)	36 KA
	Rated Voltage	240 Volt 50 Hz AC

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती / रिपोर्टिंग अधिकारी / Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	**********Jhansi	4	30

Molded Case Circuit Breakers (MCCB) As Per IS / IEC 60947 (2 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	ISI marked	NO
	Rated Current (in Ampere)	630A
	No of poles/Protected poles(PP)	4 Pole
	Rated Short circuit capacity (in KA)	35 KA
	Breaking current (in KA)	50 KA
	Rated Voltage	240 Volt 50 Hz AC

क्र.सं./S.N o.	परेषिती / रिपोर्टिंग अधिकारी / Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*********Jhansi	2	30

XLPE Cable For Working Voltages Up To And Including 1.1 KV As Per IS 7098 (Part 1) (120 meter)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
STANDARDS	Conformity of the specification for XLPE cable	as per IS:7098 (Part 1): 1988 latest
	Cables suitable for use in mines	No
	Cables suitable for use in low temperature applications	No
GENERIC	Classification of cables for improved fire performace category	01
	Nominal Area of Conductor (in Sq mm)	25
	Number of core (in Nos)	3.5

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)	
CONSTRUCTION	Material of conductor	Aluminium	
	Type of inner sheath	Vulcanized rubber	
ARMOURING	Type of cable	Armoured cable	
	Material of armouring	Aluminium round wire	
	Type of armouring	Single wire	
CERTIFICATION	Availability of Optional Test Reports	Not applicable	

क्र.सं./S.N o.	परेषिती / रिपोर्टिंग अधिकारी / Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*********Jhansi	120	30

Molded Case Circuit Breakers (MCCB) As Per IS / IEC 60947 (2 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)	
GENERIC	ISI marked	NO	
	Rated Current (in Ampere)	400A	
	No of poles/Protected poles(PP)	4 Pole	
	Rated Short circuit capacity (in KA)	MCCB with RSCB capacity of 10/16/25/35/50/65 KA tripping range	
	Breaking current (in KA)	50 KA	
	Rated Voltage	240/415 Volt 50 Hz AC	

क्र.सं./S.N o.	परेषिती / रिपोर्टिंग अधिकारी / Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*********Jhansi	2	30

XLPE Cable For Working Voltages Up To And Including 1.1 KV As Per IS 7098 (Part 1) (245 meter)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)	
STANDARDS	Conformity of the specification for XLPE cable	as per IS:7098 (Part 1): 1988 latest	
	Cables suitable for use in mines	No	
	Cables suitable for use in low temperature applications	No	
GENERIC	Classification of cables for improved fire performace category	01	
	Nominal Area of Conductor (in Sq mm)	10	
	Number of core (in Nos)	4	
CONSTRUCTION	Material of conductor	Aluminium	
	Type of inner sheath	Thermoplastic	
ARMOURING	Type of cable	Armoured cable	
	Material of armouring	Galvanized steel formed wire	
	Type of armouring	Double strip	
CERTIFICATION	Availability of Optional Test Reports	Cold bend test for outer sheath, Cold impact test for outer sheath, Resistance test for Armour, Not applicable	

क्र.सं./S.N o.	परेषिती / रिपोर्टिंग अधिकारी / Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*********Jhansi	245	30

Electrical Connection Lugs Or Thimbles (25 packet)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)	
Generic Compatible Cable size(Square mm)		150	
	Maximum operating temperature	63.0 (degree Celsius)	
	Minimum operating temperature	-10.0 (degree Celsius)	
Construction	Connection method	Screw	
	Material	Copper	
	Thickness of metal	3.0 (millimeter)	
	Connection Type	Ring Type	
	End type	Non-Insulated	
Additional info.	Packaging Type	box	
	Packaging size (Per packet)	10	

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती / रिपोर्टिंग अधिकारी / Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	**********Jhansi	25	30

Electrical Connection Lugs Or Thimbles (25 packet)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Compatible Cable size(Square mm)	50
	Maximum operating temperature	55.0 (degree Celsius)
	Minimum operating temperature	-10.0 (degree Celsius)
Construction	Connection method	Screw
	Material	Copper
	Thickness of metal	2.0 (millimeter)
	Connection Type	Ring Type
	End type	Non-Insulated
Additional info.	Packaging Type	box
	Packaging size (Per packet)	10

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती / रिपोर्टिंग अधिकारी / Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*********Jhansi	25	30

Electrical Connection Lugs Or Thimbles (25 packet)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Compatible Cable size(Square mm)	95
	Maximum operating temperature	55.0 (degree Celsius)
	Minimum operating temperature	-10.0 (degree Celsius)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Construction	Connection method	Clamp
	Material	Aluminium
	Thickness of metal	3.0 (millimeter)
	Connection Type	Ring Type
	End type	Non-Insulated
Additional info.	Packaging Type	box
	Packaging size (Per packet)	10

क्र.सं./S.N o.	परेषिती / रिपोर्टिंग अधिकारी / Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*********Jhansi	25	30

M - Seal As Per IS 9197 (23 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Certifications &	BIS Certification	No
Standards	Conformity IS 9197 - 1979	Yes
Generic	Hardness	70-75
Specification	Type of Epoxy Resin	Grade 1
	Tensile Strength Kg/cm	100-125
Packaging	Packaging Size	0.25 (kilogram)

क्र.सं./S.N o.	परेषिती / रिपोर्टिंग अधिकारी / Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*********Jhansi	23	30

SS Wire Cloth 0.36 Mm In Nominal Dia Of Wire Average Width Of Aperture 1.40 Mm, 1.2x15 Mtr Roll, Approx Weight Of Each Roll 25 Kg

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती / रिपोर्टिंग अधिकारी / Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*********Jhansi	40	30

Plywood Commercial 2400X1200X12MM Thick

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

क्र.सं./S.N o.	परेषिती / रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	**********Jhansi	45	30

Sensor Based Auto Dim Type Street Light 120w

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती / रिपोर्टिंग अधिकारी / Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	**********Jhansi	10	30

Sensor Based Auto Dim Type Street Light 90w

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

क्र.सं./S.N o.	परेषिती / रिपोर्टिंग अधिकारी / Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*********Jhansi	10	30

PVC Internal Flush Kit With Float Valve And Handle For Low Level Flushing Cisterm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती / रिपोर्टिंग अधिकारी / Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*********Jhansi	100	30

Sofa Cushion 22 Inch X 21 Inchx4 Inch Of 32 Density With Cover

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

क्र.सं./S.N o.	परेषिती / रिपोर्टिंग अधिकारी / Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	**********Jhansi	60	30

Sensor Based Auto Dim Type Street Light 70w

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती / रिपोर्टिंग अधिकारी / Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*********Jhansi	10	30

Sensor Based Auto Dim Type Street Light 60w

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

क्र.सं./S.N o.	परेषिती / रिपोर्टिंग अधिकारी / Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	**********Jhansi	10	30

Plywood Commercial 2400X1200X18MM Thick

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती / रिपोर्टिंग अधिकारी / Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	**********Jhansi	15	30

Plywood One Side Teakface 2400X1200X6MM Thick

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

क्र.सं./S.N o.	परेषिती / रिपोर्टिंग अधिकारी / Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*********Jhansi	20	30

Plywood Commercial 2400X1200X9MM Thick

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती / रिपोर्टिंग अधिकारी / Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	**********Jhansi	15	30

Plywood One Side Teakface 2400X1200X12MM Thick

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

क्र.सं./S.N o.	परेषिती / रिपोर्टिंग अधिकारी / Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	***********Jhansi	10	30

Kerb Stone LED Light Red And White

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती / रिपोर्टिंग अधिकारी / Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*********Jhansi	75	30

Brass Spindle For Bib Cock 15 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

क्र.सं./S.N o.	परेषिती / रिपोर्टिंग अधिकारी / Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	**********Jhansi	135	30

Plywood Commercial 2400X1200X4MM Thick

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती / रिपोर्टिंग अधिकारी / Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*********Jhansi	10	30

Plywood One Side Teakface 2400X1200X9MM Thick

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

क्र.सं./S.N o.	परेषिती / रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	**********Jhansi	8	30

Plywood One Side Teakface 2400X1200X4NMM Thick

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती / रिपोर्टिंग अधिकारी / Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*********Jhansi	7	30

Brass Spindle For Pillar Cock

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

क्र.सं./S.N o.	परेषिती / रिपोर्टिंग अधिकारी / Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*********Jhansi	110	30

GI Pipe 15 Mm Medium Grade 6Mtr Long

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अईता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती / रिपोर्टिंग अधिकारी / Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*********Jhansi	75	30

Glass Shelf Assembly Made Of 5.5mm Thick Glass Sheet, 450 X 125 Mm Size With Chromium Plated Railing

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

क्र.सं./S.N o.	परेषिती / रिपोर्टिंग अधिकारी / Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	**********Jhansi	13	30

LT Line Spacer 4 Wire

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती / रिपोर्टिंग अधिकारी / Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*********Jhansi	75	30

GI Pipe 20 Mm Medium Grade 6 Mtr Long

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

क्र.सं./S.N o.	परेषिती / रिपोर्टिंग अधिकारी / Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*********Jhansi	70	30

Ready Mix Cement 25kg Bag

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती / रिपोर्टिंग अधिकारी / Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*********Jhansi	10	30

Synthetic Enamel Paint Olive Green 1 Litre Pack

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

क्र.सं./S.N o.	परेषिती / रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	**********Jhansi	25	30

Door Seal 1.2Mtr Long Aluminium

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.	सं./S.N o.	परेषिती / रिपोर्टिंग अधिकारी / Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1		*****	**********Jhansi	25	30

Copper Sulphate Crystal

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

क्र.सं./S.N o.	परेषिती / रिपोर्टिंग अधिकारी / Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	**********Jhansi	25	30

Tarpentine Oil 1 Litre Pack

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती / रिपोर्टिंग अधिकारी / Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	**********Jhansi	20	30

Hard Rubber Shoe PVC Suitable For Gi Charpoy 32 Mm Bore Dia

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

क्र.सं./S.N o.	परेषिती / रिपोर्टिंग अधिकारी / Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*********Jhansi	185	30

PVC SWR Bend Suitable For 110 Mm Pipe

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती / रिपोर्टिंग अधिकारी / Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	**********Jhansi	30	30

Brass Spindle For Concealed Stop Cock 15 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

क्र.सं./S.N o.	परेषिती / रिपोर्टिंग अधिकारी / Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	**********Jhansi	25	30

PVC Flush Bend Pipe 600mm For High Level

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

व्र	ह.सं./S.N o.	परेषिती / रिपोर्टिंग अधिकारी / Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1		*****	*********Jhansi	40	30

Varnish 1 Litre Pack

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

क्र.सं./S.N o.	परेषिती / रिपोर्टिंग अधिकारी / Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	**********Jhansi	18	30

Brass Half Round Spindle For Bib Cock

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती / रिपोर्टिंग अधिकारी / Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	**********Jhansi	25	30

PVC Flush Bend Pipe For Low Level Flushing Cistern

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

क्र.सं./S.N o.	परेषिती / रिपोर्टिंग अधिकारी / Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	**********Jhansi	25	30

Teflone Tape 7 Meter Long

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती / रिपोर्टिंग अधिकारी / Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	**********Jhansi	175	30

GI Pipe 50mm Dia, Medium Grade 6 Mtr

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

क्र.सं./S.N o.	परेषिती / रिपोर्टिंग अधिकारी / Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*********Jhansi	7	30

Fully Automatic Star Delta Starter For 25 HP Motor, 3 Ph, 415 V

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती / रिपोर्टिंग अधिकारी / Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*********Jhansi	1	30

SS Floor Door Stopper 140 Mm Long

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

क्र.सं./S.N o.	परेषिती / रिपोर्टिंग अधिकारी / Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	**********Jhansi	75	30

Synthetic Enamel Paint White In 1 Liter Pack

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती / रिपोर्टिंग अधिकारी / Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	**********Jhansi	13	30

Synthetic Enamel Paint Red Oxide In 1 Liter Pack

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

क्र.सं./S.N o.	परेषिती / रिपोर्टिंग अधिकारी / Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	**********Jhansi	13	30

Fully Automatic Star Delta Starter For 12.5 HP Motor, 3 Ph, 415V

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती / रिपोर्टिंग अधिकारी / Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	**********Jhansi	1	30

GI Pipe 40mm Dia, Medium Grade 6 Mtr

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

क्र.सं./S.N o.	परेषिती / रिपोर्टिंग अधिकारी / Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*********Jhansi	7	30

Mortice Lock Vertical Type 200mm Size. 6 Lever For Aluminium Door

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती / रिपोर्टिंग अधिकारी / Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*********Jhansi	13	30

Synthetic Enamel Paint Black In 1 Litre Pack

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

क्र.सं./S.N o.	परेषिती / रिपोर्टिंग अधिकारी / Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	**********Jhansi	13	30

LT Line Spacer 3 Wire

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती / रिपोर्टिंग अधिकारी / Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	**********Jhansi	25	30

GI Pipe 25mm Dia, Medium Grade 6 Mtr

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

क्र.सं./S.N o.	परेषिती / रिपोर्टिंग अधिकारी / Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	**********Jhansi	8	30

HT Fuse Wire 20Amp

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती / रिपोर्टिंग अधिकारी / Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*********Jhansi	6	30

HT Fuse Wire 15Amp

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

S	Specification Document	View File
В	30Q Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

क्र.सं./S.N o.	परेषिती / रिपोर्टिंग अधिकारी / Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	**********Jhansi	5	30

HT FUse Wire 25Amp

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती / रिपोर्टिंग अधिकारी / Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	**********Jhansi	5	30

PVC Flushing Cistern Washer

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

क्र.सं./S.N o.	परेषिती / रिपोर्टिंग अधिकारी / Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*********Jhansi	100	30

Epoxy Coated Aluminium Rod For 15 Mm Ball Valve.

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	******	*********Jhansi	20	30

LT Line Spacer 2 Wire

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

क्र.सं./S.N o.	परेषिती / रिपोर्टिंग अधिकारी / Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*********Jhansi	25	30

Grease For General Purpose In 1 Itr Pack

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती / रिपोर्टिंग अधिकारी / Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*********Jhansi	3	30

White Cement 1kg Pack

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

क्र.सं./S.N o.	परेषिती / रिपोर्टिंग अधिकारी / Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	**********Jhansi	25	30

Nut Bolt Window 20mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती / रिपोर्टिंग अधिकारी / Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	**********Jhansi	25	30

Fevicol Marine 1 Kg Pack

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

क्र.सं./S.N o.	परेषिती / रिपोर्टिंग अधिकारी / Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*********Jhansi	13	30

Nails Wire 100mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती / रिपोर्टिंग अधिकारी / Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*********Jhansi	2	30

Nails Wire 20MM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Speci	fication Document	View File
BOQ I	Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

क्र.सं./S.N o.	परेषिती / रिपोर्टिंग अधिकारी / Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*********Jhansi	2	30

Nails Wire 25MM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती / रिपोर्टिंग अधिकारी / Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	**********Jhansi	2	30

Nails Wire 50MM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

क्र.सं./S.N o.	परेषिती / रिपोर्टिंग अधिकारी / Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	**********Jhansi	2	30

Nails Wire 30MM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती / रिपोर्टिंग अधिकारी / Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	**********Jhansi	2	30

Nails Wire 75MM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

क्र.सं./S.N o.	परेषिती / रिपोर्टिंग अधिकारी / Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	**********Jhansi	2	30

Stainless Screw 25 Mm 100 Nos Screw In Each Packet

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती / रिपोर्टिंग अधिकारी / Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*********Jhansi	7	30

Stainless Screw 20 Mm 100 Nos Screw In Each Packet

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

क्र.सं./S.N o.	परेषिती / रिपोर्टिंग अधिकारी / Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	**********Jhansi	7	30

Stainless Screw 30 Mm 100 Nos Screw In Each Packet

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

S	Specification Document	View File
E	BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती / रिपोर्टिंग अधिकारी / Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	**********Jhansi	25	30

Special terms and conditions-Version:1 effective from 16-01-2025 for category M - Seal as per IS 9197

1. The product may also carry an ISI Mark/Standard Mark as per the BIS standard governing this category. As such Buyers may also opt for ISI marked product while creating BID. In such cases buyer shall verify valid BIS License for the same at the time of evaluation of BID and check ISI marking at the time of receipt of material before issuing CRAC.

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तै/Buyer Added Bid Specific Terms and Conditions

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be (Increased quantity \div Original quantity) \times Original delivery period (in days), subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original

delivery period while exercising the option clause. Bidders must comply with these terms.

2. Buyer Added Bid Specific ATC

Buyer uploaded ATC document Click here to view the file.

अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

- 1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
- 2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
- 3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
- 4. Creating BoQ bid for single item.
- 5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
- 6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
- 7. Floating / creation of work contracts as Custom Bids in Services.
- 8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for <u>attached categories</u>, trials are allowed as per approved procurement policy of the buyer nodal Ministries)
- 9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
- 10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
- 11. Creating bid for items from irrelevant categories.
- 12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
- 13. Reference of conditions published on any external site or reference to external documents/clauses.
- 14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
- 15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
- 16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract

and Buyer may take suitable actions as per GeM Contract.

यह बिंड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो।बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---