दिनांक /Dated: 06-11-2025





बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details		
बिड बंद होने की तारीख/समय /Bid End Date/Time	10-11-2025 13:00:00	
बिड खुलने की तारीख/समय /Bid Opening Date/Time	10-11-2025 13:30:00	
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	30 (Days)	
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Defence	
विभाग का नाम/Department Name	Department Of Military Affairs	
संगठन का नाम/Organisation Name	Indian Army	
कार्यालय का नाम/Office Name	******	
कुल मात्रा/Total Quantity	1	
वस्तु श्रेणी /Item Category	Inflatable Tent (Q3)	
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/Years of Past Experience Required for same/similar service	3 Year (s)	
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/MSE Exemption for Years of Experience and Turnover	No	
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /Startup Exemption for Years of Experience and Turnover	No	
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Experience Criteria, Past Performance, Bidder Turnover, Certificate (Requested in ATC), OEM Authorization Certificate, OEM Annual Turnover, Additional Doc 4 (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer	
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)	

बिड विवरण/Bid Details		
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	1	
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	3	
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	1	
विगत प्रदर्शन /Past Performance	50 %	
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	No	
बिड का प्रकार/Type of Bid	Two Packet Bid	
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days	
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No	
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation	
मध्यस्थता खंड/Arbitration Clause	No	
सुलह खंड/Mediation Clause	No	
ईएमडी विवरण/EMD Detail		
आवश्यकता/Required	No	
ईपीबीजी विवरण /ePBG Detail		
आवश्यकता/Required	No	
बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied. रमआईआई खरीद वरीयता/MII Purchase Preference		
एमआईआई खरीद वरीयता/MII Purchase Preference	No	
एमएसई खरीद वरीयता/MSE Purchase Preference	रमएसई खरीद वरीयता/MSE Purchase Preference	
एमएसई खरीद वरीयता/MSE Purchase Preference	Yes	

स्क्ष्म और लघु उद्यम मूल उपकरण निर्माताओं को खरीव प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में Purchase Preference to MSE OEMs available u price within L1+X%	: 前 / 15
स्क्ष्म और लघु उद्यम को खरीद में प्राथमिकता के लिए की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MSE purchase preference	25

- 1. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
- 2. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 OM No.1 4 2021 PPD dated 18.05.2023 for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.
- 3. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 50% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.
- 4. Short Duration Bid has been published by the Buyer with the approval of the Competent authority due to Emergency procurement of critical products/services.

Inflatable Tent (1 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification		बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement
	Name	(Allowed Values)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	Tent size (outer side dimension of the tent) (Length X Width X Height at ridge X Minimum Diameter of the inflatable arc)	(Allowed Values) 14 Feet X 10 Feet X 7 feet X 28 Cm, 24 Feet X 10 Feet X 7 feet X 28 Cm, Width: 5.65 m - Length: 7.92 m - Side height: 2.80 m - Peak height: 3.00 m - Floor space: 44.75 sqm Inflatable arches: 4 units, Width: 5.65 m - Length: 5.28 m - Side height: 2.80 m - Peak height: 3.00 m - Bay distance: 2.20 m - Floor space: 29.83 sqm - Inflatable arches: 3 units, Width: 5.65 m - Length: 10.56 m - Side height: 2.80 m - Peak height: 3.00 m - Bay distance: 2.60 m - Floor space: 59.66 sqm - Inflatable arches: 5 units, Width: 5.65 m - Length: 13.20 m - Side height: 2.80 m - Peak height: 3.00 m - Bay distance: 2.60 m - Floor space: 74.58 sqm - Inflatable arches: 6 units, Width: 13.9 Meters - Length: 21.9 m - Side height: 3.0 m - Peak height: 7.00 Meters, Bay distance: 3.65 m - Total Floor space: 304.4 Sq Meters, Carpet Area 240 Sq M, Inflatable arches: 6 Numbers, Width: 6.9 Meters - Length: 10.9 m - Side height: 2.80 m - Peak height: 3.70 Meters , Bay distance: 3.10 m - Total Floor space: 75.2 Sq Meters, Carpet Area 60 Sq M, Inflatable arches: 4 Numbers, 5.65m (18.5 Feet) x 5.28m (17 feet) x 2.80m side height (9.10 feet), 5.65m (18.5 Feet) x 2.80m side height (9.10 feet), 5.65m (18.5 Feet) x 2.80m side height (9.10 feet), 5.65m (18.5 Feet) x 10.56m (34 feet) x 2.80m side height (9.10 feet), 5.65m (18.5 Feet) x 13.2m (43 feet) x 2.80m side height (9.10 feet), 5.65m (18.5 Feet) x 13.2m (43 feet) x 2.80m side height (9.10 feet), 5.65m (18.5 Feet) x 13.2m (43 feet) x 2.80m side height (9.10 feet), 5.65m (18.5 Feet) x 13.2m (43 feet) x 2.80m side height (9.10 feet), 5.65m (18.5 Feet) x 13.2m (43 feet) x 2.80m side height (9.10 feet), 5.65m (18.5 Feet) x 13.2m (43 feet) x 2.80m side height (9.10 feet), 5.65m (18.5 Feet) x 13.2m (43 feet) x 2.80m side height (9.10 feet), 5.65m (18.5 Feet) x 13.2m (43 feet) x 2.80m side height (9.10 feet), 5.65m (18.5 Feet) x 13.2m (43 feet) x 2.80m side height (9.10 feet), 5.65m (18.5 Feet) x 13.2m (43 feet) x 2.80m side height (9.10 feet), 5.65m (18.5 feet) x 2.80m side height (9.10 f

विशिष्टि का नाम /Specification	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement
Name	(Allowed Values)
Tent structure	Two doors and two windows – doors and windows can be rolled up (if required) and are equipped with a mosquito net – the door and window closing mechanism will be fitted with Heavt Jentyh, Two doors and Velcro taps (for tent of 14 feavt Jentyh), Two doors and four windows – doors and windows can be rolled up (if required) and are equipped with a mosquito net – the door and window closing mechanism will be fitted with heavy duty nylon zips and Velcro taps (for tent 24 feet length), Two doors (one on each gable sides) with adaption device (for identical tents) - Each entrance is rollable and dividable by zippers, Inflatable Air-Beam Insulated Tent page 450. 4 Nos 450mm Diameter Air-Beam Arches, and 5 Nos horizontal beams using air-retaining PVC fabric made of 900-1100 GSM UV Stabilized Flame Retardant Dtex Polyester Osh Color: Grey. To form the Air-Beam Skeleton. This Skeleton is draped on the outer side with rugged 450-630 GSM UV Stabilized Flame retardant Dtex Polyester Vinyl Coated fabric to form the Tents outer cover. Total 2 Nos of Zipper Door and 6 Nos of Windows with Mosquito Net., Inflatable Air-Beam Insulated Tent made of 6 Nos 950 mm Diameter Air-Beams Arches, and 7 Nos horizontal beams using air-retaining PVC fabric made of 900-1100 GSM UV Stabilized Flame retardant Dtex Polyester Vinyl Coated fabric to form the Tents outer cover. Total 2 Nos of Zipper Door and 6 Nos of Windows with Mosquito Net., 2 Doors (one on each gable sides), 4 Windows doors and windows can be rolled up (if required) and are equipped with a mosquito net – the door and window closing mechanism will be fitted with heavy duty nylon zips and Velcro taps, Each entrance is rollable and dividable by zippers (for 7.92m Tent Length), 2 Doors (one on each gable sides), 8 Windows doors and window closing mechanism will be fitted with heavy duty nylon zips and Velcro taps, Each entrance is rollable and dividable by zippers (for 10.56m Tent Length), 2 Doors (one on each gable sides), 10 Windows doors and windows can be rolled up (if required)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Design/drawing of inflatable tent	As per drawing – uploaded at QR/Spcn (for 14 feet length), As per drawing – uploaded at GeM drawing (for 24 feet length), As per requirement, As per Drawing uploaded at GeM for 304.4 Sq M Meter Tent, Inner carpet Area : 240 Sq M, As per Drawing uploaded at GeM for 75.2 Sq M Meter Tent, Inner carpet Area : 60 Sq M
	Maximum time required for complete erection of tent	10 minutes with the help of two persons (for 14 feet length), 10 to 12 minutes with the help of two persons (for 24 feet length), Set up time - standard compressor: approx. 260 sec / 0.15 bar, Set up time - turbo compressor: approx. 240 sec / 0.25 bar, Set up time - compressed air bottles: approx. 95 sec / 0.3 bar, Set up time - standard compressor: approx. 420 sec / 0.15 bar, Set up time - turbo compressor: approx. 360 sec / 0.25 bar, Set up time - compressed air bottles: approx. 240 sec / 0.3 bar, Set up time - standard compressor: approx. 540 sec / 0.15 bar, Set up time - turbo compressor: approx. 450 sec / 0.25 bar, Set up time - turbo compressor: approx. 450 sec / 0.25 bar, Set up time - compressed air bottles: approx. 300 sec / 0.3 bar, Setup Time 60 Min, with 2 Nos 1200W Air Compressor., Setup Time 30 Min, with 1200W Air Compressor., Standard compressor: approx. 540 sec / 0.15 bar (2.17psi), Standard compressor: approx. 540 sec / 0.15 bar (2.17psi) (for 5.28m, 7.92m, 10.56m 13.2m Length Tent)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Each tent supplied with	10 numbers MS pegs -12 numbers Polyester rope (3.5 mtr each) - 8 numbers. Aluminium pipes - electric air blower - foot pump - hammer - repair kit for the stability of the inflated tent during torrential rain and thunderstorm (for 14 feet length), 12 numbers MS pegs -12 numbers Polyester rope (3.5 mtr each) - 12 numbers Aluminium pipes - electric air blower - 2 numbers foot pump - hammer - repair kit for the stability of the inflated tent during torrential rain and thunderstorm (for 24 feet length), Standard accessories - valves for blowers and / or compressed air bottles • ventilation holes • rollable and divisible entrances • pipelines for heating and cables • PVC ground cover • earth nails made out of steel, galvanized, length: 30 cm • including storm wires • Repair kit • packing bag for tent and accessories, Hammer 2 Kg- 12 Number Nylon Guy Rope 8 mm thick x 7 Meters. • 4 Number Nylon Guy Rope 8 mm thick x 7 Meters. • 4 Number carabineers. • 4 Nos Bow Shackle 16 mm. Galvanized. • 12 Nos Gay Ground Anchors 24 inch for snow. • 1 Nos Plyers. • 1 Nos Screwdriver flat type. • 2 Nos Snow Gloves. • Puncher Repair kit. • 30 Meter 8mm Nylon Climbing Rope Bundle. • Rigging Kit Bag. • 2 Nos Dual Function Air-Compressor 1200 W, Hammer 2 Kg- 10 Number Nylon Guy Rope 8 mm thick x 5 Meters. • 10 Number carabineers. • 4 Nos Bow Shackle 12 mm. Galvanized. 8 Nos Gay Ground Anchors 20 inch for snow. • 1 Nos Plyers. • 1 Nos Screwdriver flat type. • 2 Nos Snow Gloves. • Puncher Repair kit. • 30 Meter 8mm Nylon Climbing Rope Bundle. • Rigging Kit Bag. • 1 Nos Dual Function Air-Compressor 1200 W, Standard accessories • valves for blowers and / or compressed air bottles • ventilation holes • rollable and divisible entrances • pipelines for heating and cables • PVC ground cover • earth nails made out of steel, galvanized, length: 30 cm • including storm wires • Repair kit • packing bag for tent and accessories, Standard accessories • valves for blowers and / or compressed air bottles • ventilation holes • rollable and divisible entr

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Structure design (tent frame and tent skin) NOTE: ARCHES WILL BE PERMANENTLY ATTACHED TO THE TENT COVER AND FLOOR	Three numbers of individual inflatable air chambers (arch) made out of one side hypalon coated polyester fabric and inside neoprene coated having minimum 1000 GSM ± 50 GSM and the canopy will be one side. PU coated polyester fabric and the floor fabric will be both sides PVC coated polyester fabric (for 14 feet length), Four numbers of individual inflatable air chambers (arch) made out of one side hypalon coated polyester fabric and inside neoprene coated having minimum 1150 GSM ± 50 GSM and the canopy will be one sided PU coated polyester fabric and the floor fabric will be both sides PVC coated polyester fabric (for 24 feet length), Frame made out of PVC (high frequency welded) - Aluminium tubes are being put in the sides between the main frames for reinforcement - At floor level there are connection flaps for the pegs (spaced on the long sides of the tent canvas) - There are loops attached to all longitudinal and cross beams for hanging up lamps/drip bottles/other hanging items, No Arches, Tent Air Beam skeleton or Outer Dimension of 21.9L x 13.9W x 7.0H Meters, is made of 6 Nos Air beam Arches with 7 Nos Horizontal beams having 950mm Diameter Air Beams, made of airretaining PVC fabric using 900-1100 GSM UV Stabilized Flame Retardant Dtex Polyester fabric. Color: Grey. This Skeleton is draped on the outer side with rugged Vinyl Coated Polyester Fabric to form the Tents outer cover. The Floor is connected to the Air-Beams and outer cover on all sides. This prevents water from entering the floor space easily, during rain, or on muddy ground., Tent Air Beams, made of air-retaining PVC fabric using 900-1100 GSM UV Stabilized Flame Retardant Dtex Polyester fabric. Color: Grey. This Skeleton is draped on the outer side with rugged Vinyl Coated Polyester Fabric to form the Tents outer cover. The Floor is connected to the Air-Beams and outer cover on all sides. This prevents water from entering the floor space easily, during rain, or on muddy ground., Frame made out of PVC (high frequency welded) - Aluminium tubes a

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
MATERIAL	Tent frame material	One side hypalon coated polyester fabric and inside neoprene coated having minimum 1000 GSM ± 50 GSM (for 14 feet length), One side hypalon coated polyester fabric and inside neoprene coated having minimum 1150 GSM ± 50 GSM (for 24 feet length), Frame fabric made out of PVC (1000 gr/ sqm) and Roof cover made out of PVC(620 gr/ sqm), Air-Retaining PVC fabric using 900-1100 GSM UV Stabilized Flame Retardant Dtex Polyester fabric. Color: Grey., Inflatable air beams made out of PVC, approx. 1000 g/sqm - Roof outer cover made out of PVC material approx. 620 g/sqm - PVC coated welded fabric, Inflatable air beams made out of PVC material approx. 620 g/sqm - PVC coated welded fabric (for 5.28m, 7.92m, 10.56m 13.2m Length Tent)
ACCESSORIES MATERIAL	Aluminium pipes	8 numbers Pipe having length of 1.7 mtr to 1.8 mtr – Outer dia 31 mm minimum with 2 mm Wall thickness (for 14 feet length), 12 numbers Pipe having length of 1.7 mtr to 1.8 mtr – Outer dia 31 mm minimum with 2 mm Wall thickness(for 24 feet length), As per requirement, 8pipes having length of 1.7 mtr to 1.8 mtr – Outer dia 31 mm minimum with 2 mm Wall thickness, 12pipes having length of 1.7 mtr to 1.8 mtr – Outer dia 31 mm minimum with 2 mm Wall thickness, 16pipes having length of 1.7 mtr to 1.8 mtr – Outer dia 31 mm minimum with 2 mm Wall thickness, 20pipes having length of 1.7 mtr to 1.8 mtr – Outer dia 31 mm minimum with 2 mm Wall thickness, 8pipes having length of 1.7 mtr to 1.8 mtr – Outer dia 31 mm minimum with 2 mm Wall thickness (for 5.28m Tent), 12pipes having length of 1.7 mtr to 1.8 mtr – Outer dia 31 mm minimum with 2 mm Wall thickness (for 7.92m Tent), 16pipes having length of 1.7 mtr to 1.8 mtr – Outer dia 31 mm minimum with 2 mm Wall thickness (for 10.56m Tent), 20pipes having length of 1.7 mtr to 1.8 mtr – Outer dia 31 mm minimum with 2 mm Wall thickness (for 10.56m Tent), 20pipes having length of 1.7 mtr to 1.8 mtr – Outer dia 31 mm minimum with 2 mm Wall thickness (for 10.56m Tent), 20pipes having length of 1.7 mtr to 1.8 mtr – Outer dia 31 mm

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	MS peg	10 numbers having 300 mm length with 18 mm dia conforming to IS 1875 – latest (for 14 feet length), 12 numbers having 300 mm length with 18 mm dia conforming to IS 1875 – latest (for 24 feet length), As per requirement, Ground Anchor made with 8mm carbon steel, galvanized, and hardened to withstand hammering on to the ground. The length 24 inch and designed for snow use. The ground can hold tent in high wind conditions for wind loads upto 100Km/ Hr, Ground Anchor made with 6mm carbon steel, galvanized, and hardened to withstand hammering on to the ground. The length 20 inch and designed for snow use. The ground can hold tent in high wind conditions for wind loads upto 100Km/ Hr, 16(Nails) Earth peg having 300 mm length with 18 mm dia - Earth nails made out of steel, galvanised, 20(Nails) Earth peg having 300 mm length with 18 mm dia - Earth nails made out of steel, galvanised, 24(Nails) Earth peg having 300 mm length with 18 mm dia - Earth nails made out of steel, galvanised, 16(Nails) Earth peg having 300 mm length with 18 mm dia - Earth nails made out of steel, galvanised (for 5.28 Length Tent), 20(Nails) Earth peg having 300 mm length with 18 mm dia - Earth nails made out of steel, galvanised (for 5.28 Length Tent), 20(Nails) Earth peg having 300 mm length with 18 mm dia - Earth nails made out of steel, galvanised (for 10.56 Length Tent), 28(Nails) Earth peg having 300 mm length with 18 mm dia - Earth nails made out of steel, galvanised (for 10.56 Length Tent), 28(Nails) Earth peg having 300 mm length with 18 mm dia - Earth nails made out of steel, galvanised (for 10.56 Length Tent), 28(Nails) Earth peg having 300 mm length with 18 mm dia - Earth nails made out of steel, galvanised (for 10.56 Length Tent), 28(Nails) Earth peg having 300 mm length with 18 mm dia - Earth nails made out of steel, galvanised (for 13.2 Length Tent)
	Foot pump	1 number (for 14 feet length), 2 numbers (for 24 feet length), As per requirement, 2 numbers (for each type), 2 numbers (for each type) (for 5.28m, 7.92m, 10.56m 13.2m Length Tent)Hammer
PACKING	Total weight of product (including packing accessories)	72 Kgs (for 14 feet length), 90 Kgs (for 24 feet length), 225 Kg (approx), 176.0 kg (approx), 275.0 kg (approx), 327.0 kg (approx), 1250Kg, 195 Kg (for 5.28m length tent), 225 Kg (for 7.92m length tent), 275 Kg (for 10.56m length tent), 327 Kg (for 13.2m length tent)
WARRANTY AND GUARANTY	Guaranty certificate will be provided along with each tent	Yes
CERTIFICATION	Tensile strength of the arch fabric in warp direction	350 Kgs minimum (for 14 feet length), 395 Kgs minimum (for 24 feet length), 3000 N/5cm ((for PVC 1000 gm/square metre), 3500N/5Cm for 950 GSM PVC Fabric/ Sq Meter, 3000 N/5cm, 3000 N/5cm (for 5.28m, 7.92m, 10.56m 13.2m Length Tent)
	Tensile strength of the arch fabric in weft direction	350 Kgs minimum (for 14 feet length), 395 Kgs minimum (for 24 feet length), 3000 N/5cm ((for PVC 1000 gm/square metre), 3500N/5Cm for 950 GSM PVC Fabric/ Sq Meter, 3000 N/5cm, 3000 N/5cm (for 5.28m, 7.92m, 10.56m 13.2m Length Tent)

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

Applicable Specification Document	<u>View</u>
Applicable Drawing Document	<u>View</u>
Verified and Signed Tp document	<u>View</u>

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती / रिपोर्टिंग अधिकारी / Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	************SOUTH WEST DELHI	1	50

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be (Increased quantity \div Original quantity) \times Original delivery period (in days), subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Buyer Added Bid Specific ATC

Buyer uploaded ATC document Click here to view the file.

अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

- 1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
- 2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to

- exemption provided to such sellers under GeM GTC.
- 3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
- 4. Creating BoQ bid for single item.
- 5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
- 6. Mandating submission of documents in physical form as a pre-requisite to gualify bidders.
- 7. Floating / creation of work contracts as Custom Bids in Services.
- 8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for attached categories, trials are allowed as per approved procurement policy of the buyer nodal Ministries)
- 9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
- 10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
- 11. Creating bid for items from irrelevant categories.
- 12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
- 13. Reference of conditions published on any external site or reference to external documents/clauses.
- 14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
- 15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
- 16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो।बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---