

**बिड दस्तावेज़ / Bid Document**

| बिड विवरण/Bid Details   |   |
|---|---|
| बिड बंद होने की तारीख/समय /Bid End Date/Time  | 05-12-2025 16:00:00   |
| बिड खुलने की तारीख/समय /Bid Opening Date/Time   | 05-12-2025 16:30:00   |
| बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)   | 90 (Days)   |
| मंत्रालय/राज्य का नाम/Ministry/State Name   | Ministry Of Defence   |
| विभाग का नाम/Department Name  | Department Of Military Affairs  |
| संगठन का नाम/Organisation Name  | Indian Army   |
| कार्यालय का नाम/Office Name   | *****   |
| कुल मात्रा/Total Quantity   | 3537  |
| वस्तु श्रेणी /Item Category   | Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931 (Q3) , Plastics Bib Taps Pillar Taps Angle Valves and Stop Valves as per IS 9763:2000 (Latest) (Q3) , Bathroom Water Shower (V2) (Q3) , Water Fittings - Copper Alloy Float Valves (Horizontal Plunger Type) as per IS: 1703 (Q4) , Copper Alloy Gate Valve for Waterworks Purpose as per IS 778 (Q3) , Stainless Steel Shelf Rack (Q3) , Connection Pipe with Nuts (V2) (Q3) , Soap Dish - Case (Q4) , Floor Drain Traps (Q3) , Waste Pipe (Q3) |
| बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) /Minimum Average Annual Turnover of the bidder (For 3 Years)              | 10 Lakh (s)   |
| मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)/OEM Average Turnover (Last 3 Years)                                      | 10 Lakh (s)   |
| उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/Years of Past Experience Required for same/similar service              | 3 Year (s)  |
| वर्षों के अनुभव एवं टर्नओवर से एमएसई को छूट प्राप्त है / MSE Exemption for Years Of Experience and Turnover                 | Yes   Complete  |
| स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / Startup Exemption for Years Of Experience and Turnover | Yes   Complete  |

| बिड विवरण/Bid Details   |   |
|---|---|
| विक्रेता से मांगे गए दस्तावेज़/Document required from seller  | Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC),Additional Doc 3 (Requested in ATC),Additional Doc 4 (Requested in ATC)<br>*In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer |
| क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid? | No  |
| बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension   | 1   |
| दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended   | 3   |
| ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count   | 1   |
| विगत प्रदर्शन /Past Performance   | 30 %  |
| बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled  | Yes   |
| रिवर्स नीलामी योग्यता नियम/RA Qualification Rule  | H1-Highest Priced Bid Elimination   |
| बिड का प्रकार/Type of Bid   | Two Packet Bid  |
| प्राथमिक उत्पाद श्रेणी/Primary product category   | Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931  |
| तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation   | 2 Days  |
| निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)                                      | No  |
| मूल्यांकन पद्धति/Evaluation Method  | Total value wise evaluation   |
| मध्यस्थता खंड/Arbitration Clause  | No  |
| सुलह खंड/Mediation Clause   | No  |

#### ईएमडी विवरण/EMD Detail

|                             |                     |
|-----------------------------|---------------------|
| एडवाइजरी बैंक/Advisory Bank | State Bank of India |
|-----------------------------|---------------------|

|                       |        |
|-----------------------|--------|
| ईएमडी राशि/EMD Amount | 192547 |
|-----------------------|--------|

#### ईपीबीजी विवरण /ePBG Detail

|   |                     |
|---|---------------------|
| एडवाइजरी बैंक/Advisory Bank                                       | State Bank of India |
| ईपीबीजी प्रतिशत (%) /ePBG Percentage(%)                           | 3.00                |
| ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months). | 2                   |

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित कैटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज़ प्रस्तुत करने है। एमएसई कैटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b). ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

#### लाभार्थी /Beneficiary :

Commander  
CWE ARMY JODHPUR, Department of Military Affairs, Indian Army, Ministry of Defence  
(Cwe Army Jodhpur)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

#### एमआईआई खरीद वरीयता / MII Purchase Preference

|   |  |
|---|--|
| एमआईआई खरीद वरीयता / MII Purchase Preference  | Yes  |
| मेक इन इंडिया विक्रेताओं को खरीद में प्राथमिकता, यदि उनका मूल्य $L1+X\%$ तक की सीमा में है / Purchase Preference to MII sellers available upto price within $L1+X\%$  | 20   |
| मेक इन इंडिया खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MII purchase preference   | 50   |
| सार्वजनिक खरीद (मेक-इन-इंडिया को प्राथमिकता) आदेश 2017 के अनुसार केवल क्लास 1/क्लास 2 के स्थानीय आपूर्तिकर्ताओं को ही भागीदारी की अनुमति है दिनांक 16.09.2020 (समय-समय पर संशोधित एवं लागू) / Allow participation only from Class 1/Class 2 local suppliers as per the Public procurement (Preference to Make-in-india) order 2017 date 16.09.2020 (as amended and applicable time to time) | Yes, in compliance with the MII ORDER : DPIIT Order (as amended and applicable time to time) |

#### एमएसई खरीद वरीयता/MSE Purchase Preference

|  |     |
|--|-----|
| एमएसई खरीद वरीयता/MSE Purchase Preference  | Yes |
| सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं को खरीद में प्राथमिकता, यदि उनका मूल्य $L1+X\%$ तक की सीमा में हो / Purchase Preference to MSE OEMs available upto price within $L1+X\%$ | 15  |
| सूक्ष्म और लघु उद्यम को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MSE purchase preference                                | 25  |

1. If the bidder is a Micro or Small Enterprise as per latest orders issued by Ministry of MSME, the bidder shall be exempted from the eligibility criteria of "Experience Criteria" as defined above subject to meeting of quality and technical specifications. The bidder seeking exemption from Experience Criteria, shall upload the supporting documents to prove his eligibility for exemption.
2. If the bidder is a Micro or Small Enterprise (MSE) as per latest orders issued by Ministry of MSME, the bidder shall be exempted from the eligibility criteria of "Bidder Turnover" as defined above subject to meeting of quality and technical specifications. If the bidder itself is MSE OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking exemption from Turnover, shall upload the supporting documents to prove his eligibility for exemption.
3. If the bidder is a DPIIT registered Startup, the bidder shall be exempted from the the eligibility criteria of "Experience Criteria" as defined above subject to their meeting of quality and technical specifications. The bidder seeking exemption from Experience Criteria, shall upload the supporting documents to prove his eligibility for exemption.
4. If the bidder is a DPIIT registered Startup, the bidder shall be exempted from the the eligibility criteria of "Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT Registered OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking exemption from Turnover shall upload the supporting documents to prove his eligibility for exemption.
5. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
6. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
7. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
8. Preference to Make In India products (For bids < 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers

as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate. The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

9. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

10. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

11. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 30% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

12. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:

- If number of technically qualified bidders are only 2 or 3.
- If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
- In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
- If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
- If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

## **Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 ( 15 pieces )**

**(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)**

### **तकनीकी विशिष्टियाँ /Technical Specifications**

[\\* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|-------------------------------------|---|
| Specification       | <b>Governing Specification</b>      | Conforming to IS 8931   |
| Type                | <b>Item</b>                         | Angle stop valve  |
|                     | <b>Dimension</b>                    | As per table 5 of the governing specification                   |

| विवरण/Specification | विशिष्टि का नाम /Specification Name                                     | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|---|---|
|                     | Nominal Size of bore of pipe to which taps and valves are fitted(in mm) | 15  |
|                     |   |   |
| Material            | Material of body, body components, nozzle , bonnet and back nuts        | Die cast brass  |
|                     | Material of inlet tubes   | Brass tubes   |
|                     | Material of flanges   | Stainless steel sheet   |
|                     | Material of diverter and diverter components                            | NA  |
|                     | Material of spindle, glands, washer plate, nuts, screw and pin          | Forged brass  |
|                     | Material of circlip, wire locks   | Stainless steel   |
|                     | Material of 'O' ring , gasket, and seat washer                          | Synthetic butadiene rubber (SBR)                                |
|                     | Material of Knob and knob components                                    | Zinc base alloys  |
| Generic             | Aerating device fitted with tap   | No  |
|                     | Flow straightening device fitted with tap                               | No  |
| Warranty            | Warranty (in months)  | 24  |

**Additional Specification Parameters - Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 ( 15 pieces )**

| Specification Parameter Name    | Bid Requirement (Allowed Values) |
|---------------------------------|----------------------------------|
| CP Angle valve Cock 15 mm 2 Way | CP Angle valve Cock 15 mm 2 Way  |

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.N<br>o. | परेषिती/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address  | मात्रा /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---|--------------|------------------|---------------------------------|
| 1                 | *****   | *****Jodhpur | 15               | 45                              |

### Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 ( 111 pieces )

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

#### तकनीकी विशिष्टियाँ /Technical Specifications

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

| विवरण/Specification | विशिष्टि का नाम /Specification<br>Name   | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement<br>(Allowed Values) |
|---------------------|--|--|
| Specification       | <b>Governing Specification</b>   | Conforming to IS 8931  |
| Type                | <b>Item</b>  | Type 2 Bib tap   |
|                     | <b>Dimension</b>   | As per table 4 of the governing specification                      |
|                     | <b>Nominal Size of bore of<br/>pipe to which taps and<br/>valves are fitted(in mm)</b> | 15   |
| Material            | <b>Material of body, body<br/>components, nozzle ,<br/>bonnet and back nuts</b>        | Die cast brass   |
|                     | <b>Material of inlet tubes</b>   | Copper tubes   |
|                     | <b>Material of flanges</b>   | Cast brass   |
|                     | <b>Material of diverter and<br/>diverter components</b>                                | NA   |
|                     | <b>Material of spindle, glands,<br/>washer plate, nuts, screw<br/>and pin</b>          | Rolled brass rods  |
|                     | <b>Material of circlip, wire<br/>locks</b>   | Phosphor bronze sheet  |
|                     | <b>Material of 'O' ring , gasket,<br/>and seat washer</b>                              | Neoprene rubber  |
|                     | <b>Material of Knob and knob<br/>components</b>  | Brass rods   |
| Generic             | <b>Aerating device fitted with<br/>tap</b>   | Yes  |
|                     | <b>Flow straightening device<br/>fitted with tap</b>                                   | Yes  |
| Warranty            | <b>Warranty (in months)</b>  | 12   |

**Additional Specification Parameters - Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 ( 111 pieces )**

| Specification Parameter Name | Bid Requirement (Allowed Values) |
|------------------------------|----------------------------------|
| CP Bib Tap 15 mm 2 in 1      | CP Bib Tap 15 mm 2 in 1          |

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**परिचाली/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परिचाली/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address  | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---------------|---|--------------|------------------|------------------------------|
| 1             | *****   | *****Jodhpur | 81               | 45                           |
| 2             | *****   | *****Jodhpur | 5                | 45                           |
| 3             | *****   | *****Jodhpur | 25               | 45                           |

**Plastics Bib Taps Pillar Taps Angle Valves And Stop Valves As Per IS 9763:2000 (Latest) ( 675 pieces )**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

[\\* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

| विवरण/Specification | विशिष्टि का नाम /Specification Name  | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|--|---|
| Ungrouped           | Type of Tap/ Valve   | Bib Tap   |
|                     | Materials used for the manufacture body of Tap/ Valve                      | Polytetra Methylene Terephthalate (PTMT)                        |
|                     | Nominal Sizes of Plastic taps and stop valves                              | 15 mm (1/2 ")   |
|                     | Finish for Taps/ valves  | Not applicable  |
|                     | Threading of Taps/ Valve   | External  |
|                     | Minimum Thickness in any portion of the body and bonnet for all sizes (mm) | 2.5   |

**Additional Specification Parameters - Plastics Bib Taps Pillar Taps Angle Valves And Stop Valves As Per IS 9763:2000 (Latest) ( 675 pieces )**



| Specification Parameter Name | Bid Requirement (Allowed Values) |
|------------------------------|----------------------------------|
| Bib Tap 15 mm PVC            | Bib Tap 15 mm PVC                |

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address  | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---------------|---|--------------|------------------|------------------------------|
| 1             | *****   | *****Udaipur | 20               | 45                           |
| 2             | *****   | *****Jodhpur | 650              | 45                           |
| 3             | *****   | *****Jodhpur | 5                | 45                           |

**Bathroom Water Shower (V2) ( 22 pieces )**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

[\\* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

| विवरण/Specification | विशिष्टि का नाम /Specification Name   | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|---------------------------------------|---|
| Type                | Type of shower                        | Overhead shower (Wall mount with shower arm)                    |
|                     | Material of body/face plate           | ABS   |
|                     | Finish of face plate                  | White matt  |
|                     | Type of Water Flow                    | Only Rainfall   |
|                     | Type of Multiple flow                 | NA  |
|                     | Shape of Shower                       | Round   |
| Dimensions          | Size of Shower                        | 75 mm   |
|                     | Overall length of Hand Shower (in mm) | NA  |
|                     | Length of Hand Shower Tube (in mt)    | NA  |
|                     | Diameter of Hand Shower Tube (in mm)  | NA  |
|                     | Material of Hand Shower Tube          | NA  |
|                     | Overall length of Shower Arm (in mm)  | 120   |
| Warranty            | Warranty (in Years)                   | 1   |

**Additional Specification Parameters - Bathroom Water Shower (V2) ( 22 pieces )**

| Specification Parameter Name | Bid Requirement (Allowed Values) |
|------------------------------|----------------------------------|
| PVC Shower 15 mm             | PVC Shower 15 mm                 |

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.N<br>o. | परेषिती/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address  | मात्रा /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---|--------------|------------------|---------------------------------|
| 1                 | *****   | *****Jodhpur | 22               | 45                              |

**Bathroom Water Shower (V2) ( 5 pieces )**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

| विवरण/Specification | विशिष्टि का नाम /Specification<br>Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement<br>(Allowed Values) |
|---------------------|--|--|
| Type                | Type of shower                         | Overhead shower (Wall mount with shower arm)                       |
|                     | Material of body/face plate            | Brass  |
|                     | Finish of face plate                   | Chrome plated  |
|                     | Type of Water Flow                     | Only Rainfall  |
|                     | Type of Multiple flow                  | NA   |
|                     | Shape of Shower                        | Round  |
| Dimensions          | Size of Shower                         | 75 mm  |
|                     | Overall length of Hand Shower (in mm)  | NA   |
|                     | Length of Hand Shower Tube (in mt)     | NA   |
|                     | Diameter of Hand Shower Tube (in mm)   | NA   |
|                     | Material of Hand Shower Tube           | NA   |
|                     | Overall length of Shower Arm (in mm)   | 120  |
| Warranty            | Warranty (in Years)                    | 1  |

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|-------------------------------------|---|
|                     |                                     |   |

#### Additional Specification Parameters - Bathroom Water Shower (V2) ( 5 pieces )

| Specification Parameter Name     | Bid Requirement (Allowed Values) |
|----------------------------------|----------------------------------|
| Rain Shower Stainless steel 9 mm | Rain Shower Stainless steel 9 mm |

\* Bidders offering must also comply with the additional specification parameters mentioned above.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address  | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---------------|---|--------------|------------------|------------------------------|
| 1             | *****   | *****Jodhpur | 5                | 45                           |

#### Bathroom Water Shower (V2) ( 28 pieces )

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

#### तकनीकी विशिष्टियाँ /Technical Specifications

[\\* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

| विवरण/Specification | विशिष्टि का नाम /Specification Name   | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|---------------------------------------|---|
| Type                | Type of shower                        | Overhead shower (Wall mount with shower arm)                    |
|                     | Material of body/face plate           | Brass   |
|                     | Finish of face plate                  | Chrome plated   |
|                     | Type of Water Flow                    | Only Rainfall   |
|                     | Type of Multiple flow                 | NA  |
|                     | Shape of Shower                       | Round   |
| Dimensions          | Size of Shower                        | 150 mm  |
|                     | Overall length of Hand Shower (in mm) | NA  |
|                     | Length of Hand Shower Tube (in mt)    | NA  |

| विवरण/Specification | विशिष्टि का नाम /Specification Name  | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|--------------------------------------|---|
|                     | Diameter of Hand Shower Tube (in mm) | NA  |
|                     | Material of Hand Shower Tube         | NA  |
|                     | Overall length of Shower Arm (in mm) | 120   |
| Warranty            | Warranty (in Years)                  | 1   |

#### Additional Specification Parameters - Bathroom Water Shower (V2) ( 28 pieces )

| Specification Parameter Name | Bid Requirement (Allowed Values) |
|------------------------------|----------------------------------|
| CP Shower Rose 50/100/125 mm | CP Shower Rose 50/100/125 mm     |

\* Bidders offering must also comply with the additional specification parameters mentioned above.

#### परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.No. | परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address  | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---------------|---|--------------|------------------|------------------------------|
| 1             | *****   | *****Jodhpur | 10               | 45                           |
| 2             | *****   | *****Jodhpur | 18               | 45                           |

#### Water Fittings - Copper Alloy Float Valves (Horizontal Plunger Type) As Per IS: 1703 ( 7 pieces )

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

#### तकनीकी विशिष्टियाँ /Technical Specifications

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

| विवरण/Specification                  | विशिष्टि का नाम /Specification Name                   | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|--------------------------------------|---|---|
| SIZE / TYPE / DIMENSIONAL / MATERIAL | Nominal Size  | 15.0 (millimeter)   |
|                                      | Class   | High Pressure   |
|                                      | Material for body and component parts of Float Valves | As per Table 1 (Clause 5.1) of governing specifications         |

**Additional Specification Parameters - Water Fittings - Copper Alloy Float Valves (Horizontal Plunger Type) As Per IS: 1703 ( 7 pieces )**

| Specification Parameter Name | Bid Requirement (Allowed Values) |
|------------------------------|----------------------------------|
| PVC Float Valve 15 mm        | PVC Float Valve 15 mm            |

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address  | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---------------|---|--------------|------------------|------------------------------|
| 1             | *****   | *****Jodhpur | 7                | 45                           |

**Water Fittings - Copper Alloy Float Valves (Horizontal Plunger Type) As Per IS: 1703 ( 135 pieces )**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

| विवरण/Specification                  | विशिष्टि का नाम /Specification Name                   | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|--------------------------------------|---|---|
| SIZE / TYPE / DIMENSIONAL / MATERIAL | Nominal Size  | 20.0 (millimeter)   |
|                                      | Class   | High Pressure   |
|                                      | Material for body and component parts of Float Valves | As per Table 1 (Clause 5.1) of governing specifications         |

**Additional Specification Parameters - Water Fittings - Copper Alloy Float Valves (Horizontal Plunger Type) As Per IS: 1703 ( 135 pieces )**

| Specification Parameter Name | Bid Requirement (Allowed Values) |
|------------------------------|----------------------------------|
| PVC Float Valve 20 mm        | PVC Float Valve 20 mm            |

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.N<br>o. | परेषिती/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address  | मात्रा /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---|--------------|------------------|---------------------------------|
| 1                 | *****   | *****Jodhpur | 20               | 45                              |
| 2                 | *****   | *****Jodhpur | 115              | 45                              |

### Water Fittings - Copper Alloy Float Valves (Horizontal Plunger Type) As Per IS: 1703 ( 195 pieces )

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

#### तकनीकी विशिष्टियाँ /Technical Specifications

[\\* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

| विवरण/Specification                        | विशिष्टि का नाम /Specification<br>Name                      | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement<br>(Allowed Values) |
|--|---|--|
| SIZE / TYPE /<br>DIMENSIONAL /<br>MATERIAL | Nominal Size  | 25.0 (millimeter)  |
|  | Class   | High Pressure  |
|  | Material for body and<br>component parts of Float<br>Valves | As per Table 1 (Clause 5.1) of governing<br>specifications         |

### Additional Specification Parameters - Water Fittings - Copper Alloy Float Valves (Horizontal Plunger Type) As Per IS: 1703 ( 195 pieces )

| Specification Parameter<br>Name | Bid Requirement (Allowed Values) |
|---------------------------------|----------------------------------|
| PVC Float Valve 25 mm           | PVC Float Valve 25 mm            |

\* Bidders offering must also comply with the additional specification parameters mentioned above.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N<br>o. | परेषिती/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address  | मात्रा /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---|--------------|------------------|---------------------------------|
| 1                 | *****   | *****Jodhpur | 159              | 45                              |
| 2                 | *****   | *****Jodhpur | 36               | 45                              |

### Copper Alloy Gate Valve For Waterworks Purpose As Per IS 778 ( 1 pieces )

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

| विवरण/Specification                  | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|--------------------------------------|-------------------------------------|---|
| SIZE / TYPE / DIMENSIONAL / MATERIAL | <b>Classification</b>               | Class 2 Valves  |
|                                      | <b>Nominal Size of Valve</b>        | 15.0 (millimeter)   |
|                                      | <b>Type of Gate Valve</b>           | Solid Wedge   |
|                                      | <b>Type of Valves End</b>           | Screwed End Valve   |

**Additional Specification Parameters - Copper Alloy Gate Valve For Waterworks Purpose As Per IS 778 ( 1 pieces )**

| Specification Parameter Name | Bid Requirement (Allowed Values) |
|------------------------------|----------------------------------|
| Gate Valve 15 MM             | Gate Valve 15 MM                 |

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.N o. | परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address  | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|----------------|---|--------------|------------------|------------------------------|
| 1              | *****   | *****Jodhpur | 1                | 45                           |

**Copper Alloy Gate Valve For Waterworks Purpose As Per IS 778 ( 55 pieces )**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

| विवरण/Specification                  | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|--------------------------------------|-------------------------------------|---|
| SIZE / TYPE / DIMENSIONAL / MATERIAL | <b>Classification</b>               | Class 1 Valves  |
|                                      | <b>Nominal Size of Valve</b>        | 20.0 (millimeter)   |
|                                      | <b>Type of Gate Valve</b>           | Solid Wedge   |
|                                      | <b>Type of Valves End</b>           | Screwed End Valve   |

**Additional Specification Parameters - Copper Alloy Gate Valve For Waterworks Purpose As Per IS 778 ( 55 pieces )**

| Specification Parameter Name | Bid Requirement (Allowed Values) |
|------------------------------|----------------------------------|
| Gate Valve 20 MM             | Gate Valve 20 MM                 |

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address  | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---------------|---|--------------|------------------|------------------------------|
| 1             | *****   | *****Jodhpur | 10               | 45                           |
| 2             | *****   | *****Jodhpur | 2                | 45                           |
| 3             | *****   | *****Jodhpur | 43               | 45                           |

**Copper Alloy Gate Valve For Waterworks Purpose As Per IS 778 ( 4 pieces )**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

[\\* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

| विवरण/Specification                  | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|--------------------------------------|-------------------------------------|---|
| SIZE / TYPE / DIMENSIONAL / MATERIAL | Classification                      | Class 1 Valves  |
|                                      | Nominal Size of Valve               | 40.0 (millimeter)   |
|                                      | Type of Gate Valve                  | Solid Wedge   |
|                                      | Type of Valves End                  | Screwed End Valve   |

**Additional Specification Parameters - Copper Alloy Gate Valve For Waterworks Purpose As Per IS 778 ( 4 pieces )**

| Specification Parameter Name | Bid Requirement (Allowed Values) |
|------------------------------|----------------------------------|
| Gate Valve 40 MM             | Gate Valve 40 MM                 |

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**



| क्र.सं./S.N<br>o. | परेषिती/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address  | मात्रा /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---|--------------|------------------|---------------------------------|
| 1                 | *****   | *****Udaipur | 4                | 45                              |

### Copper Alloy Gate Valve For Waterworks Purpose As Per IS 778 ( 3 pieces )

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

#### तकनीकी विशिष्टियाँ /Technical Specifications

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

| विवरण/Specification                        | विशिष्टि का नाम /Specification<br>Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement<br>(Allowed Values) |
|--|--|--|
| SIZE / TYPE /<br>DIMENSIONAL /<br>MATERIAL | Classification                         | Class 1 Valves   |
|  | Nominal Size of Valve                  | 50.0 (millimeter)  |
|  | Type of Gate Valve                     | Solid Wedge  |
|  | Type of Valves End                     | Screwed End Valve  |

### Additional Specification Parameters - Copper Alloy Gate Valve For Waterworks Purpose As Per IS 778 ( 3 pieces )

| Specification Parameter<br>Name | Bid Requirement (Allowed Values) |
|---------------------------------|----------------------------------|
| Gate Valve 50 MM                | Gate Valve 50 MM                 |

\* Bidders offering must also comply with the additional specification parameters mentioned above.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N<br>o. | परेषिती/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address  | मात्रा /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---|--------------|------------------|---------------------------------|
| 1                 | *****   | *****Udaipur | 3                | 45                              |

### Stainless Steel Shelf Rack ( 9 pieces )

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

#### तकनीकी विशिष्टियाँ /Technical Specifications

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

| विवरण/Specification           | विशिष्टि का नाम /Specification Name                       | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)     |
|-------------------------------|---|---|
| GENERIC                       | <b>Configuration</b>                                      | With 4-Shelf (including top shelf)                                  |
|                               | <b>Shape of support structure</b>                         | Angle post  |
|                               | <b>Ground clearance (mm)</b>                              | 25 mm   |
|                               | <b>Mode of supply</b>                                     | Knocked Down To Be Assembled At Consignee Site By Consignee Himself |
| MATERIAL & MATERIAL THICKNESS | <b>Shelf material</b>                                     | Stainless Steel Grade 202 galvanized                                |
|                               | <b>Shelf material thickness</b>                           | 0.6 mm  |
|                               | <b>Support structure material</b>                         | Stainless Steel Grade 202 galvanized                                |
|                               | <b>Support structure material thickness</b>               | 0.6 mm  |
| DIMENSION                     | <b>Width of shelf rack <math>\pm</math> 10 mm</b>         | 915 mm  |
|                               | <b>Depth of shelf rack <math>\pm</math> 10 mm</b>         | 405 mm  |
|                               | <b>Height of shelf rack <math>\pm</math> 10 mm</b>        | 1220 mm   |
|                               | <b>Height of support structure <math>\pm</math> 10 mm</b> | 1245 mm   |
|                               | <b>Size of support structure</b>                          | 35 mm x 35 mm   |
| WARRANTY                      | <b>Warranty period</b>                                    | 2 - Year  |
| CERTIFICATION                 | <b>Test report to be furnished to buyer on demand</b>     | No  |

**Additional Specification Parameters - Stainless Steel Shelf Rack ( 9 pieces )**

| Specification Parameter Name      | Bid Requirement (Allowed Values)  |
|-----------------------------------|-----------------------------------|
| Stainless steel shelf rack 20x36" | Stainless steel shelf rack 20x36" |

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address  | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|----------------|---|--------------|------------------|------------------------------|
| 1              | *****   | *****Jodhpur | 9                | 45                           |

**Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 ( 56 pieces )**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

#### तकनीकी विशिष्टियाँ /Technical Specifications

[\\* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

| विवरण/Specification | विशिष्टि का नाम /Specification Name  | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|--|---|
| Specification       | <b>Governing Specification</b>   | Conforming to IS 8931   |
| Type                | <b>Item</b>  | Pillar tap  |
|                     | <b>Dimension</b>   | As per table 3 of the governing specification                   |
|                     | <b>Nominal Size of bore of pipe to which taps and valves are fitted(in mm)</b> | 15  |
| Material            | <b>Material of body, body components, nozzle , bonnet and back nuts</b>        | Cast brass  |
|                     | <b>Material of inlet tubes</b>   | Brass tubes   |
|                     | <b>Material of flanges</b>   | Die cast brass  |
|                     | <b>Material of diverter and diverter components</b>                            | NA  |
|                     | <b>Material of spindle, glands, washer plate, nuts, screw and pin</b>          | Extruded brass rods   |
|                     | <b>Material of circlip, wire locks</b>   | Stainless steel   |
|                     | <b>Material of 'O' ring , gasket, and seat washer</b>                          | Synthetic rubber  |
|                     | <b>Material of Knob and knob components</b>                                    | Zinc base alloys  |
| Generic             | <b>Aerating device fitted with tap</b>   | Yes   |
|                     | <b>Flow straightening device fitted with tap</b>                               | Yes   |
| Warranty            | <b>Warranty (in months)</b>  | 12  |

#### Additional Specification Parameters - Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 ( 56 pieces )

| Specification Parameter Name | Bid Requirement (Allowed Values) |
|------------------------------|----------------------------------|
| CP Pillar Tap 15 mm          | CP Pillar Tap 15 mm              |

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address  | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---------------|---|--------------|------------------|------------------------------|
| 1             | *****   | *****Jodhpur | 40               | 45                           |
| 2             | *****   | *****Jodhpur | 16               | 45                           |

**Plastics Bib Taps Pillar Taps Angle Valves And Stop Valves As Per IS 9763:2000 (Latest) ( 15 pieces )**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

| विवरण/Specification | विशिष्टि का नाम /Specification Name   | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|---|---|
| Ungrouped           | <b>Type of Tap/ Valve</b>   | Pillar Tap  |
|                     | <b>Materials used for the manufacture body of Tap/ Valve</b>                      | PVC   |
|                     | <b>Nominal Sizes of Plastic taps and stop valves</b>                              | 15 mm (1/2 ")   |
|                     | <b>Finish for Taps/ valves</b>  | Powder Coating  |
|                     | <b>Threading of Taps/ Valve</b>   | External  |
|                     | <b>Minimum Thickness in any portion of the body and bonnet for all sizes (mm)</b> | 2.5   |

**Additional Specification Parameters - Plastics Bib Taps Pillar Taps Angle Valves And Stop Valves As Per IS 9763:2000 (Latest) ( 15 pieces )**

| Specification Parameter Name | Bid Requirement (Allowed Values) |
|------------------------------|----------------------------------|
| Pillar Tap 15 mm PVC         | Pillar Tap 15 mm PVC             |

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.N<br>o. | परेषिती/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address  | मात्रा /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---|--------------|------------------|---------------------------------|
| 1                 | *****   | *****Jodhpur | 15               | 45                              |

### Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 ( 6 pieces )

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

#### तकनीकी विशिष्टियाँ /Technical Specifications

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

| विवरण/Specification | विशिष्टि का नाम /Specification<br>Name   | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement<br>(Allowed Values) |
|---------------------|--|--|
| Specification       | <b>Governing Specification</b>   | Conforming to IS 8931  |
| Type                | <b>Item</b>  | One hole pillar mounted combination tap assembly                   |
|                     | <b>Dimension</b>   | As per table 7 of the governing specification                      |
|                     | <b>Nominal Size of bore of pipe to which taps and valves are fitted(in mm)</b> | 15   |
| Material            | <b>Material of body, body components, nozzle , bonnet and back nuts</b>        | Cast brass   |
|                     | <b>Material of inlet tubes</b>   | Brass tubes  |
|                     | <b>Material of flanges</b>   | Cast brass   |
|                     | <b>Material of diverter and diverter components</b>                            | NA   |
|                     | <b>Material of spindle, glands, washer plate, nuts, screw and pin</b>          | Forged brass   |
|                     | <b>Material of circlip, wire locks</b>   | Phosphor bronze wire   |
|                     | <b>Material of 'O' ring , gasket, and seat washer</b>                          | Synthetic butadiene rubber (SBR)                                   |
|                     | <b>Material of Knob and knob components</b>                                    | Zinc base alloys   |
| Generic             | <b>Aerating device fitted with tap</b>   | Yes  |
|                     | <b>Flow straightening device fitted with tap</b>                               | Yes  |
| Warranty            | <b>Warranty (in months)</b>  | 12   |

**Additional Specification Parameters - Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 ( 6 pieces )**

| Specification Parameter Name | Bid Requirement (Allowed Values) |
|------------------------------|----------------------------------|
| CP Centre Hole Basin Mixer   | CP Centre Hole Basin Mixer       |

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**परिषी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परिषी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address  | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---------------|---|--------------|------------------|------------------------------|
| 1             | *****   | *****Jodhpur | 5                | 45                           |
| 2             | *****   | *****Jodhpur | 1                | 45                           |

**Connection Pipe With Nuts (V2) ( 212 pieces )**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

\* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

| विवरण/Specification | विशिष्टि का नाम /Specification Name  | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|--|---|
| Generic             | Washer Provided  | Yes   |
| Material            | Connection Pipe Material   | PVC Transparent Pipe  |
|                     | Connection Nut Material  | Brass Or higher   |
|                     | Washer Material  | Silicon Or higher   |
| Dimensions          | Connection Thread Size(in mm)  | 15  |
|                     | Length of Connection Pipe(in mm)   | 450   |
|                     | Pressure Rating(kg/cm <sup>2</sup> )   | 1 Or higher   |
|                     | Diameter of Pipe (in mm)   | 15  |
| TEST REPORT         | Availability of Test Report from Central Govt /NABL/ILAC accredited lab to prove conformity to specification | Yes   |

**Additional Specification Parameters - Connection Pipe With Nuts (V2) ( 212 pieces )**

| Specification Parameter Name | Bid Requirement (Allowed Values) |
|------------------------------|----------------------------------|
| PVC Connection Pipe 18"      | PVC Connection Pipe 18"          |

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address  | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---------------|---|--------------|------------------|------------------------------|
| 1             | *****   | *****Jodhpur | 212              | 45                           |

**Connection Pipe With Nuts (V2) ( 498 pieces )**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

[\\* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|-------------------------------------|---|
|---------------------|-------------------------------------|---|

**Additional Specification Parameters - Connection Pipe With Nuts (V2) ( 498 pieces )**

| Specification Parameter Name | Bid Requirement (Allowed Values) |
|------------------------------|----------------------------------|
| PVC Connection Pipe 24"      | PVC Connection Pipe 24"          |

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address  | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---------------|---|--------------|------------------|------------------------------|
| 1             | *****   | *****Jodhpur | 280              | 45                           |
| 2             | *****   | *****Jodhpur | 20               | 45                           |
| 3             | *****   | *****Jodhpur | 198              | 45                           |

**Soap Dish - Case ( 40 pieces )**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local

**Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)****तकनीकी विशिष्टियाँ /Technical Specifications**

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|-------------------------------------|---|
| Material            | Material of the box                 | Stainless Steel   |
| Lid Details         | Type of Lid                         | NOT APPLICABLE  |
|                     | Lid type (according to fixation)    | WITHOUT LID   |

**Additional Specification Parameters - Soap Dish - Case ( 40 pieces )**

| Specification Parameter Name | Bid Requirement (Allowed Values) |
|------------------------------|----------------------------------|
| Soap Dish CP                 | Soap Dish CP                     |

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address  | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|----------------|---|--------------|------------------|------------------------------|
| 1              | *****   | *****Jodhpur | 40               | 45                           |

**Floor Drain Traps ( 65 pieces )**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

| विवरण/Specification | विशिष्टि का नाम /Specification Name  | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|--|---|
| GENERIC             | Material of Floor trap drains  | PVC (Poly Vinyl Chloride )                                      |
|                     | Shape of Trap  | Round Shape   |
|                     | LOAD CLASSIFICATION OF DRAIN TRAP (LOAD CAPACITY IN KG PER SQUARE CENTIMETER | MEDIUM DUTY 4.3 KGF CM2   |



| विवरण/Specification | विशिष्टि का नाम /Specification Name                            | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|--|---|
| DIMENSION           | Thickness of Trap Material in mm (+/- 0 point 1 mm)            | 1.0   |
|                     | LENGTH of Trap in mm (+/- 10 mm)                               | Circular  |
|                     | Width (Diameter in case of circular) of Trap in mm (+/- 10 mm) | 100   |
| WARRANTY            | WARANTEE PERIOD IN NUMBER OF YEARS                             | 2   |

#### Additional Specification Parameters - Floor Drain Traps ( 65 pieces )

| Specification Parameter Name | Bid Requirement (Allowed Values) |
|------------------------------|----------------------------------|
| PVC Grating 75 mm With Hole  | PVC Grating 75 mm With Hole      |

\* Bidders offering must also comply with the additional specification parameters mentioned above.

#### परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.No. | परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address  | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---------------|---|--------------|------------------|------------------------------|
| 1             | *****   | *****Jodhpur | 65               | 45                           |

#### Floor Drain Traps ( 9 pieces )

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

#### तकनीकी विशिष्टियाँ /Technical Specifications

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

| विवरण/Specification | विशिष्टि का नाम /Specification Name   | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|---|---|
| GENERIC             | Material of Floor trap drains   | MS SHEET WITH CHROME POLISH                                     |
|                     | Shape of Trap   | Round Shape   |
|                     | LOAD CLASSIFICATION OF DRAIN TRAP (LOAD CAPACITY IN KG PER SQUARE CENTIMETER) | MEDIUM DUTY 4.3 KGF CM2   |

| विवरण/Specification | विशिष्टि का नाम /Specification Name                            | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|--|---|
| DIMENSION           | Thickness of Trap Material in mm (+/- 0 point 1 mm)            | 1.0   |
|                     | LENGTH of Trap in mm (+/- 10 mm)                               | 110   |
|                     | Width (Diameter in case of circular) of Trap in mm (+/- 10 mm) | 110   |
| WARRANTY            | WARANTEE PERIOD IN NUMBER OF YEARS                             | 2   |

#### Additional Specification Parameters - Floor Drain Traps ( 9 pieces )

| Specification Parameter Name | Bid Requirement (Allowed Values) |
|------------------------------|----------------------------------|
| CP Grating 140/200 MM        | CP Grating 140/200 MM            |

\* Bidders offering must also comply with the additional specification parameters mentioned above.

#### परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.No. | परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address  | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---------------|---|--------------|------------------|------------------------------|
| 1             | *****   | *****Jodhpur | 9                | 45                           |

#### Waste Pipe ( 410 pieces )

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

#### तकनीकी विशिष्टियाँ /Technical Specifications

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

| विवरण/Specification | विशिष्टि का नाम /Specification Name           | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|---|---|
| Item                | Type of Waste Pipe                            | Flexible  |
| Material            | Material of Pipe                              | PVC   |
|                     | Material of Waste Coupling attached with Pipe | PVC   |
| Dimension           | Basin Connection Size (in mm)                 | 40  |
|                     | Length of Pipe(in mm)                         | 900   |

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|-------------------------------------|---|
|                     |                                     |   |
|                     | Pipe Outer Diameter(in mm)          | 30  |
|                     | Pipe Wall Thickness(in mm)          | 2.0   |

#### Additional Specification Parameters - Waste Pipe ( 410 pieces )

| Specification Parameter Name | Bid Requirement (Allowed Values) |
|------------------------------|----------------------------------|
| PVC Waste Pipe 32 MM         | PVC Waste Pipe 32 MM             |

\* Bidders offering must also comply with the additional specification parameters mentioned above.

#### परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.No. | परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address  | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---------------|---|--------------|------------------|------------------------------|
| 1             | *****   | *****Jodhpur | 410              | 45                           |

#### Waste Pipe ( 84 pieces )

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

#### तकनीकी विशिष्टियाँ /Technical Specifications

[\\* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

| विवरण/Specification | विशिष्टि का नाम /Specification Name           | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|---|---|
| Item                | Type of Waste Pipe                            | Plain   |
| Material            | Material of Pipe                              | HDPE  |
|                     | Material of Waste Coupling attached with Pipe | Brass   |
| Dimension           | Basin Connection Size (in mm)                 | 40  |
|                     | Length of Pipe(in mm)                         | 750   |
|                     | Pipe Outer Diameter(in mm)                    | 25  |
|                     | Pipe Wall Thickness(in mm)                    | 1.0   |

**Additional Specification Parameters - Waste Pipe ( 84 pieces )**

| Specification Parameter Name | Bid Requirement (Allowed Values) |
|------------------------------|----------------------------------|
| PVC Waste Pipe 40 mm x 750mm | PVC Waste Pipe 40 mm x 750mm     |

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address  | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---------------|---|--------------|------------------|------------------------------|
| 1             | *****   | *****Jodhpur | 80               | 45                           |
| 2             | *****   | *****Jodhpur | 4                | 45                           |

**Waste Pipe ( 44 pieces )**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

| विवरण/Specification | विशिष्टि का नाम /Specification Name           | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|---|---|
| Item                | Type of Waste Pipe                            | Plain   |
| Material            | Material of Pipe                              | PVC   |
|                     | Material of Waste Coupling attached with Pipe | Brass   |
| Dimension           | Basin Connection Size (in mm)                 | 50  |
|                     | Length of Pipe(in mm)                         | 750   |
|                     | Pipe Outer Diameter(in mm)                    | 25  |
|                     | Pipe Wall Thickness(in mm)                    | 1.0   |

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.N<br>o. | परेषिती/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address  | मात्रा /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---|--------------|------------------|---------------------------------|
| 1                 | *****   | *****Jodhpur | 44               | 45                              |

### Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 ( 20 pieces )

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

#### तकनीकी विशिष्टियाँ /Technical Specifications

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

| विवरण/Specification | विशिष्टि का नाम /Specification<br>Name   | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement<br>(Allowed Values) |
|---------------------|--|--|
| Specification       | <b>Governing Specification</b>   | Conforming to IS 8931  |
| Type                | <b>Item</b>  | Angle stop valve   |
|                     | <b>Dimension</b>   | As per table 5 of the governing specification                      |
|                     | <b>Nominal Size of bore of pipe to which taps and valves are fitted(in mm)</b> | 15   |
| Material            | <b>Material of body, body components, nozzle , bonnet and back nuts</b>        | Forged brass   |
|                     | <b>Material of inlet tubes</b>   | Brass tubes  |
|                     | <b>Material of flanges</b>   | Forged brass   |
|                     | <b>Material of diverter and diverter components</b>                            | NA   |
|                     | <b>Material of spindle, glands, washer plate, nuts, screw and pin</b>          | Extruded brass rods  |
|                     | <b>Material of circlip, wire locks</b>   | Phosphor bronze wire   |
|                     | <b>Material of 'O' ring , gasket, and seat washer</b>                          | Neoprene rubber  |
|                     | <b>Material of Knob and knob components</b>                                    | Die cast brass   |
| Generic             | <b>Aerating device fitted with tap</b>   | No   |
|                     | <b>Flow straightening device fitted with tap</b>                               | No   |
| Warranty            | <b>Warranty (in months)</b>  | 12   |

**Additional Specification Parameters - Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 ( 20 pieces )**

| Specification Parameter Name  | Bid Requirement (Allowed Values) |
|-------------------------------|----------------------------------|
| CP Angle Cock 15 mm Fancy Tap | CP Angle Cock 15 mm Fancy Tap    |

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**परिषीती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.N o. | परिषीती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address  | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|----------------|---|--------------|------------------|------------------------------|
| 1              | *****   | *****Jodhpur | 20               | 45                           |

**Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 ( 408 pieces )**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

| विवरण/Specification | विशिष्टि का नाम /Specification Name  | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|--|---|
| Specification       | <b>Governing Specification</b>   | Conforming to IS 8931   |
| Type                | <b>Item</b>  | Type 1 Bib tap  |
|                     | <b>Dimension</b>   | As per table 4 of the governing specification                   |
|                     | <b>Nominal Size of bore of pipe to which taps and valves are fitted(in mm)</b> | 15  |
| Material            | <b>Material of body, body components, nozzle , bonnet and back nuts</b>        | Die cast brass  |
|                     | <b>Material of inlet tubes</b>   | Brass tubes   |
|                     | <b>Material of flanges</b>   | Brass sheet   |
|                     | <b>Material of diverter and diverter components</b>                            | NA  |
|                     | <b>Material of spindle, glands, washer plate, nuts, screw and pin</b>          | Rolled brass rods   |
|                     | <b>Material of circlip, wire locks</b>   | Phosphor bronze wire  |
|                     | <b>Material of 'O' ring , gasket, and seat washer</b>                          | Synthetic butadiene rubber (SBR)                                |

| विवरण/Specification | विशिष्टि का नाम /Specification Name       | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|---|---|
|                     | Material of Knob and knob components      | Zinc base alloys  |
| Generic             | Aerating device fitted with tap           | Yes   |
|                     | Flow straightening device fitted with tap | Yes   |
| Warranty            | Warranty (in months)                      | 12  |

**Additional Specification Parameters - Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 ( 408 pieces )**

| Specification Parameter Name | Bid Requirement (Allowed Values) |
|------------------------------|----------------------------------|
| CP Bib Cock Regular 15 mm    | CP Bib Cock Regular 15 mm        |

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address  | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---------------|---|--------------|------------------|------------------------------|
| 1             | *****   | *****Jodhpur | 188              | 45                           |
| 2             | *****   | *****Jodhpur | 178              | 45                           |
| 3             | *****   | *****Jodhpur | 42               | 45                           |

**Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 ( 141 pieces )**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

[\\* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|-------------------------------------|---|
| Specification       | Governing Specification             | Conforming to IS 8931   |
| Type                | Item                                | Type 2 Bib tap  |
|                     | Dimension                           | As per table 4 of the governing specification                   |

| विवरण/Specification | विशिष्टि का नाम /Specification Name                                     | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|---|---|
|                     | Nominal Size of bore of pipe to which taps and valves are fitted(in mm) | 15  |
| Material            | Material of body, body components, nozzle , bonnet and back nuts        | Die cast brass  |
|                     | Material of inlet tubes   | Brass tubes   |
|                     | Material of flanges   | Stainless steel sheet   |
|                     | Material of diverter and diverter components                            | NA  |
|                     | Material of spindle, glands, washer plate, nuts, screw and pin          | Extruded brass rods   |
|                     | Material of circlip, wire locks   | Phosphor bronze wire  |
|                     | Material of 'O' ring , gasket, and seat washer                          | Synthetic rubber  |
|                     | Material of Knob and knob components                                    | Cast brass  |
| Generic             | Aerating device fitted with tap   | Yes   |
|                     | Flow straightening device fitted with tap                               | No  |
| Warranty            | Warranty (in months)  | 12  |

**Additional Specification Parameters - Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 ( 141 pieces )**

| Specification Parameter Name | Bid Requirement (Allowed Values) |
|------------------------------|----------------------------------|
| CP Bib Cock Long Body 15 mm  | CP Bib Cock Long Body 15 mm      |

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address  | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---------------|---|--------------|------------------|------------------------------|
| 1             | *****   | *****Udaipur | 10               | 45                           |
| 2             | *****   | *****Jodhpur | 108              | 45                           |



| क्र.सं./S.N<br>o. | परेषिती/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address  | मात्रा /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---|--------------|------------------|---------------------------------|
| 3                 | *****   | *****Jodhpur | 23               | 45                              |

### Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 ( 20 pieces )

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

#### तकनीकी विशिष्टियाँ /Technical Specifications

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

| विवरण/Specification | विशिष्टि का नाम /Specification<br>Name   | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement<br>(Allowed Values) |
|---------------------|--|--|
| Specification       | <b>Governing Specification</b>   | Conforming to IS 8931  |
| Type                | <b>Item</b>  | Stop valve with external thread                                    |
|                     | <b>Dimension</b>   | As per table 5 of the governing specification                      |
|                     | <b>Nominal Size of bore of pipe to which taps and valves are fitted(in mm)</b> | 15   |
| Material            | <b>Material of body, body components, nozzle , bonnet and back nuts</b>        | Cast brass   |
|                     | <b>Material of inlet tubes</b>   | Copper tubes   |
|                     | <b>Material of flanges</b>   | Stainless steel sheet  |
|                     | <b>Material of diverter and diverter components</b>                            | NA   |
|                     | <b>Material of spindle, glands, washer plate, nuts, screw and pin</b>          | Extruded brass rods  |
|                     | <b>Material of circlip, wire locks</b>   | Phosphor bronze sheet  |
|                     | <b>Material of 'O' ring , gasket, and seat washer</b>                          | Synthetic rubber   |
|                     | <b>Material of Knob and knob components</b>                                    | Zinc base alloys   |
| Generic             | <b>Aerating device fitted with tap</b>   | No   |
|                     | <b>Flow straightening device fitted with tap</b>                               | No   |
| Warranty            | <b>Warranty (in months)</b>  | 12   |

**Additional Specification Parameters - Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 ( 20 pieces )**

| Specification Parameter Name | Bid Requirement (Allowed Values) |
|------------------------------|----------------------------------|
| Stop Valve 15 MM             | Stop Valve 15 MM                 |

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**परिषी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परिषी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address  | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---------------|---|--------------|------------------|------------------------------|
| 1             | *****   | *****Jodhpur | 20               | 45                           |

**Stainless Steel Shelf Rack ( 9 pieces )**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

[\\* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

| विवरण/Specification           | विशिष्टि का नाम /Specification Name                       | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)     |
|-------------------------------|---|---|
| GENERIC                       | <b>Configuration</b>                                      | With 4-Shelf (including top shelf)                                  |
|                               | <b>Shape of support structure</b>                         | Angle post  |
|                               | <b>Ground clearance (mm)</b>                              | 25 mm   |
|                               | <b>Mode of supply</b>                                     | Knocked Down To Be Assembled At Consignee Site By Consignee Himself |
| MATERIAL & MATERIAL THICKNESS | <b>Shelf material</b>                                     | Stainless Steel Grade 202 galvanized                                |
|                               | <b>Shelf material thickness</b>                           | 0.6 mm  |
|                               | <b>Support structure material</b>                         | Stainless Steel Grade 202 galvanized                                |
|                               | <b>Support structure material thickness</b>               | 0.6 mm  |
| DIMENSION                     | <b>Width of shelf rack <math>\pm</math> 10 mm</b>         | 915 mm  |
|                               | <b>Depth of shelf rack <math>\pm</math> 10 mm</b>         | 405 mm  |
|                               | <b>Height of shelf rack <math>\pm</math> 10 mm</b>        | 1220 mm   |
|                               | <b>Height of support structure <math>\pm</math> 10 mm</b> | 1245 mm   |
|                               | <b>Size of support structure</b>                          | 30 mm dia   |
| WARRANTY                      | <b>Warranty period</b>                                    | 2 - Year  |

| विवरण/Specification | विशिष्टि का नाम /Specification Name            | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|--|---|
| CERTIFICATION       | Test report to be furnished to buyer on demand | No  |

#### Additional Specification Parameters - Stainless Steel Shelf Rack ( 9 pieces )

| Specification Parameter Name    | Bid Requirement (Allowed Values) |
|---------------------------------|----------------------------------|
| Kitchen Plate Rack SS 24x30x10" | Kitchen Plate Rack SS 24x30x10"  |

\* Bidders offering must also comply with the additional specification parameters mentioned above.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address  | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|----------------|---|--------------|------------------|------------------------------|
| 1              | *****   | *****Jodhpur | 9                | 45                           |

#### Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 ( 33 pieces )

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

#### तकनीकी विशिष्टियाँ /Technical Specifications

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

| विवरण/Specification | विशिष्टि का नाम /Specification Name                                     | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|---|---|
| Specification       | Governing Specification   | Conforming to IS 8931   |
| Type                | Item  | Type 1 wall mounted combination tap assembly                    |
|                     | Dimension   | As per table 6 of the governing specification                   |
|                     | Nominal Size of bore of pipe to which taps and valves are fitted(in mm) | 15  |
| Material            | Material of body, body components, nozzle , bonnet and back nuts        | Cast brass  |
|                     | Material of inlet tubes   | Brass tubes   |
|                     | Material of flanges   | Stainless steel sheet   |

| विवरण/Specification | विशिष्टि का नाम /Specification Name                            | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|--|---|
|                     | Material of diverter and diverter components                   | NA  |
|                     | Material of spindle, glands, washer plate, nuts, screw and pin | Extruded brass rods   |
|                     | Material of circlip, wire locks                                | Phosphor bronze sheet   |
|                     | Material of 'O' ring , gasket, and seat washer                 | Synthetic rubber  |
|                     | Material of Knob and knob components                           | Zinc base alloys  |
| Generic             | Aerating device fitted with tap                                | Yes   |
|                     | Flow straightening device fitted with tap                      | Yes   |
| Warranty            | Warranty (in months)   | 12  |

**Additional Specification Parameters - Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 ( 33 pieces )**

| Specification Parameter Name                    | Bid Requirement (Allowed Values)                |
|---|---|
| Bib Tap Sink Cock Regular Spout w/m with Flange | Bib Tap Sink Cock Regular Spout w/m with Flange |

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address  | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---------------|---|--------------|------------------|------------------------------|
| 1             | *****   | *****Jodhpur | 22               | 45                           |
| 2             | *****   | *****Jodhpur | 11               | 45                           |

**Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 ( 6 pieces )**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

[\\* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

| विवरण/Specification | विशिष्टि का नाम /Specification Name  | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|--|---|
| Specification       | <b>Governing Specification</b>   | Conforming to IS 8931   |
| Type                | <b>Item</b>  | Single lever pillar mounted basin mixture                       |
|                     | <b>Dimension</b>   | As per table 12 of the governing specification                  |
|                     | <b>Nominal Size of bore of pipe to which taps and valves are fitted(in mm)</b> | 15  |
| Material            | <b>Material of body, body components, nozzle , bonnet and back nuts</b>        | Cast brass  |
|                     | <b>Material of inlet tubes</b>   | Brass tubes   |
|                     | <b>Material of flanges</b>   | Stainless steel sheet   |
|                     | <b>Material of diverter and diverter components</b>                            | NA  |
|                     | <b>Material of spindle, glands, washer plate, nuts, screw and pin</b>          | Extruded brass rods   |
|                     | <b>Material of circlip, wire locks</b>   | Phosphor bronze sheet   |
|                     | <b>Material of 'O' ring , gasket, and seat washer</b>                          | Synthetic rubber  |
|                     | <b>Material of Knob and knob components</b>                                    | Zinc base alloys  |
| Generic             | <b>Aerating device fitted with tap</b>   | Yes   |
|                     | <b>Flow straightening device fitted with tap</b>                               | Yes   |
| Warranty            | <b>Warranty (in months)</b>  | 12  |

**Additional Specification Parameters - Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 ( 6 pieces )**

| Specification Parameter Name             | Bid Requirement (Allowed Values)         |
|--|--|
| Single Lever Basin Mixer Full Body 15 MM | Single Lever Basin Mixer Full Body 15 MM |

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.N<br>o. | परेषिती/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address  | मात्रा /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---|--------------|------------------|---------------------------------|
| 1                 | *****   | *****Jodhpur | 6                | 45                              |

### Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 ( 5 pieces )

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

#### तकनीकी विशिष्टियाँ /Technical Specifications

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

| विवरण/Specification | विशिष्टि का नाम /Specification<br>Name   | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement<br>(Allowed Values) |
|---------------------|--|--|
| Specification       | <b>Governing Specification</b>   | Conforming to IS 8931  |
| Type                | <b>Item</b>  | Type 3 wall mounted combination tap assembly                       |
|                     | <b>Dimension</b>   | As per table 6 of the governing specification                      |
|                     | <b>Nominal Size of bore of pipe to which taps and valves are fitted(in mm)</b> | 15   |
| Material            | <b>Material of body, body components, nozzle , bonnet and back nuts</b>        | Cast brass   |
|                     | <b>Material of inlet tubes</b>   | Brass tubes  |
|                     | <b>Material of flanges</b>   | Stainless steel sheet  |
|                     | <b>Material of diverter and diverter components</b>                            | NA   |
|                     | <b>Material of spindle, glands, washer plate, nuts, screw and pin</b>          | Extruded brass rods  |
|                     | <b>Material of circlip, wire locks</b>   | Stainless steel  |
|                     | <b>Material of 'O' ring , gasket, and seat washer</b>                          | Neoprene rubber  |
|                     | <b>Material of Knob and knob components</b>                                    | Cast brass   |
| Generic             | <b>Aerating device fitted with tap</b>   | Yes  |
|                     | <b>Flow straightening device fitted with tap</b>                               | No   |
| Warranty            | <b>Warranty (in months)</b>  | 12   |

**Additional Specification Parameters - Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 ( 5 pieces )**

| Specification Parameter Name | Bid Requirement (Allowed Values) |
|------------------------------|----------------------------------|
| CP Sink Mixer                | CP Sink Mixer                    |

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**परिषी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परिषी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address  | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---------------|---|--------------|------------------|------------------------------|
| 1             | *****   | *****Jodhpur | 5                | 45                           |

**Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 ( 29 pieces )**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

[\\* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

| विवरण/Specification | विशिष्टि का नाम /Specification Name  | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|--|---|
| Specification       | <b>Governing Specification</b>   | Conforming to IS 8931   |
| Type                | <b>Item</b>  | One hole pillar mounted combination tap assembly                |
|                     | <b>Dimension</b>   | As per table 7 of the governing specification                   |
|                     | <b>Nominal Size of bore of pipe to which taps and valves are fitted(in mm)</b> | 15  |
| Material            | <b>Material of body, body components, nozzle , bonnet and back nuts</b>        | Cast brass  |
|                     | <b>Material of inlet tubes</b>   | Copper tubes  |
|                     | <b>Material of flanges</b>   | Die cast brass  |
|                     | <b>Material of diverter and diverter components</b>                            | NA  |
|                     | <b>Material of spindle, glands, washer plate, nuts, screw and pin</b>          | Forged brass  |
|                     | <b>Material of circlip, wire locks</b>   | Stainless steel   |
|                     | <b>Material of 'O' ring , gasket, and seat washer</b>                          | Synthetic butadiene rubber (SBR)                                |

| विवरण/Specification | विशिष्टि का नाम /Specification Name       | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|---|---|
|                     | Material of Knob and knob components      | Cast brass  |
| Generic             | Aerating device fitted with tap           | Yes   |
|                     | Flow straightening device fitted with tap | Yes   |
| Warranty            | Warranty (in months)                      | 12  |

**Additional Specification Parameters - Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 ( 29 pieces )**

| Specification Parameter Name       | Bid Requirement (Allowed Values)   |
|------------------------------------|------------------------------------|
| CP Cock Fancy Type 15 MM Swan Neck | CP Cock Fancy Type 15 MM Swan Neck |

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address  | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---------------|---|--------------|------------------|------------------------------|
| 1             | *****   | *****Jodhpur | 25               | 45                           |
| 2             | *****   | *****Jodhpur | 4                | 45                           |

**Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 ( 12 pieces )**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

[\\* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

| विवरण/Specification | विशिष्टि का नाम /Specification Name                                     | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|---|---|
| Specification       | Governing Specification   | Conforming to IS 8931   |
| Type                | Item  | Type 2 wall mounted combination tap assembly                    |
|                     | Dimension   | As per table 6 of the governing specification                   |
|                     | Nominal Size of bore of pipe to which taps and valves are fitted(in mm) | 15  |



| विवरण/Specification | विशिष्टि का नाम /Specification Name                              | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|--|---|
|                     |  |   |
| Material            | Material of body, body components, nozzle , bonnet and back nuts | Cast brass  |
|                     | Material of inlet tubes  | Brass tubes   |
|                     | Material of flanges  | Stainless steel sheet   |
|                     | Material of diverter and diverter components                     | NA  |
|                     | Material of spindle, glands, washer plate, nuts, screw and pin   | Extruded brass rods   |
|                     | Material of circlip, wire locks                                  | Phosphor bronze sheet   |
|                     | Material of 'O' ring , gasket, and seat washer                   | Synthetic rubber  |
|                     | Material of Knob and knob components                             | Zinc base alloys  |
| Generic             | Aerating device fitted with tap                                  | Yes   |
|                     | Flow straightening device fitted with tap                        | Yes   |
| Warranty            | Warranty (in months)   | 12  |

**Additional Specification Parameters - Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 ( 12 pieces )**

| Specification Parameter Name                     | Bid Requirement (Allowed Values)                 |
|--|--|
| CP Fancy Wall Mixer with telephonic Shower 15 MM | CP Fancy Wall Mixer with telephonic Shower 15 MM |

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address  | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---------------|---|--------------|------------------|------------------------------|
| 1             | *****   | *****Jodhpur | 12               | 45                           |

**Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 ( 19 pieces )**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

[\\* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

| विवरण/Specification | विशिष्टि का नाम /Specification Name  | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|--|---|
| Specification       | <b>Governing Specification</b>   | Conforming to IS 8931   |
| Type                | <b>Item</b>  | Type 2 wall mounted combination tap assembly                    |
|                     | <b>Dimension</b>   | As per table 6 of the governing specification                   |
|                     | <b>Nominal Size of bore of pipe to which taps and valves are fitted(in mm)</b> | 15  |
| Material            | <b>Material of body, body components, nozzle , bonnet and back nuts</b>        | Cast brass  |
|                     | <b>Material of inlet tubes</b>   | Brass tubes   |
|                     | <b>Material of flanges</b>   | Stainless steel sheet   |
|                     | <b>Material of diverter and diverter components</b>                            | NA  |
|                     | <b>Material of spindle, glands, washer plate, nuts, screw and pin</b>          | Extruded brass rods   |
|                     | <b>Material of circlip, wire locks</b>   | Phosphor bronze sheet   |
|                     | <b>Material of 'O' ring , gasket, and seat washer</b>                          | Synthetic rubber  |
|                     | <b>Material of Knob and knob components</b>                                    | Zinc base alloys  |
| Generic             | <b>Aerating device fitted with tap</b>   | Yes   |
|                     | <b>Flow straightening device fitted with tap</b>                               | Yes   |
| Warranty            | <b>Warranty (in months)</b>  | 12  |

**Additional Specification Parameters - Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 ( 19 pieces )**

| Specification Parameter Name | Bid Requirement (Allowed Values) |
|------------------------------|----------------------------------|
| CP Wall Mixer Non Telephonic | CP Wall Mixer Non Telephonic     |

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.N<br>o. | परेषिती/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address  | मात्रा /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---|--------------|------------------|---------------------------------|
| 1                 | *****   | *****Jodhpur | 19               | 45                              |

**Bathroom Water Shower (V2) ( 131 pieces )**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

[\\* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

| विवरण/Specification | विशिष्टि का नाम /Specification<br>Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement<br>(Allowed Values) |
|---------------------|--|--|
| Type                | Type of shower                         | Hand Shower  |
|                     | Material of body/face plate            | Stainless Steel  |
|                     | Finish of face plate                   | Chrome plated  |
|                     | Type of Water Flow                     | Only Rainfall  |
|                     | Type of Multiple flow                  | NA   |
|                     | Shape of Shower                        | Round  |
| Dimensions          | Size of Shower                         | 75 mm  |
|                     | Overall length of Hand Shower (in mm)  | 200  |
|                     | Length of Hand Shower Tube (in mt)     | 1  |
|                     | Diameter of Hand Shower Tube (in mm)   | 8  |
|                     | Material of Hand Shower Tube           | Stainless Steel  |
|                     | Overall length of Shower Arm (in mm)   | NA   |
| Warranty            | Warranty (in Years)                    | 1  |

**Additional Specification Parameters - Bathroom Water Shower (V2) ( 131 pieces )**

| Specification Parameter Name        | Bid Requirement (Allowed Values)    |
|-------------------------------------|-------------------------------------|
| CP Health Faucet 15 mm with 1.5 Mtr | CP Health Faucet 15 mm with 1.5 Mtr |

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address  | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---------------|---|--------------|------------------|------------------------------|
| 1             | *****   | *****Jodhpur | 78               | 45                           |
| 2             | *****   | *****Jodhpur | 25               | 45                           |
| 3             | *****   | *****Jodhpur | 28               | 45                           |

**क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions****1. Generic**

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be  $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$ , subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

**2. Certificates**

ISO 9001: The bidder or the OEM of the offered products must have ISO 9001 certification.

**3. Certificates**

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

**4. Certificates**

Material Test Certificate Should Be Sent Along with The Supply. The Material Will Be Checked by Buyer's Lab & the Results of the Lab will be the Sole Criteria for Acceptance of the Item.

**5. Generic**

**Bidder financial standing:** The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.

**6. Buyer Added Bid Specific ATC**

Buyer uploaded ATC document [Click here to view the file.](#)

## अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

**All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.**

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions.](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

**---धन्यवाद/Thank You---**