

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	05-12-2025 19:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	05-12-2025 19:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	30 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Bihar
विभाग का नाम/Department Name	Panchayat Raj Department Bihar
संगठन का नाम/Organisation Name	Panchayati Raj Department
कार्यालय का नाम/Office Name	Gram Panchayat Shiwpur Rohtas Bihar
कुल मात्रा/Total Quantity	12
वस्तु श्रेणी /Item Category	Chest Press - Outdoor Gym Equipments (Q3) , Air Walker / Stroller - Outdoor Gym Equipment (Q3) , Parallel Bar - Outdoor Gym Equipment (Q3) , Multi Adjustable Bench (V2) (Q3) , Twister - Outdoor Gym Equipment (Q3) , Surf Board - Outdoor Gym Equipment (Q3) , Sit Up Board - Outdoor Gym Equipment (Q3) , Shoulder Builder / Arm Wheel - Outdoor Gym Equipment (Q3) , Leg Press - Outdoor Gym Equipments (Q3) , Garden Swings (Q3)
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/MSE Exemption for Years of Experience and Turnover	No
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /Startup Exemption for Years of Experience and Turnover	No
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Experience Criteria,Bidder Turnover,Certificate (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेन् है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)

बिड विवरण/Bid Details	
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	1
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	3
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	1
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	No
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	Air Walker / Stroller - Outdoor Gym Equipment
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
Payment Timelines	Payments shall be made to the Seller within 45 days of issue of consignee receipt-cum-acceptance certificate (CRAC) and on-line submission of bills (This is in supersession of 10 days time as provided in clause 12 of GeM GTC)
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

आवश्यकता/Required	No
-------------------	----

ईपीबीजी विवरण /ePBG Detail

आवश्यकता/Required	No
-------------------	----

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	No
---	----

एमआईआई खरीद वरीयता/MII Purchase Preference

एमआईआई खरीद वरीयता/MII Purchase Preference	No
--	----

1. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

Chest Press - Outdoor Gym Equipments (1 pieces)**तकनीकी विशिष्टियाँ /Technical Specifications**

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
TYPE	Type	Chest Press Double
CAPACITY	Maximum User Weight (Kg)	120.0 (kilogram)
MATERIAL	Governing Specification for GI Pipes	BIS specification No IS 1161:2014, latest
	All the GI Pipes are ISI marked	Yes
	Main Central Pipe	80mm Nominal Bore G.I. Pipe
	Main Central Pipe, Class as per IS 1239	Heavy
	Handle Frame	32mm Nominal bore G.I. pipe
	Handle Frame Pipe, Class as per IS 1239	Heavy
	Seat Frame	40mm Nominal Bore G.I. Pipe
	Seat Frame Pipe, Class as per IS 1239	Heavy
	Connecting Links	40mm Nominal Bore G.I. Pipe
	Connecting Links Pipe, Class as per IS 1239	Heavy
	Foot Rest Pipe	32mm Nominal Bore G.I. Pipe
	Foot Rest Pipe, Class as per IS 1239	Heavy
	MS Foundation Plate Thickness	12.0 (millimeter)
	Foundation Pipes with anchoring	750mm deep GI Pipe, supported with M.S. Angle 25 X 25 X 4mm

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Nominal Bore of Foundation Pipe	150mm
	Foundation Pipe, Class as per IS 1239	Heavy
	Seat and Back Rest	6mm thick, Fibre Reinforced plastic with uniform bending radius to avoid sharp edges
	Bearings	Ball Bearing
OTHER REQUIREMENTS	Installation	Included
CERTIFICATION	Certification (Safety and Quality Requirements)	As per European Standard EN 16630
WARRANTY	Warranty (years)	3.0 (year)

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rambahadur Singh	802204,GP SHIWPUR	1	15

Air Walker / Stroller - Outdoor Gym Equipment (2 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
TYPE	Type	Single
CAPACITY	Maximum User Weight (Kg)	110.0 (kilogram)
MATERIAL	Governing Specification for GI Pipes	BIS specification No IS 1161:2014, latest
	All the GI Pipes are ISI marked	Yes
	Main Frame	100mm Nominal Bore G.I. Pipe
	Main Frame Pipe, Class as per IS 1239	Medium
	leg movement frame	50mm Nominal Bore G.I. Pipe

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Leg Movement Frame Pipe, Class as per IS 1239	Medium
	Handle Frame	25mm Nominal bore G.I. pipe
	Handle Frame Pipe, Class as per IS 1239	Medium
	Bearings	Ball Bearing
	Foot Rest	Aluminum casting material
	MS Foundation Plate Thickness	12.0 (millimeter)
	Foundation Pipes with anchoring	750mm deep GI Pipe, supported with M.S. Angle 25 X 25 X 4mm
	Nominal Bore of Foundation Pipe	100mm
	Foundation Pipe, Class as per IS 1239	Medium
OTHER REQUIREMENTS	Installation	Included
CERTIFICATION	Certification (Safety and Quality Requirements)	No
WARRANTY	Warranty (years)	4.0 (year)

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rambahadur Singh	802204,GP SHIWPUR	2	15

Parallel Bar - Outdoor Gym Equipment (1 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Material	Governing Specification for GI Pipes	BIS specification No IS 1239 (Part 1)- 2004, latest

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	All the GI Pipes are ISI marked	No
	Vertical / Standing Pipes	32 mm Nominal Bore G.I. Pipe
	Vertical/ Standing Pipes, Class as per IS 1239	Medium
	Vertical / Standing Pipe (as per Clause 3 of IS 1161) , Nominal Bore & Wall Thickness	80 mm NB with 3.2 mm Thickness
	Horizontal Pipe	32 mm Nominal Bore G.I. Pipe
	Horizontal Pipe, Class as per IS 1239	Medium
	Horizontal Pipe (As per Clause 3, of IS 1161) Nominal Bore & Wall Thickness	32 mm NB with 2.6 mm Thickness
	Grade Material as per table 2 of IS 1161	YSt 210
	Foundation Pipes with anchoring	750mm deep GI Pipe, supported with M.S. Angle 25 X 25 X 4mm
	Nominal Bore of Foundation Pipe	32 mm
	Foundation Pipe, Class as per IS 1239	Medium
	Foundation Pipe Pipe (as per IS 1161) as per clause 3, Nominal Wall & Thickness	32 mm NB with 2.6 mm Thickness
	M S Foundation Plate Thickness	10.0 (millimeter)
	Bearings	Ball Bearing
	Foot Rest	Fibre Reinforced Plastic
Other Requirements	Installation	Included
Certification	Certification (Safety and Quality Requirements)	No
Warranty	Warranty (years)	2.0 (year)

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rambahadur Singh	802204,GP SHIWPUR	1	15

Multi Adjustable Bench (V2) (1 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Frame Description	Material of Frame	Colled Rolled Mild Steel
	Thickness	14 gauge
Warranty	Warranty on Frame (in years)	1, 2, 3, 4, 5 Or higher (year)

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rambahadur Singh	802204,GP SHIWPUR	1	15

Twister - Outdoor Gym Equipment (1 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
TYPE	Type	Triple Twister (Three standing)
CAPACITY	Maximum User Weight (Kg)	100.0 (kilogram)
MATERIAL	Governing Specification for GI Pipes	BIS specification No IS 1161:2014, latest
	All the GI Pipes are ISI marked	Yes
	Main Central Pipe	100mm Nominal Bore G.I. Pipe

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Main Frame Pipe, Class as per IS 1239	Heavy
	Main Central Pipe (As per Clause 3, of IS 1161) Nominal Bore & Wall Thickness	Not Applicable
	Grade Material as per table 2 of IS 1161	Not Applicable
	Standing/ Sitting Twister Frame Pipe	40 mm Nominal Bore G.I. Pipe
	Standing/ Sitting Twister Frame Pipe, Class as per IS 1239	Heavy
	Standing/ Sitting Twister Frame Pipe (As per Clause 3, of IS 1161) Nominal Bore & Wall Thickness	Not Applicable
	Grade Material as per table 2 IS 1161	Not Applicable
	Rotating Disk Support Pipe at Bottom Pipe	80 mm Nominal Bore G.I. Pipe
	Rotating Disk Support Pipe, Class as per IS 1239	Heavy
	Rotating Disk Support Pipe (as per IS 1161) as per Clause 3, Nominal Bore & Wall Thickness	Not Applicable
	Grade Material (as per table 2 of IS 1161)	Not Applicable
	Handle Frame Pipe	32mm Nominal bore G.I. pipe
	Handle Frame Pipe, Class as per IS 1239	Heavy
	Handle Frame Pipe (as per IS 1161) as per clause 3, Nominal Wall & Thickness	Not Applicable
	Grade Material per table 2 of IS 1161	Not Applicable
	Foundation Pipes with anchoring	500mm deep GI Pipe, supported with M.S. Angle 25 X 25 X 4mm
	Nominal Bore of Foundation Pipe	100mm
	Foundation Pipe, Class as per IS 1239	Heavy

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Foundation Pipe (as per IS 1161) as per clause 3, Nominal Wall & Thickness	Not Applicable
	Grade Material (as per table 2 of IS 1161)	Not Applicable
	M S Foundation Plate Thickness	10.0 (millimeter)
	Bearings	Ball Bearing
	Foot Rest	LDPE
OTHER REQUIREMENTS	Installation	Not Included
CERTIFICATION	Certification (Safety and Quality Requirements)	No
WARRANTY	Warranty (years)	2.0 (year)

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rambahadur Singh	802204,GP SHIWPUR	1	15

Surf Board - Outdoor Gym Equipment (1 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
TYPE	Type	Double
CAPACITY	Maximum User Weight (Kg)	110.0 (kilogram)
MATERIAL	Governing Specification for GI Pipes	BIS specification No IS 1161:2014, latest
	All the GI Pipes are ISI marked	Yes
	Main Central Pipe	100mm Nominal Bore G.I. Pipe

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Main Frame Pipe, Class as per IS 1239	Heavy
	Main Central Pipe (As per Clause 3, of IS 1161) Nominal Bore & Wall Thickness	80 mm NB with 4 mm Thickness
	Grade Material as per table 2 of IS 1161	Not Applicable
	Movement (Paddle) Frame	32mm Nominal Bore G.I. Pipe
	Movement (Paddle) Frame Pipe, Class as per IS 1239	Heavy
	Movement (Paddle) Frame Pipe (As per as per Clause 3, of IS 1161) , Nominal Bore & Wall Thickness	Not Applicable
	Grade Material as per table 2 IS 1161	Not Applicable
	Connecting Links	32 mm Nominal Bore G.I. Pipe
	Connecting Links Pipe, Class as per IS 1239	Heavy
	Connecting Link Pipe (As per Clause 3, of IS 1161) Nominal Wall & Thickness	Not Applicable
	Grade Material (as per table 2 of IS 1161)	Not Applicable
	Handle Frame	32mm Nominal bore G.I. pipe
	Handle Frame Pipe, Class as per IS 1239	Heavy
	Handle Frame Pipe (as per IS 1161) as per clause 3, Nominal Wall & Thickness	Not Appliable
	Grade Material per table 2 of IS 1161	Not Applicable
	Foundation Pipes with anchoring	750mm deep GI Pipe, supported with M.S. Angle 25 X 25 X 4mm
	Nominal Bore of Foundation Pipe	100mm
	Foundation Pipe, Class as per IS 1239	Heavy
	Foundation Pipe Pipe (as per IS 1161) as per clause 3, Nominal Wall & Thickness	Not Applicable
	Grade Material (as per table 2 of IS 1161)	Not Applicable

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	M S Foundation Plate Thickness	10.0 (millimeter)
	Bearings	Tapered Roller Bearing
	Foot Rest	C.I.
OTHER REQUIREMENTS	Installation	Included
CERTIFICATION	Certification (Safety and Quality Requirements)	As per European Standard EN 16630
WARRANTY	Warranty (years)	3.0 (year)

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rambahadur Singh	802204,GP SHIWPUR	1	15

Sit Up Board - Outdoor Gym Equipment (1 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
TYPE	Type	Double Station
MATERIAL	Type of Back Rest	Plain Sheet
	Material of Back Rest	LDPE
	Governing Specification for GI Pipes	BIS specification No IS 1239 (Part 1)- 2004, latest
	All the GI Pipes are ISI marked	Yes
	Main Frame/Central Pipe	80mm Nominal Bore G.I. Pipe
	Main Frame/Central Pipe, Class as per IS 1239	Medium
	Main Frame/Central Pipe (As per Clause 3, of IS 1161) Nominal Bore & Wall Thickness	80 mm NB with 4 mm Thickness

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Grade of Material as per table 2 of IS 1161	YSt 210
	Foot Rest Pipe	32mm Nominal Bore G.I. Pipe
	Foot Rest Pipe , Class as per IS 1239	Medium
	Foot Rest Pipe (As per as per Clause 3, of IS 1161) , Nominal Bore & Wall Thickness	32 mm NB with 2.6 mm Thickness
	Grade of Material as per table 2 IS 1161	YSt 210
	Back Rest Frame Pipe and Connecting Links	25 mm Nominal Bore G.I. Pipe
	Back Rest Frame Pipe and Connecting Links, Class as per IS 1239	Medium
	Back Rest Frame Pipe and Connecting Links (As per Clause 3, of IS 1161) Nominal Wall & Thickness	25 mm NB with 3.2 mm Thickness
	Grade of Material (as per table 2 of IS 1161)	YSt 210
	Leg Support Pipe	40 mm Nominal bore G.I. pipe
	Leg Support Pipe , Class as per IS 1239	Medium
	Leg Support Pipe (as per IS 1161) as per clause 3, Nominal Wall & Thickness	32 mm NB with 2.6 mm Thickness
	Grade of Material per table 2 of IS 1161	YSt 210
	Foundation Pipes with anchoring	750mm deep GI Pipe, supported with M.S. Angle 25 X 25 X 4mm
	Nominal Bore of Foundation Pipe	80mm
	Foundation Pipe, Class as per IS 1239	Medium
	Foundation Pipe Pipe (as per IS 1161) as per clause 3, Nominal Wall & Thickness	80 mm NB with 3.2 mm Thickness
	Grade of Material (as per table 2 of IS 1161)	YSt 210
	M S Foundation Plate Thickness	10.0 (millimeter)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
OTHER REQUIREMENTS	Installation	Included
CERTIFICATION	Certification (Safety and Quality Requirements)	No
WARRANTY	Warranty (years)	2.0 (year)

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rambahadur Singh	802204,GP SHIWPUR	1	15

Shoulder Builder / Arm Wheel - Outdoor Gym Equipment (1 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
TYPE	Type	Two Wheel
MATERIAL	Governing Specification for GI Pipes	BIS specification No IS 1239 (Part 1)- 2004, latest
	All the GI Pipes are ISI marked	No
	Main Central Pipe construction	100mm Nominal Bore G.I. Pipe
	Main Central Pipe, Class as per IS 1239	Not applicable for pipe as per IS 1161
	Ring (Wheel)	32mm Nominal Bore G.I. Pipe
	Ring (Wheel) Pipe, Class as per IS 1239	Not applicable for pipe as per IS 1161
	Pipe of Spokes of Wheel	15mm Nominal bore G.I. pipe
	Pipe of Spoke of Wheel , Class as per IS 1239	Not applicable for pipe as per IS 1161
	Connector Pipe (between Main Central Pipe and Wheel)	40 mm Nominal bore G.I. pipe

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Connector Pipe, Class as per IS 1239	Not applicable for pipe as per IS 1161
	MS Foundation Plate Thickness	10.0 (millimeter)
	Foundation Pipes with anchoring	750mm deep GI Pipe, supported with M.S. Angle 25 X 25 X 4mm
	Nominal Bore of Foundation Pipe	100mm
	Foundation Pipe, Class as per IS 1239	Not applicable for pipe as per IS 1161
	Bearings	Ball Bearing
OTHER REQUIREMENTS	Installation	Not Included
CERTIFICATION	Certification (Safety and Quality Requirements)	No
WARRANTY	Warranty (years)	2.0 (year)

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rambahadur Singh	802204,GP SHIWPUR	1	15

Leg Press - Outdoor Gym Equipments (1 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
TYPE	Type	Leg Press Double
CAPACITY	Maximum User Weight (Kg)	110.0 (kilogram)
MATERIAL	Governing Specification for GI Pipes	BIS specification No IS 1239 (Part 1)- 2004, latest
	All the GI Pipes are ISI marked	Yes

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Main Central Pipe	100mm Nominal Bore G.I. Pipe
	Main Central Pipe, Class as per IS 1239	Heavy
	Moving Frame Pipe	40mm Nominal bore G.I. pipe
	Moving Frame Pipe, Class as per IS 1239	Heavy
	Foot Rest Frame/ Foot Rest Hinging Pipe	32mm Nominal Bore G.I. Pipe
	Foot Rest Frame Pipe, Class as per IS 1239	Heavy
	Connecting Links	32mm Nominal Bore G.I. Pipe
	Connecting Links Pipe, Class as per IS 1239	Heavy
	MS Foundation Plate Thickness	12.0 (millimeter)
	Foundation Pipes with anchoring	750mm deep GI Pipe, supported with M.S. Angle 25 X 25 X 4mm
	Nominal Bore of Foundation Pipe	100mm
	Foundation Pipe, Class as per IS 1239	Heavy
	Bearings	Ball Bearing
	Seat and Back Rest	2mm Thick G.I. Seat with uniform bending radius to avoid sharp edges
OTHER REQUIREMENTS	Installation	Included
CERTIFICATION	Certification (Safety and Quality Requirements)	As per European Standard EN 16630
WARRANTY	Warranty (years)	2.0 (year)

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rambahadur Singh	802204,GP SHIWPUR	1	15

Garden Swings (2 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
MATERIAL	Seat (with integrated back rest) made up of	Fibre Reinforced Plastic
	Seat thickness (FRP)	3 mm
	Roof made up of	No roof
	Roof thickness (FRP)	No roof
	Roof supported by	N.A
	Whole assembly of roof supported by (4-Legs)	N.A
	Seat and Backrest Consist of	N.A
	Swing suspended with	Hot dipped galvanized chains with wire dia of 4.7 mm
GENERIC	Structure	Swing with seat without roof
	Roof shape	No roof
	Provision of side bars in legs (for leg strengthening)	Yes
	Seat with arm	No
	Provision of back cushion	No
	Provision of seat cushion	No
	Seating capacity	2 - seater
	Weight bearing capacity in KG	205
COLOUR AND FINISH	FRP roof should be	N.A
	Colour of seat	As per buyer's choice
WARRANTY	Warranty period in number of years	1, 2, 3 Or higher
CERTIFICATION	Test reports to be furnished to buyer on demand	No
	OEM of offered product is ISO 9001:2015 certified	Yes
	OEM of offered product is ISO 14001:2015 certified	No

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rambahadur Singh	802204,GP SHIWPUR	2	45

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

GST Registration Certificate of the Enterprise self attested

Self Attested copies of PAN ,ADHAR of Proprietor, Director whichever applicable

Bid ATC acceptance declaration on LETTERHEAD duly signed and stamped is mandatory to be submitted

Bank Mandate Signed By bank authorities for e-payment has to be submitted.

Affidavit regarding that the firm/company /proprietor is not blacklisted by any Government organization/PS Us on non judicial stamp paper stamp paper not earlier than bid publish date (min 100 rs).

Manufacturer ISO 9001:2015/ ISO 14001:2015/ISO 45001:2018 / CE Certificate / ISO 3834 /ISO 10002 / GM P Certificate has to be submitted by Bidder whose Authorization letter has been submitted in participat i

Bidder 3 yr ITR return details/ Audit report on CA letterhead /Balance Sheet with seal signature must be submitted. Latest 1 year GST filing details is mandatory to be submitted of Bidder.

Manufacturer 3 yr ITR return details/ Audit report on CA letterhead /Balance Sheet with seal signature must be submitted.

Service and Warranty Declaration post sale and supply for minimum 1 year duration by the Enterprise /OE M on notary stamp paper not earlier than bid publish date (min 100rs) is mandatory to be submitted.

Bidder must have functional service center in Consignee state for after sale service/maintenance at the earliest possible. Valid evidence in support of it must be submitted.

Work Order Details (Contract Letter, Invoice, Despatch slip) of supply in Government departments (State, Central or PSU units) for similar product or services is mandatory to be submitted by Bidders.

Delivery has to be done at the consignee location within specified time. No additional freight charges will be paid for it. Self declaration of the same has to be submitted on letterhead duly signed and stamped.

Site Visit and Scope of work & installation as per Buyer requirement Acceptance declaration acknowledged from concerned Panchayat office must be submitted along with bid submitted documents.

NOTE- Price quoted by bidder must be inclusive of GST applicable along with installation as per buyer requirement in premises.

अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.

16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---