





## बिड दस्तावेज़ / Bid Document

| बिड विवरण/Bid Details  |   |  |  |  |
|--|---|--|--|--|
| बिड बंद होने की तारीख/समय /Bid End Date/Time   | 06-12-2025 13:00:00   |  |  |  |
| बिड खुलने की तारीख/समय /Bid Opening<br>Date/Time   | 06-12-2025 13:30:00   |  |  |  |
| बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer<br>Validity (From End Date)   | 30 (Days)   |  |  |  |
| मंत्रालय/राज्य का नाम/Ministry/State Name  | Bihar   |  |  |  |
| विभाग का नाम/Department Name   | Rural Development Department Bihar  |  |  |  |
| संगठन का नाम/Organisation Name   | Rural Development Department  |  |  |  |
| कार्यालय का नाम/Office Name  | Bariyarpur East   |  |  |  |
| कुल मात्रा/Total Quantity  | 8   |  |  |  |
| वस्तु श्रेणी /Item Category  | Sit Up Board - Outdoor Gym Equipment (Q3) , Surf Board - Outdoor Gym Equipment (Q3) , Chest Press - Outdoor Gym Equipments (Q3) , Twister - Outdoor Gym Equipment (Q3) , Air Walker / Stroller - Outdoor Gym Equipment (Q3) , Parallel Bar - Outdoor Gym Equipment (Q3) , Shoulder Builder / Arm Wheel - Outdoor Gym Equipment (Q3) , Leg Press - Outdoor Gym Equipments (Q3) |  |  |  |
| बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का)<br>/Minimum Average Annual Turnover of the<br>bidder (For 3 Years)             | 3 Lakh (s)  |  |  |  |
| उर्न्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के<br>वर्ष/Years of Past Experience Required for<br>same/similar service           | 1 Year (s)  |  |  |  |
| एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान<br>की गई है/MSE Exemption for Years of<br>Experience and Turnover        | No  |  |  |  |
| स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान<br>की गई है /Startup Exemption for Years of<br>Experience and Turnover | No  |  |  |  |
| विक्रेता से मांगे गए दस्तावेज़/Document required from seller   | Experience Criteria, Past Performance, Bidder Turnover, Certificate (Requested in ATC), Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer                                    |  |  |  |

| बिड विवरण/Bid Details   |  |  |
|---|--|--|
| क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को<br>निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना<br>चाहते हैं? संदर्भ मेनू है/Do you want to show<br>documents uploaded by bidders to all<br>bidders participated in bid? | Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in) |  |
| बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए<br>आवश्यक बिड की संख्या। / Minimum number of<br>bids required to disable automatic bid<br>extension  | 1  |  |
| दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा<br>बढ़ाई जाएगी। / Number of days for which Bid<br>would be auto-extended   | 7  |  |
| ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। /<br>Number of Auto Extension count  | 1  |  |
| विगत प्रदर्शन /Past Performance   | 10 %   |  |
| बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled  | No   |  |
| लागू आरसीएम/RCM Applicable  | Yes  |  |
| बिड का प्रकार/Type of Bid   | Single Packet Bid  |  |
| प्राथमिक उत्पाद श्रेणी/Primary product category   | Sit Up Board - Outdoor Gym Equipment   |  |
| तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु<br>अनुमत समय /Time allowed for Technical<br>Clarifications during technical evaluation   | 4 Days   |  |
| निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ<br>पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By<br>Empanelled Inspection Authority / Agencies<br>pre-registered with GeM)   | No   |  |
| मूल्यांकन पद्धति/Evaluation Method  | Total value wise evaluation  |  |
| मध्यस्थता खंड/Arbitration Clause  | No   |  |
| सुलह खंड/Mediation Clause   | No   |  |

## ईएमडी विवरण/EMD Detail

| आवश्यकता/Required | No |
|-------------------|----|
|-------------------|----|

## ईपीबीजी विवरण /ePBG Detail

| आवश्यकता/Required | No |
|-------------------|----|
|                   |    |

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

# एमआईआई खरीद वरीयता / MII Purchase Preference

| एमआईआई खरीद वरीयता / MII Purchase Preference  | Yes   |
|---|---|
| मेक इन इंडिया विक्रेताओं को खरीद में प्राथमिकता, यदि<br>उनका मूल्य L1+X% तक की सीमा में है / Purchase<br>Preference to MII sellers availabele upto price<br>within L1+X%  | 20  |
| मेक इन इंडिया खरीद में प्राथमिकता के लिए बिड की मात्रा<br>का अधिकतम प्रतिशत / Maximum Percentage of Bid<br>quantity for MII purchase preference   | 50  |
| सार्वजनिक खरीद (मेक-इन-इंडिया को प्राथमिकता) आदेश 2017 के अनुसार केवल क्लास 1/क्लास 2 के स्थानीय आपूर्तिकर्ताओं को ही भागीदारी की अनुमति है दिनांक 16.09.2020 (समय-समय पर संशोधित एवं लागू) / Allow participation only from Class 1/Class 2 local suppliers as per the Public procurement(Preference to Make-in-india) order 2017 date 16.09.2020(as amended and applicable time to time) | Yes, in compliance with the MII ORDER : DPIIT Order(as amended and applicable time to time) |

#### एमएसई खरीद वरीयता/MSE Purchase Preference

| एमएसई खरीद वरीयता/MSE Purchase Preference   | Yes |
|---|-----|
| स्क्ष्म और लघु उद्यम मूल उपकरण निर्माताओं को खरीद में<br>प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में हो /<br>Purchase Preference to MSE OEMs available upto<br>price within L1+X% | 15  |
| स्क्ष्म और लघु उद्यम को खरीद में प्राथमिकता के लिए बिड<br>की मात्रा का अधिकतम प्रतिशत / Maximum<br>Percentage of Bid quantity for MSE purchase<br>preference                          | 25  |

#### **Limited Tender**

| Limited Tender Applicable                     | Yes   |  |
|---|---|--|
| Reason  | The sources of supply are definitely known and possibility of fresh source(s) beyond those being tapped is remote.  |  |
| List of Seller Organization for participation | TRADEINDIA MARKETPLACE, TEAM FLAME, INDRADEV MULTISOLUTION PRIVATE LIMITED, MAHADEV TRADERS, AYUSH BUDDHA DEVELOPERS PRIVATE LIMITED, BALAJI INDUSTRIES, Vindhya Power Enterprises, M/S GOVIND RAM TRADERS, SHREE DIGITAL SOLUTION, RN Enterprises, AASHU TRADERS |  |

1. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant /

Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

- 2. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
- 3. Preference to Make In India products (For bids < 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.
- OM No.1 4 2021 PPD dated 18.05.2023 for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.
- 4. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for 25 % percentage of total quantity. The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023. OM No.1 4 2021 PPD dated 18.05.2023 for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.
- 5. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 10% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

## जीएसटी की धारा 9(3)।/Section 9(3) Of GST

Where ever RCM is applicable, sellers (Regular GST registered seller who opted out of FCM, unregistered seller, seller registered under composition scheme) will be forced to put Zero GST and GST cess in their bids. Buyer will have liability of paying the GST and GST cess to the government on the specified rate mentioned by them in this Bid.

#### जीएसटी की धारा 9(3)। / Section 9(3) Of GST

Where ever RCM is applicable, sellers (Regular GST registered seller who opted out of FCM, unregistered seller, seller registered under composition scheme) will be forced to put Zero GST and GST cess in their bids. Buyer will have liability of paying the GST and GST cess to the government on the specified rate mentioned by them in this Bid.

If the buyer has mentioned MSE purchase preference in ATC then service provider is required to upload necessary documents for MSE purchase preference for verification by the buyer during evaluation.

## Sit Up Board - Outdoor Gym Equipment ( 1 pieces )

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| विवरण/Specification विशिष्टि का नाम /Specification Name |   | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement<br>(Allowed Values) |  |  |
|---|---|--|--|--|
| TYPE  | Туре  | Double Station   |  |  |
| MATERIAL Type of Back Rest F                            |   | Plain Sheet  |  |  |
|   | Material of Back Rest   | Galvanized Iron(GI)  |  |  |
|   | Governing Specification for GI Pipes  | BIS specification No IS 1161:2014, latest                          |  |  |
|   | All the GI Pipes are ISI marked   | Yes  |  |  |
|   | Main Frame/Central Pipe   | 50mm Nominal Bore G.I. Pipe  |  |  |
|   | Main Frame/Central Pipe,<br>Class as per IS 1239  | Medium   |  |  |
|   | Main Frame/Central Pipe (<br>As per Clause 3, of IS 1161 )<br>Nominal Bore & Wall<br>Thickness              | 80 mm NB with 3.2 mm Thickness                                     |  |  |
|   | Grade of Material as per table 2 of IS 1161   | YSt 240  |  |  |
|   | Foot Rest Pipe  | 32mm Nominal Bore G.I. Pipe  |  |  |
|   | Foot Rest Pipe , Class as per IS 1239   | Medium   |  |  |
|   | Foot Rest Pipe ( As per as per Clause 3, of IS 1161 ) , Nominal Bore & Wall Thickness                       | 32 mm NB with 2.6 mm Thickness                                     |  |  |
|   | Grade of Material as per table 2 IS 1161  | YSt 240  |  |  |
| Back Rest Frame Pipe and Connecting Links               |   | 32 mm Nominal Bore G.I. Pipe                                       |  |  |
|   | Back Rest Frame Pipe and<br>Connecting Links, Class as<br>per IS 1239                                       | Medium   |  |  |
|   | Back Rest Frame Pipe and<br>Connecting Links ( As per<br>Clause 3, of IS 1161 )<br>Nominal Wall & Thickness | 32 mm NB with 2.6 mm Thickness                                     |  |  |
|   | Grade of Material (as per table 2 of IS 1161 )  | YSt 240  |  |  |
|   | Leg Support Pipe  | 32mm Nominal bore G.I. pipe  |  |  |

| विवरण/Specification   | विशिष्टि का नाम /Specification<br>Name  | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement<br>(Allowed Values) |  |  |
|-----------------------|---|--|--|--|
|                       | Leg Support Pipe , Class as per IS 1239   | Medium   |  |  |
|                       | Leg Support Pipe ( as per IS<br>1161 ) as per clause 3,<br>Nominal Wall & Thickness | 32 mm NB with 2.6 mm Thickness                                     |  |  |
|                       | Grade of Material per table 2 of IS 1161  | YSt 240  |  |  |
|                       | Foundation Pipes with anchoring   | 500mm deep GI Pipe, supported with M.S. Angle 25 X 25 X 4mm        |  |  |
|                       | Nominal Bore of Foundation<br>Pipe  | 100mm  |  |  |
|                       | Foundation Pipe, Class as per IS 1239   | Medium   |  |  |
|                       | Foundation Pipe Pipe ( as per IS 1161 ) as per clause 3, Nominal Wall & Thickness   | 80 mm NB with 3.2 mm Thickness                                     |  |  |
|                       | Grade of Material (as per table 2 of IS 1161)                                       | YSt 240  |  |  |
|                       | M S Foundation Plate<br>Thickness   | 10.0 (millimeter)  |  |  |
| OTHER<br>REQUIREMENTS | Installation  | Included   |  |  |
| CERTIFICATION         | Certfication ( Safety and Quality Requirements )                                    | As per European Standard EN 16630                                  |  |  |
| WARRANTY              | Warranty ( years )  | 2.0 (year)   |  |  |

| जीएसटी पर<br>इनपुट कर<br>क्रेडिट /ITC on<br>GST | जीएसटी उपकर<br>कर क्रेडिट /ITC<br>on GST Cess | लागू<br>आरसीएम/R<br>CM<br>Applicabl<br>e | रिवर्स प्रभार के<br>अनुसार<br>जीएसटी/GST as<br>per RCM | रिवर्स प्रभार के अनुसार<br>जीएसटी उपकार 1 /GST<br>Cess 1 as per RCM | GST<br>Cess 2<br>as per<br>RCM | वैकल्पिक रिवर्स<br>प्रभार<br>/Optional<br>RCM |
|---|---|--|--|---|--------------------------------|---|
| NA  | NA  | Yes                                      | 18%  | NA  | NA                             | No  |

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N<br>o. | परेषिती / रिपोर्टिंग<br>अधिकारी / Consignee<br>Reporting/Officer | पता/Address   | मात्रा /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|--|---|------------------|---------------------------------|
| 1                 | Jitendra Kumar   | 843111,Panchayat- Bariyarpur<br>East, Block - Motipur , District-<br>Muzaffarpur ,State - Bihar -<br>843111 | 1                | 15                              |

# Surf Board - Outdoor Gym Equipment ( 1 pieces )

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अईता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| विवरण/Specification | विशिष्टि का नाम /Specification<br>Name   | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement<br>(Allowed Values) |  |
|---------------------|--|--|--|
| TYPE                | Туре   | Double   |  |
| CAPACITY            | Maximum User Weight ( Kg<br>)  | 120.0 (kilogram)   |  |
| MATERIAL            | Governing Specification for GI Pipes   | BIS specification No IS 1239 ( Part 1 )- 2004, latest              |  |
|                     | All the GI Pipes are ISI marked  | Yes  |  |
|                     | Main Central Pipe  | 150mm Nominal Bore G.I. Pipe                                       |  |
|                     | Main Frame Pipe, Class as<br>per IS 1239   | Heavy  |  |
|                     | Main Central Pipe ( As per<br>Clause 3, of IS 1161 )<br>Nominal Bore & Wall<br>Thickness                       | 125 mm NB with 4.5 mm Thickness                                    |  |
|                     | Grade Material as per table 2 of IS 1161   | YSt 210  |  |
|                     | Movement (Paddle) Frame  | 50mm Nominal Bore G.I. Pipe  |  |
|                     | Movement ( Paddle ) Frame<br>Pipe, Class as per IS 1239  | Heavy  |  |
|                     | Movement ( Paddle ) Frame<br>Pipe ( As per as per Clause<br>3, of IS 1161 ) , Nominal<br>Bore & Wall Thickness | 40 mm NB with 4 mm Thickness                                       |  |
|                     | Grade Material as per table 2 IS 1161  | YSt 210  |  |
|                     | Connecting Links   | 40 mm Nominal Bore G.I. Pipe                                       |  |
|                     | Connecting Links Pipe,<br>Class as per IS 1239   | Heavy  |  |

| विवरण/Specification   | विशिष्टि का नाम /Specification<br>Name  | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement<br>(Allowed Values) |  |  |
|-----------------------|---|--|--|--|
|                       | Connecting Link Pipe ( As per Clause 3, of IS 1161 )<br>Nominal Wall & Thickness  | 40 mm NB with 2.9 mm Thickness                                     |  |  |
|                       | Grade Material (as per table 2 of IS 1161 )                                       | YSt 210  |  |  |
|                       | Handle Frame  | 32mm Nominal bore G.I. pipe  |  |  |
|                       | Handle Frame Pipe, Class as per IS 1239   | Heavy  |  |  |
|                       | Handle Frame Pipe ( as per IS 1161 ) as per clause 3, Nominal Wall & Thickness    | 32 mm NB with 2.6 mm Thickness                                     |  |  |
|                       | Grade Material per table 2 of IS 1161   | YSt 210  |  |  |
|                       | Foundation Pipes with anchoring   | 750mm deep GI Pipe, supported with M.S. Angle 25 X 25 X 4mm        |  |  |
|                       | Nominal Bore of Foundation Pipe   | 150mm  |  |  |
|                       | Foundation Pipe, Class as per IS 1239   | Heavy  |  |  |
|                       | Foundation Pipe Pipe ( as per IS 1161 ) as per clause 3, Nominal Wall & Thickness | 100 mm NB with 3.6 mm Thickness                                    |  |  |
|                       | Grade Material (as per table 2 of IS 1161)  | YSt 210  |  |  |
|                       | M S Foundation Plate<br>Thickness   | 12.0 (millimeter)  |  |  |
|                       | Bearings  | Tapered Roller Bearing   |  |  |
|                       | Foot Rest   | Fibre Reinforced Plastic   |  |  |
| OTHER<br>REQUIREMENTS | Installation  | Included   |  |  |
| CERTIFICATION         | Certfication ( Safety and Quality Requirements )                                  | No   |  |  |
| WARRANTY              | Warranty ( years )  | 2.0 (year)   |  |  |

| जीएसटी पर<br>इनपुट कर<br>क्रेडिट /ITC on<br>GST | जीएसटी उपकर<br>कर क्रेडिट /ITC<br>on GST Cess | लागू<br>आरसीएम/R<br>CM<br>Applicabl<br>e | रिवर्स प्रभार के<br>अनुसार<br>जीएसटी/GST as<br>per RCM | रिवर्स प्रभार के अनुसार<br>जीएसटी उपकार 1 /GST<br>Cess 1 as per RCM | GST<br>Cess 2<br>as per<br>RCM | वैकल्पिक रिवर्स<br>प्रभार<br>/Optional<br>RCM |
|---|---|--|--|---|--------------------------------|---|
| NA  | NA  | Yes                                      | 18%  | NA  | NA                             | No  |

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N<br>o. | परेषिती / रिपोर्टिंग<br>अधिकारी / Consignee<br>Reporting/Officer | पता/Address   | मात्रा /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|--|---|------------------|---------------------------------|
| 1                 | Jitendra Kumar   | 843111,Panchayat- Bariyarpur<br>East, Block - Motipur , District-<br>Muzaffarpur ,State - Bihar -<br>843111 | 1                | 15                              |

## Chest Press - Outdoor Gym Equipments ( 1 pieces )

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

#### तकनीकी विशिष्टियाँ /Technical Specifications

| विवरण/Specification | विशिष्टि का नाम /Specification<br>Name  | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement<br>(Allowed Values) |
|---------------------|---|--|
| TYPE                | Туре                                    | Chest Press Double   |
| CAPACITY            | Maximum User Weight ( Kg<br>)           | 120.0 (kilogram)   |
| MATERIAL            | Governing Specification for GI Pipes    | BIS specification No IS 1239 ( Part 1 )- 2004, latest              |
|                     | All the GI Pipes are ISI marked         | No   |
|                     | Main Central Pipe                       | 80mm Nominal Bore G.I. Pipe  |
|                     | Main Central Pipe, Class as per IS 1239 | Heavy  |
|                     | Handle Frame                            | 32mm Nominal bore G.I. pipe  |
|                     | Handle Frame Pipe, Class as per IS 1239 | Heavy  |
|                     | Seat Frame                              | 32mm Nominal Bore G.I. Pipe  |
|                     | Seat Frame Pipe, Class as per IS 1239   | Heavy  |
|                     | Connecting Links                        | 32mm Nominal Bore G.I. Pipe  |

| विवरण/Specification                     | विशिष्टि का नाम /Specification<br>Name           | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement<br>(Allowed Values)   |  |  |
|---|--|--|--|--|
|   | Connecting Links Pipe,<br>Class as per IS 1239   | Heavy  |  |  |
|   | Foot Rest Pipe                                   | 32mm Nominal Bore G.I. Pipe  |  |  |
| Foot Rest Pipe, Class as per<br>IS 1239 |  | Heavy  |  |  |
| MS Foundation Plate<br>Thickness        |  | 10.0 (millimeter)  |  |  |
| Foundation Pipes with anchoring         |  | 500mm deep GI Pipe, supported with M.S. Angle 25 X 25 X 4mm          |  |  |
|   | Nominal Bore of Foundation<br>Pipe               | 100mm  |  |  |
|   | Foundation Pipe, Class as per IS 1239            | Heavy  |  |  |
|   | Seat and Back Rest                               | 2mm Thick G.I. Seat with uniform bending radius to avoid sharp edges |  |  |
|   | Bearings   | Ball Bearing   |  |  |
| OTHER<br>REQUIREMENTS                   | Installation                                     | Included   |  |  |
| CERTIFICATION                           | Certfication ( Safety and Quality Requirements ) | As per European Standard EN 16630                                    |  |  |
| WARRANTY                                | Warranty ( years )                               | 2.0 (year)   |  |  |

| जीएसटी पर<br>इनपुट कर<br>क्रेडिट /ITC on<br>GST | जीएसटी उपकर<br>कर क्रेडिट /ITC<br>on GST Cess | लागू<br>आरसीएम/R<br>CM<br>Applicabl<br>e | रिवर्स प्रभार के<br>अनुसार<br>जीएसटी/GST as<br>per RCM | रिवर्स प्रभार के अनुसार<br>जीएसटी उपकार 1 /GST<br>Cess 1 as per RCM | GST<br>Cess 2<br>as per<br>RCM | वैकल्पिक रिवर्स<br>प्रभार<br>/Optional<br>RCM |
|---|---|--|--|---|--------------------------------|---|
| NA  | NA  | Yes                                      | 18%  | NA  | NA                             | No  |

# परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N<br>o. | परेषिती / रिपोर्टिंग<br>अधिकारी / Consignee<br>Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|--|-------------|------------------|---------------------------------|
|-------------------|--|-------------|------------------|---------------------------------|

| क्र.सं./S.N<br>o. | परेषिती / रिपोर्टिंग<br>अधिकारी / Consignee<br>Reporting/Officer | पता/Address   | मात्रा /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|--|---|------------------|---------------------------------|
| 1                 | Jitendra Kumar   | 843111,Panchayat- Bariyarpur<br>East, Block - Motipur , District-<br>Muzaffarpur ,State - Bihar -<br>843111 | 1                | 15                              |

## Twister - Outdoor Gym Equipment ( 1 pieces )

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| विवरण/Specification | विशिष्टि का नाम /Specification<br>Name   | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement<br>(Allowed Values) |  |  |
|---------------------|--|--|--|--|
| TYPE                | Туре   | Triple Twister ( Three Sitting )                                   |  |  |
| CAPACITY            | Maximum User Weight ( Kg<br>)  | 110.0 (kilogram)   |  |  |
| MATERIAL            | Governing Specification for GI Pipes   | BIS specification No IS 1161:2014, latest                          |  |  |
|                     | All the GI Pipes are ISI marked  | Yes  |  |  |
|                     | Main Central Pipe  | 100mm Nominal Bore G.I. Pipe                                       |  |  |
|                     | Main Frame Pipe, Class as per IS 1239  | Heavy  |  |  |
|                     | Main Central Pipe ( As per<br>Clause 3, of IS 1161 )<br>Nominal Bore & Wall<br>Thickness                   | 100 mm NB with 3.6 mm Thickness                                    |  |  |
|                     | Grade Material as per table 2 of IS 1161   | YSt 310  |  |  |
|                     | Standing/ Sitting Twister<br>Frame Pipe  | 32 mm Nominal Bore G.I. Pipe                                       |  |  |
|                     | Standing/ Sitting Twister<br>Frame Pipe, Class as per IS<br>1239   | Heavy  |  |  |
|                     | Standing/ Sitting Twister<br>Frame Pipe (As per Clause<br>3, of IS 1161 ) Nominal Bore<br>& Wall Thickness | 40 mm NB with 2.9 mm Thickness                                     |  |  |
|                     | Grade Material as per table 2 IS 1161  | YSt 310  |  |  |
|                     | Rotating Disk Support Pipe at Bottom Pipe  | 100 mm Nominal Bore G.I. Pipe                                      |  |  |

| विवरण/Specification  | विशिष्टि का नाम /Specification<br>Name  | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement<br>(Allowed Values) |  |  |
|--|---|--|--|--|
|  | Rotating Disk Support Pipe,<br>Class as per IS 1239   | Heavy  |  |  |
|  | Rotating Disk Support Pipe<br>( as per IS 1161 ) as per<br>Clause 3, Nominal Bore &<br>Wall Thickness | 100 mm NB with 4.5 mm Thickness                                    |  |  |
|  | Grade Material (as per table 2 of IS 1161 )   | YSt 310  |  |  |
|  | Handle Frame Pipe   | 32mm Nominal bore G.I. pipe  |  |  |
| Handle Frame Pipe, Class a<br>per IS 1239                                      |   | Heavy  |  |  |
| Handle Frame Pipe ( as per IS 1161 ) as per clause 3, Nominal Wall & Thickness |   | 32 mm NB with 4 mm Thickness                                       |  |  |
| Grade Material per table 2 of IS 1161  |   | YSt 310  |  |  |
|  | Foundation Pipes with anchoring   | 750mm deep GI Pipe, supported with M.S. Angle 25 X 25 X 4mm        |  |  |
|  | Nominal Bore of Foundation<br>Pipe  | 100mm  |  |  |
|  | Foundation Pipe, Class as per IS 1239   | Heavy  |  |  |
|  | Foundation Pipe Pipe ( as per IS 1161 ) as per clause 3, Nominal Wall & Thickness                     | 100 mm NB with 4.5 mm Thickness                                    |  |  |
|  | Grade Material (as per table 2 of IS 1161)  | YSt 310  |  |  |
|  | M S Foundation Plate<br>Thickness   | 12.0 (millimeter)  |  |  |
|  | Bearings  | Tapered Roller Bearing   |  |  |
|  | Foot Rest   | Fibre Reinforced Plastic   |  |  |
| OTHER<br>REQUIREMENTS  | Installation  | Not Included   |  |  |
| CERTIFICATION  | Certfication ( Safety and Quality Requirements )  | As per European Standard EN 16630                                  |  |  |
| WARRANTY   | Warranty ( years )  | 4.0 (year)   |  |  |

| जीएसटी पर<br>इनपुट कर<br>क्रेडिट /ITC on<br>GST | जीएसटी उपकर<br>कर क्रेडिट /ITC<br>on GST Cess | लागू<br>आरसीएम/R<br>CM<br>Applicabl<br>e | रिवर्स प्रभार के<br>अनुसार<br>जीएसटी/GST as<br>per RCM | रिवर्स प्रभार के अनुसार<br>जीएसटी उपकार 1 /GST<br>Cess 1 as per RCM | GST<br>Cess 2<br>as per<br>RCM | वैकल्पिक रिवर्स<br>प्रभार<br>/Optional<br>RCM |
|---|---|--|--|---|--------------------------------|---|
| NA  | NA  | Yes                                      | 18%  | NA  | NA                             | No  |

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N<br>o. | परेषिती / रिपोर्टिंग<br>अधिकारी / Consignee<br>Reporting/Officer | पता/Address   | मात्रा /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|--|---|------------------|---------------------------------|
| 1                 | Jitendra Kumar   | 843111,Panchayat- Bariyarpur<br>East, Block - Motipur , District-<br>Muzaffarpur ,State - Bihar -<br>843111 | 1                | 15                              |

## Air Walker / Stroller - Outdoor Gym Equipment ( 1 pieces )

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

#### तकनीकी विशिष्टियाँ /Technical Specifications

| विवरण/Specification | विशिष्टि का नाम /Specification<br>Name           | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement<br>(Allowed Values)                               |
|---------------------|--|--|
| TYPE                | Туре   | Single   |
| CAPACITY            | Maximum User Weight ( Kg<br>)                    | 110.0, 100.0 (kilogram)  |
| MATERIAL            | Governing Specification for GI Pipes             | BIS specification No IS 1239 ( Part 1 )- 2004, latest, BIS specification No IS 1161:2014, latest |
|                     | All the GI Pipes are ISI marked                  | Yes, No  |
|                     | Main Frame                                       | 80mm Nominal Bore G.I. Pipe, 100mm Nominal Bore G.I. Pipe  |
|                     | Main Frame Pipe, Class as<br>per IS 1239         | Medium, Heavy  |
|                     | leg movement frame                               | 32mm Nominal Bore G.I. Pipe  |
|                     | Leg Movement Frame Pipe,<br>Class as per IS 1239 | Heavy  |
|                     | Handle Frame                                     | 25mm Nominal bore G.I. pipe, 32mm Nominal bore G.I. pipe   |
|                     | Handle Frame Pipe, Class as per IS 1239          | Medium, Heavy  |
|                     | Bearings   | Ball Bearing, Tapered Roller Bearing   |

| विवरण/Specification   | विशिष्टि का नाम /Specification<br>Name           | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement<br>(Allowed Values) |  |
|-----------------------|--|--|--|
|                       | Foot Rest  | Fibre Reinforced Plastic, Aluminum casting material                |  |
|                       | MS Foundation Plate<br>Thickness                 | 12.0, 10.0 (millimeter)  |  |
|                       | Foundation Pipes with anchoring                  | 750mm deep GI Pipe, supported with M.S. Angle 25 X 25 X 4mm        |  |
|                       | Nominal Bore of Foundation<br>Pipe               | 80mm, 100mm  |  |
|                       | Foundation Pipe, Class as per IS 1239            | Medium, Heavy  |  |
| OTHER<br>REQUIREMENTS | Installation                                     | Included, Not Included   |  |
| CERTIFICATION         | Certfication ( Safety and Quality Requirements ) | As per European Standard EN 16630, No                              |  |
| WARRANTY              | Warranty ( years )                               | 4.0, 2.0 <b>(year)</b>   |  |

| जीएसटी पर<br>इनपुट कर<br>क्रेडिट /ITC on<br>GST | जीएसटी उपकर<br>कर क्रेडिट /ITC<br>on GST Cess | लागू<br>आरसीएम/R<br>CM<br>Applicabl<br>e | रिवर्स प्रभार के<br>अनुसार<br>जीएसटी/GST as<br>per RCM | रिवर्स प्रभार के अनुसार<br>जीएसटी उपकार 1 /GST<br>Cess 1 as per RCM | GST<br>Cess 2<br>as per<br>RCM | वैकल्पिक रिवर्स<br>प्रभार<br>/Optional<br>RCM |
|---|---|--|--|---|--------------------------------|---|
| NA  | NA  | Yes                                      | 18%  | NA  | NA                             | No  |

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N<br>o. | परेषिती / रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address   | मात्रा /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---|---|------------------|---------------------------------|
| 1                 | Jitendra Kumar  | 843111,Panchayat- Bariyarpur<br>East, Block - Motipur , District-<br>Muzaffarpur ,State - Bihar -<br>843111 | 1                | 15                              |

## Parallel Bar - Outdoor Gym Equipment ( 1 pieces )

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

#### तकनीकी विशिष्टियाँ /Technical Specifications

| विवरण/Specification | विशिष्टि का नाम /Specification<br>Name  | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement<br>(Allowed Values) |
|---------------------|---|--|
| Material            | Governing Specification for GI Pipes  | BIS specification No IS 1239 ( Part 1 )- 2004, latest              |
|                     | All the GI Pipes are ISI marked   | Yes  |
|                     | Vertical / Standing Pipes   | 40 mm Nominal Bore G.I. Pipe                                       |
|                     | Vertical/ Standing Pipes,<br>Class as per IS 1239   | Medium   |
|                     | Vertical / StandingPipe (as<br>per Clause 3 of IS 1161) ,<br>Nominal Bore & Wall<br>Thickness | 100 mm NB with 3.6 mm Thickness                                    |
|                     | Horizontal Pipe   | 32 mm Nominal Bore G.I. Pipe                                       |
|                     | Horizontal Pipe, Class as per IS 1239   | Medium   |
|                     | Horizontal Pipe ( As per<br>Clause 3, of IS 1161 )<br>Nominal Bore & Wall<br>Thickness        | Not applicable   |
|                     | Grade Material as per table<br>2 of IS 1161   | Not Applicable   |
|                     | Foundation Pipes with anchoring   | 500mm deep GI Pipe, supported with M.S. Angle 25 X 25 X 3 mm       |
|                     | Nominal Bore of Foundation Pipe   | 100 mm   |
|                     | Foundation Pipe, Class as per IS 1239   | Medium   |
|                     | Foundation Pipe Pipe ( as per IS 1161 ) as per clause 3, Nominal Wall & Thickness             | 40 mm NB with 2.9 mm Thickness                                     |
|                     | M S Foundation Plate<br>Thickness   | 10.0 (millimeter)  |
|                     | Bearings  | Ball Bearing   |
|                     | Foot Rest   | Fibre Reinforced Plastic   |
| Other Requirements  | Installation  | Included   |
| Certification       | Certfication ( Safety and Quality Requirements )  | As per European Standard EN 16630                                  |
| Warranty            | Warranty ( years )  | 2.0 (year)   |

| जीएसटी पर<br>इनपुट कर<br>क्रेडिट /ITC on<br>GST | जीएसटी उपकर<br>कर क्रेडिट /ITC<br>on GST Cess | लागू<br>आरसीएम/R<br>CM<br>Applicabl<br>e | रिवर्स प्रभार के<br>अनुसार<br>जीएसटी/GST as<br>per RCM | रिवर्स प्रभार के अनुसार<br>जीएसटी उपकार 1 /GST<br>Cess 1 as per RCM | GST<br>Cess 2<br>as per<br>RCM | वैकल्पिक रिवर्स<br>प्रभार<br>/Optional<br>RCM |  |
|---|---|--|--|---|--------------------------------|---|--|
| NA  | NA  | Yes                                      | 18%  | NA  | NA                             | No  |  |

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N<br>o. | परेषिती / रिपोर्टिंग<br>अधिकारी / Consignee<br>Reporting/Officer | पता/Address   | मात्रा /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|--|---|------------------|---------------------------------|
| 1                 | Jitendra Kumar   | 843111,Panchayat- Bariyarpur<br>East, Block - Motipur , District-<br>Muzaffarpur ,State - Bihar -<br>843111 | 1                | 15                              |

## Shoulder Builder / Arm Wheel - Outdoor Gym Equipment ( 1 pieces )

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

#### तकनीकी विशिष्टियाँ /Technical Specifications

| विवरण/Specification | विशिष्टि का नाम /Specification<br>Name                       | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement<br>(Allowed Values) |
|---------------------|--|--|
| TYPE                | Туре   | Two Wheel  |
| MATERIAL            | Governing Specification for GI Pipes                         | BIS specification No IS 1161:2014, latest                          |
|                     | All the GI Pipes are ISI marked                              | No   |
|                     | Main Central Pipe construction                               | 150mm Nominal Bore G.I. Pipe                                       |
|                     | Main Central Pipe, Class as per IS 1239                      | Not applicable for pipe as per IS 1161                             |
|                     | Ring ( Wheel )   | 40mm Nominal Bore G.I. Pipe  |
|                     | Ring ( Wheel ) Pipe, Class as per IS 1239                    | Medium   |
|                     | Pipe of Spokes of Wheel                                      | 20mm Nominal bore G.I. pipe  |
|                     | Pipe of Spoke of Wheel ,<br>Class as per IS 1239             | Heavy  |
|                     | Connector Pipe ( between<br>Main Central Pipe and<br>Wheel ) | 50 mm Nominal bore G.I. pipe                                       |
|                     |  |  |

| विवरण/Specification   | विशिष्टि का नाम /Specification<br>Name           | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement<br>(Allowed Values) |
|-----------------------|--|--|
|                       | Connector Pipe, Class as per IS 1239             | Not applicable for pipe as per IS 1161                             |
|                       | MS Foundation Plate<br>Thickness                 | 12.0 (millimeter)  |
|                       | Foundation Pipes with anchoring                  | 750mm deep GI Pipe, supported with M.S. Angle 25 X 25 X 4mm        |
|                       | Nominal Bore of Foundation Pipe                  | 80mm   |
|                       | Foundation Pipe, Class as per IS 1239            | Not applicable for pipe as per IS 1161                             |
|                       | Bearings   | Tapered Roller Bearing   |
| OTHER<br>REQUIREMENTS | Installation                                     | Not Included   |
| CERTIFICATION         | Certfication ( Safety and Quality Requirements ) | As per European Standard EN 16630                                  |
| WARRANTY              | Warranty ( years )                               | 2.0 (year)   |

| जीएसटी पर<br>इनपुट कर<br>क्रेडिट /ITC on<br>GST | जीएसटी उपकर<br>कर क्रेडिट /ITC<br>on GST Cess | लागू<br>आरसीएम/R<br>CM<br>Applicabl<br>e | रिवर्स प्रभार के<br>अनुसार<br>जीएसटी/GST as<br>per RCM | रिवर्स प्रभार के अनुसार<br>जीएसटी उपकार 1 /GST<br>Cess 1 as per RCM | GST<br>Cess 2<br>as per<br>RCM | वैकल्पिक रिवर्स<br>प्रभार<br>/Optional<br>RCM |
|---|---|--|--|---|--------------------------------|---|
| NA  | NA  | Yes                                      | 18%  | NA  | NA                             | No  |

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N<br>o. | परेषिती / रिपोर्टिंग<br>अधिकारी / Consignee<br>Reporting/Officer | पता/Address   | मात्रा /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|--|---|------------------|---------------------------------|
| 1                 | Jitendra Kumar   | 843111,Panchayat- Bariyarpur<br>East, Block - Motipur , District-<br>Muzaffarpur ,State - Bihar -<br>843111 | 1                | 15                              |

# Leg Press - Outdoor Gym Equipments ( 1 pieces )

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

# तकनीकी विशिष्टियाँ /Technical Specifications

| विवरण/Specification   | विशिष्टि का नाम /Specification<br>Name           | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement<br>(Allowed Values)                   |  |
|-----------------------|--|--|--|
| TYPE                  | Туре   | Leg Press Double   |  |
| CAPACITY              | Maximum User Weight ( Kg<br>)                    | 110.0 (kilogram)   |  |
| MATERIAL              | Governing Specification for GI Pipes             | BIS specification No IS 1239 ( Part 1 )- 2004, latest                                |  |
|                       | All the GI Pipes are ISI marked                  | Yes  |  |
|                       | Main Central Pipe                                | 125 mm Nominal Bore G.I. Pipe  |  |
|                       | Main Central Pipe, Class as<br>per IS 1239       | Heavy  |  |
|                       | Moving Frame Pipe                                | 40mm Nominal bore G.I. pipe  |  |
|                       | Moving Frame Pipe, Class as per IS 1239          | Heavy  |  |
|                       | Foot Rest Frame/ Foot Rest<br>Hinging Pipe       | 32mm Nominal Bore G.I. Pipe  |  |
|                       | Foot Rest Frame Pipe, Class as per IS 1239       | Heavy  |  |
|                       | Connecting Links                                 | 40mm Nominal Bore G.I. Pipe  |  |
|                       | Connecting Links Pipe,<br>Class as per IS 1239   | Heavy  |  |
|                       | MS Foundation Plate<br>Thickness                 | 12.0 (millimeter)  |  |
|                       | Foundation Pipes with anchoring                  | 750mm deep GI Pipe, supported with M.S. Angle 25 X 25 X 4mm                          |  |
|                       | Nominal Bore of Foundation Pipe                  | 125mm  |  |
|                       | Foundation Pipe, Class as per IS 1239            | Heavy  |  |
|                       | Bearings   | Tapered Roller Bearing   |  |
|                       | Seat and Back Rest                               | 6mm thick, Fibre Reinforced plastic with uniform bending radius to avoid sharp edges |  |
| OTHER<br>REQUIREMENTS | Installation                                     | Not Included   |  |
| CERTIFICATION         | Certfication ( Safety and Quality Requirements ) | No   |  |
| WARRANTY              | Warranty ( years )                               | 2.0 (year)   |  |

| जीएसटी पर<br>इनपुट कर<br>क्रेडिट /ITC on<br>GST | जीएसटी उपकर<br>कर क्रेडिट /ITC<br>on GST Cess | लागू<br>आरसीएम/R<br>CM<br>Applicabl<br>e | रिवर्स प्रभार के<br>अनुसार<br>जीएसटी/GST as<br>per RCM | रिवर्स प्रभार के अनुसार<br>जीएसटी उपकार 1 /GST<br>Cess 1 as per RCM | GST<br>Cess 2<br>as per<br>RCM | वैकल्पिक रिवर्स<br>प्रभार<br>/Optional<br>RCM |
|---|---|--|--|---|--------------------------------|---|
| NA  | NA  | Yes                                      | 18%  | NA  | NA                             | No  |

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N<br>o. | परेषिती/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address   | मात्रा /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---|---|------------------|---------------------------------|
| 1                 | Jitendra Kumar  | 843111,Panchayat- Bariyarpur<br>East, Block - Motipur , District-<br>Muzaffarpur ,State - Bihar -<br>843111 | 1                | 15                              |

# क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

#### 1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be (Increased quantity ÷ Original quantity) × Original delivery period (in days), subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

#### 2. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

Mukhiya :- Krishna Kumar Nishad

The product name and product specification should be the same as in the Buyer uploaded ATC document s pecification.

1.CHEST PRESS DOUBLE

2.ARM WHEEL DOUBLE

3.CYCLE

4.AIR WALKER

**5.KNEE CHAIR** 

6.DOUBLE SKY WALKER

7.AIR WALKER

8.Situp Bench

#### 3. Buyer Added Bid Specific ATC

Buyer uploaded ATC document Click here to view the file.

## अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

- 1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
- 2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
- 3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
- 4. Creating BoQ bid for single item.
- 5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
- 6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
- 7. Floating / creation of work contracts as Custom Bids in Services.
- 8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for <u>attached categories</u>, trials are allowed as per approved procurement policy of the buyer nodal Ministries)
- 9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
- 10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
- 11. Creating bid for items from irrelevant categories.
- 12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
- 13. Reference of conditions published on any external site or reference to external documents/clauses.
- 14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
- 15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
- 16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

#### यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो।बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---