

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	04-10-2025 15:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	04-10-2025 15:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	180 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Odisha
विभाग का नाम/Department Name	Home Department Odisha
संगठन का नाम/Organisation Name	Odisha Police
कार्यालय का नाम/Office Name	State Police Headquarters
कुल मात्रा/Total Quantity	300
वस्तु श्रेणी /Item Category	Water Purification System with UV (Ultra-Violet Process) or UV (Ultra-Violet Process)+UF (Ultra-Filtration Process) (V2) (Q2)
मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)/OEM Average Turnover (Last 3 Years)	156 Lakh (s)
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/Years of Past Experience Required for same/similar service	1 Year (s)
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/MSE Exemption for Years of Experience and Turnover	No
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /Startup Exemption for Years of Experience and Turnover	No
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Experience Criteria,Past Performance,Bidder Turnover,OEM Authorization Certificate,OEM Annual Turnover,Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC),Additional Doc 3 (Requested in ATC),Additional Doc 4 (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer

बिड विवरण/Bid Details	
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेजों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	2
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	7
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	1
विगत प्रदर्शन /Past Performance	10 %
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	Yes
रिवर्स नीलामी योग्यता नियम/RA Qualification Rule	H1-Highest Priced Bid Elimination
बिड का प्रकार/Type of Bid	Two Packet Bid
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईएमडी राशि/EMD Amount	78000

ईपीबीजी विवरण /ePBG Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईपीबीजी प्रतिशत (%) /ePBG Percentage(%)	5.00

ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months).

14

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज प्रस्तुत करने है। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b). ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

लाभार्थी /Beneficiary :

AIG of Police (Provisioning), Cuttack, Odisha
State Police Headquarters, Home Department Odisha, Odisha Police,
(Bimalendu Satapathy)

विभाजन/Splitting

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	No
---	----

एमआईआई खरीद वरीयता/MII Purchase Preference

एमआईआई खरीद वरीयता/MII Purchase Preference	No
--	----

1. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
2. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
3. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.
4. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 10% of bid quantity, in at least one of the last three Financial years before the bid

opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

5. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:

- If number of technically qualified bidders are only 2 or 3.
- If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
- In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
- If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
- If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

Water Purification System With UV (Ultra-Violet Process) Or UV (Ultra-Violet Process)+UF (Ultra-Filtration Process) (V2) (300 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Features and Performance	Type of Water Purification Technology	Generally Conformity to IS 14724 for Ultraviolet (UV))+Ultrafiltration (UF)
	Rate of Flow (In LPH) of purified water	upto 50 LPH
	Method of Mounting	Countertop/Wall Mount
	Input Water Source Connection	Plumber-In
	Additional Water Conditioning and Other Features	Sediment Filter, Pre Carbon Filter, Post Carbon Filter, Mineral Filter, Normal Water Dispensing
	Maximum Feed Water TDS (ppm) at which the machine LPH and Guaranteed output water quality is ensured	upto 500
	Guaranteed output water quality	As per IS 10500 or better
Water Storage	Storage Tank (inclusive in the scope of supply)	Yes
	Type of Water Tank / Location	In-Built Storage Tank
	Storage Tank Material	ABS/PP Food Grade
	Storage Tank Capacity (in Ltr)	upto 20 Liters, Above 20 Liters upto 50 Liters, Above 50 Liters upto 250 Liters, Above 250 Liters upto 500 Liters, Above 500 Liters upto 1000 Liters, Above 1000 Liters, NA
	Self Contained Water Cooler	NA
Service, Warranty, Installation and Commissioning	Training and Demonstration	The installation and demonstration of the machine at the consignee place shall be carried out as part of installation and commissioning

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Certification / Test Report	Availability of Test Report From Central Govt/Nabl/Ilac Accredited Lab to Prove Conformity to Specification	Yes

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Prana Kishore Baskey	753001,STATE POLICE HEADQUARTERS, BUXI BAZAR, CUTTACK	300	30

Special terms and conditions-Version:1 effective from 25-07-2025 for category Water Purification System with UV (Ultra-Violet Process) or UV (Ultra-Violet Process)+UF (Ultra-Filtration Process) (V2)

1. Standard Terms & Conditions (STC) for Installation and Commissioning of Water Purification Systems - UV or UV + UF

Scope of Work - Installation & Commissioning:

This document outlines the standard installation and commissioning responsibilities for Water Purification Systems based on UV or a combination of UV and UF technologies.

1. Responsibilities of the Seller:

- Provision of all tools, equipment, and machinery required for installation and commissioning of the system.
- Supply of appropriate mounting hardware such as brackets, screws, washers, etc., for securing the machine at the designated location.
- Proper, clean, and secure piping and water connections should be installed as per industry best practices.
- Provision of inlet and outlet piping/connections within a range of 2-3 meters from the machine.
- Execution of all necessary electrical wiring to ensure correct and safe machine operation.
- Proper earthing of all machine components and insulation of electrical wiring to prevent electric shocks during use.
- During scheduled service visits under Comprehensive Warranty or CMC (Comprehensive Maintenance Contract), the following activities will be performed:
 - Replacement of pre-filter free of cost during every service visit.
 - Complete cleaning of the water purification system and associated water tank (if applicable).
 - Annual free replacement of all filters, which may include (but are not limited to): RO Filters, Sand Filter, Sediment Filter, UV, UF, Pre-Carbon Filter, Post-Carbon Filter, Mineral Filter, Micron Filter, Dual Media Filter, Anti-Scaling, Alkaline Filter, Absorption Filter, etc., as applicable.

1. Responsibilities of the Buyer:

- Facilitate access for the installation team by providing necessary gate passes to the installation site.
- Ensure that the machine is installed at an accessible and appropriate location, suitable for both installation and future maintenance.
- Ensure the availability of water supply inlet and outlet points within 1-2 meters of the machine.
- Provide accessible electrical power sockets within 1-2 meters of the installation site.

1. Notes to Sellers:

1. Sellers must adhere to the General Terms and Conditions (GTC) and ensure the product matches the specifications listed in the catalogue or exceeds them.
 2. A single model should not be uploaded under multiple catalogues with inconsistent or conflicting specifications.
 3. The product must comply with CML specifications, including but not limited to LPH (litres per hour) capacity. Any discrepancies may trigger action as per the IM policy.
 4. While uploading the product catalogue, sellers must include three distinct images:
 - Image 1: Isometric View of the Full Product
 - Image 2: Front View of the Full Product
 - Image 3: Left or Right Side View of the Full Product
 5. If inconsistencies are found in the uploaded/offered product, the OEM dashboard for the concerned brand may be removed, and the seller account suspended in accordance with IM policy.
- 1. Notes to Buyers:**
- 1. For Procurement via BID/RA:**
- Buyers should create bids with clearly defined values for critical ("Golden") parameters such as:
 - Type of Water Purification Technology
 - Filtration Capacity (in LPH)
 - Inclusion and specifications of Storage Tank
 - Material and Capacity of Storage Tank (in Liters)
 - Maximum Feed Water TDS (ppm) at which rated LPH, and water quality is assured
 - Guaranteed Output Water Quality
 - Bids lacking specific selections or choosing "Any Value" for these Golden Parameters may be deemed ambiguous and can be cancelled at any time by the competent authority. The buyer will be held accountable if vague specifications lead to reduced competition or increased cost to the exchequer.
2. Buyers are encouraged to apply comprehensive filters during BID/RA to include all qualifying options that meet or exceed technical requirements. For example, if a Semi-Automatic controller is required, options including Fully Automatic should also be selected. Failing to do so, resulting in restricted competition or higher procurement costs, shall be the buyer's responsibility.
 3. Buyers must refer to Clause 4.xiii.(w) of the GTC. Any additional technical specifications added should not contradict GeM category standards. Contradictory specifications may render the bid invalid and subject to cancellation by competent authority.
 4. Before issuing the CRAC, the buyer/consignee must verify all technical specifications and parameters of the installed machine such as filtration capacity, machine type, etc., as per the contract.
 5. When sellers provide alternate models under the clause "Other Equivalent/Better Alternate Models Offered," buyers must ensure that these models meet or exceed all original bid requirements before accepting them. This clause is relevant only in BID/RA-based procurement and does not apply to direct purchase or L1 procurement.
 6. Buyers may opt for an Extended Performance Bank Guarantee (EPBG) covering a period longer than the machine's warranty, which may be invoked if warranty obligations are not met.

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

Additional Specifications-

S.N	Specifications	Values
1	Water storage tank capacity	5 liter or more
2	Warranty	1 years or more
3	Service Centre/facilities	OEM should have a local service center and Odisha based partners will be preferable. Service facilities / distributor / dealership should be available at major places of Odisha for quick after sales & service of the item (if required) for Odisha Police which is an emergency department. Contact number and address for any kind of support to be provided by the seller.
4	Installation	Installation and commissioning to be provided by the seller. Pipes and fittings required for installation purposes from raw water source to filter should be provided by the seller.
5	The equipment should be listed in OEM website	Yes
6	Manufacturer's Authorization Form(MAF) to be submitted	Yes
7	Presence of OEM in Water filter System manufacturing	20 years minimum
8	Other Certifications required	ISO 9001 & IS 14001
9	Additional water conditioning and other features	Pre carbon filter

1.The bidder average annual turnover for last 3 years should not less than 39 lakhs.

2.The bidder must submit ITR of last three years.

3.The bidders are requested to submit EMD / e-BG as per bid requirement in term of electronics Bank Guarantee quoting Unique Identification Number (UIN) " NCOGD2383P " with NeSL while applying eBG from their respective Banks.

4. This bid is governed by OGFR-2023 and GFR regulations. Bidders will liable for punitive measures, including potential debarment, outlined in OGFR and GFR for any violations or failure to comply with GFR / OGFR as well as bid terms and conditions.

5. "Provisions of 'Public Procurement (Preference to Make in India), Order 2017', as amended from time to time, shall be followed in case eligible foreign bidders participate in the bidding process".

6.The bidder to furnish a certificate as per the format specified below along with the bid:

Certificate for Prevention of Corruption Act / non Debarment Certificate

"I certify that I have not committed any offence-

(a) Under the Prevention of Corruption Act, 1988; or

(b) The Indian Penal Code or any other law for the time being in force, for causing any loss of life or property or causing a threat to public health as part of execution of a public procurement contract.

(c) I have not been debarred by any Central / State Government Organization/Bodies for the last 3 years."

Signature with designation.

Please note that non-submission of this certificate will lead to disqualification

7. The bidder must submit the Manufacturer's Authorization Form (MAF) in the following format; failing this, the bidder will be liable for disqualification.

Manufacturer's Authorization Form (MAF)

(To be submitted on OEM Letterhead)

Ref. No. _____ Dated _____

To

The A.I.G. of Police (Provisioning),

Odisha, Cuttack.

Dear Sir,

Tender Reference No./ NIT / GeM Bid No. : _____

Name of the item:

We M/s. _____ who are established and reputable manufacturers of

_____ do hereby authorize M/s. _____ (Name and address of Agent / Dealer) to participate in the above tender.

We hereby extend our technical assistance to the bidder during installation and inspection of the product.

We hereby certify that, the equipments being sold would not be declared End of Support (EoS) or become obsolete in the next 5 years. Also, we certify that the products being sold would be covered under Warranty / Support and OEM support will be available for ____ years(as specified in the GeM Bid / Tender / NIT No.) from the date of installation, even in the case, the bidder becomes "Out of service".

We have studied the requirements of the product and confirm that we will adhere to the specifications of the tender and quality plan and extend all support during the inspection and provide documentary evidence at the time of inspection for the verification by Client/Client's representative.

Yours faithfully

(Name)

For and on behalf of M/s. _____

(Name of manufacturers)

3. **Service & Support**

Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.

4. **Inspection**

Nominated Inspection Agency: On behalf of the Buyer organization, any one of the following Inspection Agency would be conducting inspection of stores before acceptance:
Pre-dispatch Inspection at Seller Premises (applicable only if pre-dispatch inspection clause has been selected in ATC):

No

Post Receipt Inspection at consignee site before acceptance of stores:
Yes

5. **Forms of EMD and PBG**

Bidders can also submit the EMD with Fixed Deposit Receipt made out or pledged in the name of A/C

AIG of Police (Provisioning), Cuttack, Odisha

. The bank should certify on it that the deposit can be withdrawn only on the demand or with the sanction of the pledgee. For release of EMD, the FDR will be released in the favour of the bidder by the Buyer after making endorsement on the back of the FDR duly signed and stamped along with covering letter. Bidder has to upload scanned copy/ proof of the FDR along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date/ Bid Opening date

6. **Rate Contract**

Material Test Certificate Should Be Sent Along with The Supply. The Material Will Be Checked by Buyer's Lab & the Results of the Lab will be the Sole Criteria for Acceptance of the Item.

7. **Warranty**

Warranty period of the supplied products shall be as given in specifications from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.

8. **OEM**

IMPORTED PRODUCTS: In case of imported products, OEM or Authorized Seller of OEM should have a registered office in India to provide after sales service support in India. The certificate to this effect should be submitted.

9. **Certificates**

Material Test Certificate Should Be Sent Along with The Supply. The Material Will Be Checked by Buyer's Lab & the Results of the Lab will be the Sole Criteria for Acceptance of the Item.

10. **Forms of EMD and PBG**

Successful Bidder can submit the Performance Security in the form of Fixed Deposit Receipt also (besides PBG which is allowed as per GeM GTC). FDR should be made out or pledged in the name of

AIG of Police (Provisioning), Cuttack, Odisha

A/C (Name of the Seller). The bank should certify on it that the deposit can be withdrawn only on the demand or with the sanction of the pledgee. For release of Security Deposit, the FDR will be released in favour of bidder by the Buyer after making endorsement on the back of the FDR duly signed and stamped along with covering letter. Successful Bidder has to upload scanned copy of the FDR document in place of PBG and has to ensure delivery of hard copy of Original FDR to the Buyer within 15 days of award of contract.

11. **Scope of Supply**

Scope of supply (Bid price to include all cost components) : Supply Installation Testing Commissioning of Goods and Training of operators and providing Statutory Clearances required (if any)

अस्वीकरण/**Disclaimer**

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---