

बिड दस्तावेज़ / Bid Document

बिड विवरण / Bid Details	
बिड बंद होने की तारीख/समय / Bid End Date/Time	25-10-2025 12:00:00
बिड खुलने की तारीख/समय / Bid Opening Date/Time	25-10-2025 12:30:00
बिड पेशकश वैधता (बंद होने की तारीख से) / Bid Offer Validity (From End Date)	60 (Days)
मंत्रालय/राज्य का नाम / Ministry/State Name	Ministry Of Defence
विभाग का नाम / Department Name	Department Of Military Affairs
संगठन का नाम / Organisation Name	Indian Army
कार्यालय का नाम / Office Name	*****
कुल मात्रा / Total Quantity	725
वस्तु श्रेणी / Item Category	REFRIGRENT GAS R 134A , REFRIGRENT GAS R 22 , 3 POLE POWER CONTACTOR TYPE 70AMP WITH 2NO PLUS 2NC 415VOLT , ELECTRO HYDROLIC THRUSTOR BRAKE COMPLETE SET ALONGWITH BRAKE SHOE LINER TYPE MDT 200 18 , POWER CONTACTOR TYPE ML 3 WITH 2NO PLUS 2NC 415VOLT , CHANGE OVER SWITH 63AMP 4POLE , CHANGE OVER SWITH 125AMP 4POLE , POWER CONTACTOR TYPE ML 2 WITH 2NO PLUS 2NC 415VOLT , RCCB 25AMP 4POLE 100M , LIFT CABIN FAN 300MM , INDUSTRIAL HEATING ELEMENT 9KW 3 PHASE 2POINT 6 MTR LONG , RCCB 40AMP 4POLE 300M , SPLIT AC OUTDOOR KIT 2TON WITHOUT COMPRESSOR , LED DOWN LIGHT FITTING 2 BY 2 40WATT , WINDOW AC KIT WITHOUT COMPRESSOR 2 TON , STREET LIGHT FITTING 60W , 100AMP CURRENT COLLECTOR WITH 1 METER CABLE , SCALE OFF CHEMICAL , SPLIT AC INDOOR KIT 2TON , MCCB 4POLE 200AMP 415V 35KA , SPLIT AC OUTDOOR UNIT 1.5 TON WITHOUT COMPRESSOR , POWER CONTACTOR TYPE MNX 32 WITH 2NO PLUS 2NC 415VOLT , STREET LIGHT FITTING 30W , SPLIT AC INDOOR UNIT 1.5TON , XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1) (Q2)

बिड विवरण/Bid Details	
GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS	<p>REFRIGRENT GAS, REFRIGRENT GAS 134A, 3 POLE POWER CONTACTOR TYPE 70AMP, ELECTRO HYDROLIC THRUSTER BRAKE COMPLETE WITH BRAKE SHOE MDT 200-18, CHANGE OVER SWITCH 63AMP, CHANGE OVER SWITCH 125AMP 4POLE, POWER CONTACTOR ML 2, RCCB 25AMP 4 POLE, LIFT CABIN FAN 300MM, INDUSTRIAL HEATING ELEMENT 9KW 3 PHASE 2.6MTR LONG, RCCB 40AMP 4 POLE, SPLIT AC OUTDOOR KIT 2TON WITOUT COMPRESSOR, LED DOWN LIGHT 2X2 LIGHT, WINDOW AC KIT WITHOUT COMPRESSOR 2TON, STREET LIGHT FITTING 60W, STREET LIGHT FITTING 30W, SPLIT AC INDOOR UNIT 1.5TON, 100AMP CURRENT COLECTOR, SCALE OFF CHEMICAL, SPLIT AC INDOOR KIT 2TON, MCCB 4POLE 200AMP 35KA, SPLIT AC OUTDOOR UNIT WITHOUT COMPRESSOR 1.5TON, POWER CONTACTOR MNX32</p>
	<p>Searched String: REFRIGRENT GAS</p> <p>Refrigerant Gas, Commercial Idli Steamer, Calibration Gas, Blow Pipe for Welding and Cutting as per IS 7653 (V2), Gas Analyser, Gas Chromatography, Gas burners, Calibration Gas Mixture, Single Burner Gas Range (for Deep Fryer), Domestic Gas Stoves for use with Piped Natural Gas (PNG) as per IS 17153</p> <p>Searched String: REFRIGRENT GAS 134A</p> <p>Refrigerant Gas, Toilet Brush (V2), Calibration Gas, Blow Pipe for Welding and Cutting as per IS 7653 (V2), Gas Analyser, Gas burners, Calibration Gas Mixture, Gas Chromatography, Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, Portable Fire Extinguishers (V2) ISI Marked to IS 15683</p> <p>Searched String: 3 POLE POWER CONTACTOR TYPE 70AMP</p> <p>Wild Animal Repellent System (V2), Plug and Socket Distribution Board, Distribution Transformer, 3 Phase, Up to and including 200 KVA, Electrical Extension Box (V4), Welding Cable (V2) as per IS 9857</p> <p>Searched String: ELECTRO HYDROLIC THRUSTER BRAKE COMPLETE WITH BRAKE SHOE MDT 200-18</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: CHANGE OVER SWITCH 63AMP</p> <p>Cross over bench, Plug and Socket Distribution Board, Electrical Extension Box (V4)</p> <p>Searched String: CHANGE OVER SWITCH 125AMP 4POLE</p> <p>Cross over bench, Plug and Socket Distribution Board, water baths, Electrical Extension Box (V4), Switch Fuse Unit, Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, Switch Mode Power Supply (SMPS) as per IS 14886:, Digital Earth Resistance Meter, KVM Switch, Limit Switch</p> <p>Searched String: POWER CONTACTOR ML 2</p> <p>Squats Rack (Version 2), Sterile Hypodermic Syringe (V3), Vacuum Contactor, Blood Collection Tube, Ondansetron</p>

बिड विवरण / Bid Details	<p>Oral Liquid, Plug and Socket Distribution Board, Switch Mode Power Supply (SMPS) as per IS 14886:, Minifuge, Isopropyl Alcohol (2 - Propanol), Power Hacksaw Machine</p> <p>Searched String: RCCB 25AMP 4 POLE</p> <p>Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Gazebo, Plug and Socket Distribution Board, Parallel Bar - Outdoor Gym Equipment, Electrical Extension Box (V4), Switch Fuse Unit, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, High Mast Lighting Octagonal Tower with Solar Based LED Street Light, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694</p> <p>Searched String: LIFT CABIN FAN 300MM</p> <p>Electric Ceiling Fan with BLDC Motor (V3) ISI Marked to IS 374, Electric Pedestal Type Fan and Regulator as per IS 1169, Air Circulator Type Electric Fan as per IS 2997, Pick and Carry Hydraulic Mobile Crane as per IS 4573 (Old Generation Hydra Crane with Rear Mounted Cabin), Propeller Type AC Ventilating Fans - Exhaust Fans (V2) as per IS 2312, Electric Ceiling Type Fan (V3) ISI Marked to IS 374, Check Valve (V2) as per IS 778, Table Fan / Wall Mount Fan / Ceiling Mount Fan as per IS 555, FRP Shelters - Barrel Type Cabin (Five Men), Pick and Carry Hydraulic Mobile Crane as per IS 4573 (New Generation Crane with Front Mounted Cabin)</p> <p>Searched String: INDUSTRIAL HEATING ELEMENT 9KW 3 PHASE 2.6MTR LONG</p> <p>Desk and Bench Set for Classroom/Training Area, Industrial Siren / Electrical Siren, shoes school pvc boys girls, Line Operated Three Phase AC Motors ISI Marked to IS 12615</p> <p>Searched String: RCCB 40AMP 4 POLE</p> <p>Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, Plug and Socket Distribution Board, Gazebo, Electrical Extension Box (V4), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Switch Fuse Unit, Pad Lock Various (As Per Defence Specification), High Mast Lighting Octagonal Tower with Solar Based LED Street Light, PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694</p> <p>Searched String: SPLIT AC OUTDOOR KIT 2TON WITOUT COMPRESSOR</p> <p>Cable Termination Kit (V2), Split Air Conditioner Including Green AC, Wall Mount Type (V2), AC Static Watthour Meters - Energy Meter (V2) as per IS 13779, Go Cast Making Machine (V2)</p> <p>Searched String: LED DOWN LIGHT 2X2 LIGHT</p> <p>LED Flash Light, LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), LED Bulkhead Light, Track Light, LED Garden Light (V2), Flameproof LED Emergency Light, Hand Held Search Light, LED Tube Light (Retrofit Type), Television (TV) (V2), LED</p>
<p>GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS</p>	

बिड विवरण / Bid Details	Luminaire for Pit Light
	<p>Searched String: WINDOW AC KIT WITHOUT COMPRESSOR 2TON</p> <p>Correspondence Envelopes (V3) Conforming to IS 13892, DRAIN PIPE FOR AIR CONDITIONERS (Accessories), Unitary Air Conditioner (Window AC) (V2) as per IS 1391 (Part 1), LCR Meter</p> <p>Searched String: STREET LIGHT FITTING 60W</p> <p>Lighting Pole or Post and Hardware - Tubular Street Light Poles (V2), LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), Inverter Based LED Street Light (V2), SOVP Device for Street light Pole Mounted, Slamps (Algorithm based Street Light Automatic Switch), Astronomical Timer for Street Light Control (Timer Controls) as per IS 9000, Solar Street Lighting System (NTPC), High Mast Lighting Octagonal Tower with Solar Based LED Street Light, White - LED Based Solar Street Lighting System, Yoga Mats</p> <p>Searched String: STREET LIGHT FITTING 30W</p> <p>Lighting Pole or Post and Hardware - Tubular Street Light Poles (V2), LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), Inverter Based LED Street Light (V2), SOVP Device for Street light Pole Mounted, Slamps (Algorithm based Street Light Automatic Switch), Solar Street Lighting System (NTPC), Astronomical Timer for Street Light Control (Timer Controls) as per IS 9000, High Mast Lighting Octagonal Tower with Solar Based LED Street Light, White - LED Based Solar Street Lighting System, Hand Held Search Light</p> <p>Searched String: SPLIT AC INDOOR UNIT 1.5TON</p> <p>Split Air Conditioner (Floor Type), as per IS: 1391 (part 2), Towel Hand Cotton Turkish (IAF), Split Air Conditioner Including Green AC, Wall Mount Type (V2), Walk in Cooler, Split Air Conditioner (Ceiling Mount Type), as per IS: 1391 (part 2), Data Logger Unit Storage, Bi Double Distillation Water Unit (V2), Dental RadioVisioGraphy (RVG) Unit (V2), EMERGENCY LIGHTING and accessories (PORTABLE EMERGENCY LIGHTING SYSTEM Tower type With AC Genset), Unitary Air Conditioner (Window AC) (V2) as per IS 1391 (Part 1)</p> <p>Searched String: 100AMP CURRENT COLECTOR</p> <p>Current Collector, Plug and Socket Distribution Board, Current Probe, DC Current Transducer, AC Current Transducer, Walk in Cooler, 15 kV Neutral Current Transformer for Sub-stations / Power Houses (PSPCL), Protective Current Transformer - Bhel (Em)-IS:2705, IS:16227, Current Voltage Measuring Module, Electrical Extension Box (V4)</p> <p>Searched String: SCALE OFF CHEMICAL</p> <p>Tailor Scale, ADHD Scale, PHPA for Water Shut off (Low Temperature) (ONGC), Offset printing cleaning Chemical, Cut - off Wheel, Take Off Board, Pole Umbrella (V2), Descaling Chemical, Tanker on Agricultural Trailer, Metric Scales (Plastic) for General Purposes as per IS 1480</p>

बिड विवरण / Bid Details	Searched String: SPLIT AC INDOOR KIT 2TON
	<p>Split Air Conditioner (Floor Type), as per IS: 1391 (part 2), Split Air Conditioner Including Green AC, Wall Mount Type (V2), Split Air Conditioner (Ceiling Mount Type), as per IS: 1391 (part 2), Cable Termination Kit (V2), Go Cast Making Machine (V2), Rescue Kit / Disaster Management Kit or Accessories, HIV Rapid Test Kits, Biochemistry Reagent Kit for Human Samples, AC Static Watthour Meters - Energy Meter (V2) as per IS 13779, Swachhta Kit as per IS 2888</p> <p>Searched String: MCCB 4POLE 200AMP 35KA</p> <p>Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, Plug and Socket Distribution Board, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Electrical Extension Box (V4), Aerial Bunched Cables as per IS 14255, Micro/Semi-Micro/Analytical weighing balance, Tarpaulins Made from HDPE Woven Fabrics as per IS 7903, Earth Leakage Circuit Breaker (ELCB), Locking Compression Plates (V2), Non Sparking Combination Spanners (V2)</p> <p>Searched String: SPLIT AC OUTDOOR UNIT WITHOUT COMPRESSOR 1.5TON</p> <p>Split Air Conditioner Including Green AC, Wall Mount Type (V2), Walk in Cooler, AC Static Watthour Meters - Energy Meter (V2) as per IS 13779</p> <p>Searched String: POWER CONTACTOR MNX32</p> <p>Vacuum Contactor, Power Generator - DG Set (up to 900 KVA), CONTACTOR RELAY, Auxiliary Contactor (BHEL), DC Motor Armature Reversing Contactor-BHEL, Power Tiller, Power sprayer, Power Harrow, Football, Power Analyser</p>
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	<ul style="list-style-type: none"> • Refrigerant Gas
बीओक्यू शीर्षक / BOQ Title	DEMAND OF STORE
बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) / Minimum Average Annual Turnover of the bidder (For 3 Years)	9 Lakh (s)
मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का) / OEM Average Turnover (Last 3 Years)	9 Lakh (s)
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष / Years of Past Experience Required for same/similar service	1 Year (s)
वर्षों के अनुभव एवं टर्नओवर से एमएसई को छूट प्राप्त है / MSE Exemption for Years Of Experience and Turnover	Yes Complete
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / Startup Exemption for Years Of Experience and Turnover	Yes Complete

बिड विवरण/Bid Details	
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	No
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	3
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	1
विगत प्रदर्शन /Past Performance	10 %
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	Yes
रिवर्स नीलामी योग्यता नियम/RA Qualification Rule	H1-Highest Priced Bid Elimination
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	REFRIGRENT GAS R 134A
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

आवश्यकता/Required	No
-------------------	----

ईपीबीजी विवरण /ePBG Detail

आवश्यकता/Required	No
-------------------	----

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई के लिए आरक्षित / Reserved for Make In India products

एमआईआई के लिए आरक्षित / Reserved for Make In India products	Yes
---	-----

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं को खरीद में प्राथमिकता, यदि उनका मूल्य $L1+X\%$ तक की सीमा में हो / Purchase Preference to MSE OEMs available upto price within $L1+X\%$	15
सूक्ष्म और लघु उद्यम को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MSE purchase preference	25

1. If the bidder is a Micro or Small Enterprise as per latest orders issued by Ministry of MSME, the bidder shall be exempted from the eligibility criteria of "Experience Criteria" as defined above subject to meeting of quality and technical specifications. The bidder seeking exemption from Experience Criteria, shall upload the supporting documents to prove his eligibility for exemption.
2. If the bidder is a Micro or Small Enterprise (MSE) as per latest orders issued by Ministry of MSME, the bidder shall be exempted from the eligibility criteria of "Bidder Turnover" as defined above subject to meeting of quality and technical specifications. If the bidder itself is MSE OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking exemption from Turnover, shall upload the supporting documents to prove his eligibility for exemption.
3. If the bidder is a DPIIT registered Startup, the bidder shall be exempted from the the eligibility criteria of "Experience Criteria" as defined above subject to their meeting of quality and technical specifications. The bidder seeking exemption from Experience Criteria, shall upload the supporting documents to prove his eligibility for exemption.
4. If the bidder is a DPIIT registered Startup, the bidder shall be exempted from the the eligibility criteria of "Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT Registered OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking exemption from Turnover shall upload the supporting documents to prove his eligibility for exemption.
5. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
6. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value

should meet this criterion.

7. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

8. Bid reserved for Make In India products: : Procurement under this bid is reserved for purchase from Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. However, eligible micro and small enterprises will be allowed to participate. The minimum local content to qualify as a class 1 local supplier is denoted in the bid document. All bidders must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which the bid is liable to be rejected. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020 . In case Buyer has selected Purchase preference to Micro and Small Enterprises clause in the bid, the same will get precedence over this clause.

9. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

10. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

11. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 10% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

12. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:

- i. If number of technically qualified bidders are only 2 or 3.
- ii. If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
- iii. In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
- iv. If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
- v. If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

REFRIGRENT GAS R 134A

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	45	15

REFRIGRENT GAS R 22

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	69	15

3 POLE POWER CONTACTOR TYPE 70AMP WITH 2NO PLUS 2NC 415VOLT

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	2	15

ELECTRO HYDROLIC THRUSTOR BRAKE COMPLETE SET ALONGWITH BRAKE SHOE LINER TYPE MDT 200 18

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	1	15

POWER CONTACTOR TYPE ML 3 WITH 2NO PLUS 2NC 415VOLT

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
-------------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	2	15

CHANGE OVER SWITH 63AMP 4POLE

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications**Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	4	15

CHANGE OVER SWITH 125AMP 4POLE

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications**Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषीती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषीती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	2	15

POWER CONTACTOR TYPE ML 2 WITH 2NO PLUS 2NC 415VOLT

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषीती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषीती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	4	15

RCCB 25AMP 4POLE 100M

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	20	15

LIFT CABIN FAN 300MM

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	32	15

INDUSTRIAL HEATING ELEMENT 9KW 3 PHASE 2POINT 6 MTR LONG

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	7	15

RCCB 40AMP 4POLE 300M

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	20	15

SPLIT AC OUTDOOR KIT 2TON WITHOUT COMPRESSOR

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	2	15

LED DOWN LIGHT FITTING 2 BY 2 40WATT

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	14	15

WINDOW AC KIT WITHOUT COMPRESSOR 2 TON

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	2	15

STREET LIGHT FITTING 60W

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	10	15

100AMP CURRENT COLLECTOR WITH 1 METER CABLE

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	15	15

SCALE OFF CHEMICAL

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	84	15

SPLIT AC INDOOR KIT 2TON

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	2	15

MCCB 4POLE 200AMP 415V 35KA

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	3	15

SPLIT AC OUTDOOR UNIT 1.5 TON WITHOUT COMPRESSOR

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	3	15

POWER CONTACTOR TYPE MNX 32 WITH 2NO PLUS 2NC 415VOLT

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	10	15

STREET LIGHT FITTING 30W

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	20	15

SPLIT AC INDOOR UNIT 1.5TON

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	2	15

XLPE Cable For Working Voltages Up To And Including 1.1 KV As Per IS 7098 (Part 1) (350 meter)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
STANDARDS	Conformity of the specification for XLPE cable	as per IS:7098 (Part 1): 1988 latest
	Cables suitable for use in mines	No
	Cables suitable for use in low temperature applications	No
GENERIC	Classification of cables for improved fire performance category	C1 - FR

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Nominal Area of Conductor (in Sq mm)	25
	Number of core (in Nos)	4
CONSTRUCTION	Material of conductor	Aluminium
	Type of inner sheath	Thermoplastic
ARMOURING	Type of cable	Armoured cable
	Material of armouring	Galvanized steel formed wire
	Type of armouring	Single strip
CERTIFICATION	Availability of Optional Test Reports	Cold bend test for outer sheath, Cold impact test for outer sheath, Resistance test for Armour

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	350	15

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Scope of Supply

Scope of supply (Bid price to include all cost components) : Only supply of Goods

2. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

1. EMD : The Bidders are required to furnish a Earnest Money Deposit (EMD) through a Nationalised / Schedule Bank in the form of Fixed Deposit Receipt(FDR) for Rs. 54,000/- in favour of Commander Works Engineer(U) Delhi Cantt-10. Bidder has to upload scanned copy/Proof of the FDR along with bid and has to ensure delivery of hardcopy to the buyer within 05 days of Bid end date/Bid opening date.

2. E-PERFORMANCE BANK GUARANTEE : The Bidder will be required to furnish a Electronic Performance Bank Guarantee (ePBG) through a Nationalised / Schedule Bank for a sum equal to 3% of the Contract value of receipt of confirmed order.

3. The bidder has to submit declaration on Stamp paper of Rs 100/- duly notarised date of declaration not before a bid published date for not having debarred / blacklisted either by any bid inviting authority or by any organisation functioning under central / State Govt / Semi-Govt and also not on suspended watch on GeM portal. GeM seller ID to be specially mentioned in Affidavit. The bid will

be rejected without these documents.

4. The bidder has to produce solvency certificate along with the bid for Rs 10 lakh. The certificate should be issued from Nationalised / Scheduled bank and should not be more than three months old from the date of opening of BID and should have valid bank employee ID on the certificate.

5. All The Items should be ISI Marked.

3. **Generic**

Bidder shall submit the following documents along with their bid for Vendor Code Creation:

- a. Copy of PAN Card.
- b. Copy of GSTIN.
- c. Copy of Cancelled Cheque.
- d. Copy of EFT Mandate duly certified by Bank.

4. **OEM**

IMPORTED PRODUCTS: In case of imported products, OEM or Authorized Seller of OEM should have a registered office in India to provide after sales service support in India. The certificate to this effect should be submitted.

5. **Financial Criteria**

NET WORTH: Net Worth of the OEM should be positive as per the last audited financial statement.

अस्वीकरण/**Disclaimer**

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)

9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---