

बिड दस्तावेज़ / Bid Document

| बिड विवरण/Bid Details | |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| बिड बंद होने की तारीख/समय /Bid End Date/Time | 22-10-2025 11:00:00 |
| बिड खुलने की तारीख/समय /Bid Opening Date/Time | 22-10-2025 11:30:00 |
| बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date) | 120 (Days) |
| मंत्रालय/राज्य का नाम/Ministry/State Name | Ministry Of Power |
| विभाग का नाम/Department Name | Hydro Power |
| संगठन का नाम/Organisation Name | Nhdc Limited |
| कार्यालय का नाम/Office Name | Omkareshwar Power Station |
| कुल मात्रा/Total Quantity | 28 |
| वस्तु श्रेणी /Item Category | Portable Fire Extinguishers (V2) ISI Marked to IS 15683 (Q2) |
| वर्षों के अनुभव के लिए एमएसई को छूट प्राप्त है / MSE Exemption for Years Of Experience | Yes Complete |
| वर्षों के अनुभव के लिए स्टार्टअप को छूट प्राप्त है / Startup Exemption for Years Of Experience | Yes Complete |
| विक्रेता से मांगे गए दस्तावेज़/Document required from seller | Experience Criteria,Certificate (Requested in ATC),OEM Authorization Certificate,Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC),Additional Doc 3 (Requested in ATC),Additional Doc 4 (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer |
| क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेजों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid? | Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in) |
| बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension | 3 |
| दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended | 7 |

| बिड विवरण/Bid Details | |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------|
| ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count | 3 |
| बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled | No |
| बिड का प्रकार/Type of Bid | Two Packet Bid |
| प्राथमिक उत्पाद श्रेणी/Primary product category | Portable Fire Extinguishers (V2) ISI Marked to IS 15683 |
| तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation | 2 Days |
| निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM) | No |
| अनुमानित बिड मूल्य /Estimated Bid Value | 325204 |
| मूल्यांकन पद्धति/Evaluation Method | Item wise evaluation/ |
| मध्यस्थता खंड/Arbitration Clause | No |
| सुलह खंड/Mediation Clause | No |

ईएमडी विवरण/EMD Detail

| | |
|-------------------|----|
| आवश्यकता/Required | No |
|-------------------|----|

ईपीबीजी विवरण /ePBG Detail

| | |
|-------------------------------------------------------------------|---------------|
| एडवाइजरी बैंक/Advisory Bank | Bank of India |
| ईपीबीजी प्रतिशत (%) /ePBG Percentage(%) | 5.00 |
| ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months). | 20 |

(a). ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

लाभार्थी /Beneficiary :

NHDC Ltd
Omkareshwar Power Station, Hydro Power, NHDC Limited, Ministry of Power
(Nhdc Ltd)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता/MII Purchase Preference

| |
|--|
| |
|--|

| | |
|--------------------------------------------|----|
| एमआईआई खरीद वरीयता/MII Purchase Preference | No |
|--------------------------------------------|----|

एमएसई खरीद वरीयता/MSE Purchase Preference

| | |
|-------------------------------------------|-----|
| एमएसई खरीद वरीयता/MSE Purchase Preference | Yes |
|-------------------------------------------|-----|

1. If the bidder is a Micro or Small Enterprise as per latest orders issued by Ministry of MSME, the bidder shall be exempted from the eligibility criteria of "Experience Criteria" as defined above subject to meeting of quality and technical specifications. The bidder seeking exemption from Experience Criteria, shall upload the supporting documents to prove his eligibility for exemption.
2. If the bidder is a DPIIT registered Startup, the bidder shall be exempted from the the eligibility criteria of "Experience Criteria" as defined above subject to their meeting of quality and technical specifications. The bidder seeking exemption from Experience Criteria, shall upload the supporting documents to prove his eligibility for exemption.
3. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.
4. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

मूल्यांकन विधि(मदवार मूल्यांकन विधि) / Evaluation Method (Item Wise Evaluation Method)

Contract will be awarded schedulewise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

| मूल्यांकन अनुसूचियां / Evaluation Schedules | अनुमानित मूल्य / Estimated Value | वस्तु/श्रेणी / Item/Category | मात्रा / Quantity |
|----------------------------------------------------|-----------------------------------------|---------------------------------------------------------|--------------------------|
| Schedule 1 | 292000 | Portable Fire Extinguishers (v2) Isi Marked To Is 15683 | 20 |
| Schedule 2 | 12200 | Portable Fire Extinguishers (v2) Isi Marked To Is 15683 | 4 |
| Schedule 3 | 21004 | Portable Fire Extinguishers (v2) Isi Marked To Is 15683 | 4 |

Portable Fire Extinguishers (V2) ISI Marked To IS 15683 (20 pieces)

| | |
|--------------|-----|
| Bis Required | Yes |
|--------------|-----|

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|-------------------------|-------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Generic | Conformity to Standard | IS: 15683: 2018 (Latest amendments) |
| | Type | Stored Pressure |
| | Extinguishing Media | Clean Agent (certificate of manufacturer/supplier) |
| | Expellant Medium | N2 Based (Stored Pressure) |
| Constructional Material | Type of Extinguisher | Low Pressure Extinguisher (Service Pressure ?19 bar) |
| | Material Specification for the body of High Pressure Extinguisher | NA |
| | Material Specification for the body of Low Pressure Extinguisher | Welded low carbon steel cylinders (as per Clause 9.2.5 of IS 15683) |
| Construction | Foam Based Extinguishing Media | NA |
| | Powder Based Extinguishing Media | NA |
| | Type of Clean Agent for Clean Agent Based Fire Extinguisher (as per CL 5-1-3) | Yes |
| | Foam Based Fire Extinguisher Capacity in Liters | NA |
| | Powder Based Fire Extinguisher Capacity in Kg | NA |
| | Carbon Dioxide Based Fire Extinguisher Capacity in Kg | NA |
| | Water Based Fire Extinguisher Capacity in Liters | NA |
| | Clean Agents Fire Extinguisher Capacity in Kg | 4 |
| | Water Mist Fire Extinguisher Capacity in Liters | NA |
| | Features of Fire Extinguisher | Carrying Handle (Mandatory If Extinguisher having mass ?1.5Kg or Cylinder diameter, Rechargeable, Hose Assemblies (Mandatory If mass or volume of Extinguishing medium > 3 Kg or Litres) |

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|-------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| | Class of fire for which Fire Extinguisher is suitable | Class -A |
| Performance | Operating Temperature (°C) | -30°C to +60°C |
| | Minimum Effective discharge time for Fire Extinguisher | 11.422 (second) |
| | Fire Rating of different class of fires | 1A |
| Certification | BIS Marking | Yes |
| | Availability of Test Report from Central Govt/NABL/ILAC accredited lab to prove conformity to specification | Availability of Test Report from Central Govt Laboratory, Availability of Test Report from NABL accredited Laboratory, Availability of Test Report from ILAC accredited Laboratory Or higher |

Additional Specification Parameters - Portable Fire Extinguishers (V2) ISI Marked To IS 15683 (20 pieces)

| Specification Parameter Name | Bid Requirement (Allowed Values) |
|----------------------------------------------------------------------------------------------------------------|------------------------------------------|
| Weight of filled Portable Fire Extinguisher | 6.2 Kg |
| Marking | As per clause 10.2 of IS 15683 (Latest) |
| 1.) Colour Coding Band (As per CL 10-1) 2.) Fire Rating of different class of fires | 1.) Green (Clean Agent) 2.) 6A |
| Performance Operating temperature (degree Celsius) | +5 Degree Celsius to + 60 Degree Celsius |
| 1.) Test Pressure for all Fire Extinguisher except CO2 2.) burst Pressure for all fire extinguisher except CO2 | 1.) 35 Bar 2.) 55 Bar |

* Bidders offering must also comply with the additional specification parameters mentioned above.

परिषेती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परिषेती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|----------------|---------------------------------------------------------|----------------------------------------------------------------------------------------|------------------|------------------------------|
| 1 | Vijay Kumar Sahu | 450554,NHDC Ltd. Admin Block, Urja Vihar, Siddhwarkut, Distt - Khandwa, Madhya Pradesh | 20 | 60 |

Portable Fire Extinguishers (V2) ISI Marked To IS 15683 (4 pieces)

| | |
|--------------|-----|
| Bis Required | Yes |
|--------------|-----|

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|-------------------------|-------------------------------------------------------------------------------|---------------------------------------------------------------------|
| Generic | Conformity to Standard | IS: 15683: 2018 (Latest amendments) |
| | Type | Stored Pressure |
| | Extinguishing Media | Foam Based (as per IS 4989) |
| | Expellant Medium | N2 Based (Stored Pressure) |
| Constructional Material | Type of Extinguisher | Low Pressure Extinguisher (Service Pressure ?19 bar) |
| | Material Specification for the body of High Pressure Extinguisher | Steel body (as per latest IS 7285) |
| | Material Specification for the body of Low Pressure Extinguisher | Welded low carbon steel cylinders (as per Clause 9.2.5 of IS 15683) |
| Construction | Foam Based Extinguishing Media | Aqueous Film Forming Foam (AFFF) |
| | Powder Based Extinguishing Media | NA |
| | Type of Clean Agent for Clean Agent Based Fire Extinguisher (as per CL 5-1-3) | NA |
| | Foam Based Fire Extinguisher Capacity in Liters | 9 |
| | Powder Based Fire Extinguisher Capacity in Kg | NA |
| | Carbon Dioxide Based Fire Extinguisher Capacity in Kg | NA |
| | Water Based Fire Extinguisher Capacity in Liters | NA |
| | Clean Agents Fire Extinguisher Capacity in Kg | NA |
| | Water Mist Fire Extinguisher Capacity in Liters | NA |

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|-------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| | Features of Fire Extinguisher | Carrying Handle (Mandatory If Extinguisher having mass ?1.5Kg or Cylinder diameter, Safety Devices (Mandatory for High Pressure Extinguisher), Rechargeable, Hose Assemblies (Mandatory If mass or volume of Extinguishing medium > 3 Kg or Litres), NA |
| | Class of fire for which Fire Extinguisher is suitable | Class -B |
| Performance | Operating Temperature (°C) | +5°C to +60°C |
| | Minimum Effective discharge time for Fire Extinguisher | 8.7 (second) |
| | Fire Rating of different class of fires | 89B |
| Certification | BIS Marking | Yes |
| | Availability of Test Report from Central Govt/NABL/ILAC accredited lab to prove conformity to specification | Availability of Test Report from Central Govt Laboratory, Availability of Test Report from NABL accredited Laboratory, Availability of Test Report from ILAC accredited Laboratory Or higher |

Additional Specification Parameters - Portable Fire Extinguishers (V2) ISI Marked To IS 15683 (4 pieces)

| Specification Parameter Name | Bid Requirement (Allowed Values) |
|-----------------------------------------------------|----------------------------------------|
| Weight of filled portable fire Extinguisher | 12 kilogram |
| Marking | As per clause 10.2 of IS 15683(latest) |
| Colour Coding band (As per CL 10-1) | Yellow(Foam) |
| Pressure Gauge range for low-pressure Extinguishers | 15 bar |

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|----------------|---------------------------------------------------------|----------------------------------------------------------------------------------------|------------------|------------------------------|
| 1 | Vijay Kumar Sahu | 450554,NHDC Ltd. Admin Block, Urja Vihar, Siddhwarkut, Distt - Khandwa, Madhya Pradesh | 4 | 60 |

| क्र.सं./S.No. | प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---------------|----------------------------------------------------------|-------------|------------------|------------------------------|
| | | | | |

Portable Fire Extinguishers (V2) ISI Marked To IS 15683 (4 pieces)

| | |
|--------------|-----|
| Bis Required | Yes |
|--------------|-----|

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|-------------------------|-------------------------------------------------------------------------------|-----------------------------------------------------------------|
| Generic | Conformity to Standard | IS: 15683: 2018 (Latest amendments) |
| | Type | Stored Pressure |
| | Extinguishing Media | Carbon Dioxide Based (as per IS 15222) |
| | Expellant Medium | CO2 Extinguishing Medium |
| Constructional Material | Type of Extinguisher | Low Pressure Extinguisher (Service Pressure ?19 bar) |
| | Material Specification for the body of High Pressure Extinguisher | NA |
| | Material Specification for the body of Low Pressure Extinguisher | Stainless steel cylinders (as per Clause 9.2.6 of IS 15683) |
| Construction | Foam Based Extinguishing Media | NA |
| | Powder Based Extinguishing Media | NA |
| | Type of Clean Agent for Clean Agent Based Fire Extinguisher (as per CL 5-1-3) | NA |
| | Foam Based Fire Extinguisher Capacity in Liters | NA |
| | Powder Based Fire Extinguisher Capacity in Kg | NA |
| | Carbon Dioxide Based Fire Extinguisher Capacity in Kg | 4.5 |
| | Water Based Fire Extinguisher Capacity in Liters | NA |

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|-------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| | Clean Agents Fire Extinguisher Capacity in Kg | NA |
| | Water Mist Fire Extinguisher Capacity in Liters | NA |
| | Features of Fire Extinguisher | Carrying Handle (Mandatory If Extinguisher having mass ≥ 1.5 Kg or Cylinder diameter, Safety Devices (Mandatory for High Pressure Extinguisher), Rechargeable, Hose Assemblies (Mandatory If mass or volume of Extinguishing medium > 3 Kg or Litres), NA |
| | Class of fire for which Fire Extinguisher is suitable | Class -B |
| Performance | Operating Temperature ($^{\circ}$C) | -30 $^{\circ}$ C to +60 $^{\circ}$ C |
| | Minimum Effective discharge time for Fire Extinguisher | 8.0 (second) |
| | Fire Rating of different class of fires | 55B |
| Certification | BIS Marking | Yes |
| | Availability of Test Report from Central Govt/NABL/ILAC accredited lab to prove conformity to specification | Availability of Test Report from Central Govt Laboratory, Availability of Test Report from NABL accredited Laboratory, Availability of Test Report from ILAC accredited Laboratory Or higher |

Additional Specification Parameters - Portable Fire Extinguishers (V2) ISI Marked To IS 15683 (4 pieces)

| Specification Parameter Name | Bid Requirement (Allowed Values) |
|-----------------------------------------------------|-----------------------------------------|
| Weight of filled portable Fire Extinguisher | 17 kilogram |
| Marking | As per clause 10.2 of IS 15683 (latest) |
| Colour Coding Band (As per CL 10-1) | Blue (powder) |
| Pressure Gauge Range for Low Pressure Extinguishers | 20 bar |

* Bidders offering must also comply with the additional specification parameters mentioned above.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---------------------------------------------------------------|-------------------------------------------------------------------------------------------------|------------------|---------------------------------|
| 1 | Vijay Kumar Sahu | 450554,NHDC Ltd. Admin Block, Urja Vihar, Siddhwarkut, Distt - Khandwa, Madhya Pradesh | 4 | 60 |

Special terms and conditions-Version:3 effective from 28-04-2025 for category Portable Fire Extinguishers (V2) ISI Marked to IS 15683

1. This is "buy-back" enabled category.

Note to Buyers:

- The Central Ministries/ Departments and other government buyers as applicable shall note that this category is covered under Scheme - I (ISI Mark Scheme) of BIS (Bureau of Indian Standards).
- Compulsory use of Standard Mark - Goods or articles shall conform to the corresponding Indian Standard and shall bear the Standard Mark under a license from the Bureau as per Scheme-1 of Schedule-II of the Bureau of Indian Standards (Conformity Assessment) Regulations, 2018:
- Buyer shall verify and confirm compliance with the applicable BIS order during the procurement and fulfillment process.

Note to Sellers:

- Sellers shall offer and supply products conforming to the corresponding Indian Standard and bear the Standard Mark under a license from the Bureau as per Scheme-1.
- Non-compliance shall result in action as per GeM IM policy.
- Buyers and sellers may refer to the relevant S.O at <https://www.bis.gov.in/product-certification/products-under-compulsory-certification/scheme-i-mark-scheme/>

Applicable PESO Rules:

Petroleum and Explosives Safety Organisation is a nodal agency for regulating safety of hazardous substances such as explosives, compressed gases and petroleum. The relevant rules for delivery or dispatch of cylinders or possession of cylinders under Gas Cylinder Rules 2016 framed under Explosives Act, 1884 administered by this Organization, are given below.:

Rule 10 : Restriction on delivery or dispatch of cylinder:- (1) No person shall deliver or dispatch any cylinder filled with any compressed gas to any other person in India who is not the holder of a licence to possess such gas cylinder or to his authorised agent unless he is exempted under these rules to possess compressed gas cylinder without a licence.

(2) The gas cylinder delivered or dispatched by a person under sub-rule (1) shall be of the type for which he is licensed and shall not exceed the quantity which the person to whom it is delivered or dispatched is authorised to possess under these rules.

(3) Nothing in sub-rules(1) and (2) shall apply to the delivery or dispatch of gas cylinder to the defence forces of the Union, port authorities or railway administration and other paramilitary forces:

Provided that this sub-rule shall not be applicable for co-operative societies run by the welfare associations of these organisations.

Rule 43: Licence for filling and possession (1) No person shall fill any cylinder with compressed gas and no cylinder filled with compressed gas shall be possessed by anyone except under and in accordance with the conditions of a licence granted under these rules.

(2) The licensee shall be responsible, for all operations connected with the filling and possession of cylinders in the licensed premises.

Rule 44: No licence needed for possession in certain cases.- Notwithstanding anything contained in rule 43, licence shall not be necessary for-

(a) possession of any cylinder filled with a compressed gas by a carrier or other person for the purpose of transport in accordance with the provisions of these rules;

(b) possession of cylinders for own use and not meant for sale or trading filled with,-

(i) any flammable and non-toxic gas when the total number of cylinders containing such gas does not exceed twenty five or the total weight of gas does not exceed 200 kg., whichever is less, at a time;

(ii) any non-flammable non-toxic gas when the total number of such cylinders does not exceed two hundred at a time;

(iii) any toxic gas when the total quantity of such cylinders does not exceed five at a time;

(iv) acetylene gas contained in cylinder in dissolved state when the total quantity of such cylinder does not exceed twenty five at a time.

(c) The provisions of sub-clause 44(b) shall not be applicable for liquefied petroleum gas when the total quantity of gas does not exceed 100 kg at a time for own use, distribution or sale from a sales room belonging to the dealer or distributor of respective oil marketing company.

Notwithstanding anything contained in rule 43, licence shall not be obligatory for working places where LPG cylinders are directly connected to the manifold, but the requirements of IS :6044 Part-1 shall be complied with ,such manifold installations and shall be constructed adapting the sound engineering practices and the quantity of the LPG at any point of the time shall not exceed the limits prescribed in IS-6044 Part-1.

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/**Buyer Added Bid Specific Terms and Conditions**

1. **Generic**

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. **Scope of Supply**

Scope of supply (Bid price to include all cost components) : Only supply of Goods

3. **Purchase Preference (Centre)**

Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1

price and contract will be awarded for percentage of 25% of total value.

4. **Inspection**

Nominated Inspection Agency: On behalf of the Buyer organization, any one of the following Inspection Agency would be conducting inspection of stores before acceptance:
Pre-dispatch Inspection at Seller Premises (applicable only if pre-dispatch inspection clause has been selected in ATC):

No

Post Receipt Inspection at consignee site before acceptance of stores:
Yes

5. **Warranty**

Timely Servicing / rectification of defects during warranty period: After having been notified of the defects / service requirement during warranty period, Seller has to complete the required Service / Rectification within 7 days time limit. If the Seller fails to complete service / rectification with defined time limit, a penalty of 0.5% of Unit Price of the product shall be charged as penalty for each week of delay from the seller. Seller can deposit the penalty with the Buyer directly else the Buyer shall have a right to recover all such penalty amount from the Performance Security (PBG). Cumulative Penalty cannot exceed more than 10% of the total contract value after which the Buyer shall have the right to get the service / rectification done from alternate sources at the risk and cost of the Seller besides forfeiture of PBG. Seller shall be liable to re-imburse the cost of such service / rectification to the Buyer.

6. **Inspection**

Materials shall be guaranteed for 12 months from the date of commissioning or 18 months from the date of supply whichever is earlier.

7. **Buyer Added Bid Specific ATC**

Buyer uploaded ATC document [Click here to view the file.](#)

8. **Buyer Added Bid Specific ATC**

Buyer Added text based ATC clauses

OFFICER/ENGINEER-IN-CHARGE:-

Dy. General Manager (PHMM),

Omkareshwar Power Station, NHDC Ltd., Siddhwarkut.

After the award of contract all notices, instructions, orders, certificates, approvals and all other communications under the Contract shall be given by the Officer/Engineer-in-Charge, except as herein otherwise provided.

All notices, instructions, information and other communications given by the Contractor/Supplier to the Employer under the Contract shall be given to the Officer/Engineer-in-Charge, except as herein otherwise provided.

PAYING AUTHORITY:-

HOD (Finance),

Omkareshwar Power Station, NHDC, Urja Vihar, Siddhwarkut.

Phone No. 07280-271713

Billing to be done in the name of "NHDC Ltd, Omkareshwar Power Station, Siddhwarkut, Distt. Khandwa (M.P.)-450554

GSTIN No. 23AABCN1732G2ZY

TReDS facility:-

Other than normal payment through NEFT/RTGS directly from NHDC Ltd., the MSME Vendors has an option to avail the TReDS facility. NHDC has registered itself on TReDS platform with:

- (1) M/s A TReDS Ltd., CIN – U74999MH2016PLC281452, Registration No. 1000013474, Communication Address: A TReDS Ltd., 11th Floor, A-3, Ashar IT Park, Road No. 16Z, Wagle Industrial Estate, Thane (West) – 400604.
- (2) M/s C2FO Factoring Solutions Private Limited, CIN – U67100DL2020FTC362201, Registration No. E0000762. Communication Address: D -26, Basement, Jangpura Extn. New Delhi -1100014.
- (3) M/s Mynd Solutions Private Limited, CIN – U74140DL2002PTC114073, Registration No. BUYER00044596, Communication Address: A/04-01 to A/04-6D and A/04-07, 4th Floor Tower A, Reach Commercial, Sector -68, Gurugram -122102, Haryana
- (4) M/s Receivables Exchange of India Limited (RXIL), CIN –U67190MH2016PLC273522, Registration No. NH0058641, Communication Address: 701-702, 7th Floor, Supremus, E-Wing, i-Tink Techno Campus, Kanjumbarg, East Mumbai -400042

The TReDS facilitates Financing of Invoices of MSMEs by way of discounting by financiers. MSMEs can upload the invoices in the system and NHDC Ltd., can accept the invoices in the system. Upon NHDC's acceptance, the Banks/NBFCs can discount the invoices and can release the payment directly to the MSMEs. In this regard, MSME Vendors can refer to RBI guidelines available on website of RBI.

The firm shall submit 'declaration regarding submitting bill/CSR demand note' attached at ATC with related documents including bill/invoice/demand note. The payment shall not be processed in case firm fails to submit the cited - declaration.

9. Forms of EMD and PBG

Bidders can also submit the EMD with Account Payee Demand Draft in favour of

NHDC Ltd
payable at
BOI Siddhwarkut

Bidder has to upload scanned copy / proof of the DD along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

10. Forms of EMD and PBG

Bidders can also submit the EMD with Banker's Cheque in favour of

NHDC LTD
payable at
BOI Siddhwarkut

Bidder has to upload scanned copy / proof of the BC along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में

भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---