

**बिड दस्तावेज़ / Bid Document**

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	17-10-2025 14:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	17-10-2025 14:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	15 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Bihar
विभाग का नाम/Department Name	Panchayat Raj Department Bihar
संगठन का नाम/Organisation Name	Panchayati Raj Department
कार्यालय का नाम/Office Name	Bhanail Lodipur Akabrpur
कुल मात्रा/Total Quantity	16
वस्तु श्रेणी /Item Category	Cable Cross Over (Version 2) (Q3) , Functional Trainer (Q4) , Garden Swings (Q3) , Air Walker / Stroller - Outdoor Gym Equipment (Q3) , Sit Up Board - Outdoor Gym Equipment (Q3) , Chest Press - Outdoor Gym Equipments (Q3) , Parallel Bar - Outdoor Gym Equipment (Q3) , Twister - Outdoor Gym Equipment (Q3) , Leg Press - Outdoor Gym Equipments (Q3) , Shoulder Builder / Arm Wheel - Outdoor Gym Equipment (Q3) , Surf Board - Outdoor Gym Equipment (Q3)
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/MSE Exemption for Years of Experience and Turnover	No
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /Startup Exemption for Years of Experience and Turnover	No
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	1
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	3
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	1
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	No
बिड का प्रकार/Type of Bid	Two Packet Bid

बिड विवरण/Bid Details	
प्राथमिक उत्पाद श्रेणी/Primary product category	Cable Cross Over (Version 2)
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

#### ईएमडी विवरण/EMD Detail

आवश्यकता/Required	No
-------------------	----

#### ईपीबीजी विवरण /ePBG Detail

आवश्यकता/Required	No
-------------------	----

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

#### एमआईआई खरीद वरीयता/MII Purchase Preference

एमआईआई खरीद वरीयता/MII Purchase Preference	No
--	----

#### एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
---	-----

1. Purchase preference to Micro and Small Enterprises (MSEs) from the State of Bid Inviting Authority : Purchase preference will be given to MSEs as Micro and Small Enterprises from the State of Bid inviting Authority. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for percentage of 25 % of total quantity as defined/ decided in relevant policy.

#### Cable Cross Over (Version 2) ( 1 pieces )

#### तकनीकी विशिष्टियाँ /Technical Specifications

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Frame Description	<b>Material of Frame</b>	Colled Rolled Mild Steel
	<b>Thickness</b>	3 mm (12 gauge)
Material and Construction	<b>Maximum Weight Capacity (each side) (in kg)</b>	75.0 (kilogram)
Warranty	<b>Warranty on Frame</b>	7-year warranty on structural frame (coatings excluded)
	<b>Warranty of Bearing, Guide Rods, Pulleys and Cables</b>	1 Year

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Mohan Kumar	805121,Bhanail Iodipur Akbarpur	1	15

**Functional Trainer ( 1 pieces )**

तकनीकी विशिष्टियाँ /Technical Specifications

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	<b>Material</b>	SS
	<b>Surface Finish</b>	Powder Coated
Warranty/Service	<b>Warranty</b>	12, 18, 24 Or higher (month)
Certifications and Standards	<b>ISO 9001 Certification of Manufacturer</b>	Yes, No Or higher
	<b>Certification of product</b>	Durability Test

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Mohan Kumar	805121,Bhanail lodipur Akbarpur	1	15

### Garden Swings ( 1 pieces )

#### तकनीकी विशिष्टियाँ /Technical Specifications

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
MATERIAL	Seat (with integrated back rest) made up of	Fibre Reinforced Plastic
	Seat thickness (FRP)	5 mm
	Roof made up of	No roof
	Roof thickness (FRP)	No roof
	Roof supported by	N.A
	Whole assembly of roof supported by (4-Legs)	N.A
	Seat and Backrest Consist of	N.A
	Swing suspended with	Stainless steel chains with wire dia of 4.7 mm
GENERIC	Structure	Swing with seat without roof
	Roof shape	No roof
	Provision of side bars in legs (for leg strengthening)	No
	Seat with arm	No
	Provision of back cushion	No
	Provision of seat cushion	No
	Seating capacity	2 - seater
	Weight bearing capacity in KG	136
COLOUR AND FINISH	FRP roof should be	N.A
	Colour of seat	Red
WARRANTY	Warranty period in number of years	1, 2, 3 Or higher
CERTIFICATION	Test reports to be furnished to buyer on demand	Yes
	OEM of offered product is ISO 9001:2015 certified	Yes

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	OEM of offered product is ISO 14001:2015 certified	Yes

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Mohan Kumar	805121,Bhanail Iodipur Akbarpur	1	45

**Air Walker / Stroller - Outdoor Gym Equipment ( 1 pieces )**

**तकनीकी विशिष्टियाँ /Technical Specifications**

\* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
TYPE	Type	Double
CAPACITY	Maximum User Weight ( Kg )	110.0 (kilogram)
MATERIAL	Governing Specification for GI Pipes	BIS specification No IS 1239 ( Part 1 )- 2004, latest
	All the GI Pipes are ISI marked	Yes
	Main Frame	150mm Nominal Bore G.I. Pipe
	Main Frame Pipe, Class as per IS 1239	Medium
	leg movement frame	40mm Nominal Bore G.I. Pipe
	Leg Movement Frame Pipe, Class as per IS 1239	Medium
	Handle Frame	32mm Nominal bore G.I. pipe
	Handle Frame Pipe, Class as per IS 1239	Medium
	Bearings	Ball Bearing
	Foot Rest	Fibre Reinforced Plastic
	MS Foundation Plate Thickness	10.0 (millimeter)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	<b>Foundation Pipes with anchoring</b>	750mm deep GI Pipe, supported with M.S. Angle 25 X 25 X 4mm
	<b>Nominal Bore of Foundation Pipe</b>	150mm
	<b>Foundation Pipe, Class as per IS 1239</b>	Medium
OTHER REQUIREMENTS	<b>Installation</b>	Included
CERTIFICATION	<b>Certification ( Safety and Quality Requirements )</b>	No
WARRANTY	<b>Warranty ( years )</b>	2.0 (year)

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Mohan Kumar	805121,Bhanail lodipur Akbarpur	1	15

**Sit Up Board - Outdoor Gym Equipment ( 1 pieces )**

**तकनीकी विशिष्टियाँ /Technical Specifications**

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
TYPE	<b>Type</b>	Double Station
MATERIAL	<b>Type of Back Rest</b>	Set of Rectangular Flat Pipes
	<b>Material of Back Rest</b>	Fibre Reinforced Plastic
	<b>Governing Specification for GI Pipes</b>	BIS specification No IS 1239 ( Part 1 )- 2004, latest
	<b>All the GI Pipes are ISI marked</b>	Yes
	<b>Main Frame/Central Pipe</b>	50mm Nominal Bore G.I. Pipe
	<b>Main Frame/Central Pipe, Class as per IS 1239</b>	Heavy

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	<b>Main Frame/Central Pipe ( As per Clause 3, of IS 1161 ) Nominal Bore &amp; Wall Thickness</b>	80 mm NB with 3.2 mm Thickness
	<b>Grade of Material as per table 2 of IS 1161</b>	YSt 210
	<b>Foot Rest Pipe</b>	32mm Nominal Bore G.I. Pipe
	<b>Foot Rest Pipe , Class as per IS 1239</b>	Heavy
	<b>Foot Rest Pipe ( As per as per Clause 3, of IS 1161 ) , Nominal Bore &amp; Wall Thickness</b>	32 mm NB with 2.6 mm Thickness
	<b>Grade of Material as per table 2 IS 1161</b>	YSt 210
	<b>Back Rest Frame Pipe and Connecting Links</b>	25 mm Nominal Bore G.I. Pipe
	<b>Back Rest Frame Pipe and Connecting Links, Class as per IS 1239</b>	Heavy
	<b>Back Rest Frame Pipe and Connecting Links ( As per Clause 3, of IS 1161 ) Nominal Wall &amp; Thickness</b>	25 mm NB with 2.6 mm Thickness
	<b>Grade of Material (as per table 2 of IS 1161 )</b>	YSt 210
	<b>Leg Support Pipe</b>	32mm Nominal bore G.I. pipe
	<b>Leg Support Pipe , Class as per IS 1239</b>	Heavy
	<b>Leg Support Pipe ( as per IS 1161 ) as per clause 3, Nominal Wall &amp; Thickness</b>	32 mm NB with 2.6 mm Thickness
	<b>Grade of Material per table 2 of IS 1161</b>	YSt 210
	<b>Foundation Pipes with anchoring</b>	750mm deep GI Pipe, supported with M.S. Angle 25 X 25 X 4mm
	<b>Nominal Bore of Foundation Pipe</b>	80mm
	<b>Foundation Pipe, Class as per IS 1239</b>	Heavy
	<b>Foundation Pipe Pipe ( as per IS 1161 ) as per clause 3, Nominal Wall &amp; Thickness</b>	80 mm NB with 3.2 mm Thickness
	<b>Grade of Material (as per table 2 of IS 1161)</b>	YSt 210

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	<b>M S Foundation Plate Thickness</b>	12.0 (millimeter)
OTHER REQUIREMENTS	<b>Installation</b>	Included
CERTIFICATION	<b>Certification ( Safety and Quality Requirements )</b>	As per European Standard EN 16630
WARRANTY	<b>Warranty ( years )</b>	2.0 (year)

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Mohan Kumar	805121,Bhanail Iodipur Akbarpur	1	15

**Chest Press - Outdoor Gym Equipments ( 1 pieces )**

**तकनीकी विशिष्टियाँ /Technical Specifications**

\* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
TYPE	<b>Type</b>	Chest Press Double
CAPACITY	<b>Maximum User Weight ( Kg )</b>	110.0 (kilogram)
MATERIAL	<b>Governing Specification for GI Pipes</b>	BIS specification No IS 1239 ( Part 1 )- 2004, latest
	<b>All the GI Pipes are ISI marked</b>	Yes
	<b>Main Central Pipe</b>	80mm Nominal Bore G.I. Pipe
	<b>Main Central Pipe, Class as per IS 1239</b>	Heavy
	<b>Handle Frame</b>	32mm Nominal bore G.I. pipe
	<b>Handle Frame Pipe, Class as per IS 1239</b>	Heavy
	<b>Seat Frame</b>	32mm Nominal Bore G.I. Pipe



विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Seat Frame Pipe, Class as per IS 1239	Medium
	Connecting Links	25mm Nominal Bore G.I. Pipe
	Connecting Links Pipe, Class as per IS 1239	Heavy
	Foot Rest Pipe	25mm Nominal Bore G.I. Pipe
	Foot Rest Pipe, Class as per IS 1239	Heavy
	MS Foundation Plate Thickness	10.0 (millimeter)
	Foundation Pipes with anchoring	750mm deep GI Pipe, supported with M.S. Angle 25 X 25 X 4mm
	Nominal Bore of Foundation Pipe	80mm
	Foundation Pipe, Class as per IS 1239	Medium
	Seat and Back Rest	3mm thick, HDPE with uniform bending radius to avoid sharp edges
	Bearings	Tapered Roller Bearing
OTHER REQUIREMENTS	Installation	Included
CERTIFICATION	Certification ( Safety and Quality Requirements )	As per European Standard EN 16630
WARRANTY	Warranty ( years )	2.0 (year)

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Mohan Kumar	805121,Bhanail Iodipur Akbarpur	1	15

**Parallel Bar - Outdoor Gym Equipment ( 1 pieces )**

**तकनीकी विशिष्टियाँ /Technical Specifications**

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Material	<b>Governing Specification for GI Pipes</b>	BIS specification No IS 1161:2014, latest
	<b>All the GI Pipes are ISI marked</b>	Yes
	<b>Vertical / Standing Pipes</b>	32 mm Nominal Bore G.I. Pipe
	<b>Vertical/ Standing Pipes, Class as per IS 1239</b>	Heavy
	<b>Vertical / Standing Pipe (as per Clause 3 of IS 1161) , Nominal Bore &amp; Wall Thickness</b>	80 mm NB with 3.2 mm Thickness
	<b>Horizontal Pipe</b>	32 mm Nominal Bore G.I. Pipe
	<b>Horizontal Pipe, Class as per IS 1239</b>	Heavy
	<b>Horizontal Pipe ( As per Clause 3, of IS 1161 ) Nominal Bore &amp; Wall Thickness</b>	32 mm NB with 2.6 mm Thickness
	<b>Grade Material as per table 2 of IS 1161</b>	YSt 310
	<b>Foundation Pipes with anchoring</b>	500mm deep GI Pipe, supported with M.S. Angle 25 X 25 X 3 mm
	<b>Nominal Bore of Foundation Pipe</b>	32 mm
	<b>Foundation Pipe, Class as per IS 1239</b>	Heavy
	<b>Foundation Pipe Pipe ( as per IS 1161 ) as per clause 3, Nominal Wall &amp; Thickness</b>	32 mm NB with 4 mm Thickness
	<b>M S Foundation Plate Thickness</b>	12.0 (millimeter)
	<b>Bearings</b>	Ball Bearing
	<b>Foot Rest</b>	Fibre Reinforced Plastic
Other Requirements	<b>Installation</b>	Included
Certification	<b>Certification ( Safety and Quality Requirements )</b>	As per European Standard EN 16630
Warranty	<b>Warranty ( years )</b>	5.0 (year)

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Mohan Kumar	805121,Bhanail lodipur Akbarpur	1	15

### Twister - Outdoor Gym Equipment ( 1 pieces )

#### तकनीकी विशिष्टियाँ /Technical Specifications

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
TYPE	Type	Single Twister Standing
CAPACITY	Maximum User Weight ( Kg )	120.0 (kilogram)
MATERIAL	Governing Specification for GI Pipes	BIS specification No IS 1239 ( Part 1 )- 2004, latest
	All the GI Pipes are ISI marked	Yes
	Main Central Pipe	100mm Nominal Bore G.I. Pipe
	Main Frame Pipe, Class as per IS 1239	Heavy
	Main Central Pipe ( As per Clause 3, of IS 1161 ) Nominal Bore & Wall Thickness	80 mm NB with 3.2 mm Thickness
	Grade Material as per table 2 of IS 1161	YSt 210
	Standing/ Sitting Twister Frame Pipe	25 mm Nominal Bore G.I. Pipe
	Standing/ Sitting Twister Frame Pipe, Class as per IS 1239	Heavy
	Standing/ Sitting Twister Frame Pipe (As per Clause 3, of IS 1161 ) Nominal Bore & Wall Thickness	32 mm NB with 2.6 mm Thickness
	Grade Material as per table 2 IS 1161	YSt 210
	Rotating Disk Support Pipe at Bottom Pipe	80 mm Nominal Bore G.I. Pipe
	Rotating Disk Support Pipe, Class as per IS 1239	Heavy

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	<b>Rotating Disk Support Pipe ( as per IS 1161 ) as per Clause 3, Nominal Bore &amp; Wall Thickness</b>	80 mm NB with 3.2 mm Thickness
	<b>Grade Material (as per table 2 of IS 1161 )</b>	YSt 210
	<b>Handle Frame Pipe</b>	25mm Nominal bore G.I. pipe
	<b>Handle Frame Pipe, Class as per IS 1239</b>	Heavy
	<b>Handle Frame Pipe ( as per IS 1161 ) as per clause 3, Nominal Wall &amp; Thickness</b>	25 mm NB with 2.6 mm Thickness
	<b>Grade Material per table 2 of IS 1161</b>	YSt 210
	<b>Foundation Pipes with anchoring</b>	750mm deep GI Pipe, supported with M.S. Angle 25 X 25 X 4mm
	<b>Nominal Bore of Foundation Pipe</b>	80mm
	<b>Foundation Pipe, Class as per IS 1239</b>	Heavy
	<b>Foundation Pipe Pipe ( as per IS 1161 ) as per clause 3, Nominal Wall &amp; Thickness</b>	80 mm NB with 3.2 mm Thickness
	<b>Grade Material (as per table 2 of IS 1161)</b>	YSt 210
	<b>M S Foundation Plate Thickness</b>	10.0 (millimeter)
	<b>Bearings</b>	Ball Bearing
	<b>Foot Rest</b>	C.I.
OTHER REQUIREMENTS	<b>Installation</b>	Included
CERTIFICATION	<b>Certification ( Safety and Quality Requirements )</b>	No
WARRANTY	<b>Warranty ( years )</b>	2.0 (year)

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषित/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Mohan Kumar	805121,Bhanail lodipur Akbarpur	1	15

### Parallel Bar - Outdoor Gym Equipment ( 1 pieces )

#### तकनीकी विशिष्टियाँ /Technical Specifications

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Material	<b>Governing Specification for GI Pipes</b>	BIS specification No IS 1239 ( Part 1 )- 2004, latest
	<b>All the GI Pipes are ISI marked</b>	Yes
	<b>Vertical / Standing Pipes</b>	40 mm Nominal Bore G.I. Pipe
	<b>Vertical/ Standing Pipes, Class as per IS 1239</b>	Medium
	<b>Vertical / Standing Pipe (as per Clause 3 of IS 1161) , Nominal Bore &amp; Wall Thickness</b>	40 mm NB with 2.9 mm Thickness
	<b>Horizontal Pipe</b>	40 mm Nominal Bore G.I. Pipe
	<b>Horizontal Pipe, Class as per IS 1239</b>	Medium
	<b>Horizontal Pipe ( As per Clause 3, of IS 1161 ) Nominal Bore &amp; Wall Thickness</b>	40 mm NB with 2.9 mm Thickness
	<b>Grade Material as per table 2 of IS 1161</b>	YSt 240
	<b>Foundation Pipes with anchoring</b>	500mm deep GI Pipe, supported with M.S. Angle 25 X 25 X 4mm
	<b>Nominal Bore of Foundation Pipe</b>	40 mm
	<b>Foundation Pipe, Class as per IS 1239</b>	Medium
	<b>Foundation Pipe Pipe ( as per IS 1161 ) as per clause 3, Nominal Wall &amp; Thickness</b>	40 mm NB with 2.9 mm Thickness
	<b>M S Foundation Plate Thickness</b>	10.0 (millimeter)
	<b>Bearings</b>	Ball Bearing

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Foot Rest	HDPE
Other Requirements	Installation	Included
Certification	Certification ( Safety and Quality Requirements )	As per European Standard EN 16630
Warranty	Warranty ( years )	3.0 (year)

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Mohan Kumar	805121,Bhanail lodipur Akbarpur	1	15

**Chest Press - Outdoor Gym Equipments ( 1 pieces )**

**तकनीकी विशिष्टियाँ /Technical Specifications**

\* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
TYPE	Type	Chest Press Single
CAPACITY	Maximum User Weight ( Kg )	110.0 (kilogram)
MATERIAL	Governing Specification for GI Pipes	BIS specification No IS 1161:2014, latest
	All the GI Pipes are ISI marked	No
	Main Central Pipe	100mm Nominal Bore G.I. Pipe
	Main Central Pipe, Class as per IS 1239	Medium
	Handle Frame	40mm Nominal bore G.I. pipe
	Handle Frame Pipe, Class as per IS 1239	Medium
	Seat Frame	32mm Nominal Bore G.I. Pipe
	Seat Frame Pipe, Class as per IS 1239	Heavy
	Connecting Links	32mm Nominal Bore G.I. Pipe

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Connecting Links Pipe, Class as per IS 1239	Medium
	Foot Rest Pipe	25mm Nominal Bore G.I. Pipe
	Foot Rest Pipe, Class as per IS 1239	Heavy
	MS Foundation Plate Thickness	12.0 (millimeter)
	Foundation Pipes with anchoring	500mm deep GI Pipe, supported with M.S. Angle 25 X 25 X 4mm
	Nominal Bore of Foundation Pipe	100mm
	Foundation Pipe, Class as per IS 1239	Heavy
	Seat and Back Rest	3mm thick, HDPE with uniform bending radius to avoid sharp edges
	Bearings	Tapered Roller Bearing
OTHER REQUIREMENTS	Installation	Not Included
CERTIFICATION	Certification ( Safety and Quality Requirements )	No
WARRANTY	Warranty ( years )	2.0 (year)

**परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Mohan Kumar	805121,Bhanail lodipur Akbarpur	1	15

**Twister - Outdoor Gym Equipment ( 1 pieces )**

**तकनीकी विशिष्टियाँ /Technical Specifications**

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
---------------------	-------------------------------------	---

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
TYPE	Type	Triple Twister ( Three standing )
CAPACITY	Maximum User Weight ( Kg )	100.0 (kilogram)
MATERIAL	Governing Specification for GI Pipes	BIS specification No IS 1161:2014, latest
	All the GI Pipes are ISI marked	Yes
	Main Central Pipe	100mm Nominal Bore G.I. Pipe
	Main Frame Pipe, Class as per IS 1239	Heavy
	Main Central Pipe ( As per Clause 3, of IS 1161 ) Nominal Bore & Wall Thickness	Not Applicable
	Grade Material as per table 2 of IS 1161	Not Applicable
	Standing/ Sitting Twister Frame Pipe	40 mm Nominal Bore G.I. Pipe
	Standing/ Sitting Twister Frame Pipe, Class as per IS 1239	Heavy
	Standing/ Sitting Twister Frame Pipe (As per Clause 3, of IS 1161 ) Nominal Bore & Wall Thickness	Not Applicable
	Grade Material as per table 2 IS 1161	Not Applicable
	Rotating Disk Support Pipe at Bottom Pipe	80 mm Nominal Bore G.I. Pipe
	Rotating Disk Support Pipe, Class as per IS 1239	Heavy
	Rotating Disk Support Pipe ( as per IS 1161 ) as per Clause 3, Nominal Bore & Wall Thickness	Not Applicable
	Grade Material (as per table 2 of IS 1161 )	Not Applicable
	Handle Frame Pipe	32mm Nominal bore G.I. pipe
	Handle Frame Pipe, Class as per IS 1239	Heavy
	Handle Frame Pipe ( as per IS 1161 ) as per clause 3, Nominal Wall & Thickness	Not Applicable
	Grade Material per table 2 of IS 1161	Not Applicable



विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Foundation Pipes with anchoring	500mm deep GI Pipe, supported with M.S. Angle 25 X 25 X 4mm
	Nominal Bore of Foundation Pipe	100mm
	Foundation Pipe, Class as per IS 1239	Heavy
	Foundation Pipe Pipe ( as per IS 1161 ) as per clause 3, Nominal Wall & Thickness	Not Applicable
	Grade Material (as per table 2 of IS 1161)	Not Applicable
	M S Foundation Plate Thickness	10.0 (millimeter)
	Bearings	Ball Bearing
	Foot Rest	LDPE
OTHER REQUIREMENTS	Installation	Not Included
CERTIFICATION	Certification ( Safety and Quality Requirements )	No
WARRANTY	Warranty ( years )	2.0 (year)

**परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Mohan Kumar	805121,Bhanail lodipur Akbarpur	1	15

**Leg Press - Outdoor Gym Equipments ( 1 pieces )**

**तकनीकी विशिष्टियाँ /Technical Specifications**

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
TYPE	Type	Leg Press Double

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
CAPACITY	Maximum User Weight ( Kg )	120.0 (kilogram)
MATERIAL	Governing Specification for GI Pipes	BIS specification No IS 1161:2014, latest
	All the GI Pipes are ISI marked	Yes
	Main Central Pipe	125 mm Nominal Bore G.I. Pipe
	Main Central Pipe, Class as per IS 1239	Heavy
	Moving Frame Pipe	40mm Nominal bore G.I. pipe
	Moving Frame Pipe, Class as per IS 1239	Heavy
	Foot Rest Frame/ Foot Rest Hinging Pipe	32mm Nominal Bore G.I. Pipe
	Foot Rest Frame Pipe, Class as per IS 1239	Heavy
	Connecting Links	40mm Nominal Bore G.I. Pipe
	Connecting Links Pipe, Class as per IS 1239	Heavy
	MS Foundation Plate Thickness	12.0 (millimeter)
	Foundation Pipes with anchoring	750mm deep GI Pipe, supported with M.S. Angle 25 X 25 X 4mm
	Nominal Bore of Foundation Pipe	125mm
	Foundation Pipe, Class as per IS 1239	Heavy
	Bearings	Ball Bearing
	Seat and Back Rest	3mm thick, HDPE with uniform bending radius to avoid sharp edges
OTHER REQUIREMENTS	Installation	Included
CERTIFICATION	Certification ( Safety and Quality Requirements )	As per European Standard EN 16630
WARRANTY	Warranty ( years )	2.0 (year)

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषित/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Mohan Kumar	805121,Bhanail lodipur Akbarpur	1	15

### Shoulder Builder / Arm Wheel - Outdoor Gym Equipment ( 1 pieces )

#### तकनीकी विशिष्टियाँ /Technical Specifications

[\\* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
TYPE	Type	Two Wheel
MATERIAL	Governing Specification for GI Pipes	BIS specification No IS 1239 ( Part 1 )- 2004, latest
	All the GI Pipes are ISI marked	Yes
	Main Central Pipe construction	80mm Nominal Bore G.I. Pipe
	Main Central Pipe, Class as per IS 1239	Heavy
	Ring ( Wheel )	25mm Nominal Bore G.I. Pipe
	Ring ( Wheel ) Pipe, Class as per IS 1239	Heavy
	Pipe of Spokes of Wheel	15mm Nominal bore G.I. pipe
	Pipe of Spoke of Wheel , Class as per IS 1239	Heavy
	Connector Pipe ( between Main Central Pipe and Wheel )	40 mm Nominal bore G.I. pipe
	Connector Pipe, Class as per IS 1239	Heavy
	MS Foundation Plate Thickness	10.0 (millimeter)
	Foundation Pipes with anchoring	750mm deep GI Pipe, supported with M.S. Angle 25 X 25 X 4mm
	Nominal Bore of Foundation Pipe	100mm
	Foundation Pipe, Class as per IS 1239	Heavy
	Bearings	Ball Bearing
OTHER REQUIREMENTS	Installation	Included

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
CERTIFICATION	Certification ( Safety and Quality Requirements )	As per European Standard EN 16630
WARRANTY	Warranty ( years )	2.0 (year)

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Mohan Kumar	805121,Bhanail lodipur Akbarpur	1	15

**Surf Board - Outdoor Gym Equipment ( 1 pieces )**

**तकनीकी विशिष्टियाँ /Technical Specifications**

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
TYPE	Type	Double
CAPACITY	Maximum User Weight ( Kg )	110.0 (kilogram)
MATERIAL	Governing Specification for GI Pipes	BIS specification No IS 1161:2014, latest
	All the GI Pipes are ISI marked	Yes
	Main Central Pipe	80mm Nominal Bore G.I. Pipe
	Main Frame Pipe, Class as per IS 1239	Medium
	Main Central Pipe ( As per Clause 3, of IS 1161 ) Nominal Bore & Wall Thickness	80 mm NB with 3.2 mm Thickness
	Grade Material as per table 2 of IS 1161	Not Applicable
	Movement (Paddle) Frame	32mm Nominal Bore G.I. Pipe
	Movement ( Paddle ) Frame Pipe, Class as per IS 1239	Medium

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	<b>Movement ( Paddle ) Frame Pipe ( As per as per Clause 3, of IS 1161 ) , Nominal Bore &amp; Wall Thickness</b>	32 mm NB with 2.6 mm Thickness
	<b>Grade Material as per table 2 IS 1161</b>	Not Applicable
	<b>Connecting Links</b>	25 mm Nominal Bore G.I. Pipe
	<b>Connecting Links Pipe, Class as per IS 1239</b>	Medium
	<b>Connecting Link Pipe ( As per Clause 3, of IS 1161 ) Nominal Wall &amp; Thickness</b>	25 mm NB with 2.6 mm Thickness
	<b>Grade Material (as per table 2 of IS 1161 )</b>	Not Applicable
	<b>Handle Frame</b>	25mm Nominal bore G.I. pipe
	<b>Handle Frame Pipe, Class as per IS 1239</b>	Medium
	<b>Handle Frame Pipe ( as per IS 1161 ) as per clause 3, Nominal Wall &amp; Thickness</b>	25 mm NB with 2.6 mm Thickness
	<b>Grade Material per table 2 of IS 1161</b>	Not Applicable
	<b>Foundation Pipes with anchoring</b>	500mm deep GI Pipe, supported with M.S. Angle 25 X 25 X 4mm
	<b>Nominal Bore of Foundation Pipe</b>	80mm
	<b>Foundation Pipe, Class as per IS 1239</b>	Medium
	<b>Foundation Pipe Pipe ( as per IS 1161 ) as per clause 3, Nominal Wall &amp; Thickness</b>	80 mm NB with 3.2 mm Thickness
	<b>Grade Material (as per table 2 of IS 1161)</b>	Not Applicable
	<b>M S Foundation Plate Thickness</b>	10.0 (millimeter)
	<b>Bearings</b>	Tapered Roller Bearing
	<b>Foot Rest</b>	Fibre Reinforced Plastic
OTHER REQUIREMENTS	<b>Installation</b>	Included
CERTIFICATION	<b>Certification ( Safety and Quality Requirements )</b>	As per European Standard EN 16630
WARRANTY	<b>Warranty ( years )</b>	3.0 (year)

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Mohan Kumar	805121,Bhanail lodipur Akbarpur	1	15

**Sit Up Board - Outdoor Gym Equipment ( 1 pieces )**

तकनीकी विशिष्टियाँ /Technical Specifications

\* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
TYPE	Type	Double Station
MATERIAL	Type of Back Rest	Perforated Sheet
	Material of Back Rest	Mild Steel Plate
	Governing Specification for GI Pipes	BIS specification No IS 1239 ( Part 1 )- 2004, latest
	All the GI Pipes are ISI marked	Yes
	Main Frame/Central Pipe	80mm Nominal Bore G.I. Pipe
	Main Frame/Central Pipe, Class as per IS 1239	Heavy
	Main Frame/Central Pipe ( As per Clause 3, of IS 1161 ) Nominal Bore & Wall Thickness	80 mm NB with 4 mm Thickness
	Grade of Material as per table 2 of IS 1161	YSt 240
	Foot Rest Pipe	40mm Nominal Bore G.I. Pipe
	Foot Rest Pipe , Class as per IS 1239	Heavy
	Foot Rest Pipe ( As per as per Clause 3, of IS 1161 ) , Nominal Bore & Wall Thickness	32 mm NB with 3.2 mm Thickness
	Grade of Material as per table 2 IS 1161	YSt 210
	Back Rest Frame Pipe and Connecting Links	25 mm Nominal Bore G.I. Pipe

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	<b>Back Rest Frame Pipe and Connecting Links, Class as per IS 1239</b>	Heavy
	<b>Back Rest Frame Pipe and Connecting Links ( As per Clause 3, of IS 1161 ) Nominal Wall &amp; Thickness</b>	25 mm NB with 2.6 mm Thickness
	<b>Grade of Material (as per table 2 of IS 1161 )</b>	YSt 210
	<b>Leg Support Pipe</b>	40 mm Nominal bore G.I. pipe
	<b>Leg Support Pipe , Class as per IS 1239</b>	Heavy
	<b>Leg Support Pipe ( as per IS 1161 ) as per clause 3, Nominal Wall &amp; Thickness</b>	32 mm NB with 2.6 mm Thickness
	<b>Grade of Material per table 2 of IS 1161</b>	YSt 210
	<b>Foundation Pipes with anchoring</b>	500mm deep GI Pipe, supported with M.S. Angle 25 X 25 X 4mm
	<b>Nominal Bore of Foundation Pipe</b>	100mm
	<b>Foundation Pipe, Class as per IS 1239</b>	Heavy
	<b>Foundation Pipe Pipe ( as per IS 1161 ) as per clause 3, Nominal Wall &amp; Thickness</b>	80 mm NB with 3.2 mm Thickness
	<b>Grade of Material (as per table 2 of IS 1161)</b>	YSt 210
	<b>M S Foundation Plate Thickness</b>	10.0 (millimeter)
OTHER REQUIREMENTS	<b>Installation</b>	Included
CERTIFICATION	<b>Certification ( Safety and Quality Requirements )</b>	As per European Standard EN 16630
WARRANTY	<b>Warranty ( years )</b>	2.0 (year)

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Mohan Kumar	805121,Bhanail lodipur Akbarpur	1	15

### Surf Board - Outdoor Gym Equipment ( 1 pieces )

#### तकनीकी विशिष्टियाँ /Technical Specifications

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
TYPE	Type	Double
CAPACITY	Maximum User Weight ( Kg )	120.0 (kilogram)
MATERIAL	Governing Specification for GI Pipes	BIS specification No IS 1161:2014, latest
	All the GI Pipes are ISI marked	Yes
	Main Central Pipe	100mm Nominal Bore G.I. Pipe
	Main Frame Pipe, Class as per IS 1239	Heavy
	Main Central Pipe ( As per Clause 3, of IS 1161 ) Nominal Bore & Wall Thickness	100 mm NB with 3.6 mm Thickness
	Grade Material as per table 2 of IS 1161	Not Applicable
	Movement (Paddle) Frame	50mm Nominal Bore G.I. Pipe
	Movement ( Paddle ) Frame Pipe, Class as per IS 1239	Heavy
	Movement ( Paddle ) Frame Pipe ( As per as per Clause 3, of IS 1161 ) , Nominal Bore & Wall Thickness	40 mm NB with 2.9 mm Thickness
	Grade Material as per table 2 IS 1161	Not Applicable
	Connecting Links	40 mm Nominal Bore G.I. Pipe
	Connecting Links Pipe, Class as per IS 1239	Heavy
	Connecting Link Pipe ( As per Clause 3, of IS 1161 ) Nominal Wall & Thickness	40 mm NB with 2.9 mm Thickness
	Grade Material (as per table 2 of IS 1161 )	Not Applicable



विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Handle Frame	32mm Nominal bore G.I. pipe
	Handle Frame Pipe, Class as per IS 1239	Heavy
	Handle Frame Pipe ( as per IS 1161 ) as per clause 3, Nominal Wall & Thickness	32 mm NB with 3.2 mm Thickness
	Grade Material per table 2 of IS 1161	Not Applicable
	Foundation Pipes with anchoring	750mm deep GI Pipe, supported with M.S. Angle 25 X 25 X 4mm
	Nominal Bore of Foundation Pipe	150mm
	Foundation Pipe, Class as per IS 1239	Heavy
	Foundation Pipe Pipe ( as per IS 1161 ) as per clause 3, Nominal Wall & Thickness	150 mm NB,165.1 mm OD & 4.5 mm Thickness
	Grade Material (as per table 2 of IS 1161)	Not Applicable
	M S Foundation Plate Thickness	12.0 (millimeter)
	Bearings	Ball Bearing
	Foot Rest	Fibre Reinforced Plastic
OTHER REQUIREMENTS	Installation	Included
CERTIFICATION	Certification ( Safety and Quality Requirements )	No
WARRANTY	Warranty ( years )	2.0 (year)

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Mohan Kumar	805121,Bhanail lodipur Akbarpur	1	15

## क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/**Buyer Added Bid Specific Terms and Conditions**

### 1. **Generic**

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be  $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$ , subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

### 2. **Service & Support**

Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.

### 3. **Buyer Added Bid Specific ATC**

Buyer Added text based ATC clauses

WORKING SERVICE CENTRE SHOULD BE AVAILABLE WITHIN 5 KM RADIUS OR ARE APPROVED BY US

IN ANY CASE OUR DECISION IS FINAL.

## **अस्वीकरण/Disclaimer**

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export

experience.

11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

**All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.**

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

**---धन्यवाद/Thank You---**