







बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details		
बिड बंद होने की तारीख/समय /Bid End Date/Time	20-10-2025 13:00:00	
बिड खुलने की तारीख/समय /Bid Opening Date/Time	20-10-2025 13:30:00	
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	180 (Days)	
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Defence	
विभाग का नाम/Department Name	Department Of Military Affairs	
संगठन का नाम/Organisation Name	Indian Army	
कार्यालय का नाम/Office Name	******	
कुल मात्रा/Total Quantity	6	
वस्तु श्रेणी /Item Category	OPC Drum BP 20M22 , Doveloper BP 20M22 , Cleaning Blade BP 20M22 , Sata Mother Bord Cable , CMOS Batter	
GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS	OPC Drum BP 20M22, Doveloper BP 20M22, Cleaning Blade BP 20M22, Sata Mother Bord Cable, CMOS Batter	

Morcha as per IS 17525, Mercurial Sphygmomanometer, Foot Operated Pedal Bin or Bucket for Bio - Medical Waste Collection, Blood Pressure Monitor Cuff (V2), Autoclave (Horizontal), Aneroid Type Sphygmomanometer, water baths, Ambulatory Blood Pressure Monitor (V2) Searched String: Cleaning Blade BP 20M22 Cleaning Duster (V3), Squeegee Washer Wiper Mopper (V2), Cleaning Duster (V2), cleaning or jaintorial cart, Autoclave (Horizontal), Band saw blade, water baths, becarbable Surgical Blades (Bard Parker Type), Bio - Medical Waste Collection Bags (Biohazard Bags), Offset printing cleaning Chemical Searched String: Sata Mother Bord Cable Category not available on GeM for the text string uploaded by the buyer Searched String: CMOS Batter Lead Acid Storage Batteries For Motor Vehicles with Light Weight and High Cranking Performance (V2) Conforming to IS 14257, Dental Radiovisiography (RVG) Unit with Accessories, M-MH Battery for Hand Held Radio Set as per MHA QR, Gel Documentation System, Secondary Sealed Cells and Batteries For Portable Application - Nickel Metal Hydride Conforming To IS 16048 (Part 2), book scanner, Lithium Battery for Hand Held Radio Set as per MHA QR, Gel Documentation System, Secondary Sealed Cells and Batteries For Portable Application - Nickel Metal Hydride Conforming To IS 16048 (Part 2), book scanner, Lithium Battery for Hand Held Radio Set as Per MHA QR, Multipurpose Dry Batteries (V2) ISI Marked to IS B144, Stationary Valve Regulated Lead Acid Batteries (V2) as per IS 15549, Orthopaedic Battery Operated Drill System (V2) ### Stationary Valve Regulated Lead Acid Batteries (V2) as per I Lakh (s) ### Stationary Valve Regulated Lead Acid Batteries (V2) **Pope Drum ### Stationary Valve Regulated Lead Acid Batteries (V2) **Pope Drum ### Stationary Valve Regulated Lead Acid Batteries (V2) **Pope Drum ### Stationary Valve Regulated Lead Acid Batteries (V2) **Pope Drum ### Stationary Valve Regulated Lead Acid Batteries (V2) **Pope Drum #### Stationary Valve Regulated Lead Acid Batte	बिड वि	वरण/Bid Details
Ready Mixed Paint, Air Drying, Red Oxide Zinc Chrome, Priming (V2) as per IS 2074, Tissue Homogenizer Searched String: Doveloper BP 20M22 BP cuffs and bladders, Cleaning Duster (V3), Bullet Resistant Morcha as per IS 17525, Mercurial Sphygmomanometer, Foot Operated Pedal Bin or Bucket for Bio - Medical Waste Collection, Blood Pressure Monitor Cuff (V2), Autoclave (Horizontal), Aneroid Type Sphygmomanometer, water baths, Ambulatory Blood Pressure Monitor (V2) Searched String: Cleaning Blade BP 20M22 Cleaning Duster (V3), Squeegee Washer Wiper Mopper (V2), Cleaning Duster (V2), cleaning or janitorial cart, Autoclave (Horizontal), Band saw blade, water baths, Detachable Surgical Blades (Bard Parker Type), Bio - Medical Waste Collection Bags (Biohazard Bags), Offset printing cleaning Chemical Searched String: Sata Mother Bord Cable Category not available on GeM for the text string uploaded by the buyer Searched String: CMOS Batter Lead Acid Storage Batteries For Motor Vehicles with Light Weight and High Cranking Performance (V2) Conforming to IS 16484 (Part 2), book scanner, Lithium Battery for Hand Held Radio Set as per MHA QR, Gel Documentation System, Secondary Sealed Cells and Batteries For Portable Application - Nickel Metal Hydride Conforming To IS 16048 (Part 2), book scanner, Lithium Battery for Hand Held Radio Set as per MHA QR, Gel Documentation System, Secondary Sealed Cells and Batteries For Portable Application - Nickel Metal Hydride Conforming To IS 16048 (Part 2), book scanner, Lithium Battery of Hand Held Radio Set as per MHA QR, Multipurpose Dry Batteries (V2) ISI Market to Is 8144, Stationary Valve Regulated Lead Acid Batteries (V2) as per IS 15549, Orthopaedic Battery Operated Drill System (V2) ### OPC Drum ###################################		Searched String: OPC Drum BP 20M22
BP cuffs and bladders, Cleaning Duster (V3), Bullet Resistant Morcha as per IS 17525, Mercurial Sphygmomanometer, Foot Operated Pedal Bin or Bucket for Bio - Medical Waste Collection, Blood Pressure Monitor Cuff (V2), Autoclave (Horizontal), Aneroid Type Sphygmomanometer, water baths, Ambulatory Blood Pressure Monitor (V2) Searched String: Cleaning Blade BP 20M22 Cleaning Duster (V3), Squeegee Washer Wiper Mopper (V2), Cleaning Duster (V2), cleaning or jaintorial cart. Autoclave (Horizontal), Band saw blade, water baths, Detachable Surgical Blades (Bard Parker Type), Bio - Medical Waste Collection Bags (Biohazard Bags), Offset printing cleaning Chemical Searched String: Sata Mother Bord Cable Category not available on GeM for the text string uploaded by the buyer Searched String: CMOS Batter Lead Acid Storage Batteries For Motor Vehicles with Light Weight and High Cranking Performance (V2) Conforming to IS 14257, Dental Radiovisiography (RVG) Unit with Accessories, Mi-MH Battery for Hand Held Radio Set as per MHA QR, Gel Documentation System, Secondary Sealed Cells and Batteries For Portable Application - Nickel Metal Hydride Conforming To IS 16048 (Part 2), book scanner, Lithium Battery for Hand Held Radio Set as Per MHA QR, Multipurpose Dry Batteries (V2) ISI Marked to IS 8144, Stationary Valve Regulated Lead Acid Batteries (V2) as per IS 15549, Orthopaedic Battery Operated Drill System (V2) ### Stationary Valve Regulated Lead Acid Batteries (V2) as Per IS 15549, Orthopaedic Battery Operated Drill System (V2) ### Stationary Valve Regulated Lead Acid Batteries (V2) as Per IS 15549, Orthopaedic Battery Operated Drill System (V2) ### Stationary Valve Regulated Lead Acid Batteries (V2) as Per IS 15549, Orthopaedic Battery Operated Drill System (V2) ### Stationary Valve Regulated Lead Acid Batteries (V2) as Per IS 15549, Orthopaedic Battery Operated Drill System (V2) ### Stationary Valve Regulated Lead Acid Batteries (V2) as Per IS 15549, Orthopaedic Battery Operated Drill System (V2) ### Stationary		Ready Mixed Paint, Air Drying, Red Oxide Zinc Chrome,
Morcha as per IS 17525, Mercurial Sphygmomanometer, Foot Operated Pedal Bin or Bucket for Bio - Medical Waste Collection, Blood Pressure Monitor Cuff (V2), Autoclave (Horizontal), Aneroid Type Sphygmomanometer, water baths, Ambulatory Blood Pressure Monitor (V2) Searched String: Cleaning Blade BP 20M22 Cleaning Duster (V3), Squeegee Washer Wiper Mopper (V2), Cleaning Duster (V2), cleaning or jaintorial cart, Autoclave (Horizontal), Band saw blade, water baths, becarbable Surgical Blades (Bard Parker Type), Bio - Medical Waste Collection Bags (Biohazard Bags), Offset printing cleaning Chemical Searched String: Sata Mother Bord Cable Category not available on GeM for the text string uploaded by the buyer Searched String: CMOS Batter Lead Acid Storage Batteries For Motor Vehicles with Light Weight and High Cranking Performance (V2) Conforming to IS 14257, Dental Radiovisiography (RVG) Unit with Accessories, M-MH Battery for Hand Held Radio Set as per MHA QR, Gel Documentation System, Secondary Sealed Cells and Batteries For Portable Application - Nickel Metal Hydride Conforming To IS 16048 (Part 2), book scanner, Lithium Battery for Hand Held Radio Set as per MHA QR, Gel Documentation System, Secondary Sealed Cells and Batteries For Portable Application - Nickel Metal Hydride Conforming To IS 16048 (Part 2), book scanner, Lithium Battery for Hand Held Radio Set as Per MHA QR, Multipurpose Dry Batteries (V2) ISI Marked to IS B144, Stationary Valve Regulated Lead Acid Batteries (V2) as per IS 15549, Orthopaedic Battery Operated Drill System (V2) ### Stationary Valve Regulated Lead Acid Batteries (V2) as per I Lakh (s) ### Stationary Valve Regulated Lead Acid Batteries (V2) **Pope Drum ### Stationary Valve Regulated Lead Acid Batteries (V2) **Pope Drum ### Stationary Valve Regulated Lead Acid Batteries (V2) **Pope Drum ### Stationary Valve Regulated Lead Acid Batteries (V2) **Pope Drum ### Stationary Valve Regulated Lead Acid Batteries (V2) **Pope Drum #### Stationary Valve Regulated Lead Acid Batte		Searched String: Doveloper BP 20M22
Cleaning Duster (V3), Squeegee Washer Wiper Mopper (V2), Cleaning Duster (V2), cleaning or janitorial cart, Autoclave (Horizontal), Band saw blade, water baths, Detachable Surgical Blades (Bard Parker Type), Bio - Medical Waste Collection Bags (Biohazard Bags), Offset printing cleaning Chemical Searched String: Sata Mother Bord Cable Category not available on GeM for the text string uploaded by the buyer Searched String: CMOS Batter Lead Acid Storage Batteries For Motor Vehicles with Light Weight and High Cranking Performance (V2) Conforming to IS 14257, Dental Radiovisiography (RVG) Unit with Accessories, Ni-MH Battery for Hand Held Radio Set as per MHA QR, Gel Documentation System, Secondary Sealed Cells and Batteries For Portable Application - Nickel Metal Hydride Conforming To IS 16048 (Part 2), book scanner, Lithium Battery for Hand Held Radio Set as per MHA QR, Multipurpose Dry Batteries (V2) ISI Marked to IS 8144, Stationary Valve Regulated Lead Acid Batteries (V2) as per IS 15549, Orthopaedic Battery Operated Drill System (V2) 3fth quant to Row audient with Relevant Categories selected for notification 1 1 19 7 1 1 19 7 2 1 1 2 1 1 2 1 1 2 1 1 2 1 1 2 1 1 2 1 1 2 1 1 2 1 1 2 1 1 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1		Foot Operated Pedal Bin or Bucket for Bio - Medical Waste Collection, Blood Pressure Monitor Cuff (V2), Autoclave (Horizontal), Aneroid Type Sphygmomanometer, water
Cleaning Duster (V2), cleaning or janitorial cart, Autoclave (Horizontal), Band saw blade, water baths, Detachable Surgical Blades (Bard Parker Type), Bio - Medical Waste Collection Bags (Biohazard Bags), Offset printing cleaning Chemical Searched String: Sata Mother Bord Cable Category not available on GeM for the text string uploaded by the buyer Searched String: CMOS Batter Lead Acid Storage Batteries For Motor Vehicles with Light Weight and High Cranking Performance (V2) Conforming to IS 14257, Dental Radiovisiography (RVG) Unit with Accessories, Ni-MH Battery for Hand Held Radio Set as per MHA QR, Gel Documentation System, Secondary Sealed Cells and Batteries For Portable Application - Nickel Metal Hydride Conforming To IS 16048 (Part 2), book scanner, Lithium Battery for Hand Held Radio Set as per MHA QR, Multipurpose Dry Batteries (V2) ISI Marked to IS 8144, Stationary Valve Regulated Lead Acid Batteries (V2) as per IS 15549, Orthopaedic Battery Operated Drill System (V2) 3// Utquam के लिए चयनित प्रासंगिक श्रीणियाँ / Relevant Categories selected for notification ग्रीओक्य श्रीषंक /BOQ Title IT 19		Searched String: Cleaning Blade BP 20M22
Category not available on GeM for the text string uploaded by the buyer Searched String: CMOS Batter Lead Acid Storage Batteries For Motor Vehicles with Light Weight and High Cranking Performance (V2) Conforming to IS 14257, Dental Radiovisiography (RVG) Unit with Accessories, Ni-MH Battery for Hand Held Radio Set as per MHA QR, Gel Documentation System, Secondary Sealed Cells and Batteries For Portable Application - Nickel Metal Hydride Conforming To IS 16048 (Part 2), book scanner, Lithium Battery for Hand Held Radio Set as per MHA QR, Multipurpose Dry Batteries (V2) ISI Marked to IS 8144, Stationary Valve Regulated Lead Acid Batteries (V2) as per IS 15549, Orthopaedic Battery Operated Drill System (V2) अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification 1 1 19 गूल उपकरण निर्माता का औसत दर्नओवर (गत 3 वर्षों का)/OEM Average Turnover (Last 3 Years) 1 Lakh (s) 1 Year (s) 1 Year (s)		Cleaning Duster (V2), cleaning or janitorial cart, Autoclave (Horizontal), Band saw blade, water baths, Detachable Surgical Blades (Bard Parker Type), Bio - Medical Waste Collection Bags (Biohazard Bags), Offset printing cleaning
by the buyer Searched String: CMOS Batter Lead Acid Storage Batteries For Motor Vehicles with Light Weight and High Cranking Performance (V2) Conforming to IS 14257, Dental Radiovisiography (RVG) Unit with Accessories, Ni-MH Battery for Hand Held Radio Set as per MHA QR, Gel Documentation System, Secondary Sealed Cells and Batteries For Portable Application - Nickel Metal Hydride Conforming To IS 16048 (Part 2), book scanner, Lithium Battery for Hand Held Radio Set as per MHA QR, Multipurpose Dry Batteries (V2) ISI Marked to IS 8144, Stationary Valve Regulated Lead Acid Batteries (V2) as per IS 15549, Orthopaedic Battery Operated Drill System (V2) अधिसूचला के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification ग्रीओक्यू शीर्षक /BOQ Title IT 19 ग्रुल उपकरण निर्मात का औसत टर्नओक्य (गत 3 वर्षों का)/OEM Average Turnover (Last 3 Years) 1 Lakh (s) 1 Year (s) - Year (s) 1 Year (s)		Searched String: Sata Mother Bord Cable
Lead Acid Storage Batteries For Motor Vehicles with Light Weight and High Cranking Performance (V2) Conforming to IS 14257, Dental Radiovisiography (RVG) Unit with Accessories, Ni-MH Battery for Hand Held Radio Set as per MHA QR, Gel Documentation System, Secondary Sealed Cells and Batteries For Portable Application - Nickel Metal Hydride Conforming To IS 16048 (Part 2), book scanner, Lithium Battery for Hand Held Radio Set as per MHA QR, Multipurpose Dry Batteries (V2) ISI Marked to IS 8144, Stationary Valve Regulated Lead Acid Batteries (V2) as per IS 15549, Orthopaedic Battery Operated Drill System (V2) अधिस्चन के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification वीओक्यू शीर्षक /BOQ Title IT 19 ### A 3UARTU निर्मात का औसत टर्नओवर (गत 3 वर्षों का)/OEM Average Turnover (Last 3 Years) \$\frac{1}{2}\$ Lakh (s) \$\frac{1}{2}\$ Year of Past Experience Required for same/similar service URIVERS के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/MSE Exemption for Years of No		
Weight and High Cranking Performance (V2) Conforming to IS 14257, Dental Radiovisiography (RVG) Unit with Accessories, Ni-MH Battery for Hand Held Radio Set as per MHA QR, Gel Documentation System, Secondary Sealed Cells and Batteries For Portable Application - Nickel Metal Hydride Conforming To IS 16048 (Part 2), book scanner, Lithium Battery for Hand Held Radio Set as per MHA QR, Multipurpose Dry Batteries (V2) ISI Marked to IS 8144, Stationary Valve Regulated Lead Acid Batteries (V2) as per IS 15549, Orthopaedic Battery Operated Drill System (V2) अधिस्चन के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification बीओक्यू शीर्षक /BOQ Title IT 19 गृत उपकरण निर्मात का औसत टर्नओवर (गत 3 वर्षों का)/OEM Average Turnover (Last 3 Years) उन्हीं /समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष /Years of Past Experience Required for same/similar service पगरसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/MSE Exemption for Years of		Searched String: CMOS Batter
Categories selected for notification बीओक्यू शीर्षक /BOQ Title मूल उपकरण निर्माता का औसत दर्नओवर (गत 3 वर्षों का)/OEM Average Turnover (Last 3 Years) उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/Years of Past Experience Required for same/similar service एमएसएमई के लिए अनुभव के वर्षों और दर्नओवर से छूट प्रदान की गई है/MSE Exemption for Years of		Weight and High Cranking Performance (V2) Conforming to IS 14257, Dental Radiovisiography (RVG) Unit with Accessories, Ni-MH Battery for Hand Held Radio Set as per MHA QR, Gel Documentation System, Secondary Sealed Cells and Batteries For Portable Application - Nickel Metal Hydride Conforming To IS 16048 (Part 2), book scanner, Lithium Battery for Hand Held Radio Set as per MHA QR, Multipurpose Dry Batteries (V2) ISI Marked to IS 8144, Stationary Valve Regulated Lead Acid Batteries (V2) as per
मूल उपकरण निर्माता का औसत दर्नओवर (गत 3 वर्षों का)/OEM Average Turnover (Last 3 Years) उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्षा/Years of Past Experience Required for same/similar service एमएसएमई के लिए अनुभव के वर्षों और दर्नओवर से छूट प्रदान की गई है/MSE Exemption for Years of	1 "	OPC Drum
का/OEM Average Turnover (Last 3 Years) 3 Fहीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/Years of Past Experience Required for same/similar service एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/MSE Exemption for Years of	बीओक्यू शीर्षक /BOQ Title	IT 19
वर्ष/Years of Past Experience Required for same/similar service एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/MSE Exemption for Years of	"	1 Lakh (s)
की गई है/MSE Exemption for Years of No	वर्ष/Years of Past Experience Required for	1 Year (s)
Experience and Turnover		No

बिड विवरण/Bid Details	
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /Startup Exemption for Years of Experience and Turnover	No
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Experience Criteria, Past Performance, Bidder Turnover, OEM Annual Turnover *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	1
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	7
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	1
विगत प्रदर्शन /Past Performance	40 %
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	No
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	OPC Drum BP 20M22
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
मुलह खंड/Mediation Clause	No
ईएमडी विवरण/EMD Detail	
आवश्यकता/Required	No

ईपीबीजी	विवरण	/ePBG	Detail
---------	-------	-------	---------------

आवश्यकता/Required	No

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

Reserved for Make In India products

Reserved for Make In India products	Yes

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes

- 1. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
- 2. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
- 3. Bid reserved for Make In India products: : Procurement under this bid is reserved for purchase from Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. However, eligible micro and small enterprises will be allowed to participate. The minimum local content to qualify as a class 1 local supplier is denoted in the bid document. All bidders must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which the bid is liable to be rejected. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020 . In case Buyer has selected Purchase preference to Micro and Small Enterprises clause in the bid, the same will get precedence over this clause.
- 4. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 OM No.1 4 2021 PPD dated 18.05.2023 for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is

validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

- 5. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.
- 6. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 40% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

OPC Drum BP 20M22

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती / रिपोर्टिंग अधिकारी / Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*******Kargil	1	15

Doveloper BP 20M22

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<u>View File</u>
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती / रिपोर्टिंग अधिकारी / Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*********Kargil	1	15

Cleaning Blade BP 20M22

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती / रिपोर्टिंग अधिकारी / Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*******Kargil	1	15

Sata Mother Bord Cable

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती / रिपोर्टिंग अधिकारी / Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*********Kargil	2	15

CMOS Batter

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती / रिपोर्टिंग अधिकारी / Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*********Kargil	1	15

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तै/Buyer Added Bid Specific Terms and Conditions

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be (Increased quantity \div Original quantity) \times Original delivery period (in days), subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Scope of Supply

Scope of supply (Bid price to include all cost components) : Only supply of Goods

3. Inspection

Nominated Inspection Agency: On behalf of the Buyer organization, any one of the following Inspection Agency would be conducting inspection of stores before acceptance:

Pre-dispatch Inspection at Seller Premises (applicable only if pre-dispatch inspection clause has been selected in ATC):

YFS

Post Receipt Inspection at consignee site before acceptance of stores:

4. Sample Clause

After award of contract – Successful Bidder shall have to get advance sample approved from buyer before bulk manufacturing / starting bulk supplies. Successful Bidder shall submit

samples for Buyer's approval, within 5 days of award of contract. Buyer shall, as per contract specifications framework, either approve the advance sample or will provide complete list of modification required in the sample within 5 days of receipt of advance sample. Seller shall be required to ensure supply as per approved sample with modifications as communicated by Buyer. If there is delay from buyer side in approval of advance sample – the delivery period shall be refixed without LD for the period of delay in sample approval. In case, the sample is found to have major deviations / not conforming to the Contract specifications, the buyer at its discretion may call for fresh samples for approval before allowing bulk supplies or may terminate the contract after notifying the deviations to the seller. Unless otherwise provided in the contract, all samples required for test shall be supplied by the contractor free of cost. Where under the contract, the contractor is required to submit an advance sample, any expenses incurred by the contractor on or in connection with the production of stores in bulk, before the sample has been approved unconditionally shall be borne by the Seller and he shall not claim any compensation in the event of such sample being found unacceptable by the Buyer / Consignee.

अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

- 1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
- 2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
- 3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
- 4. Creating BoQ bid for single item.
- 5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
- 6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
- 7. Floating / creation of work contracts as Custom Bids in Services.
- 8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for <u>attached categories</u>, trials are allowed as per approved procurement policy of the buyer nodal Ministries)
- 9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
- 10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
- 11. Creating bid for items from irrelevant categories.
- 12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
- 13. Reference of conditions published on any external site or reference to external documents/clauses.
- 14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the

- case may be.
- 15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
- 16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो।बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---