

GeM Government e Marketplace

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details		
बिड बंद होने की तारीख/समय /Bid End Date/Time	18-10-2025 18:00:00	
बिड खुलने की तारीख/समय /Bid Opening Date/Time	18-10-2025 18:30:00	
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	30 (Days)	
मंत्रालय/राज्य का नाम/Ministry/State Name	Bihar	
विभाग का नाम/Department Name	Department Of Panchayati Raj	
संगठन का नाम/Organisation Name	Purbi Champaran District Panchayats	
कार्यालय का नाम/Office Name	Sugauli	
कुल मात्रा/Total Quantity	1	
वस्तु श्रेणी /Item Category	Drinking Water ATM / Water Vending Machine (Version 2) (Q3)	
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/MSE Exemption for Years of Experience and Turnover	No	
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /Startup Exemption for Years of Experience and Turnover	No	
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Experience Criteria, Past Performance, Certificate (Requested in ATC), OEM Authorization Certificate, Additional Doc 1 (Requested in ATC), Additional Doc 2 (Requested in ATC), Additional Doc 3 (Requested in ATC), Additional Doc 4 (Requested in ATC), Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer	
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	No	
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	1	

बिड विवरण/Bid Details				
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	3			
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	1			
विगत प्रदर्शन /Past Performance	10 %			
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	No			
बिड का प्रकार/Type of Bid	Two Packet Bid			
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days			
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No			
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation			
मध्यस्थता खंड/Arbitration Clause	No			
सुलह खंड/Mediation Clause	No			
ईएमडी विवरण/EMD Detail				
आवश्यकता/Required	No			
ईपीबीजी विवरण /ePBG Detail				
आवश्यकता/Required	No			
बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied. एमएसई खरीद वरीयता/MSE Purchase Preference				
एमएसई खरीद वरीयता/MSE Purchase Preference	No			
एमआईआई खरीद वरीयता/MII Purchase Preference				
एमआईआई खरीद वरीयता/MII Purchase Preference	No			

1. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and

for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

2. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 10% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

Drinking Water ATM / Water Vending Machine (Version 2) (1 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Coin / Card Acceptor / Quantity of	Number of Dispensing points	1, 2, 3, 4, 5, 6 Or higher
Dispensing Water	Water Dispensing using coin acceptor	Yes, No
	Coins accepted for payment	Re.1, Rs. 2, Rs. 5, Rs.10, Rs. 20, NA
	Water Dispensing using RFID/NFC card	Yes, No
	Mobile Wallet accepted for payment	Yes, No
CAPACITY / TYPE / WATER SOURCE /	Purification Capacity of Water ATM (LPH)	20, 50, 100, 150, 200, 250, 300, 500, 1000, 2000 Or higher
OUTLET WATER QUALITY	Type of Operation	Manual, Semi-Automatic, Automatic with Multi- Processor Integrated Control System and remotely conrolled web based Server system Or higher
	Water Source	Municipal Tap water, Surface Water, Borewell Water
TECHNOLOGY	Technology	Reverse Osmosis (RO), Ultra Filtration (UF), UF+RO, Nano Filtration (NF), CDI
	Anti scalant dosing pump	Yes, No
	pH Correction Dosing Pump	Yes, No
CONSTRUCTIONAL	Raw water Storage capacity (Indicate '0' for direct connection to continuous Tap Water source)	0, 100, 200, 500, 1000, 2000, 3000, 5000, 8000, 10000 Or higher
	Raw water Storage Tank Material of Construction	Concrete, Mild Steel, Stainless Steel, FRP, HDPE, Poly Propylene (PP)
	Location of the Raw Water Storage Tank	Inside the ATM Enclosure, Under Ground, NA for Tap Water, Outside the ATM Enclosure
		10-20, 21-50, 51-100, 101-150, 151-200, 201-250, 251-300, 301-350, 351-400, 401-500, 501-600, 601-700, 701-800, 801-1000 Or higher

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)	
	Treated water Storage Tank Material of Construction	Stainless Steel 316 Gr, Stainless Steel 304 Gr, HDPE, PP Or higher	
	Equipped with an in-built chiller unit for providing continuous cold water of temperature around 15 degree Celcius	Yes, No	
	In-built Chiller Tank Capacity (Liter)	10-20, 21-50, 51-100, 101-150, 151-200, 201-250, 251-300, 301-350, 351-400, 401-500, 501-600, 601-700, 701-800, 801-1000, NA Or higher	
	Chiller Tank Material of Construction	Stainless Steel 316 Gr, Stainless Steel 304 Gr, NA Or higher	
	Number of Filtration steps	5, 7, 9	
	Provided with suitable vending place for filling container of 20 liters capacity	Yes, No	
DISPLAY	Display of water purity parameters	Yes, No	
	Display Type	LED, LCD, TFT, NA Or higher	
	Backlit Display	Yes, No	
	Touch Screen Display	Yes, No	
	Display Size (Characters x Lines)	4 x 2 (4 Ch x 2 lines), 8 x 2 (8 Ch x 2 lines), 16 x 2 (16 Ch x 2 lines), 20 x 2 (20 Ch x 2 lines), 7" Tablet, NA	
	Display of oulet water TDS level	Yes, No	
	Display of outlet water pH level	Yes, No	
	Display of outlet water Temperature	Yes, No	
Inlet / Feed Pump to feed water from raw	Inlet / Feed Pump Type	Horizontal Centrifugal, Vertical Centrifugal, NA for Tap water	
water storage tank to filter	Number of Inlet / Feed Pumps	1, 2, NA	
Multi Media Filter Vessels for First	Material Of Construction for Multi Media Filter Vessels	FRP, Steel, PP Or higher	
stage filtration for suspended particles	Number of Multi Media Filter Vessels	2, 1 Or higher	
Multi-Port Valve to	Type of Multi-Port Valve	Manual, Automatic, NA	
control filtration and backwash for media filter having sand &	Multi-Port Valve Material of Construction	ABS, PP, NA	
carbon	Number of Multi-Port Valves	1, 2, NA	

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)	
Anti scalent Dosing Pump to inhibit	Type of Anti scalent Dosing Pump	Electronic diaphragm, NA	
scaling of hardness salt and silica on RO Membranes, doze pH	Material Of Construction for Anti scalent Dosing Pump	PP, ABS, NA	
and Cl as per water quality	Number of Anti scalent Dosing Pumps	1, 2, NA	
pH Correction	Type of pH Correction Pump	Electronic diaphragm, NA	
Dosing Pump & Dosing Tank to dilute water with	Material Of Construction for pH Correction Dosing Pump	PP, ABS, NA	
dosing chemicals	Number of pH Correction Dosing Pumps	1, 2, 3, NA	
	Dosing Tank Material of Construction	LLDPE, HDPE, NA	
High Pressure Pump to develop required	Type of High Pressure Pump	Vertical Centrifugal Pump, NA	
pressure for Reverse Osmosis on RO	Material Of Construction for High Pressure Pump	PP, SS, NA	
Membranes	Number of High Pressure Pumps	1, 2, 3, NA Or higher	
	Low pressure switch for Protection of HP pump from burn-out	Yes, NA	
RO Pressure Vessel	Type of RO Pressure Vessel	Membrane housing mounted on skid - End port type, NA	
	Material Of Construction for RO Pressure Vessel	FRP, SS, NA	
	Number of RO Pressure Vessels	1, 2, 3, 4, NA Or higher	
Ultra Violet (UV) System to disinfect	Material Of Construction for UV System	SS, ABS, NA	
water, kill bacteria and micro-organisms	Number of UV Systems	1, 2, NA Or higher	
	Number of UV Lights	1, 2, 3, 4, 5, 6, NA Or higher	
	Total UV Power	12 Watts, 16 Watts, 48 Watts, NA	
CIP (Clean-In- Place)Tank to mix /	CIP Tank	Yes, No	
Dilute chemicals for membrane cleaning	CIP Tank Material of Construction	HDPE, FRP, LLDPE, NA	
and permeate back wash	Number of CIP Tanks	1, 2, NA Or higher	
Power Source	Power Source	AC Power Supply, AC & DC (for dispensing only) Power Supply	
	Power Supply	230 ±10 V AC, 415 ±10 V AC	
	Battery back-up time (Hours)	6, 8, 10, 12, 14, 16, 18, 20, 22, 24 Or higher	

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)		
Water ATM - Enclosure	Structure	Rigid structure made of MS frame, Rigid structure made of SS frame(3),, Rigid structure made of G.I. frame Or higher		
	Thickness of the frame of structure (mm)	2.5, 2 Or higher		
	Material of Construction of Side Panels of Water ATM	Stainless Steel Sheet, Galvanized Steel Sheet Or higher		
	Side Panel Sheet Thickness (mm)	0.6, 0.8, 1, 1.2 Or higher		
	PUF insulation of Side Panels of Water ATM	With, Without Or higher		
	PUF insulation of the door of Water ATM	With, Without Or higher		
	Provision for in-built litter space	Yes, No		
	Covered area of treatment plant enclosure (Square Foot)	2-5, 5.1-10, 10.1-15, 15.1-20, 20.1-30, 30.1-40, 40.1-50, 50.1-60, 60.1-70, 70.1-80, 80.1-90, 90.1-100, 100.1-110, 110.1-120 Or higher		
	Shape of the Water ATM housing	Cubical, Cuboidal, Hexagonal, Cylindrical		
	Top Canopy of the Water ATM housing	Flat, Sloped, Dome		
	Headroom for the Water ATM enclosure (Foot)	7.1-8.0, 8.1-9.0, 9.1-10.0 Or higher		
	Floor area around the Water ATM enclosure covered with anti-skid tiles	Yes, No		
	Water ATM enclosure protected with enclosed MS grill / mesh	Yes, No		
Installation & Commissioning / Warranty	Trial Run and Training provided (inclusive in the Scope of Supply) (Days)	5, 10 Or higher		
	Warranty for storage Tanks (Year)	1, 2, 3, 4, 5 Or higher		
	Warranty for electrical motors (Year)	1, 2, 3 Or higher		
Warranty for the filters (Year)		1, 2, 3 Or higher		
	Warranty for the system (Year)	1, 2, 3 Or higher		
Test Reports	Availability of Test Report from Central Govt /NABL/ILAC accredited lab to prove confirmity to specification	Yes, No		

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)	
	All the test reports and certificates shall furnish by the supplier to the buyer/consignee on demand	Yes, No	

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती / रिपोर्टिंग अधिकारी / Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days	
1	Rajkumar Paswan	845431,PANJIARWA PANCHAYAT, SUGAULI BLOCK, EAST CHAMPARAN	1	30	

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be (Increased quantity \div Original quantity) \times Original delivery period (in days), subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

:-

- 1. GST Certificate and GST Return Last 1 Year.
- It is mandatory for the bidder to upload ATC acceptable certificate, Copy of Aadhaar card, Copy of PA N card, Copy of cancel Cheque.
- 3. There should be a local service center, with decumbently proof.
- 4. Undertaking for firm not blacklisted by any Government, Semi government and private organization.
- 5. For Fulfilling work experience criteria need to upload Similar Work order.
- 6. The Seller must be upload Audit Reports and Balance sheet last three years of participating firms

- 7. Bidder must have submit to ISO 9001: 2015 certificate.
- 8. Bidder must have submit OEM Authorization Certificate.
- 9. Bid Security Declaration.
- 10. Bidder must have to upload make in India undertaking
- 11. This bid is reserved for Local Suppliers.
- 12. Bidder must upload their MSME certificate
- 13. Quoted rate should be inclusive of all taxes.
- 14. GMP Certificate
- 15. The Bidder shall not have been blacklisted by any Department /Ministry of the Govt. of India/ State Govt. / PSUs. (Declaration of government stamp paper).
- 16. The Bidder must have PAN No. and GST No. Upload duly legible attested copies.
- 17. Bidders should submit the declaration that the cost of the materials is not more than the market rates or Gem portal sites. (Material cost + Handling + Transportation + Installation+ Labour + GST + etc.) will be treat as rates per unit.
- 18. Bidder must have declaration that all the raw material which was using in this supply should be ISI.
- **19.** Bidder/Manufacturer must have Submit ISO-9001: 2015, GMP Certificate.
- 20. Bidder/OEM should have must submit Eco-Friendly Certificate.
- 21. Bidder should must have submit Turnover Certificate.
- 22. Bidder should must have submit OEM Turnover Certificate.
- 23. Bidder financial standing: The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.
- 24. Bidder/Seller has to submit the sample before opening of Technical bid for verification of the specifica tion of sample as per Bid. Product Sample should be authenticated by OEM and sample should submit to the Office Location. If bidder not provided demonstration of products bidder liable to Rejection.
- 25. Bidder must have submit of Last three years ITR & Balance Sheet
- **26.** Affidavit of acceptance of all terms and condition and undertaking of acceptance of upload the documents are true and correct.
- 27. affidavit must be submitted on 100/- Rs. stamp paper that all the terms and conditions of ATC are acc epted.
- 28. An affidavit must be submitted on 100/- Rs. stamp paper that not in a Black List
- 29. Bidder must have need to submit Make in India (MII) & Local Content Declaration
- 30. Bidder must have submit No Deviation Declaration Must be attach
- 31. Bidder must have submit declaration for Land border with India must attach
- 32. Bidder must have to submit Bank Mandate Form.
- 33. Bidder/OEM must have to attached ISO:45001:2018 Certificate (Required IAF Approved)
- 34. Bidder/OEM must have to attached ISO:14001:2015 Certificate (Required IAF Approved)

35. Bidder/OEM must have to attached CE Certificate

Additional Specification Parameters - Drinking Water Cooler and RO (Reverse Osmosis) (1 piec es)

Specification Parameter Name	Bid Requirement (Allowed Values)	
Installation and commissioning of Drinking Water Cooler with Water Purifier (RO) (1 Set)	Required installation and commissioni ng of both items	
Parameter required for Drinking Water Cooler: Cooling capacity (in liters/hour) should be 80 Ltr. /hours Storage capacity (in liters) should be 120 ltr.	Specification for Drinking Water Coole r	
The water purifier capacity should be 50LPH Filtration capacity	Specification for Water Purification Sy stem. 50LPH Filtration capacity	
Installation and commissioning. 1. Bidder should supply and installation of 1 nos. of water purification systems with 50 LPH filtration capacity. 2. Bidder should supply and installation of 1 nos. of Drinking Water Coolers	Required installation and commissioni ng of both items.	
Accessories: 1. PVC Pump as required for fitting with the Water tank. 2. Water Tank 500 Ltr Capacity 1 nos., 3. Driven Motor Water Pump 1 nos., 4. Iron Frame for 1 set., 5. Foundation Work material (like, cement, brick, Dust etc)	Requirement of miscellaneous items f or fitting of Drinking Water Cooler wit h RO	

^{1.} Buyer Added Bid Specific ATC Buyer Added text based ATC clauses

^{1.} Special Terms and Conditions (STC) 1. As per Govt. of India Gazette notification No. S.O. 2112(E) dated 24 th May 2024 on Self-Contained Drinking Water Cooler (Quality Control) Order,2023 the Conformity to standa

rd and compulsory use of Stan dard Mark has to be followed.

- 2. Accordingly, a category "Self-Contained Drinking Water Coolers (V3) as per IS 1475" has been made live for sellers for market population, and Down for Buyer, because the mandate is having different effective dat es for different kind of industries for ready reference
- 3. Buyers / Consignee shall ensure strict compliance to the requirements of mandatory IS marking to the IS 1475 (Part 1) in-compliance to the Govt. of India Gazette notification No. S.O. 2112(E) dated 24th May 202
- 4. Any violation in this regard shall be the responsibility of the procuring agency only.

SI no.	Goods or Arti cles	Indian Sta ndard	Title of India n Standard	Date of Implem entation for En terprises (other than Micro and Smal I Enterpri ses)	Date of Implem entation for Sm all Enterprises	Date of Implem entation for Mi cro Enterprises
(1)	(2)	(3)	(4)	(5)	(6)	(7)
	Self-containe d Drinking Wa ter Cooler	1475 (Par t 1): 2001	Self-containe d Drinking W ater Cooler - Energy Cons umption and Performance	1st October	1st January	1st April
				2024	2025	2025

अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

- 1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
- 2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
- 3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
- 4. Creating BoQ bid for single item.
- 5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
- 6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
- 7. Floating / creation of work contracts as Custom Bids in Services.
- 8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for attached categories, trials are allowed as per approved procurement policy of the buyer nodal Ministries)
- 9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
- 10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
- 11. Creating bid for items from irrelevant categories.

- 12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
- 13. Reference of conditions published on any external site or reference to external documents/clauses.
- 14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
- 15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
- 16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

यह बिंड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो।बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws

---धन्यवाद/Thank You---