

बिड दस्तावेज़ / Bid Document

बिड विवरण / Bid Details	
बिड बंद होने की तारीख/समय / Bid End Date/Time	18-10-2025 21:00:00
बिड खुलने की तारीख/समय / Bid Opening Date/Time	18-10-2025 21:30:00
बिड पेशकश वैधता (बंद होने की तारीख से) / Bid Offer Validity (From End Date)	180 (Days)
मंत्रालय/राज्य का नाम / Ministry/State Name	Punjab
विभाग का नाम / Department Name	Local Government Department Punjab
संगठन का नाम / Organisation Name	N/a
कार्यालय का नाम / Office Name	Local Govt
कुल मात्रा / Total Quantity	9
वस्तु श्रेणी / Item Category	Municipal solid waste Twin shaft shredder (Q3)
बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) / Minimum Average Annual Turnover of the bidder (For 3 Years)	19 Lakh (s)
मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का) / OEM Average Turnover (Last 3 Years)	80 Lakh (s)
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष / Years of Past Experience Required for same/similar service	3 Year (s)
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / MSE Exemption for Years of Experience and Turnover	No
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / Startup Exemption for Years Of Experience and Turnover	Yes Complete
विक्रेता से मांगे गए दस्तावेज़ / Document required from seller	Experience Criteria, Past Performance, Bidder Turnover, Certificate (Requested in ATC), OEM Authorization Certificate, OEM Annual Turnover, Additional Doc 1 (Requested in ATC), Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer

बिड विवरण/Bid Details	
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेजों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	No
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	3
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	3
विगत प्रदर्शन /Past Performance	20 %
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	No
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	Municipal solid waste Twin shaft shredder
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
अनुमानित बिड मूल्य /Estimated Bid Value	3700000
Payment Timelines	Payments shall be made to the Seller within 15 days of issue of consignee receipt-cum-acceptance certificate (CRAC) and on-line submission of bills (This is in supersession of 10 days time as provided in clause 12 of GeM GTC)
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईएमडी राशि/EMD Amount	74000

ईपीबीजी विवरण /ePBG Detail

आवश्यकता/Required	No
-------------------	----

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज़ प्रस्तुत करने हैं। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b).ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

लाभार्थी /Beneficiary :

EXECUTIVE OFFICER

Local Govt, Local Government Department Punjab, N/A,
(Municipal Council Sri Muktsar Sahib)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	No
---	----

एमआईआई खरीद वरीयता/MII Purchase Preference

एमआईआई खरीद वरीयता/MII Purchase Preference	No
--	----

1. If the bidder is a DPIIT registered Startup, the bidder shall be exempted from the the eligibility criteria of "Experience Criteria" as defined above subject to their meeting of quality and technical specifications. The bidder seeking exemption from Experience Criteria, shall upload the supporting documents to prove his eligibility for exemption.
2. If the bidder is a DPIIT registered Startup, the bidder shall be exempted from the the eligibility criteria of "Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT Registered OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking exemption from Turnover shall upload the supporting documents to prove his eligibility for exemption.
3. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
4. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
5. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old,

the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

6. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

7. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 20% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

Municipal Solid Waste Twin Shaft Shredder (3 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Performance Parameters	Type of Shredder	Twin Shaft
	Application of shredder	Shredder for Municipal Solid Waste containing various objects such as plastic bottles, plastic waste , thrash waste, organic waste etc
	Nature of Operation	Medium Duty
	Hooper Loading	Manual
	Type of Drive	Electric
	Shape of Shaft	Hexagonal Shaped
	Input Electrical Supply	Three phase (440 V. 50 Hz)
	Motor Power in HP @ 1440 rpm	7.5 HP
	Motor class	IE3
	Type of control panel	Manual Based
	Warranty (with free spare parts and free service) on machine	1
	Number of preventative maintenance visits during warranty (number per annum)	2
	Tool kit for Repair and maintenance to be supplied	No
	Gear box for speed reduction	Yes
	Capacity of shredder taking 8 hrs per day operation in tonnes(1000 Kg)	10

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Material of Housing Enclosure	Mild steel
Dimensional & Material Parameters	Length of shaft in mm with tolerance ± 10 mm	250
	Inside dimension of shredder chamber in mm x mm with tolerance ± 5 mm	450 X 600
	Opening of loading hooper in mm x mm with tolerance ± 5 mm	400 x 400
	Material of Shaft	Mild Steel
	Diameter of Shaft in mm with tolerance ± 5 mm	200
Conveyor Parameters	Type of Conveyor provided with Twin shaft shredding machine	Trough Conveyor
	Range of Capacity handled by Conveyor in TPD with 8 hour duty	6-10
	Width of Belt for slider bed type/trough conveyor in mm	400
	Diameter of Driving Pulley for slider bed type conveyor in mm with tolerance ± 5 mm	180
	Diameter of Driven Pulley for slider bed type conveyor in mm with tolerance ± 5 mm	30
	Type of Screw Conveyor	Not Applicable for sorting type Conveyor
	Screw dia or pitch screw conveyor in mm with tolerance ± 5 mm	Not applicable for sorting type conveyor
	Casing of screw conveyor	Not Applicable for sorting type Conveyor
	Outside Diameter of Screw pipe with Tolerance of ± 3 mm for screw conveyor	Not Applicable for sorting type Conveyor
	Supporting Cutter Blades for screw conveyor	Not Applicable for sorting type Conveyor or No conveyor is provided
	Motor Rating in HP for Conveyor	No conveyor is provided
	Type of Coating on Conveyor	No conveyor is provided
Additional Parameters	Material of Base Frame	MS

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Reports	Availability of test report from central govt/NABL/ILAC accredited lab to prove conformity to specification indicated including electrical safety requirements as per IS 302 latest	Yes
	Copies of Certifications of manufacturer of the machine, Certificates from manufacturers from bought out components and material test certificates to be submitted to Buyer on demand after placement of order	Yes

Additional Specification Parameters - Municipal Solid Waste Twin Shaft Shredder (3 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
ADDITIONAL	TECHNICAL SPECIFICATION ATTACHED IN ATC ACCEPTED ONLY.

* Bidders offering must also comply with the additional specification parameters mentioned above.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	152026,EO OFFICE MUKTSAR	3	60

Municipal Solid Waste Twin Shaft Shredder (1 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Performance Parameters	Type of Shredder	Twin Shaft
	Application of shredder	Shredder for Municipal Solid Waste containing various objects such as plastic bottles, plastic waste , thrash waste, organic waste etc
	Nature of Operation	Medium Duty

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Hooper Loading	Manual
	Type of Drive	Electric
	Shape of Shaft	Hexagonal Shaped
	Input Electrical Supply	Three phase (440 V. 50 Hz)
	Motor Power in HP @ 1440 rpm	5 HP
	Motor class	IE2
	Type of control panel	Manual Based
	Warranty (with free spare parts and free service) on machine	1
	Number of preventative maintenance visits during warranty (number per annum)	2
	Tool kit for Repair and maintenance to be supplied	No
	Gear box for speed reduction	No
	Capacity of shredder taking 8 hrs per day operation in tonnes(1000 Kg)	3
	Material of Housing Enclosure	Stainless Steel
Dimensional & Material Parameters	Length of shaft in mm with tolerance ± 10 mm	150
	Inside dimension of shredder chamber in mm x mm with tolerance ± 5 mm	300 X 300
	Opening of loading hooper in mm x mm with tolerance ± 5 mm	400 x 400
	Material of Shaft	Mild Steel
	Diameter of Shaft in mm with tolerance ± 5 mm	115
Conveyor Parameters	Type of Conveyor provided with Twin shaft shredding machine	Slider Bed Type or sorting conveyor
	Range of Capacity handled by Conveyor in TPD with 8 hour duty	6-10

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Width of Belt for slider bed type/trough conveyor in mm	400
	Diameter of Driving Pulley for slider bed type conveyor in mm with tolerance ± 5 mm	180
	Diameter of Driven Pulley for slider bed type conveyor in mm with tolerance ± 5 mm	30
	Type of Screw Conveyor	Not Applicable for sorting type Conveyor
	Screw dia or pitch screw conveyor in mm with tolerance ± 5 mm	Not applicable for sorting type conveyor
	Casing of screw conveyor	Not Applicable for sorting type Conveyor
	Outside Diameter of Screw pipe with Tolerance of ± 3 mm for screw conveyor	Not Applicable for sorting type Conveyor
	Supporting Cutter Blades for screw conveyor	Not Applicable for sorting type Conveyor or No conveyor is provided
	Motor Rating in HP for Conveyor	No conveyor is provided
	Type of Coating on Conveyor	No conveyor is provided
Additional Parameters	Material of Base Frame	SS
Reports	Availability of test report from central govt/NABL/ILAC accredited lab to prove conformity to specification indicated including electrical safety requirements as per IS 302 latest	Yes
	Copies of Certifications of manufacturer of the machine, Certificates from manufacturers from bought out components and material test certificates to be submitted to Buyer on demand after placement of order	Yes

Additional Specification Parameters - Municipal Solid Waste Twin Shaft Shredder (1 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
ADDITIONAL	TECHNICAL SPECIFICATION ATTACHED IN ATC ACCEPTED ONLY.

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	152026,EO OFFICE MUKTSAR	1	60

Municipal Solid Waste Twin Shaft Shredder (3 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Performance Parameters	Type of Shredder	Twin Shaft
	Application of shredder	Shredder for Municipal Solid Waste containing various objects such as plastic bottles, plastic waste , thrash waste, organic waste etc
	Nature of Operation	Medium Duty, Heavy Duty
	Hooper Loading	Manual
	Type of Drive	Electric
	Shape of Shaft	Hexagonal Shaped
	Input Electrical Supply	Three phase (440 V. 50 Hz)
	Motor Power in HP @ 1440 rpm	5 HP
	Motor class	IE2
	Type of control panel	Manual Based
	Warranty (with free spare parts and free service) on machine	1
	Number of preventative maintenance visits during warranty (number per annum)	2
	Tool kit for Repair and maintenance to be supplied	No
	Gear box for speed reduction	No, Yes

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Capacity of shredder taking 8 hrs per day operation in tonnes(1000 Kg)	3, 5
	Material of Housing Enclosure	Mild steel, Stainless Steel
Dimensional & Material Parameters	Length of shaft in mm with tolerance ± 10 mm	150, 550
	Inside dimension of shredder chamber in mm x mm with tolerance ± 5 mm	300 X 300, 300 X500
	Opening of loading hooper in mm x mm with tolerance ± 5 mm	400 x 400
	Material of Shaft	Mild Steel
	Diameter of Shaft in mm with tolerance ± 5 mm	100, 115
Conveyor Parameters	Type of Conveyor provided with Twin shaft shredding machine	Slider Bed Type or sorting conveyor
	Range of Capacity handled by Conveyor in TPD with 8 hour duty	6-10, 20-40
	Width of Belt for slider bed type/trough conveyor in mm	400
	Diameter of Driving Pulley for slider bed type conveyor in mm with tolerance ± 5 mm	180
	Diameter of Driven Pulley for slider bed type conveyor in mm with tolerance ± 5 mm	30
	Type of Screw Conveyor	Spiral Type Screw Conveyor, Not Applicable for sorting type Conveyor
	Screw dia or pitch screw conveyor in mm with tolerance ± 5 mm	210, Not applicable for sorting type conveyor
	Casing of screw conveyor	Fabricated from 3 mm thick mild steel, Not Applicable for sorting type Conveyor
	Outside Diameter of Screw pipe with Tolerance of ± 3 mm for screw conveyor	40, Not Applicable for sorting type Conveyor
	Supporting Cutter Blades for screw conveyor	12 mm thick SS210 blades with profile cutting edge, Not Applicable for sorting type Conveyor or No conveyor is provided
	Motor Rating in HP for Conveyor	No conveyor is provided, 5

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Type of Coating on Conveyor	Enamel Paint of Desired Shade, No conveyor is provided
	Material of Base Frame	MS, SS
Additional Parameters		
Reports	Availability of test report from central govt/NABL/ILAC accredited lab to prove conformity to specification indicated including electrical safety requirements as per IS 302 latest	Yes
	Copies of Certifications of manufacturer of the machine, Certificates from manufacturers from bought out components and material test certificates to be submitted to Buyer on demand after placement of order	Yes

Additional Specification Parameters - Municipal Solid Waste Twin Shaft Shredder (3 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
ADDITIONAL	TECHNICAL SPECIFICATION ATTACHED IN ATC ACCEPTED ONLY.

* Bidders offering must also comply with the additional specification parameters mentioned above.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	152026,EO OFFICE MUKTSAR	3	60

Municipal Solid Waste Twin Shaft Shredder (2 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Performance Parameters	Type of Shredder	Twin Shaft
	Application of shredder	Shredder for Municipal Solid Waste containing various objects such as plastic bottles, plastic waste , thrash waste, organic waste etc
	Nature of Operation	Light Duty
	Hooper Loading	Manual
	Type of Drive	Electric
	Shape of Shaft	Hexagonal Shaped
	Input Electrical Supply	Three phase (440 V. 50 Hz)
	Motor Power in HP @ 1440 rpm	3 HP
	Motor class	IE2
	Type of control panel	Manual Based
	Warranty (with free spare parts and free service) on machine	1
	Number of preventative maintenance visits during warranty (number per annum)	2
	Tool kit for Repair and maintenance to be supplied	No
	Gear box for speed reduction	No
	Capacity of shredder taking 8 hrs per day operation in tonnes(1000 Kg)	3
	Material of Housing Enclosure	Mild steel
Dimensional & Material Parameters	Length of shaft in mm with tolerance ± 10 mm	150
	Inside dimension of shredder chamber in mm x mm with tolerance ± 5 mm	225 X 300
	Opening of loading hooper in mm x mm with tolerance ± 5 mm	300 x 300
	Material of Shaft	Mild Steel
	Diameter of Shaft in mm with tolerance ± 5 mm	100
Conveyor Parameters	Type of Conveyor provided with Twin shaft shredding machine	Slider Bed Type or sorting conveyor

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Range of Capacity handled by Conveyor in TPD with 8 hour duty	3-5
	Width of Belt for slider bed type/trough conveyor in mm	400
	Diameter of Driving Pulley for slider bed type conveyor in mm with tolerance ± 5 mm	180
	Diameter of Driven Pulley for slider bed type conveyor in mm with tolerance ± 5 mm	30
	Type of Screw Conveyor	Not Applicable for sorting type Conveyor
	Screw dia or pitch screw conveyor in mm with tolerance ± 5 mm	Not applicable for sorting type conveyor
	Casing of screw conveyor	Not Applicable for sorting type Conveyor
	Outside Diameter of Screw pipe with Tolerance of ± 3 mm for screw conveyor	Not Applicable for sorting type Conveyor
	Supporting Cutter Blades for screw conveyor	Not Applicable for sorting type Conveyor or No conveyor is provided
	Motor Rating in HP for Conveyor	No conveyor is provided
	Type of Coating on Conveyor	No conveyor is provided
Additional Parameters	Material of Base Frame	MS
Reports	Availability of test report from central govt/NABL/ILAC accredited lab to prove conformity to specification indicated including electrical safety requirements as per IS 302 latest	No
	Copies of Certifications of manufacturer of the machine, Certificates from manufacturers from bought out components and material test certificates to be submitted to Buyer on demand after placement of order	NA

Additional Specification Parameters - Municipal Solid Waste Twin Shaft Shredder (2 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
ADDITIONAL	TECHNICAL SPECIFICATION ATTACHED IN ATC ACCEPTED ONLY.

* Bidders offering must also comply with the additional specification parameters mentioned above.

परिषदी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषदी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	152026,EO OFFICE MUKTSAR	2	60

Buyer added Bid Specific Additional Specification - Drawings

क्र.सं./S.No.	Document Title	Description	रिवर्स प्रभार के अनुसार जीएसटी/Applicable i.r.o. Items
1	SUPPLY OF 3 NOS. WET WASTE SHREDDER MACHINE View	ESTIMATE VALUE Rs. 5.00 LAKH PER NOS.	Municipal Solid Waste Twin Shaft Shredder(3)
2	SUPPLY OF 1 NOS. PORTABLE HORTICULTURE WASTE SHREDDER MACHINE View	ESTIMATE VALUE Rs. 3.00 LAKH PER NOS.	Municipal Solid Waste Twin Shaft Shredder(1)
3	SUPPLY OF 3 NOS. FATKA MACHINE View	ESTIMATE VALUE Rs. 3.00 LAKH PER NOS.	Municipal Solid Waste Twin Shaft Shredder(3)
4	SUPPLY OF 2 NOS. PLASTIC BAILING MACHINE View	ESTIMATE VALUE Rs. 5.00 LAKH PER NOS.	Municipal Solid Waste Twin Shaft Shredder(2)

The uploaded document only contains Buyer specific Additional Scope of Work and / or Drawings for the bid items added with due approval of Buyer's competent authority. Buyer has certified that these additional scope and drawings are generalized and would not lead to any restrictive bidding.

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Forms of EMD and PBG

Bidders can also submit the EMD with Account Payee Demand Draft in favour of

EXECUTIVE OFFICER MUNICIPAL COUNCIL SRI MUKTSAR SAHIB
payable at
SRI MUKTSAR SAHIB

Bidder has to upload scanned copy / proof of the DD along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

3. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the

case may be.

15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्यवाई का आधार होगा।/In terms

of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---