

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	31-07-2025 10:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	31-07-2025 10:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	180 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Defence
विभाग का नाम/Department Name	Department Of Military Affairs
संगठन का नाम/Organisation Name	Indian Army
कार्यालय का नाम/Office Name	*****
कुल मात्रा/Total Quantity	132821
	TRACHEOSTOMY TUBE WITH CUFF DOUBLE LUMEN 7MM , TRACHEOSTOMY TUBE WITH CUFF DOUBLE LUMEN 8MM , Tracheostomy Tube with cuff single Lumen 7.0mm , Tracheostomy tube with cuff with double lumen with fenestration 7.0 mm , Tracheostomy tube with cuff with double lumen with fenestration 7.5 mm , Tracheostomy tube with cuff with double lumen with fenestration 8.0 mm , POST LARYNGECTOMY VOICE PROSTHESIS INHEAL , PROVOX VOICE PROSTHESIS 4.5 MM , TEFLON STAPES PISTON , BURR DIAMOND POLISHING SHAFT 70 MM DIAMETER 2.35 MM SIZE 6, 5, 4, 3, 1.8, 1 MM SET SET OF 6 , Burr Standard tungsten carbide, cutting type, shaft 70 mm, diameter 2.35 mm, size 7,6,5,4,3,2 and 1 mm. set of seven , ROUND COURSE DIAMOND BUR 1 MM , ROUND COURSE DIAMOND BUR 3 MM , ROUND COURSE DIAMOND BUR 4 MM , ROUND COURSE DIAMOND BUR 5 MM , ROUND FINE DIAMOND BUR 2 MM , PACK NASAL MEROCEL 8 CM and 4 CM , DISPOSABLE STERILE EAR WICK 9 X 15 MM , DISPOSABLE STERILE EAR WICK 9 X 24 MM , Haemostatic sponge gelatin 80 mm long, 50mm broad, 10 mm thick , STERILE POST OP DRESSING PACK SMALL , STERILE ADHESIVE POST OP DRESSING MEDIUM , SILVER NITRATE , ORTHO ROLL CAST PADDING COTTON SIZE 10 CM X3 MTR , ORTHO ROLL CAST PADDING COTTON SIZE 15 CM X3 MTR , Dressing silicon gel sheet 5 x 4.5 , Silk like adhesive tape with hypoallergenic adhesive 2 inch X 9.14 mtr Box of 4 , SILK LIKE ADHESIVE TAPE WITH HYPOALLERGENIC ADHESIVE 3 INCH X 9.14 MTR BOX OF 4 , TITANIUM PROSTHESIS AERIAL TOTAL 5.00 MM , TITANIUM PROSTHESIS BELL PARTIAL 2.50 x 1.50 MM , ROUND CARBIDE CUTTING BUR 2 MM , ROUND CARBIDE CUTTING BUR 3 MM , ROUND CARBIDE CUTTING BUR 4 MM , ROUND CARBIDE CUTTING BUR 5 MM , ROUND CARBIDE CUTTING

बिड विवरण / Bid Details	
वस्तु श्रेणी /Item Category	BUR 6 MM , ROUND FINE DIAMOND BUR 6 MM , SKEETER OTOFLEX BUR 0.6 MM BLUE , SKEETER OTOFLEX BUR 0.7 MM GREEN , SKEETER OTOFLEX BUR 0.8 MM YELLOW , SKEETER OTOFLEX BUR 1.00 MM ORANGE , HLA B 27 SSP 96 Test , Adhesive plaster, zinc oxide, 2.5 cm X 1 mtr , DISPOSABLE HIGH CLARITY POLYPROPYLENE CONICAL CENTRIFUGE TUBE 15 ML , Knife Bard parker, blade size 1, fitting commercial No.11, packet of 6 , Knife Bard parker, blade size 2, fitting Commercial No. 20, packet of 6 , Micropore 5cm width , Trypsin EDTA solution T001 pack of 100ml , Vaccum blood collection tubes with needles Sodium Citrate, 3ml , CAPD fluid 7.5percentage, 02 lit bag with minicap , Stent Neuro, self expandable for intracranial aneurysm neck remodeling, 4.5 x 20 mm such as Lvis from Microvention neuroform from stryker , Primary anti body for paraffin section MUM1 for IHC pre diluted ready to use vial of 6oblique7 ml RTU , Primary Anti Body For Paraffin Section Concentrated Pan Ck Cytokeratin RabbitobliqueMouse Monoclonal , Primary anti body for paraffin section pre diluted ready to use vial of 6oblique7 ml , RTU KI67 rabbitobliquemouse monoclonal , Primary Anti Body For Paraffin Section Pre Diluted Ready To Use Vial of 6oblique7 ML , Rtu Beta Catenin RabbitobliqueMouse Monoclonal , Antibody for IHC Bob 1 Ready to use , Antibody for IHC MYO D1 Concentrated , Primary anti body for paraffin section KAPPA for IHC pre diluted ready to use vial of 6oblique7 ml RTU , Antibody for IHC Ae1obliqueAe3 Ready use , Antibody for IHC CD 43 Monoclonal Mouse Anti Human Ready to use , Antibody for IHC MOC 31 Ready to use , Carbonic anhydrase antibody ready to use for IHC , Primary anti body for paraffin section AFP for IHC pre diluted ready to use vial of 6oblique7 ml RTU , Primary Anti Body For Paraffin Section Pre Diluted Ready To Use Vial of 6oblique7 ML , Rtu INI1 RabbitobliqueMouse Monoclonal , Inhibin Alpha Monoclonal Antihuman Antibody for IHC RTU , COVER SLIP 50 X 22 , CYTOSPIN FILTER CARDS COMPATIBLE WITH SHADON CYTOSPIN BOX OF 200 CARDS , FILTER PAPER 100 PER PKT , XYLENE XYLOL PURE , TISSUE CASSETTES and BLOCK HOLDER , Universal IHC Polymer HRP Detection System 1000 TestobliqueKit with Blocking Reagent, Dab Chromogen, Dab Substrate and Wash Buffer 20x Target Retriever System Soln High pH 50x and Low pH 50x Mouse , Diamond marker pencil , Ethyl Alcohol Absolute Molecular Biological Grade , Gold chloride 1percentage , Iron stain Ready to use , Reticulin Stain Kit for Histopath ready to use , Slide microscopic, Poly Llysine coated frosted, thickness 1.15 to 1.36 mm size 75 mm x 25 mm , STAIN EOSIN WATER SOLUBLE , TRIS BUFFER CONC 50X, 500 mlobliquePack , Grocotts Methenamin Silver stain , Masson Trichrome MT stain Kit ready to use , FILTER PAPER 125 mm , Acid, Hydrochloric arrenic fire. , Ehrhich Haematoxylin stain ready to use Bottle of one lit , Primary anti body for paraffin section concentrated KI67 rabbitobliquemouse monoclonal , ANTIBODY FOR IHC CDX2 READY TO USE , CMV CYTOMEGALOVIRUS MONOCLONAL MOUSE ANTI HUMAN READY TO USE , Schiff s reagent Ready to use , Disposal flexible uretero renoscope , Disposable flexible Cystoscope with Aecessories Foreceps and Y Connector , URETERIC CATHETER 70 CM OPEN END SIZE 6 FR , AMPLATZ TYPE RENAL SHEATH 18 FR ID X 17 CM , URETEROSCOPY IRRIGATION SYSTEM PATH FINDER , URETHRAL DILATOR SET DISPOSABLE ONE SET CONSISTING OF SEVEN DILATORS 820ZFR , HIGH FREQUENCY 24 FR 0.2 WIRE MEDIUM 30 DEGREES STERILE DISPOSABLE RESECTION ELECTRODE

बिड विवरण / Bid Details	LOOP SINGLE STEM OLYMPUS FOR SALINE TURP CAT NO WA22306D , HF cable bipolar 4M for ESG400 , Siliconised Ellicks Evacuator , RETRIEVAL FORCEPS ALLIGATOR 7 FR 40 CM, TRACHEOSTOMY TUBE WITH CUFF DOUBLE LUMEN 7MM, TRACHEOSTOMY TUBE WITH CUFF DOUBLE LUMEN 8MM, Tracheostomy Tube with cuff single Lumen 7.0mm, Tracheostomy tube with cuff with double lumen with fenestration 7.0 mm, Tracheostomy tube with cuff with double lumen with fenestration 7.5 mm, Tracheostomy tube with cuff with double lumen with fenestration 8.0 mm, POST LARYNGECTOMY VOICE PROSTHESIS INHEAL , PROVOX VOICE PROSTHESIS 4.5 MM, TEFLON STAPES PISTON, BURR DIAMOND POLISHING SHAFT 70 MM DIAMETER 2.35 MM SIZE 6, 5, 4, Burr Standard tungsten carbide, cutting type, shaft 70 mm, diameter 2.35 mm, , ROUND COURSE DIAMOND BUR 1 MM, ROUND COURSE DIAMOND BUR 3 MM, ROUND COURSE DIAMOND BUR 4 MM, ROUND COURSE DIAMOND BUR 5 MM, ROUND FINE DIAMOND BUR 2 MM, PACK NASAL MEROCEL 8 CM & 4 CM, DISPOSABLE STERILE EAR WICK 9 X 15 MM, DISPOSABLE STERILE EAR WICK 9 X 24 MM, Haemostatic sponge gelatin 80 mm long, 50mm broad, 10 mm thick, STERILE POST OP DRESSING PACK SMALL, STERILE ADHESIVE POST OP DRESSING MEDIUM, SILVER NITRATE, ORTHO ROLL CAST PADDING COTTON SIZE 10 CM X3 MTR, ORTHO ROLL CAST PADDING COTTON SIZE 15 CM X3 MTR, Dressing silicon gel sheet 5 x 4.5, Silk like adhesive tape with hypoallergenic adhesive 2 inch X 9.14 mtr Box of 4, SILK LIKE ADHESIVE TAPE WITH HYPOALLERGENIC ADHESIVE , TITANIUM PROSTHESIS AERIAL TOTAL 5.00 MM, TITANIUM PROSTHESIS BELL PARTIAL 2.50 x 1.50 MM, ROUND CARBIDE CUTTING BUR 2 MM, ROUND CARBIDE CUTTING BUR 3 MM, ROUND CARBIDE CUTTING BUR 4 MM, ROUND CARBIDE CUTTING BUR 5 MM, ROUND CARBIDE CUTTING BUR 6 MM, ROUND FINE DIAMOND BUR 6 MM, SKEETER OTOFLEX BUR 0.6 MM BLUE, SKEETER OTOFLEX BUR 0.7 MM GREEN, SKEETER OTOFLEX BUR 0.8 MM YELLOW, SKEETER OTOFLEX BUR 1.00 MM ORANGE, HLA B-27 SSP (96 Test), Adhesive plaster, zinc oxide, 2.5 cm X 1 mtr, DISPOSABLE HIGH CLARITY POLYPROPYLENE CONICAL CENTRIFUGE TUBE 15 ML, Knife Bard parker, blade size 1, fitting (commercial No.11), packet of 6, Knife Bard parker, blade size 2, fitting (Commercial No. 20), packet of 6, Micropore 5cm width, Trypsin EDTA solution T001 pack of 100ml, Vaccum blood collection tubes with needles: Sodium Citrate, 3ml, CAPD fluid 7.5%, 02 lit bag with minicap, Stent Neuro, self expandable for intracranial aneurysm neck remodeling, Primary anti body for paraffin section MUM1 for IHC pre diluted ready to use , Primary Anti Body For Paraffin Section Concentrated Pan Ck (Cytokeratin), Primary anti body for paraffin section pre diluted ready to use , Primary Anti Body For Paraffin Section Pre Diluted Ready To Use, Antibody for IHC Bob 1 (Ready to use), Antibody for IHC MYO D1 (Concentrated), Primary anti body for paraffin section KAPPA for IHC pre diluted ready to use, Antibody for IHC Ae1/Ae3 (Ready use), Antibody for IHC CD 43 (Monoclonal Mouse Anti Human) (Ready to use), Antibody for IHC MOC 31 (Ready to use), Carbonic anhydrase antibody (ready to use) for IHC, Primary anti body for paraffin section AFP for IHC pre diluted ready to use , Primary Anti Body For Paraffin Section Pre Diluted Ready To Use , Inhibin Alpha Monoclonal Antihuman Antibody for IHC (RTU), COVER SLIP 50 X 22, CYTOSPIN FILTER CARDS(COMPATIBLE WITH SHADON CYTOSPIN) BOX OF 200 CARDS, FILTER PAPER 100 PER PKT, XYLENE (XYLOL PURE), TISSUE CASSETTES & BLOCK
GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS	

बिड विवरण / Bid Details	HOLDER, Universal IHC Polymer HRP Detection System (1000 Test/Kit), Diamond marker pencil, Ethyl Alcohol
	Absolute Molecular Biological Grade, Gold chloride 1%, Iron stain (Ready to use), Reticulin Stain Kit for Histopath (ready to use), Slide microscopic, Poly L-lysine coated frosted, thickness 1.15 to 1.36 mm size , STAIN EOSIN WATER SOLUBLE, TRIS BUFFER CONC 50X, 500 ml/Pack, Grocotts Methenamin Silver stain, Masson Trichrome (MT) stain Kit ready to use, FILTER PAPER 125 mm, Acid, Hydrochloric arrenic fire., Ehrhich Haematoxylin stain ready to use (Bottle of one lit), Primary anti body for paraffin section concentrated Ki67 rabbit/mouse monoclonal, ANTIBODY FOR IHC CDX2 (READY TO USE), CMV CYTOMEGALOVIRUS MONOCLONAL MOUSE ANTI HUMAN READY TO USE, Schiffs reagent (Ready to use), Disposal flexible uretero renoscope, Disposable flexible Cystoscope with Acessories (Foreceps & Y Connector), URETERIC CATHETER 70 CM OPEN END SIZE 6 FR, AMPLATZ TYPE RENAL SHEATH 18 FR ID X 17 CM, URETEROSCOPY IRRIGATION SYSTEM (PATH FINDER), URETHRAL DILATOR SET (DISPOSABLE) ONE SET, HIGH FREQUENCY 24 FR 0.2 WIRE MEDIUM 30 DEGREES , HF cable bipolar 4M for ESG-400, Siliconised Ellicks Evacuturor , RETRIEVAL FORCEPS ALLIGATOR 7 FR 40 CM (RIGID)
	Searched String: TRACHEOSTOMY TUBE WITH CUFF DOUBLE LUMEN 7MM tracheostomy tubes with cuff blister pack adult, Disposable Tracheostomy Tube (V2), tracheostomy tubes without cuff plain single use blister pack pre sterilized, Disposable Double Lumen Endotracheal Tubes, Blood Specimen Collection Tubes, Disposable Double Lumen Endotracheal Tubes (V2), endotracheal or tracheotomy sets et tube with tapered shaped cuff with subglottice suction, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Double sided tape, Endotracheal Tubes (V2) Searched String: TRACHEOSTOMY TUBE WITH CUFF DOUBLE LUMEN 8MM tracheostomy tubes with cuff blister pack adult, Disposable Tracheostomy Tube (V2), tracheostomy tubes without cuff plain single use blister pack pre sterilized, Disposable Double Lumen Endotracheal Tubes, Blood Specimen Collection Tubes, Disposable Double Lumen Endotracheal Tubes (V2), endotracheal or tracheotomy sets et tube with tapered shaped cuff with subglottice suction, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Double sided tape, Endotracheal Tubes (V2) Searched String: Tracheostomy Tube with cuff single Lumen 7.0mm tracheostomy tubes without cuff plain single use blister pack pre sterilized, tracheostomy tubes with cuff blister pack adult, traffic signs - bilinker light, Disposable Tracheostomy Tube (V2), endotracheal or tracheotomy sets et tube with tapered shaped cuff with subglottice suction, Endotracheal Tubes (V2) Searched String: Tracheostomy tube with cuff with double lumen with fenestration 7.0 mm tracheostomy tubes with cuff blister pack adult,

बिड विवरण / Bid Details	tracheostomy tubes without cuff plain single use blister pack pre sterilized, endotracheal or tracheotomy sets et tube with tapered shaped cuff with subglottice suction, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Endotracheal Tubes (V2) Searched String: Tracheostomy tube with cuff with double lumen with fenestration 7.5 mm tracheostomy tubes with cuff blister pack adult, tracheostomy tubes without cuff plain single use blister pack pre sterilized, endotracheal or tracheotomy sets et tube with tapered shaped cuff with subglottice suction, Endotracheal Tubes (V2), Double sided tape, Prefab Shelters With PUF Panel of Size 7.620 M X 10.661 (As Per GeM Drawing), Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Corrugated Boxes, Prefab Shelters with PUF Panel of Size 7.620 M X 5.441 M (as per GeM Drawing) Searched String: Tracheostomy tube with cuff with double lumen with fenestration 8.0 mm tracheostomy tubes with cuff blister pack adult, tracheostomy tubes without cuff plain single use blister pack pre sterilized, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, endotracheal or tracheotomy sets et tube with tapered shaped cuff with subglottice suction, Endotracheal Tubes (V2) Searched String: POST LARYNGECTOMY VOICE PROSTHESES INHEAL Category not available on GeM for the text string uploaded by the buyer Searched String: PROVOX VOICE PROSTHESES 4.5 MM XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Wild - Life Cages, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Bone Screw (V2), Locking Compression Plates (V2), Endotracheal Tubes (V2), 4.5mm Narrow D.C. Plate with corresponding screws, Non Sparking Ring Slugging Spanners (V2), Pedicle Screw (V2) Searched String: TEFLON STAPES PISTON Teflon hose, Crop Protection Equipment - Hand Operated Knapsack Sprayer, Piston Type for Agriculture as per IS 3906, Teflon Beaker with Lid, Microwave Synthesis System, Piston Pin, Nebulizer (V2), Piston Ring Compressor, Composite Filling Instruments Kit - Dental - RBSK, Axial Piston Pumps, Brass Band Trumpets Searched String: BURR DIAMOND POLISHING SHAFT 70 MM DIAMETER 2.35 MM SIZE 6, 5, 4 Non Sparking Ring Slugging Spanners (V2) Searched String: Burr Standard tungsten carbide, cutting type, shaft 70 mm, diameter 2.35 mm,
-------------------------	---

विड विवरण / Bid Details	Category not available on GeM for the text string uploaded by the buyer
	Searched String: ROUND COURSE DIAMOND BUR 1 MM Sofa Set (Steel Tube), rubber bands, Round Steel Short Link Chains (Electric Butt Welded), Grade L 3 (Part 1) (V2) as per IS 2429 Searched String: ROUND COURSE DIAMOND BUR 3 MM Round Steel Short Link Chains (Electric Butt Welded), Grade L 3 (Part 1) (V2) as per IS 2429, rubber bands, Diamond Burs For airotor handpice Searched String: ROUND COURSE DIAMOND BUR 4 MM Bronze Rods(OFB-DEFENCE) Searched String: ROUND COURSE DIAMOND BUR 5 MM rubber bands, Hot Rolled Round Steel Bars as per IS 1732, Ring Binder - File Folder Searched String: ROUND FINE DIAMOND BUR 2 MM Round Steel Short Link Chains (Electric Butt Welded), Grade L 3 (Part 1) (V2) as per IS 2429, Ring Binder - File Folder, Polyester Enamelled Round Copper Wire, Class 155 as per IS 13730 (Part 3), Polypropylene Ropes as per IS 5175, Diamond Burs For airotor handpice Searched String: PACK NASAL MEROCEL 8 CM & 4 CM File/Folder (V3), Nasal Pack (V2), Crepe Bandage (V2), Handloom Cotton Pillow Covers (V3), Plain Weave Cotton Fabrics - Leopard Packing Cloth as per IS 181, Elastic Bandage, Wool / Polypropylene Blended Blankets as per IS 12848, Cotton Cloth Bag for Seed Packing - Capacity From 0.75 Kg to 12 Kg, elastic zinc oxide adhesive bandage, gauze sponges absorbable gelatine sponge Searched String: DISPOSABLE STERILE EAR WICK 9 X 15 MM Sterile Hypodermic Needles for Single use (V2) Searched String: DISPOSABLE STERILE EAR WICK 9 X 24 MM Sterile Hypodermic Needles for Single use (V2) Searched String: Haemostatic sponge gelatin 80 mm long, 50mm broad, 10 mm thick Ring Binder - File Folder, Absorbable Gelatin, Double sided tape, Hot Rolled Strips Flats, 4.5mm Broad D.C. Plate with corresponding screws, Dusk to Dawn Controller - Sensitive Switch, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Prefab Shelters With PUF Panel of Size 7.620 M X 10.661 (As Per GeM Drawing) Searched String: STERILE POST OP DRESSING PACK SMALL Category not available on GeM for the text string uploaded by the buyer

बिड विवरण / Bid Details	Searched String: STERILE ADHESIVE POST OP DRESSING MEDIUM
	Category not available on GeM for the text string uploaded by the buyer Searched String: SILVER NITRATE Silver Nitrate as per IS 2214, ECO - Friendly Disinfectant (Hydrogen Peroxide + Silver Nitrate), D and C Set, Silver sulfate, Workstation, Silver chloride, Regulators for Breathing Apparatus (Diving Instruments or Accessories), Silver Coins, Aluminium nitrate, Barium Nitrate Searched String: ORTHO ROLL CAST PADDING COTTON SIZE 10 CM X3 MTR Handloom Cotton Bed Sheets (V2) as per IS 745, Disinfectant Fluids , Phenolic Type (V3) conforming to IS 1061, Gamjee Rolls / Pads (V2) Searched String: ORTHO ROLL CAST PADDING COTTON SIZE 15 CM X3 MTR Plaster of Paris Bandage, Disinfectant Fluids , Phenolic Type (V3) conforming to IS 1061, Gamjee Rolls / Pads (V2) Searched String: Dressing silicon gel sheet 5 x 4.5 highly compressing silicone gel sheet, Cotton Bandage Cloth (V2), Silicone Gel Sheet (V2), Elastic Bandage, Handloom Cotton Bandage as per IS 863:1988, Corrugated Boxes, wet dressing systems scotch cast, Server, Open Weave Bandage, compressed asbestos fibre jointing sheet Searched String: Silk like adhesive tape with hypoallergenic adhesive 2 inch X 9.14 mtr Box of 4 Elastic Surgical Adhesive Tapes Searched String: SILK LIKE ADHESIVE TAPE WITH HYPOALLERGENIC ADHESIVE Nylon Tape, Elastic Surgical Adhesive Tapes (V2), Permeable Nonwoven Surgical Adhesive Tape, Pressure Sensitive Adhesive Tapes with Plastic Base (V3) Conforming to IS 13262, tape dispensers, Pressure Sensitive Adhesive Plasticized PVC Tapes with Nonthermosetting Adhesive as per IS 7809 (Part 3 / Section 1), Caution / Crime Scene Tape (V2), Elastic Surgical Adhesive Tapes, Pressure Sensitive Adhesive Tape with Plastic Base as per IS 13262 (Rev), Sterilization indicator tapes for Medical Purposes Searched String: TITANIUM PROSTHESIS AERIAL TOTAL 5.00 MM 3.5mm Reconstruction Plate with corresponding screws, Locking Compression Plates (V2), LCP 3.5 mm Compression Plate with corresponding screws, Non Sparking Ring Slugging Spanners (V2), 3.5mm One - Third Tubular Plate with corresponding screws Searched String: TITANIUM PROSTHESIS BELL PARTIAL 2.50 x 1.50 MM Compostable Nursery Bags, Wild - Life Cages, Aerial Bunched Cables as per IS 14255, Absorbable Gelatin, modular electrical enclosure switch board boxes for modular

बिड विवरण/Bid Details	type accessories
	Searched String: ROUND CARBIDE CUTTING BUR 2 MM Cutting Tools, Round Steel Short Link Chains (Electric Butt Welded), Grade L 3 (Part 1) (V2) as per IS 2429 Searched String: ROUND CARBIDE CUTTING BUR 3 MM Round Steel Short Link Chains (Electric Butt Welded), Grade L 3 (Part 1) (V2) as per IS 2429, Cutting Tools, Tungsten Carbide Rotary Burr Cutter Searched String: ROUND CARBIDE CUTTING BUR 4 MM Cutting Tools, Tungsten Carbide Rotary Burr Cutter Searched String: ROUND CARBIDE CUTTING BUR 5 MM Cutting Tools, Hot Rolled Round Steel Bars as per IS 1732, Tungsten Carbide Rotary Burr Cutter Searched String: ROUND CARBIDE CUTTING BUR 6 MM Sofa Set (Steel Tube), Cutting Tools Searched String: ROUND FINE DIAMOND BUR 6 MM Sofa Set (Steel Tube), Hot Rolled Round Steel Bars as per IS 1732, Round Steel Short Link Chains (Electric Butt Welded), Grade L 3 (Part 1) (V2) as per IS 2429 Searched String: SKEETER OTOFLEX BUR 0.6 MM BLUE Cat 6 Patch cord, The Indian National Flag - Polyester, CAT 6 Cable for Outdoor, Modular Toilet, Rollerball Pen (V3), Microscopes Slide Coverslips as per IS 3099, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Gel Pen (V3), Sterile Hypodermic Needles for Single use (V2), Ball Point Pens (V2) as per IS 3705 Searched String: SKEETER OTOFLEX BUR 0.7 MM GREEN Rollerball Pen (V3), Gel Pen (V3), Sterile Hypodermic Needles for Single use (V2), Ball Point Pens (V2) as per IS 3705, Bone Screw (V2), Scalp Vein Infusion Set Searched String: SKEETER OTOFLEX BUR 0.8 MM YELLOW CAT 6 Cable for Outdoor, Laminators, Sterile Hypodermic Needles for Single use (V2), Solar Powered Drinking Water Cooler, Equipment Camouflage Nets (Jute), Scalp Vein Infusion Set, Rollerball Pen (V3) Searched String: SKEETER OTOFLEX BUR 1.00 MM ORANGE Copper Strip for Electrical Purposes as per IS 1897, Cellophane paper Searched String: HLA B- 27 SSP (96 Test) Micro PCR HLA B-27 Test Kit, Real Time PCR Kits (V2), ELISA Testing Kits, NAAT Based PCR Test Kit, Disease Specific Real Time PCR Kits Searched String: Adhesive plaster, zinc oxide, 2.5 cm X 1 mtr

बिड विवरण / Bid Details	Plaster of Paris Bandage, elastic zinc oxide adhesive bandage, Plaster of Paris Bandage (V2), Elastic Surgical Adhesive Tapes (V2)
GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS	Searched String: DISPOSABLE HIGH CLARITY POLYPROPYLENE CONICAL CENTRIFUGE TUBE 15 ML Minifuge Searched String: Knife Bard parker, blade size 1, fitting (commercial No.11), packet of 6 Category not available on GeM for the text string uploaded by the buyer Searched String: Knife Bard parker, blade size 2, fitting (Commercial No. 20), packet of 6 Category not available on GeM for the text string uploaded by the buyer Searched String: Micropore 5cm width flannellette rolls of cm width, Desktop Computers, Bomb Blanket (MHA), Sofas (V2), gauze sponges absorbable gelatine sponge, Entry and Mid Level Desktop Computer, Bone Marrow Biopsy Needle (V2), All in One PC, Oropharyngeal Airways, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1) Searched String: Trypsin EDTA solution T001 pack of 100ml Recycled T - Shirt, ICP multi-element standard solution, General Purpose Hand Gloves (V2), Plastic Moulded Table - Preschool Kit, Classroom Stools, Air Freshener Liquid (V2), Online UPS (V2), Taq DNA Polymerase, Household Insecticides (V2), synthetic web equipment improved version Searched String: Vaccum blood collection tubes with needles: Sodium Citrate, 3ml Blood collection Needles for Vacuum Blood Collection Tubes, Blood Sample Collection Tubes, Blood Specimen Collection Tubes, Blood Collection Tube Searched String: CAPD fluid 7.5%, 02 lit bag with minicap Category not available on GeM for the text string uploaded by the buyer Searched String: Stent Neuro, self expandable for intracranial aneurysm neck remodeling Category not available on GeM for the text string uploaded by the buyer Searched String: Primary anti body for paraffin section MUM1 for IHC pre diluted ready to use Category not available on GeM for the text string uploaded by the buyer Searched String: Primary Anti Body For Paraffin Section Concentrated Pan Ck (Cytokeratin) Category not available on GeM for the text string uploaded

बिड विवरण/Bid Details	by the buyer
	Searched String: Primary anti body for paraffin section pre diluted ready to use Category not available on GeM for the text string uploaded by the buyer Searched String: Primary Anti Body For Paraffin Section Pre Diluted Ready To Use Category not available on GeM for the text string uploaded by the buyer Searched String: Antibody for IHC Bob 1 (Ready to use) Ready to use Clay for Idol Making, Sharp Container for Bio - Medical Waste Collection, Stable Bleaching Powder (V2) for Household and Industrial use conforming to IS 1065 (Part 1), Stable Bleaching Powder (V2) for Treatment of Water Intended for Drinking conforming to IS 1065 (Part 2) Searched String: Antibody for IHC MYO D1 (Concentrated) Alcohol Resistant Aqueous Film Forming Foam (AR - AFFF, Type 3 / 3) Liquid Concentrate for Fire Fighting (V2) (PNG) Searched String: Primary anti body for paraffin section KAPPA for IHC pre diluted ready to use Category not available on GeM for the text string uploaded by the buyer Searched String: Antibody for IHC Ae1/Ae3 (Ready use) Ready to use Clay for Idol Making, Sharp Container for Bio - Medical Waste Collection, Ready Made Water Analysis Test Kit, Bitumen Primer for use in Waterproofing and Damp - Proofing as per IS 3384, Reverse Osmosis based Point of Use Water Treatment System for Drinking Purposes (V3) as per IS 16240, Cat 6 Cable for Indoor Use, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Ready Mixed Paint for Road Marking as per IS 164, Disposable Syringes as per IS 10258, Cat - 6 UTP Ethernet Cable for Wifi Indoor use (MTNL) Searched String: Antibody for IHC CD 43 (Monoclonal Mouse Anti Human) (Ready to use) Category not available on GeM for the text string uploaded by the buyer Searched String: Antibody for IHC MOC 31 (Ready to use) Ready to use Clay for Idol Making Searched String: Carbonic anhydrase antibody (ready to use) for IHC Ready to use Clay for Idol Making Searched String: Primary anti body for paraffin section AFP for IHC pre diluted ready to use Category not available on GeM for the text string uploaded by the buyer Searched String: Primary Anti Body For Paraffin Section

बिड विवरण/Bid Details	Pre Diluted Ready To Use
	Category not available on GeM for the text string uploaded by the buyer Searched String: Inhibin Alpha Monoclonal Antihuman Antibody for IHC (RTU) Category not available on GeM for the text string uploaded by the buyer Searched String: COVER SLIP 50 X 22 Cover Slip, Customised Envelopes, Plastic Sheet (4 x 50 m) for NDRF, 500 mA X - Ray Machine (V2), modular electrical enclosure switch board boxes for modular type accessories, X - Ray Machine (500 mA), Pin Up Notice Board (V2), Plug In Relay For Heavy Coil Voltage 30V, 48V, 50V, 110V, 220V, and 250V DC (BHEL-SCR), File/Folder (V3), 1-Heptanesulphonic acid sodium salt anhydrous Searched String: CYTOSPIN FILTER CARDS(COMPATIBLE WITH SHADON CYTOSPIN) BOX OF 200 CARDS Category not available on GeM for the text string uploaded by the buyer Searched String: FILTER PAPER 100 PER PKT Cellulose Nitrate Filter Paper (V2), Computer Paper as per IS 12766, IS 9055, IS 1060, IS 1064, Laboratory Filter Papers, Laminators, Parchment Paper as per IS 7161, Multicore Cable as per IS 694, Stamp Paper or Bond Paper as per IS 1848, Bomb Blanket (MHA), Plain Copier Paper (V2) as per IS 14490, LED Luminaire (for Flood Light) as per IS 10322, IS 16107 Searched String: XYLENE (XYLOL PURE) Industrial Xylene (Xylol) (ONGC), Silk Saree, Pure Tone Audiometer (Diagnostic) (V2) - RBSK, Pure Tone Audiometer - Diagnostic - RBSK, Pure Tone Audiometer (Diagnostic) (V3) - RBSK, Squeegee Washer Wiper Mopper (V2), High Grade Pure Aluminium Foil -BHEL, Sodium fluoride, Extra Pure and AR/ACS, Nitrogen Gas as per IS 1747, Ammonium Chloride, Technical and Pure as per IS: 1113 Searched String: TISSUE CASSETTES & BLOCK HOLDER Tissue Embedding Cassette Searched String: Universal IHC Polymer HRP Detection System (1000 Test/Kit) HCV Rapid Test Kits, Dengue Rapid Test Kits, Typhoid Rapid Test Kits, HIV Rapid Test Kits, Point of Care Diagnostic Test Kits - HIV Rapid Test Kits Searched String: Diamond marker pencil DNA marker, manual pencil sharpener, Protein ladder marker, Permanent Marker Pen, Markers - White Board, PENCIL GRINDER, Illuminated Near Vision Test Drum (V2) - RBSK, Pencil box, Diamond Chain Saw, Diamond Burs For airotor handpice Searched String: Ethyl Alcohol Absolute Molecular Biological Grade

बिड विवरण / Bid Details	Glycine, CetylTriMethlyAmmonium Bromide (CTAB), Ethidium Bromide, Tris(hydroxymethyl)aminomethane, Sucrose
	Searched String: Gold chloride 1% Gold Medallion / Gold Bullion Coins, Multipara Monitor - Low End, Gold Purity Testing Machine, Unplasticized Polyvinyl Chloride (PVC - U) Pipes for Soil and Waste Discharge System as per IS 13592, Mercuric Chloride, BOD Incubator, Cadmium chloride, Modular Piano Type Domestic Electrical Switches as per IS 3854, Benzyl Chloride, Nitrile Coated/Nitrile Hand Gloves (V2) Searched String: Iron stain (Ready to use) Ready to Use Therapeutic Food (RUTF), Sharp Container for Bio - Medical Waste Collection, Ready to use Clay for Idol Making, Dal Fry (Ready to eat), Plotter Paper Roll (V2), Ready to Eat Baigan Bharta (V1) (Defence), Ready to Eat Navrattan Korma (V3) (Defence), Classroom Stools, Ready to Eat Baigan Bharta (Defence), Anti-Human Globulin (AHG) Reagent Searched String: Reticulin Stain Kit for Histopath (ready to use) Ready to use Clay for Idol Making, Holmium Laser, Ready Made Water Analysis Test Kit, Tool Kit for Readymade Clothes (V2) from Gautam Budh Nagar (UP), Tool Kit for Readymade Garments - Under Skill development (V2) (UP Gov. Amroha), Tool Kit for Readymade Garments - ODOP UP Gov. (Amroha), Tool Kit for Kadai Bunai Sambandhi Utpad & Readymade Garments- O.D.O.P UP Gov.(Deoria) Searched String: Slide microscopic, Poly L-lysine coated frosted, thickness 1.15 to 1.36 mm size Dusk to Dawn Controller - Sensitive Switch Searched String: STAIN EOSIN WATER SOLUBLE Hot / Cold Water Dispenser (V2), Stainless Steel Bain Marie, EXTINGUISHER FIRE DEFENCE WATER STORED AIR PRESSURE TYPE OF 9 LTRS CAPACITY (STAINLESS STEEL BODY), Fruit and Vegetable Washing Machine (V2) Searched String: TRIS BUFFER CONC 50X, 500 ml/Pack Shaker Incubator, pH Meter (FSSAI), Isopropyl Alcohol (2 - Propanol), PH buffer solution, Cyphenothrin, Tris(hydroxymethyl)aminomethane, Household Insecticides (V2), Liquid Consortia (V2) Searched String: Grocotts Methenamin Silver stain Pool Ionizer Machine Searched String: Masson Trichrome (MT) stain Kit ready to use Category not available on GeM for the text string uploaded by the buyer Searched String: FILTER PAPER 125 mm Cellulose Nitrate Filter Paper (V2), Customised Envelopes, Laboratory Filter Papers, Germination Paper (V2)

बिड विवरण / Bid Details	Conforming to IS 6671, Air Sampler, self adhesive paper note, paper or eyelet punches, Computer Paper (V3) Conforming to IS 12766, Staplers (V2), Disposable Paper Cup Searched String: Acid, Hydrochloric arrenic fire. HYDROCHLORIC ACID PICKLING INHIBITOR, Hydrochloric Acid as per IS 265, Hydrochloric Acid for Well Stimulation for (ONGC), D and C Set, Hydrochloric Acid in Tankers (V2) as per IS 265, Regulators for Breathing Apparatus (Diving Instruments or Accessories) Searched String: Ehrhich Haematoxylin stain ready to use (Bottle of one lit) Category not available on GeM for the text string uploaded by the buyer Searched String: Primary anti body for paraffin section concentrated KI67 rabbit/mouse monoclonal Category not available on GeM for the text string uploaded by the buyer Searched String: ANTIBODY FOR IHC CDX2 (READY TO USE) Ready to use Clay for Idol Making, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Ready to Use Therapeutic Food (RUTF), Ready Made Water Analysis Test Kit, Sharp Container for Bio - Medical Waste Collection, Gypsum For Agricultural Use (V2) Conforming to IS 6046, Ready Mixed Paint, Air Drying, for General Purpose (V2) Conforming to IS 168, Desk and Bench Set for Classroom/Training Area, Tool Kit for Readymade Clothes (V2) from Gautam Budh Nagar (UP), Anti-Human Globulin (AHG) Reagent Searched String: CMV CYTOMEGALOVIRUS MONOCLONAL MOUSE ANTI HUMAN READY TO USE Anti-Human Globulin (AHG) Reagent Searched String: Schiffs reagent (Ready to use) Ready to Use Therapeutic Food (RUTF), Platform step ladder, Ready to use Clay for Idol Making, Anti-Human Globulin (AHG) Reagent, Schiff's reagent, Antifreeze Coolant as per IS 5759 Searched String: Disposal flexible uretero renoscope surgical isolation or surgical masks Searched String: Disposable flexible Cystoscope with Aecessories (Foreceps & Y Connector) surgical isolation or surgical masks Searched String: URETERIC CATHETER 70 CM OPEN END SIZE 6 FR Non Sparking Double Open Ended Spanner (V2) Searched String: AMPLATZ TYPE RENAL SHEATH 18 FR ID X 17 CM
-------------------------	---

बिड विवरण / Bid Details	Biliary Stents (V2)
	Searched String: URETEROSCOPY IRRIGATION SYSTEM (PATH FINDER) Drip Irrigation Unit (V2), Foot Valve (V2), Colon Hydrotherapy Equipment, Drip Irrigation Unit, hand held gps, Water - Drinking and Sanitation (V2), Automatic Auditory Brainstem Response (ABR) Screener - RBSK, Irrigation Equipment Sprinkler Pipes (V2) as per IS 14151 (Latest), Solar Water Heating System as per IS 12976:1990 Searched String: URETHRAL DILATOR SET (DISPOSABLE) ONE SET S-Curve Urethral Dilator Set, Percutaneous Tracheostomy Dilation Set, Carrommen and Striker, Fistula Needles Sets, iv sets transfusion and infusion equipments Searched String: HIGH FREQUENCY 24 FR 0.2 WIRE MEDIUM 30 DEGREES Category not available on GeM for the text string uploaded by the buyer Searched String: HF cable bipolar 4M for ESG-400 XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), PVC Insulated (Heavy Duty) Electric Cables, Aluminium Conductor as per IS 1554 (Part 1), Power cable for direct burial xlpe ugac cable for DMRC, Pigtailes for Fiber Cable Connection, Fibre Cable for Networking, XLPE Cables for Working Voltages From 3.3 KV up to and Including 33 KV as per IS 7098 (Part 2), Cable Joint Kit (V2), Modular Toilet, Cable Termination Kit (V2) Searched String: Siliconised Ellicks Evacutuo Category not available on GeM for the text string uploaded by the buyer Searched String: RETRIEVAL FORCEPS ALLIGATOR 7 FR 40 CM (RIGID) Category not available on GeM for the text string uploaded by the buyer
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	• Hematology Analyzer Reagents • Esophageal Stent • Non Adherent Dressings (V2)
बीओक्यू शीर्षक / BOQ Title	SURICAL CONSUMABLES
बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) / Minimum Average Annual Turnover of the bidder (For 3 Years)	38 Lakh (s)
मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का) / OEM Average Turnover (Last 3 Years)	225 Lakh (s)
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष / Years of Past Experience Required for same/similar service	3 Year (s)
वर्षों के अनुभव एवं टर्नओवर से एमएसई को छूट प्राप्त है / MSE Exemption for Years Of Experience and Turnover	Yes Complete

बिड विवरण/Bid Details	
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / Startup Exemption for Years Of Experience and Turnover	Yes Complete
विक्रेता से मांगे गए दस्तावेज़/ Document required from seller	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/ Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes
बिड लगाने की समय-सीमा बढ़ाने के लिए आवश्यक न्यूनतम सहभागी विक्रेताओं की संख्या। / Minimum number of bids required to disable automatic bid extension	2
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	7
विगत प्रदर्शन / Past Performance	60 %
बिड से रिवर्स नीलामी सक्रिय किया/ Bid to RA enabled	Yes
रिवर्स नीलामी योग्यता नियम/ RA Qualification Rule	H1-Highest Priced Bid Elimination
बिड का प्रकार/ Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/ Primary product category	TRACHEOSTOMY TUBE WITH CUFF DOUBLE LUMEN 7MM
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय / Time allowed for Technical Clarifications during technical evaluation	3 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/ Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
अनुमानित बिड मूल्य / Estimated Bid Value	21698864.57
मूल्यांकन पद्धति/ Evaluation Method	Item wise evaluation/
मध्यस्थता खंड/ Arbitration Clause	No
सुलह खंड/ Mediation Clause	No

ईएमडी विवरण/EMD Detail

आवश्यकता/Required	No
-------------------	----

ईपीबीजी विवरण /ePBG Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईपीबीजी प्रतिशत (%) /ePBG Percentage(%)	3.00
ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months).	14

(a). ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

लाभार्थी /Beneficiary :

COMMANDANT

Command Hospital Southern Command Pune 411040, Department of Military Affairs, Indian Army, Ministry of Defence

(Maj Gen B Nambiar)

विभाजन/Splitting

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता/MII Purchase Preference

एमआईआई खरीद वरीयता/MII Purchase Preference	Yes
--	-----

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
---	-----

1. If the bidder is a Micro or Small Enterprise as per latest orders issued by Ministry of MSME, the bidder shall be exempted from the eligibility criteria of "Experience Criteria" as defined above subject to meeting of quality and technical specifications. The bidder seeking exemption from Experience Criteria, shall upload the supporting documents to prove his eligibility for exemption.
2. If the bidder is a Micro or Small Enterprise (MSE) as per latest orders issued by Ministry of MSME, the bidder shall be exempted from the eligibility criteria of "Bidder Turnover" as defined above subject to meeting of quality and technical specifications. If the bidder itself is MSE OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking exemption from Turnover, shall upload the supporting documents to prove his eligibility for exemption.
3. If the bidder is a DPIIT registered Startup, the bidder shall be exempted from the the eligibility criteria of "Experience Criteria" as defined above subject to their meeting of quality and technical specifications. The bidder seeking exemption from Experience Criteria, shall upload the supporting documents to prove his eligibility for exemption.
4. If the bidder is a DPIIT registered Startup, the bidder shall be exempted from the the eligibility criteria of "Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT Registered OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking exemption from Turnover shall upload the supporting documents to prove his eligibility for exemption.

5. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

6. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

7. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

8. Preference to Make In India products (For bids < 200 Crore): Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

9. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

10. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

11. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 60% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity

supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

12. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:

- If number of technically qualified bidders are only 2 or 3.
- If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
- In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
- If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
- If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

मूल्यांकन विधि(मदवार मूल्यांकन विधि) / Evaluation Method (Item Wise Evaluation Method)

Contract will be awarded schedulewise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

मूल्यांकन अनुसूचियां / Evaluation Schedules	अनुमानित मूल्य / Estimated Value	वस्तु/श्रेणी / Item/Category	मात्रा / Quantity
Schedule 1	297000	Tracheostomy Tube With Cuff Double Lumen 7mm	60
Schedule 2	189000	Tracheostomy Tube With Cuff Double Lumen 8mm	60
Schedule 3	76800	Tracheostomy Tube With Cuff Single Lumen 7.0mm	120
Schedule 4	356160	Tracheostomy Tube With Cuff With Double Lumen With Fenestration 7.0 Mm	60
Schedule 5	355800	Tracheostomy Tube With Cuff With Double Lumen With Fenestration 7.5 Mm	60
Schedule 6	147840	Tracheostomy Tube With Cuff With Double Lumen With Fenestration 8.0 Mm	60
Schedule 7	235200	Post Laryngectomy Voice Prosthesis Inheal	6
Schedule 8	255360	Provox Voice Prosthesis 4.5 Mm	6
Schedule 9	18480	Teflon Stapes Piston	30
Schedule 10	83328	Burr Diamond Polishing Shaft 70 Mm Diameter 2.35 Mm Size 6, 5, 4, 3, 1.8, 1 Mm Set Set Of 6	6
Schedule 11	120960	Burr Standard Tungsten Carbide, Cutting Type, Shaft 70 Mm, Diameter 2.35 Mm, Size 7,6,5,4,3,2 And 1 Mm. Set Of Seven	6
Schedule 12	26880	Round Course Diamond Bur 1 Mm	12
Schedule 13	14784	Round Course Diamond Bur 3 Mm	6
Schedule 14	32256	Round Course Diamond Bur 4 Mm	12
Schedule 15	18144	Round Course Diamond Bur 5 Mm	6
Schedule 16	25536	Round Fine Diamond Bur 2 Mm	12
Schedule 17	78624	Pack Nasal Merocel 8 Cm And 4 Cm	360
Schedule 18	16531.20	Disposable Sterile Ear Wick 9 X 15 Mm	120

Schedule 19	16531.20	Disposable Sterile Ear Wick 9 X 24 Mm	120
Schedule 20	44352	Haemostatic Sponge Gelatin 80 Mm Long, 50mm Broad, 10 Mm Thick	792
Schedule 21	131040	Sterile Post Op Dressing Pack Small	9000
Schedule 22	142464	Sterile Adhesive Post Op Dressing Medium	9600
Schedule 23	9912	Silver Nitrate	120
Schedule 24	60291	Ortho Roll Cast Padding Cotton Size 10 Cm X3 Mtr	3960
Schedule 25	74541.60	Ortho Roll Cast Padding Cotton Size 15 Cm X3 Mtr	3600
Schedule 26	350784	Dressing Silicon Gel Sheet 5 X 4.5	348
Schedule 27	183697.92	Silk Like Adhesive Tape With Hypoallergenic Adhesive 2 Inch X 9.14 Mtr Box Of 4	204
Schedule 28	260064	Silk Like Adhesive Tape With Hypoallergenic Adhesive 3 Inch X 9.14 Mtr Box Of 4	258
Schedule 29	238560	Titanium Prosthesis Aerial Total 5.00 Mm	6
Schedule 30	239232	Titanium Prosthesis Bell Partial 2.50 X 1.50 Mm	6
Schedule 31	24030.72	Round Carbide Cutting Bur 2 Mm	6
Schedule 32	65721.60	Round Carbide Cutting Bur 3 Mm	6
Schedule 33	28761.60	Round Carbide Cutting Bur 4 Mm	6
Schedule 34	33264	Round Carbide Cutting Bur 5 Mm	6
Schedule 35	32256	Round Carbide Cutting Bur 6 Mm	6
Schedule 36	79632	Round Fine Diamond Bur 6 Mm	12
Schedule 37	100800	Skeeter Otoflex Bur 0.6 Mm Blue	12
Schedule 38	100800	Skeeter Otoflex Bur 0.7 Mm Green	12
Schedule 39	100800	Skeeter Otoflex Bur 0.8 Mm Yellow	12
Schedule 40	100800	Skeeter Otoflex Bur 1.00 Mm Orange	12
Schedule 41	262080	Hla B 27 Ssp 96 Test	6
Schedule 42	19825.34	Adhesive Plaster, Zinc Oxide, 2.5 Cm X 1 Mtr	1980
Schedule 43	19320	Disposable High Clarity Polypropylene Conical Centrifuge Tube 15 MI	3000
Schedule 44	26695.20	Knife Bard Parker, Blade Size 1, Fitting Commercial No.11, Packet Of 6	2100
Schedule 45	4231.20	Knife Bard Parker, Blade Size 2, Fitting Commercial No. 20, Packet Of 6	2460
Schedule 46	61488	Micropore 5cm Width	3660
Schedule 47	13735.20	Trypsin Edta Solution T001 Pack Of 100ml	12

Schedule 48	105984	Vaccum Blood Collection Tubes With Needles Sodium Citrate, 3ml	28800
Schedule 49	7526400	Capd Fluid 7.5percentage, 02 Lit Bag With Minicap	9600
Schedule 50	1137000	Stent Neuro, Self Expandable For Intracranial Aneurysm Neck Remodeling, 4.5 X 20 Mm Such As Lvis From Microvention Neuroform From Stryker	6
Schedule 51	53399.88	Primary Anti Body For Paraffin Section Mum1 For Ihc Pre Diluted Ready To Use Vial Of 6oblique7 MI Rtu	36
Schedule 52	104130	Primary Anti Body For Paraffin Section Concentrated Pan Ck Cytokeratin Rabbitobliquemouse Monoclonal	6
Schedule 53	46368	Primary Anti Body For Paraffin Section Pre Diluted Ready To Use Vial Of 6oblique7 MI , Rtu Ki67 Rabbitobliquemouse Monoclonal	36
Schedule 54	23385.60	Primary Anti Body For Paraffin Section Pre Diluted Ready To Use Vial Of 6oblique7 MI , Rtu Beta Catenin Rabbitobliquemouse Monoclonal	18
Schedule 55	23184	Antibody For Ihc Bob 1 Ready To Use	18
Schedule 56	112667.52	Antibody For Ihc Myo D1 Concentrated	6
Schedule 57	264600	Primary Anti Body For Paraffin Section Kappa For Ihc Pre Diluted Ready To Use Vial Of 6oblique7 MI Rtu	36
Schedule 58	21913.92	Antibody For Ihc Ae1obliqueae3 Ready Use	18
Schedule 59	205200	Antibody For Ihc Cd 43 Monoclonal Mouse Anti Human Ready To Use	36
Schedule 60	108000	Antibody For Ihc Moc 31 Ready To Use	18
Schedule 61	102600	Carbonic Anhydrase Antibody Ready To Use For Ihc	18
Schedule 62	37800	Primary Anti Body For Paraffin Section Afp For Ihc Pre Diluted Ready To Use Vial Of 6oblique7 MI Rtu	36
Schedule 63	28264.32	Primary Anti Body For Paraffin Section Pre Diluted Ready To Use Vial Of 6oblique7 MI , Rtu Ini1 Rabbitobliquemouse Monoclonal	18
Schedule 64	140400	Inhibin Alpha Monoclonal Antihuman Antibody For Ihc Rtu	18
Schedule 65	168504	Cover Slip 50 X 22	21000
Schedule 66	46020	Cytospin Filter Cardscompatible With Shadon Cytospin Box Of 200 Cards	6
Schedule 67	39780	Filter Paper 100 Per Pkt	102
Schedule 68	88500	Xylene Xylol Pure	300
Schedule 69	35824.80	Tissue Cassettes And Block Holder	12000
Schedule 70	327868.80	Universal Ihc Polymer Hrp Detection System 1000 Testobliquekit With Blocking Reagent, Dab Chromogen, Dab Substrate And Wash Buffer 20x Target Retriever System Soln High Ph 50x And Low Ph 50x Mouse	6
Schedule 71	2973.6	Diamond Marker Pencil	42
Schedule 72	1600080	Ethyl Alcohol Absolute Molecular Biological Grade	600
Schedule 73	70800	Gold Chloride 1percentage	600
Schedule 74	12096	Iron Stain Ready To Use	6
Schedule 75	11424	Reticulin Stain Kit For Histopath Ready To Use	6

Schedule 76	238950	Slide Microscopic, Poly Llysine Coated Frosted, Thickness 1.15 To 1.36 Mm Size 75 Mm X 25 Mm	16200
Schedule 77	2265.60	Stain Eosin Water Soluble	300
Schedule 78	45360	Tris Buffer Conc 50x, 500 Mlobliquepack	18
Schedule 79	86040	Grocotts Methenamin Silver Stain	6
Schedule 80	81360	Masson Trichrome Mt Stain Kit Ready To Use	12
Schedule 81	98793.24	Filter Paper 125 Mm	78
Schedule 82	3950.07	Acid, Hydrochloric Arrenic Fire.	12
Schedule 83	38940	Ehrhich Haematoxylin Stain Ready To Use Bottle Of One Lit	12
Schedule 84	452108.16	Primary Anti Body For Paraffin Section Concentrated Ki67 Rabbitobliquemouse Monoclonal	6
Schedule 85	44716.88	Antibody For Ihc Cdx2 Ready To Use	36
Schedule 86	29131.20	Cmv Cytomegalovirus Monoclonal Mouse Anti Human Ready To Use	18
Schedule 87	3186	Schiff S Reagent Ready To Use	6
Schedule 88	1071400	Disposal Flexible Uretero Renoscope	11
Schedule 89	645120	Disposable Flexible Cystoscope With Acessories Foreceps And Y Connector	12
Schedule 90	19051.20	Ureteric Catheter 70 Cm Open End Size 6 Fr	180
Schedule 91	369792	Amplatz Type Renal Sheath 18 Fr Id X 17 Cm	30
Schedule 92	141120	Ureteroscopy Irrigation System Path Finder	30
Schedule 93	73920	Urethral Dilator Set Disposable One Set Consisting Of Seven Dilators 820zfr	30
Schedule 94	537868.80	High Frequency 24 Fr 0.2 Wire Medium 30 Degrees Sterile Disposable Resection Electrode Loop Single Stem Olympus For Saline Turp Cat No Wa22306d	87
Schedule 95	60902.16	Hf Cable Bipolar 4m For Esg400	3
Schedule 96	15805.44	Siliconised Ellicks Evacutur	12
Schedule 97	19521.60	Retrieval Forceps Alligator 7 Fr 40 Cm Rigid	6

TRACHEOSTOMY TUBE WITH CUFF DOUBLE LUMEN 7MM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PUNE CITY	60	30

TRACHEOSTOMY TUBE WITH CUFF DOUBLE LUMEN 8MM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PUNE CITY	60	30

Tracheostomy Tube With Cuff Single Lumen 7.0mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषदी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषदी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PUNE CITY	120	30

Tracheostomy Tube With Cuff With Double Lumen With Fenestration 7.0 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषदी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषदी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PUNE CITY	60	30

Tracheostomy Tube With Cuff With Double Lumen With Fenestration 7.5 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषदी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PUNE CITY	60	30

Tracheostomy Tube With Cuff With Double Lumen With Fenestration 8.0 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PUNE CITY	60	30

POST LARYNGECTOMY VOICE PROSTHESIS INHEAL

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PUNE CITY	6	30

PROVOX VOICE PROSTHESIS 4.5 MM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PUNE CITY	6	30

TEFLON STAPES PISTON

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PUNE CITY	30	30

BURR DIAMOND POLISHING SHAFT 70 MM DIAMETER 2.35 MM SIZE 6, 5, 4, 3, 1.8, 1 MM SET SET OF 6

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PUNE CITY	6	30

Burr Standard Tungsten Carbide, Cutting Type, Shaft 70 Mm, Diameter 2.35 Mm, Size 7,6,5,4,3,2 And 1 Mm. Set Of Seven

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PUNE CITY	6	30

ROUND COURSE DIAMOND BUR 1 MM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PUNE CITY	12	30

ROUND COURSE DIAMOND BUR 3 MM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PUNE CITY	6	30

ROUND COURSE DIAMOND BUR 4 MM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PUNE CITY	12	30

ROUND COURSE DIAMOND BUR 5 MM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PUNE CITY	6	30

ROUND FINE DIAMOND BUR 2 MM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PUNE CITY	12	30

PACK NASAL MEROCEL 8 CM And 4 CM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PUNE CITY	360	30

DISPOSABLE STERILE EAR WICK 9 X 15 MM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PUNE CITY	120	30

DISPOSABLE STERILE EAR WICK 9 X 24 MM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PUNE CITY	120	30

Haemostatic Sponge Gelatin 80 Mm Long, 50mm Broad, 10 Mm Thick

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PUNE CITY	792	30

STERILE POST OP DRESSING PACK SMALL

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PUNE CITY	9000	30

STERILE ADHESIVE POST OP DRESSING MEDIUM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PUNE CITY	9600	30

SILVER NITRATE

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PUNE CITY	120	30

ORTHO ROLL CAST PADDING COTTON SIZE 10 CM X3 MTR

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PUNE CITY	3960	30

ORTHO ROLL CAST PADDING COTTON SIZE 15 CM X3 MTR

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PUNE CITY	3600	30

Dressing Silicon Gel Sheet 5 X 4.5

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PUNE CITY	348	30

Silk Like Adhesive Tape With Hypoallergenic Adhesive 2 Inch X 9.14 Mtr Box Of 4

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PUNE CITY	204	30

SILK LIKE ADHESIVE TAPE WITH HYPOALLERGENIC ADHESIVE 3 INCH X 9.14 MTR BOX OF 4

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PUNE CITY	258	30

TITANIUM PROSTHESIS AERIAL TOTAL 5.00 MM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PUNE CITY	6	30

TITANIUM PROSTHESIS BELL PARTIAL 2.50 X 1.50 MM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PUNE CITY	6	30

ROUND CARBIDE CUTTING BUR 2 MM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PUNE CITY	6	30

ROUND CARBIDE CUTTING BUR 3 MM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PUNE CITY	6	30

ROUND CARBIDE CUTTING BUR 4 MM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PUNE CITY	6	30

ROUND CARBIDE CUTTING BUR 5 MM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PUNE CITY	6	30

ROUND CARBIDE CUTTING BUR 6 MM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PUNE CITY	6	30

ROUND FINE DIAMOND BUR 6 MM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PUNE CITY	12	30

SKEETER OTOFLEX BUR 0.6 MM BLUE

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PUNE CITY	12	30

SKEETER OTOFLEX BUR 0.7 MM GREEN

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PUNE CITY	12	30

SKEETER OTOFLEX BUR 0.8 MM YELLOW

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PUNE CITY	12	30

SKEETER OTOFLEX BUR 1.00 MM ORANGE

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PUNE CITY	12	30

HLA B 27 SSP 96 Test

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PUNE CITY	6	30

Adhesive Plaster, Zinc Oxide, 2.5 Cm X 1 Mtr

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PUNE CITY	1980	30

DISPOSABLE HIGH CLARITY POLYPROPYLENE CONICAL CENTRIFUGE TUBE 15 ML

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PUNE CITY	3000	30

Knife Bard Parker, Blade Size 1, Fitting Commercial No.11, Packet Of 6

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PUNE CITY	2100	30

Knife Bard Parker, Blade Size 2, Fitting Commercial No. 20, Packet Of 6

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PUNE CITY	2460	30

Micropore 5cm Width

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PUNE CITY	3660	30

Trypsin EDTA Solution T001 Pack Of 100ml

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PUNE CITY	12	30

Vacuum Blood Collection Tubes With Needles Sodium Citrate, 3ml

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PUNE CITY	28800	30

CAPD Fluid 7.5percentage, 02 Lit Bag With Minicap

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PUNE CITY	9600	30

Stent Neuro, Self Expandable For Intracranial Aneurysm Neck Remodeling, 4.5 X 20 Mm Such As Lvis From Microvention Neuroform From Stryker

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PUNE CITY	6	30

Primary Anti Body For Paraffin Section MUM1 For IHC Pre Diluted Ready To Use Vial Of 60blique7 MI RTU

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PUNE CITY	36	30

Primary Anti Body For Paraffin Section Concentrated Pan Ck Cytokeratin RabbitobliqueMouse Monoclonal

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PUNE CITY	6	30

Primary Anti Body For Paraffin Section Pre Diluted Ready To Use Vial Of 6oblique7 MI , RTU KI67 Rabbitobliquemouse Monoclonal

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PUNE CITY	36	30

Primary Anti Body For Paraffin Section Pre Diluted Ready To Use Vial Of 6oblique7 ML , Rtu Beta Catenin RabbitobliqueMouse Monoclonal

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PUNE CITY	18	30

Antibody For IHC Bob 1 Ready To Use

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PUNE CITY	18	30

Antibody For IHC MYO D1 Concentrated

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PUNE CITY	6	30

Primary Anti Body For Paraffin Section KAPPA For IHC Pre Diluted Ready To Use Vial Of 60blique7 MI RTU

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PUNE CITY	36	30

Antibody For IHC Ae1obliqueAe3 Ready Use

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PUNE CITY	18	30

Antibody For IHC CD 43 Monoclonal Mouse Anti Human Ready To Use

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PUNE CITY	36	30

Antibody For IHC MOC 31 Ready To Use

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PUNE CITY	18	30

Carbonic Anhydrase Antibody Ready To Use For IHC

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PUNE CITY	18	30

Primary Anti Body For Paraffin Section AFP For IHC Pre Diluted Ready To Use Vial Of 6oblique7 MI RTU

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PUNE CITY	36	30

Primary Anti Body For Paraffin Section Pre Diluted Ready To Use Vial Of 6oblique7 ML , Rtu INI1 RabbitobliqueMouse Monoclonal

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PUNE CITY	18	30

Inhibin Alpha Monoclonal Antihuman Antibody For IHC RTU

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PUNE CITY	18	30

COVER SLIP 50 X 22

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PUNE CITY	21000	30

CYTOSPIN FILTER CARDS COMPATIBLE WITH SHADON CYTOSPIN BOX OF 200 CARDS

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PUNE CITY	6	30

FILTER PAPER 100 PER PKT

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PUNE CITY	102	30

XYLENE XYLOL PURE

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PUNE CITY	300	30

TISSUE CASSETTES And BLOCK HOLDER

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PUNE CITY	12000	30

Universal IHC Polymer HRP Detection System 1000 TestobliqueKit With Blocking Reagent, Dab Chromogen, Dab Substrate And Wash Buffer 20x Target Retriever System Soln High PH 50x And Low PH 50x Mouse

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PUNE CITY	6	30

Diamond Marker Pencil

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PUNE CITY	42	30

Ethyl Alcohol Absolute Molecular Biological Grade

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PUNE CITY	600	30

Gold Chloride 1percentage

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PUNE CITY	600	30

Iron Stain Ready To Use

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PUNE CITY	6	30

Reticulin Stain Kit For Histopath Ready To Use

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PUNE CITY	6	30

Slide Microscopic, Poly Llysine Coated Frosted, Thickness 1.15 To 1.36 Mm Size 75 Mm X 25 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PUNE CITY	16200	30

STAIN EOSIN WATER SOLUBLE

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PUNE CITY	300	30

TRIS BUFFER CONC 50X, 500 MlobliquePack

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PUNE CITY	18	30

Grocotts Methenamin Silver Stain

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PUNE CITY	6	30

Masson Trichrome MT Stain Kit Ready To Use

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PUNE CITY	12	30

FILTER PAPER 125 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PUNE CITY	78	30

Acid, Hydrochloric Arrenic Fire.

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PUNE CITY	12	30

Ehrhich Haematoxylin Stain Ready To Use Bottle Of One Lit

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PUNE CITY	12	30

Primary Anti Body For Paraffin Section Concentrated KI67 Rabbitobliquemouse Monoclonal

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PUNE CITY	6	30

ANTIBODY FOR IHC CDX2 READY TO USE

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PUNE CITY	36	30

CMV CYTOMEGALOVIRUS MONOCLONAL MOUSE ANTI HUMAN READY TO USE

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PUNE CITY	18	30

Schiff S Reagent Ready To Use

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PUNE CITY	6	30

Disposal Flexible Uretero Renoscope

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PUNE CITY	11	30

Disposable Flexible Cystoscope With Accessories Foreceps And Y Connector

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PUNE CITY	12	30

URETERIC CATHETER 70 CM OPEN END SIZE 6 FR

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PUNE CITY	180	30

AMPLATZ TYPE RENAL SHEATH 18 FR ID X 17 CM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PUNE CITY	30	30

URETEROSCOPY IRRIGATION SYSTEM PATH FINDER

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PUNE CITY	30	30

URETHRAL DILATOR SET DISPOSABLE ONE SET CONSISTING OF SEVEN DILATORS 820ZFR

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PUNE CITY	30	30

HIGH FREQUENCY 24 FR 0.2 WIRE MEDIUM 30 DEGREES STERILE DISPOSABLE RESECTION ELECTRODE LOOP SINGLE STEM OLYMPUS FOR SALINE TURP CAT NO WA22306D

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PUNE CITY	87	30

HF Cable Bipolar 4M For ESG400

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PUNE CITY	3	30

Siliconised Ellicks Evacuator

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PUNE CITY	12	30

RETRIEVAL FORCEPS ALLIGATOR 7 FR 40 CM RIGID

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PUNE CITY	6	30

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Generic

Bidders shall quote only those products (Part of Service delivery) in the bid which are not obsolete in the market and has at least 3 years residual market life i.e. the offered product shall not be declared end-of-life by the OEM before this period.

2. Generic

Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

3. Generic

Bidder shall submit the following documents along with their bid for Vendor Code Creation:

- Copy of PAN Card.
- Copy of GSTIN.
- Copy of Cancelled Cheque.
- Copy of EFT Mandate duly certified by Bank.

4. Generic

Data Sheet of the product(s) offered in the bid, are to be uploaded along with the bid documents. Buyers can match and verify the Data Sheet with the product specifications offered. In case of any unexplained mismatch of technical parameters, the bid is liable for rejection.

5. Generic

Experience Criteria: The Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for 3 years before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the primary product having highest value should meet this criterion.

6. Generic

Manufacturer Authorization:Wherever Authorised Distributors/service providers are submitting the bid, Authorisation Form /Certificate with OEM/Original Service Provider details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid

7. Generic

While generating invoice in GeM portal, the seller must upload scanned copy of GST invoice and the screenshot of GST portal confirming payment of GST.

8. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

9. Sample Clause

After award of contract – Successful Bidder shall have to get advance sample approved from buyer before bulk manufacturing / starting bulk supplies. Successful Bidder shall submit

5

samples for Buyer's approval, within 7 days of award of contract. Buyer shall, as per contract specifications framework, either approve the advance sample or will provide complete list of modification required in the sample within 10 days of receipt of advance sample. Seller shall be required to ensure supply as per approved sample with modifications as communicated by Buyer. If there is delay from buyer side in approval of advance sample – the delivery period shall be refixed without LD for the period of delay in sample approval. In case, the sample is found to have major deviations / not conforming to the Contract specifications, the buyer at its discretion may call for fresh samples for approval before allowing bulk supplies or may terminate the contract after notifying the deviations to the seller.

Unless otherwise provided in the contract, all samples required for test shall be supplied by the contractor free of cost. Where under the contract, the contractor is required to submit an advance sample, any expenses incurred by the contractor on or in connection with the production of stores in bulk, before the sample has been approved unconditionally shall be borne by the Seller and he shall not claim any compensation in the event of such sample being found unacceptable by the Buyer / Consignee.

अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the

same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्यवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---