

**बिड दस्तावेज़ / Bid Document**

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	26-09-2025 10:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	26-09-2025 10:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	120 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Defence
विभाग का नाम/Department Name	Department Of Military Affairs
संगठन का नाम/Organisation Name	Indian Air Force
कार्यालय का नाम/Office Name	*****
कुल मात्रा/Total Quantity	206
वस्तु श्रेणी /Item Category	Automotive Vehicles - Pneumatic Tyres for 2 and 3 Wheeled Motor Vehicles, Quadricycles and E-Rickshaw / E-Carts as per IS 15627 (Q2) , Pneumatic Tyres for Commercial Vehicles - Diagonal and Radial Ply Marked to IS 15636 (Q2) , OTR Tyres (V2) (Q3) , Pneumatic Tyres For Passenger Car Vehicles - Diagonal And Radial Ply Marked to IS 15633 (Q2)
बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) /Minimum Average Annual Turnover of the bidder (For 3 Years)	10 Lakh (s)
मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)/OEM Average Turnover (Last 3 Years)	10 Lakh (s)
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/Years of Past Experience Required for same/similar service	3 Year (s)
वर्षों के अनुभव एवं टर्नओवर से एमएसई को छूट प्राप्त है / MSE Exemption for Years Of Experience and Turnover	Yes   Complete
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / Startup Exemption for Years Of Experience and Turnover	Yes   Complete

बिड विवरण/Bid Details	
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Additional Doc 1 (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	No
बिड लगाने की समय-सीमा बढ़ाने के लिए आवश्यक न्यूनतम सहभागी विक्रेताओं की संख्या। / Minimum number of bids required to disable automatic bid extension	1
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	7
विगत प्रदर्शन /Past Performance	50 %
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	Yes
रिवर्स नीलामी योग्यता नियम/RA Qualification Rule	H1-Highest Priced Bid Elimination
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	Pneumatic Tyres for Commercial Vehicles - Diagonal and Radial Ply Marked to IS 15636
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

#### ईएमडी विवरण/EMD Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईएमडी राशि/EMD Amount	105000

**ईपीबीजी विवरण /ePBG Detail**

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईपीबीजी प्रतिशत (%) /ePBG Percentage(%)	5.00
ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months).	26

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित कैटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज़ प्रस्तुत करने है। एमएसई कैटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b). ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

**लाभार्थी /Beneficiary :**

AIR OFFICER COMMANDING, AIR FORCE STATION TEZPUR  
Af Stn Tezpur, Department of Military Affairs, Indian Air Force, Ministry of Defence  
(Air Cmde An Karulkar)

**विभाजन/Splitting**

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

**एमआईआई खरीद वरीयता/MII Purchase Preference**

एमआईआई खरीद वरीयता/MII Purchase Preference	Yes
--	-----

**एमएसई खरीद वरीयता/MSE Purchase Preference**

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
---	-----

1. If the bidder is a Micro or Small Enterprise as per latest orders issued by Ministry of MSME, the bidder shall be exempted from the eligibility criteria of "Experience Criteria" as defined above subject to meeting of quality and technical specifications. The bidder seeking exemption from Experience Criteria, shall upload the supporting documents to prove his eligibility for exemption.
2. If the bidder is a Micro or Small Enterprise (MSE) as per latest orders issued by Ministry of MSME, the bidder shall be exempted from the eligibility criteria of "Bidder Turnover" as defined above subject to meeting of quality and technical specifications. If the bidder itself is MSE OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking exemption from Turnover, shall upload the supporting documents to prove his eligibility for exemption.
3. If the bidder is a DPIIT registered Startup, the bidder shall be exempted from the the eligibility criteria of "Experience Criteria" as defined above subject to their meeting of quality and technical specifications. The bidder seeking exemption from Experience Criteria, shall upload the supporting documents to prove his eligibility for exemption.
4. If the bidder is a DPIIT registered Startup, the bidder shall be exempted from the the eligibility criteria of

"Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT Registered OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking exemption from Turnover shall upload the supporting documents to prove his eligibility for exemption.

5. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

6. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

7. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

8. Preference to Make In India products (For bids < 200 Crore): Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

9. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

10. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

11. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 50% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

12. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:

- If number of technically qualified bidders are only 2 or 3.
- If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
- In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
- If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
- If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

### **Automotive Vehicles - Pneumatic Tyres For 2 And 3 Wheeled Motor Vehicles, Quadricycles And E-Rickshaw / E-Carts As Per IS 15627 ( 4 pieces )**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

#### **तकनीकी विशिष्टियाँ /Technical Specifications**

\* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Type of Tyre	Without Tube
	Type of Vehicle	Motorcycles
	Tyre Structure	Bias
	Tyre Rim Size in Diameter in Inches	18
	Tyre-Size Designations	2.75-18
Dimensions and Other Features	Warranty Time	5 Or higher (year)

### **Additional Specification Parameters - Automotive Vehicles - Pneumatic Tyres For 2 And 3 Wheeled Motor Vehicles, Quadricycles And E-Rickshaw / E-Carts As Per IS 15627 ( 4 pieces )**

Specification Parameter Name	Bid Requirement (Allowed Values)
TYRE SIZE 2.75 X 18 (WITH TUBE) REQUIRED	TYRE SIZE 2.75 X 18 (WITH TUBE) REQUIRED

\* Bidders offering must also comply with the additional specification parameters mentioned above.

#### **परिषेती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SONITPUR	4	30

### Pneumatic Tyres For Commercial Vehicles - Diagonal And Radial Ply Marked To IS 15636 ( 6 pieces )

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

#### तकनीकी विशिष्टियाँ /Technical Specifications

[\\* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Category of use	Normal-use Tyres
	Tyre Type	Tyre with Tube
	Structure	Diagonal (bias-ply)
	Nominal Rim Diameter Code 'd' and Value of 'd' (In mm) as per Table 1 (Clause 3.17) of IS 15636	20 (508 mm)
	Suitable For	Truck, Bus and Trailer Tyres in Highway Service
	Tyre-size designation	9.00-20

### Additional Specification Parameters - Pneumatic Tyres For Commercial Vehicles - Diagonal And Radial Ply Marked To IS 15636 ( 6 pieces )

Specification Parameter Name	Bid Requirement (Allowed Values)
TYRE SIZE 900X20 (WITH TUBE) REQUIRED.	TYRE SIZE 900X20 (WITH TUBE) REQUIRED.

\* Bidders offering must also comply with the additional specification parameters mentioned above.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SONITPUR	6	30

### Pneumatic Tyres For Commercial Vehicles - Diagonal And Radial Ply Marked To IS

**15636 ( 2 pieces )**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Category of use	Normal-use Tyres
	Tyre Type	Tubeless Tyre
	Structure	Radial
	Nominal Rim Diameter Code 'd' and Value of 'd' (In mm) as per Table 1 (Clause 3.17) of IS 15636	15 (381mm)
	Suitable For	Light Truck Tyres
	Tyre-size designation	7.00R15LT

**Additional Specification Parameters - Pneumatic Tyres For Commercial Vehicles - Diagonal And Radial Ply Marked To IS 15636 ( 2 pieces )**

Specification Parameter Name	Bid Requirement (Allowed Values)
TYRE SIZE 700 X 12 SOLID RUBBER WHEEL REQUIRED. ALSO, FITMENT OF THE TYRE REQUIRED AT CONSIGNEE.	TYRE SIZE 700 X 12 SOLID RUBBER WHEEL REQUIRED. ALSO, FITMENT OF THE TYRE REQUIRED AT CONSIGNEE.

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SONITPUR	2	30

**Pneumatic Tyres For Commercial Vehicles - Diagonal And Radial Ply Marked To IS 15636 ( 2 pieces )**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Category of use	Special-use Tyre
	Tyre Type	Tyre with Tube
	Structure	Diagonal (bias-ply)
	Nominal Rim Diameter Code 'd' and Value of 'd' (In mm) as per Table 1 (Clause 3.17) of IS 15636	20 (508 mm)
	Suitable For	Truck, Bus and Trailer Tyres in Highway Service
	Tyre-size designation	12.00-20

**Additional Specification Parameters - Pneumatic Tyres For Commercial Vehicles - Diagonal And Radial Ply Marked To IS 15636 ( 2 pieces )**

Specification Parameter Name	Bid Requirement (Allowed Values)
TYRE SIZE 12.4 X 28 (WITH TUBE) REQUIRED.	TYRE SIZE 12.4 X 28 (WITH TUBE) REQUIRED.

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SONITPUR	2	30

**Pneumatic Tyres For Commercial Vehicles - Diagonal And Radial Ply Marked To IS 15636 ( 3 pieces )**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Category of use	Normal-use Tyres
	Tyre Type	Tubeless Tyre



विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Structure	Diagonal (bias-ply)
	Nominal Rim Diameter Code 'd' and Value of 'd' (In mm) as per Table 1 (Clause 3.17) of IS 15636	16 (406 mm)
	Suitable For	Light Truck Tyres
	Tyre-size designation	8.25-16

**Additional Specification Parameters - Pneumatic Tyres For Commercial Vehicles - Diagonal And Radial Ply Marked To IS 15636 ( 3 pieces )**

Specification Parameter Name	Bid Requirement (Allowed Values)
TYRE SIZE 825 X 16 (WITH TUBE) REQUIRED.	TYRE SIZE 825 X 16 (WITH TUBE) REQUIRED.

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SONITPUR	3	30

**OTR Tyres (V2) ( 2 pieces )**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	TRA Code	E1
Dimension and Constructions	Tyre Type	Tubeless
	Tyre Size (Inch)	12.00-24
	Ply Rating	10
	Provided with	O-ring

**Additional Specification Parameters - OTR Tyres (V2) ( 2 pieces )**

Specification Parameter Name	Bid Requirement (Allowed Values)
TYRE SIZE 650 X 10 (SOLID RUBBER WHEEL) REQUIRED. FITMENT OF THE TYRES REQUIRED AT CONSIGNEE.	TYRE SIZE 650 X 10 (SOLID RUBBER WHEEL) REQUIRED. FITMENT OF THE TYRES REQUIRED AT CONSIGNEE.

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**परिषी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परिषी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SONITPUR	2	30

**Pneumatic Tyres For Commercial Vehicles - Diagonal And Radial Ply Marked To IS 15636 ( 10 pieces )**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

[\\* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Category of use	Normal-use Tyres
	Tyre Type	Tyre with Tube
	Structure	Diagonal (bias-ply)
	Nominal Rim Diameter Code 'd' and Value of 'd' (In mm) as per Table 1 (Clause 3.17) of IS 15636	16 (406 mm)
	Suitable For	Light Truck Tyres
	Tyre-size designation	6.00-16

**Additional Specification Parameters - Pneumatic Tyres For Commercial Vehicles - Diagonal And Radial Ply Marked To IS 15636 ( 10 pieces )**

Specification Parameter Name	Bid Requirement (Allowed Values)
TYRE SIZE 600 X 60 (WITH TUBE) REQUIRED.	TYRE SIZE 600 X 60 (WITH TUBE) REQUIRED.

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SONITPUR	10	30

**Pneumatic Tyres For Passenger Car Vehicles - Diagonal And Radial Ply Marked To IS 15633 ( 10 pieces )**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

\* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Category of use	Normal Road Tyre
	Tyre Type	Tubeless Tyre
	Structure	Radial
	Rim Diameter (In Inch)	15
	Tyre-size designation	215/75 R15
	Speed Category Symbol and Maximum Speed (km/h)	L (120)
Certification & Testing	Warranty (In Years)	1, 2, 3 Or higher

**Additional Specification Parameters - Pneumatic Tyres For Passenger Car Vehicles - Diagonal And Radial Ply Marked To IS 15633 ( 10 pieces )**

Specification Parameter Name	Bid Requirement (Allowed Values)
TYRE SIZE 215 X 75 X R15 (TUBELESS) REQUIRED.	TYRE SIZE 215 X 75 X R15 (TUBELESS) REQUIRED.

\* Bidders offering must also comply with the additional specification parameters mentioned above.

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

Applicable Specification Document	<a href="#">View</a>
-----------------------------------	----------------------

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SONITPUR	10	30

**Pneumatic Tyres For Passenger Car Vehicles - Diagonal And Radial Ply Marked To IS 15633 ( 10 pieces )**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

\* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Category of use	Normal Road Tyre
	Tyre Type	Tubeless Tyre
	Structure	Radial
	Rim Diameter (In Inch)	16
	Tyre-size designation	215/75 R16
	Speed Category Symbol and Maximum Speed (km/h)	L (120)
Certification & Testing	Warranty (In Years)	1, 2, 3 Or higher

**Additional Specification Parameters - Pneumatic Tyres For Passenger Car Vehicles - Diagonal And Radial Ply Marked To IS 15633 ( 10 pieces )**

Specification Parameter Name	Bid Requirement (Allowed Values)
TYRE SIZE 215 X 75 X R16 (TUBELESS) REQUIRED.	TYRE SIZE 215 X 75 X R16 (TUBELESS) REQUIRED.

\* Bidders offering must also comply with the additional specification parameters mentioned above.

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

Applicable Specification Document	<a href="#">View</a>
-----------------------------------	----------------------

**परिषी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परिषी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SONITPUR	10	30

**Pneumatic Tyres For Passenger Car Vehicles - Diagonal And Radial Ply Marked To IS 15633 ( 5 pieces )**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

\* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Category of use	Normal Road Tyre
	Tyre Type	Tubeless Tyre
	Structure	Radial
	Rim Diameter (In Inch)	15
	Tyre-size designation	195/80 R15
	Speed Category Symbol and Maximum Speed (km/h)	L (120)
Certification & Testing	Warranty (In Years)	3 Or higher

**Additional Specification Parameters - Pneumatic Tyres For Passenger Car Vehicles - Diagonal And Radial Ply Marked To IS 15633 ( 5 pieces )**

Specification Parameter Name	Bid Requirement (Allowed Values)
TYRE SIZE 195 X 70 X R15 (WITH TUBE) REQUIRED.	TYRE SIZE 195 X 70 X R15 (WITH TUBE) REQUIRED.

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents**

Applicable Specification Document	<a href="#">View</a>
-----------------------------------	----------------------

**परिषी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परिषी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SONITPUR	5	30

**Pneumatic Tyres For Passenger Car Vehicles - Diagonal And Radial Ply Marked To IS 15633 ( 5 pieces )**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

\* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	<b>Category of use</b>	Normal Road Tyre
	<b>Tyre Type</b>	Tubeless Tyre
	<b>Structure</b>	Radial
	<b>Rim Diameter (In Inch)</b>	15
	<b>Tyre-size designation</b>	185/65R15
	<b>Speed Category Symbol and Maximum Speed (km/h)</b>	H (210)
Certification & Testing	<b>Warranty (In Years)</b>	1, 2, 3 Or higher

**Additional Specification Parameters - Pneumatic Tyres For Passenger Car Vehicles - Diagonal And Radial Ply Marked To IS 15633 ( 5 pieces )**

Specification Parameter Name	Bid Requirement (Allowed Values)
TYRE SIZE 185 X 65 X R15 (TUBELESS) REQUIRED.	TYRE SIZE 185 X 65 X R15 (TUBELESS) REQUIRED.

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents**

Applicable Specification Document	<a href="#">View</a>
-----------------------------------	----------------------

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SONITPUR	5	30

**Pneumatic Tyres For Commercial Vehicles - Diagonal And Radial Ply Marked To IS 15636 ( 4 pieces )**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

\* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Category of use	Snow Tyre
	Tyre Type	Tubeless Tyre
	Structure	Diagonal (bias-ply)
	Nominal Rim Diameter Code 'd' and Value of 'd' (In mm) as per Table 1 (Clause 3.17) of IS 15636	16 (406 mm)
	Suitable For	Light Truck Tyres
	Tyre-size designation	7.50-16

**Additional Specification Parameters - Pneumatic Tyres For Commercial Vehicles - Diagonal And Radial Ply Marked To IS 15636 ( 4 pieces )**

Specification Parameter Name	Bid Requirement (Allowed Values)
TYRE SIZE 750 X 16 (WITH TUBE) REQUIRED.	TYRE SIZE 750 X 16 (WITH TUBE) REQUIRED.

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SONITPUR	4	30

### Pneumatic Tyres For Commercial Vehicles - Diagonal And Radial Ply Marked To IS 15636 ( 4 pieces )

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

#### तकनीकी विशिष्टियाँ /Technical Specifications

[\\* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Category of use	Normal-use Tyres
	Tyre Type	Tubeless Tyre
	Structure	Diagonal (bias-ply)
	Nominal Rim Diameter Code 'd' and Value of 'd' (In mm) as per Table 1 (Clause 3.17) of IS 15636	20 (508 mm)
	Suitable For	Truck, Bus and Trailer Tyres in Highway Service
	Tyre-size designation	11.00-20

### Additional Specification Parameters - Pneumatic Tyres For Commercial Vehicles - Diagonal And Radial Ply Marked To IS 15636 ( 4 pieces )

Specification Parameter Name	Bid Requirement (Allowed Values)
TYRE SIZE 11.2 X 24 - 8PLY (WITH TUBE) REQUIRED.	TYRE SIZE 11.2 X 24 - 8PLY (WITH TUBE) REQUIRED.

\* Bidders offering must also comply with the additional specification parameters mentioned above.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SONITPUR	4	30

### OTR Tyres (V2) ( 4 pieces )



(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

#### तकनीकी विशिष्टियाँ /Technical Specifications

[\\* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	TRA Code	E1
Dimension and Constructions	Tyre Type	Tubeless
	Tyre Size (Inch)	16.00-25
	Ply Rating	8
	Provided with	O-ring

#### Additional Specification Parameters - OTR Tyres (V2) ( 4 pieces )

Specification Parameter Name	Bid Requirement (Allowed Values)
TYRE SIZE 1600XR20 (FOR CFT) (WITH TUBE) REQUIRED.	TYRE SIZE 1600XR20 (FOR CFT) (WITH TUBE) REQUIRED.

\* Bidders offering must also comply with the additional specification parameters mentioned above.

#### परिषेती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषेती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SONITPUR	4	30

#### Pneumatic Tyres For Commercial Vehicles - Diagonal And Radial Ply Marked To IS 15636 ( 2 pieces )

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

#### तकनीकी विशिष्टियाँ /Technical Specifications

[\\* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Category of use	Normal-use Tyres
	Tyre Type	Tyre with Tube

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Structure	Diagonal (bias-ply)
	Nominal Rim Diameter Code 'd' and Value of 'd' (In mm) as per Table 1 (Clause 3.17) of IS 15636	16 (406 mm)
	Suitable For	Light Truck Tyres
	Tyre-size designation	8.25-16

**Additional Specification Parameters - Pneumatic Tyres For Commercial Vehicles - Diagonal And Radial Ply Marked To IS 15636 ( 2 pieces )**

Specification Parameter Name	Bid Requirement (Allowed Values)
TYRE SIZE 8.15 X 15 SOLID RUBBER WHEEL REQUIRED. FITMENT OF THE WHEEL WILL BE REQUIRED AT CONSIGNEE.	TYRE SIZE 8.15 X 15 SOLID RUBBER WHEEL REQUIRED. FITMENT OF THE WHEEL WILL BE REQUIRED AT CONSIGNEE.

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SONITPUR	2	30

**Pneumatic Tyres For Commercial Vehicles - Diagonal And Radial Ply Marked To IS 15636 ( 1 pieces )**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Category of use	Normal-use Tyres
	Tyre Type	Tubeless Tyre
	Structure	Diagonal (bias-ply)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Nominal Rim Diameter Code 'd' and Value of 'd' (In mm) as per Table 1 (Clause 3.17) of IS 15636	20 (508 mm)
	Suitable For	Truck, Bus and Trailer Tyres in Highway Service
	Tyre-size designation	12.00-20

**Additional Specification Parameters - Pneumatic Tyres For Commercial Vehicles - Diagonal And Radial Ply Marked To IS 15636 ( 1 pieces )**

Specification Parameter Name	Bid Requirement (Allowed Values)
TYRE SIZE 12.5 X 80- 18 (WITH TUBE) REQUIRED.	TYRE SIZE 12.5 X 80- 18 (WITH TUBE) REQUIRED.

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SONITPUR	1	30

**Pneumatic Tyres For Passenger Car Vehicles - Diagonal And Radial Ply Marked To IS 15633 ( 4 pieces )**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Category of use	Normal Road Tyre
	Tyre Type	Tubeless Tyre
	Structure	Radial
	Rim Diameter (In Inch)	16
	Tyre-size designation	235/70 R16

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Speed Category Symbol and Maximum Speed (km/h)	T (190)
Certification & Testing	Warranty (In Years)	1, 2, 3 Or higher

**Additional Specification Parameters - Pneumatic Tyres For Passenger Car Vehicles - Diagonal And Radial Ply Marked To IS 15633 ( 4 pieces )**

Specification Parameter Name	Bid Requirement (Allowed Values)
TYRE SIZE 235 X 70 X R16 (TUBELESS) REQUIRED.	TYRE SIZE 235 X 70 X R16 (TUBELESS) REQUIRED.

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents**

Applicable Specification Document	<a href="#">View</a>
-----------------------------------	----------------------

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SONITPUR	4	30

**Pneumatic Tyres For Commercial Vehicles - Diagonal And Radial Ply Marked To IS 15636 ( 9 pieces )**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Category of use	Normal-use Tyres
	Tyre Type	Tubeless Tyre
	Structure	Diagonal (bias-ply)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Nominal Rim Diameter Code 'd' and Value of 'd' (In mm) as per Table 1 (Clause 3.17) of IS 15636	20 (508 mm)
	Suitable For	Truck, Bus and Trailer Tyres in Highway Service
	Tyre-size designation	12.00-20

**Additional Specification Parameters - Pneumatic Tyres For Commercial Vehicles - Diagonal And Radial Ply Marked To IS 15636 ( 9 pieces )**

Specification Parameter Name	Bid Requirement (Allowed Values)
TYRE SIZE 1200 X 20 (WITH TUBE) REQUIRED.	TYRE SIZE 1200 X 20 (WITH TUBE) REQUIRED.

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SONITPUR	9	30

**Pneumatic Tyres For Commercial Vehicles - Diagonal And Radial Ply Marked To IS 15636 ( 37 pieces )**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Category of use	Normal-use Tyres
	Tyre Type	Tyre with Tube
	Structure	Diagonal (bias-ply)
	Nominal Rim Diameter Code 'd' and Value of 'd' (In mm) as per Table 1 (Clause 3.17) of IS 15636	20 (508 mm)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Suitable For	Truck, Bus and Trailer Tyres in Highway Service
	Tyre-size designation	9.00-20

**Additional Specification Parameters - Pneumatic Tyres For Commercial Vehicles - Diagonal And Radial Ply Marked To IS 15636 ( 37 pieces )**

Specification Parameter Name	Bid Requirement (Allowed Values)
TYRE SIZE 900 X 20 (WITH TUBE) REQUIRED.	TYRE SIZE 900 X 20 (WITH TUBE) REQUIRED.

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SONITPUR	37	30

**Pneumatic Tyres For Commercial Vehicles - Diagonal And Radial Ply Marked To IS 15636 ( 50 pieces )**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Category of use	Normal-use Tyres
	Tyre Type	Tyre with Tube
	Structure	Diagonal (bias-ply)
	Nominal Rim Diameter Code 'd' and Value of 'd' (In mm) as per Table 1 (Clause 3.17) of IS 15636	20 (508 mm)
	Suitable For	Truck, Bus and Trailer Tyres in Highway Service
	Tyre-size designation	9.00-20

**Additional Specification Parameters - Pneumatic Tyres For Commercial Vehicles - Diagonal And Radial Ply Marked To IS 15636 ( 50 pieces )**

Specification Parameter Name	Bid Requirement (Allowed Values)
TYRE SIZE 1000X20 (WITH TUBE) REQUIRED.	TYRE SIZE 1000X20 (WITH TUBE) REQUIRED.

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**परिषी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परिषी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SONITPUR	50	30

**OTR Tyres (V2) ( 4 pieces )**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

[\\* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	TRA Code	E1
Dimension and Constructions	Tyre Type	Tube tyre (with Tube)
	Tyre Size (Inch)	16.00-25
	Ply Rating	16
	Provided with	Flap

**Additional Specification Parameters - OTR Tyres (V2) ( 4 pieces )**

Specification Parameter Name	Bid Requirement (Allowed Values)
TYRE SIZE 16.9 X 30 (WITH TUBE) REQUIRED.	TYRE SIZE 16.9 X 30 (WITH TUBE) REQUIRED.

\* Bidders offering must also comply with the additional specification parameters mentioned above.

परिषदी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषदी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SONITPUR	4	30

**Pneumatic Tyres For Commercial Vehicles - Diagonal And Radial Ply Marked To IS 15636 ( 28 pieces )**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

\* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Category of use	Normal-use Tyres
	Tyre Type	Tyre with Tube
	Structure	Diagonal (bias-ply)
	Nominal Rim Diameter Code 'd' and Value of 'd' (In mm) as per Table 1 (Clause 3.17) of IS 15636	16 (406 mm)
	Suitable For	Light Truck Tyres
	Tyre-size designation	7.50-16

**Additional Specification Parameters - Pneumatic Tyres For Commercial Vehicles - Diagonal And Radial Ply Marked To IS 15636 ( 28 pieces )**

Specification Parameter Name	Bid Requirement (Allowed Values)
TYRE SIZE 750 X 16 (WITH TUBE) REQUIRED.	TYRE SIZE 750 X 16 (WITH TUBE) REQUIRED.

\* Bidders offering must also comply with the additional specification parameters mentioned above.

परिषदी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषदी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SONITPUR	28	30



**Special terms and conditions-Version:1 effective from 09-06-2025 for category Pneumatic Tyres for Commercial Vehicles - Diagonal and Radial Ply Marked to IS 15636**

1. Note to Buyers:

The Central Ministries/ Departments and other government buyers, as applicable, shall note that this category is covered under Scheme - I (ISI Mark Scheme) of BIS (Bureau of Indian Standards).

Compulsory use of Standard Mark - Goods or articles shall conform to the corresponding Indian Standard and shall bear the Standard Mark under a license from the Bureau as per Scheme-1 of Schedule-II of the Bureau of Indian Standards (Conformity Assessment) Regulations, 2018:

Buyer shall verify and confirm compliance with the applicable BIS order during the procurement and fulfillment process.

Note to Sellers:

Sellers shall offer and supply products conforming to the corresponding Indian Standard and bear the Standard Mark under a license from the Bureau as per Scheme-1.

Non-compliance shall result in action as per GeM IM policy.

Buyers and sellers may refer to the relevant S.O at <https://www.bis.gov.in/product-certification/products-under-compulsory-certification/scheme-i-mark-scheme/>

**Special terms and conditions-Version:1 effective from 04-02-2025 for category OTR Tyres (V2)**

1. **Special Terms and Conditions for OTR Tyres**

1. The category: "OTR Tyres" is to cater to the requirements of procurement of OTR Tyres. This category is bid only category and Direct Purchase is not enabled.
2. The buyer may specify the details of the vehicle for which OTR tyres are required.
3. Details with respect to TKPH may be specified by the buyer in the bid (wherever required).
4. Details on environmental conditions, working conditions and specific application may also be included by the buyer in the bid.
5. Details on warranty shall be specified by the buyer in the bid.
6. The buyer may verify that the supplied tyre is not more than 6 months old from its manufacturing date.

**Special terms and conditions-Version:1 effective from 02-06-2025 for category Pneumatic Tyres For Passenger Car Vehicles - Diagonal And Radial Ply Marked to IS 15633**

1. Note to Buyers:

The Central Ministries/ Departments and other government buyers, as applicable, shall note that this category is covered under Scheme - I (ISI Mark Scheme) of BIS (Bureau of Indian Standards).

Compulsory use of Standard Mark - Goods or articles shall conform to the corresponding Indian Standard and shall bear the Standard Mark under a license from the Bureau as per Scheme-1 of Schedule-II of the Bureau of Indian Standards (Conformity Assessment) Regulations, 2018:

Buyer shall verify and confirm compliance with the applicable BIS order during the procurement and fulfillment process.

Note to Sellers:

Sellers shall offer and supply products conforming to the corresponding Indian Standard and bear the

Standard Mark under a license from the Bureau as per Scheme-1.

Non-compliance shall result in action as per GeM IM policy.

Buyers and sellers may refer to the relevant S.O at <https://www.bis.gov.in/product-certification/products-under-compulsory-certification/scheme-i-mark-scheme/>

## क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/**Buyer Added Bid Specific Terms and Conditions**

### 1. **Generic**

Actual delivery (and Installation & Commissioning (if covered in scope of supply)) is to be done at following address

SENIOR LOGISTICS OFFICER  
AIR FORCE STATION  
TEZPUR  
ASSAM  
PIN-784104  
.

### 2. **Generic**

**Bidder financial standing:** The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.

### 3. **Generic**

Bidder shall submit the following documents along with their bid for Vendor Code Creation:

- a. Copy of PAN Card.
- b. Copy of GSTIN.
- c. Copy of Cancelled Cheque.
- d. Copy of EFT Mandate duly certified by Bank.

### 4. **Generic**

**Manufacturer Authorization:** Wherever Authorised Distributors/service providers are submitting the bid, Authorisation Form /Certificate with OEM/Original Service Provider details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid

### 5. **Generic**

Supplier shall ensure that the Invoice is raised in the name of Consignee with GSTIN of Consignee only.

### 6. **Certificates**

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

### 7. **Forms of EMD and PBG**

Bidders can also submit the EMD with Account Payee Demand Draft in favour of

AIR CMDE AN KARULKAR, AOC  
payable at  
AIR FORCE STATION TEZPUR, ASSAM

Bidder has to upload scanned copy / proof of the DD along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

#### 8. **Forms of EMD and PBG**

Bidders can also submit the EMD with Banker's Cheque in favour of

AIR CMDE AN KARULKAR, AOC  
payable at  
AIR FORCE STATION TEZPUR, ASSAM

Bidder has to upload scanned copy / proof of the BC along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

#### 9. **Forms of EMD and PBG**

Successful Bidder can submit the Performance Security in the form of Fixed Deposit Receipt also (besides PBG which is allowed as per GeM GTC). FDR should be made out or pledged in the name of

AIR CMDE AN KARULKAR, AOC AFS TEZPUR  
A/C (Name of the Seller). The bank should certify on it that the deposit can be withdrawn only on the demand or with the sanction of the pledgee. For release of Security Deposit, the FDR will be released in favour of bidder by the Buyer after making endorsement on the back of the FDR duly signed and stamped along with covering letter. Successful Bidder has to upload scanned copy of the FDR document in place of PBG and has to ensure delivery of hard copy of Original FDR to the Buyer within 15 days of award of contract.

#### 10. **Scope of Supply**

Scope of supply (Bid price to include all cost components) : Only supply of Goods

#### 11. **Buyer Added Bid Specific ATC**

Buyer Added text based ATC clauses

1. ALL TYRES SHOULD BE BRANDED LIKE MRF, CEAT, JK, APOLLO, BRIDGE-STONE OR EQUIVALENT AND SHOULD BE MADE OF BEST QUALITY OF RUBBER.
2. THE EMD SHOULD REACH AIR FORCE STATION TEZPUR WITHIN 05 DAYS FROM THE DATE OF OPENING OF BID.
3. BIDDERS ARE TO COMPLY WITH ALL ADDITIONAL SPECIFICATION PARAMETERS OF EACH ITEMS.
4. WARRANTY OF ALL TYRES MUST HAVE AS PER MANUFACTURER POLICY. WARRANTY CERTIFICATE TO BE SUBMITTED DURING THE DELIVERY OF TYRES.
5. SOLID RUBBER WHEELS ARE TO BE FITTED AT BUYER'S PREMISES ONLY.
6. MANUFACTURING OF ALL TYRES MUST BE NOT MORE THAN 12 WEEKS OLDER FROM THE WEEK OF DELIVERY.
7. ALL BIDDERS ARE TO COMPLY ALL TERMS & CONDITIONS AND SAME IS TO BE SUBMITTED ON THEIR LETTER HEAD. NON-COMPLIANCE AND NON-ADHERENCE TO THESE TERMS & CONDITIONS MAY LEAD TO REJECTION OF THE BID.

#### 12. **Buyer Added Bid Specific ATC**

Buyer uploaded ATC document [Click here to view the file.](#)

## अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

**All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.**

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला

सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

**---धन्यवाद/Thank You---**